

DIGITAL ASSIGNMENT – 1

MOBILE APPLICATION DEVELOPMENT (ITE1016)

SUBMITTED TO- PROF. BHAVANI S

SUBMITTED BY

15BCE0882 SHIKHER SRIVASTAVA

TOPIC-

(VITcafe website)


MY GITHUB LINK FOR THE WEBSITE(DA)-

https://github.com/shikher7/DA1_VITcafe_phonegap_webapp

SCREENSHOTS AND CODE ATTACHED BELOW


DESKTOP VIEW OF WEBSITE

HOME PAGE




MENU PAGE


(CLICK ANY OF 3 PHOTOS TO SCROLL TO THAT MENU)



AFTER CLICKING ANY ONE OF THE PHOTOS




ABOUT PAGE



MOBILE (USING PHONEGAP) VIEW OF WEBSITE

HOME PAGE



MENU PAGE




(CLICK ANY OF 3 PHOTOS TO SCROLL TO THAT MENU)

AFTER CLICKING ANY ONE OF THE PHOTOS



ABOUT PAGE



CODE

INDEX.HTML

```
<html>  
    <!-- CREATED BY SHIKHER SRIVASTAVA (15BCE0882) FOR DIGITAL ASSIGNMENT 1  
(MOBILE APPLICATION DEVELOPMENT)-->  
    <head>  
        <meta name="viewport" content="width=device-width">  
  
        <title>  
            SHIKHER  
        </title>  
        <style>  
            a:visited,a:active,a  
            {  
                text-decoration: none;  
                color: white;  
            }  
            .select-menu  
            {  
                display: none;  
                padding: 20px;  
            }  
            select  
            {  
                padding: 10px;  
                width: 350px;  
                border-radius: 5px;  
            }  
            body  
            {  
                width: 100%;  
                height: 100%;  
                font-family: arial;  
                margin: 0;  
                padding: 0;  
                background: url(images/background.jpg);  
            }  
            .menu  
            {  
                position: fixed;  
                background-color: rgba(0,0,0,0.5);  
                width: 100%;  
                display: flex;  
                align-content: center;  
                justify-content: center;  
            }  
        </style>  
    </head>  
    <body>
```

```
.menu-item
{
    display: flex;
    justify-content: center;
    align-content: center;
    padding: 20px;
    color: white;
}

.main-content
{
    padding-top: 60px;
    display: flex;
    justify-content: center;
    align-items: center;
    overflow: auto;
    width: 100%;
    height: calc(100% - 60px);
}

.box
{
    display: flex;
    background-color: rgba(125,125,125,0.5);
    min-width:80%;
    height: 500px;
    border-radius: 20px;

}

.image1 , .image2
{
    width:100%;

    height: 100%;

}

.image1
{
    background-image: url(images/logo.jpg);
    background-size: 100% 100%;
    border-radius: 20px 0 0 20px;
}

.image2
{
    background-image: url(images/1.jpg);
    background-size: 100% 100%;
    transition-duration: 1s;
    border-radius: 0px 20px 20px 0px;
}
```

```

    }
    @media screen and (max-width: 992px)
    {
        .menu-item
        {
            display: none;
        }
        .select-menu
        {
            display: flex;
        }

        .box
        {
            flex-direction: column;
        }
        .image1,.image2
        {
            border-radius: 0;
        }
        .image1
        {
            border-radius: 20px 20px 0 0;
        }
        .image2
        {
            border-radius: 0px 0px 20px 20px;
        }
    }

</style>
</head>
<body>
    <div class="menu">
        <div class="select-menu">

            <!-- JAVASCRIPT FOR MENU BAR -->

            <select name="menu"
onChange="window.document.location.href=this.options[this.selectedIndex].value
;">

                <option value="index.html">Home</option>
                <option value="menu.html">Menu</option>
                <option value="about.html">About</option>
            </select>
        </div>

        <div class="menu-item"><a href="index.html">HOME</a></div>

```



```

        <div class="menu-item"><a href="menu.html">MENU</a></div>
        <div class="menu-item"><a href="about.html">ABOUT</a></div>
    </div>
    <div class="main-content">
        <div class="box" >
            <div class="image1"></div>
            <div class="image2"></div>
        </div>
    </div>

    <!-- JQUERY CODE FOR PHOTO SLIDESHOW -->

    <script src="js/jquery.js" type="text/javascript" charset="utf-
8"></script>
    <script>
        $(document).ready(function(){
            var arr=["images/1.jpg","images/2.jpg","images/3.jpg"];
            var i=0;
            setInterval(function(){
                $(".image2").css("background-
image","url("+arr[i]+")");
                i=i+1;
                i=i%(arr.length);
            },3000);
        });
        $(document).ready(function(){
            $('body').slideDown();
        });
    </script>
</body>
</html>

```

MENU.HTML

```

<html>
    <!-- CREATED BY SHIKHER SRIVASTAVA (15BCE0882) FOR DIGITAL ASSIGNMENT 1
(MOBILE APPLICATION DEVELOPMENT)-->
    <head>
        <meta name="viewport" content="width=device-width">

        <title>
            SHIKHER
        </title>
        <style>
            #fixedbutton {
                position: fixed;
                bottom: 0px;

```

```
right: 0px;
width: 150px;
height: 110px;
}
a:visited,a:active,a
{
    text-decoration: none;
    color: white;
}
.select-menu_main
{
    display: none;
    padding: 20px;
}
select
{
    padding: 10px;
    width: 350px;
    border-radius: 5px;
}
body
{
    width: 100%;
    height: 100%;
    font-family: arial;
    margin: 0;
    padding: 0;
    background: url(images/background.jpg);
}
.menu_main
{
    position: fixed;
    background-color: rgba(0,0,0,0.5);
    width: 100%;
    display: flex;
    align-content: center;
    justify-content: center;
}
.menu_main-item
{
    display: flex;
    justify-content: center;
    align-content: center;
    padding: 20px;
    color: white;
}
.main-content
{

```

```
padding-top: 60px;
display: flex;
justify-content: center;
align-items: center;
overflow: auto;
width: 100%;
min-height: calc(100% - 60px);
}
.box
{
    display: flex;
    background-color: rgba(125,125,125,0.5);
    min-width: 80%;
    height: 500px;
    border-radius: 20px;

}
.image1 , .image2, .image3, .image4
{
    width: 100%;
    opacity: 1;
    height: 100%;
    -webkit-transition: .3s ease-in-out;
    transition: .3s ease-in-out;

}
.image1:hover , .image2:hover, .image3:hover, .image4:hover
{
    opacity: .5;

}
.image1
{
    background-image: url(images/food.jpg);
    background-size: 100% 100%;
    border-radius: 20px 0 0 20px;
}
.image2
{
    background-image: url(images/drinks.jpg);
    background-size: 100% 100%;
    transition-duration: 1s;
    border-radius: 0px 0px 0px 0px;
}
.image3
{
```

```

        background-image: url(images/desert.jpg);
        background-size: 100% 100%;
        transition-duration: 1s;
        border-radius: 0px 20px 20px 0px;
    }
    @media screen and (max-width: 992px)
    {
        .menu_main-item
        {
            display: none;
        }
        .select-menu_main
        {
            display: flex;
        }

        .box
        {
            flex-direction: column;
        }
        .image1,.image2
        {
            border-radius: 0;
        }
        .image1
        {
            border-radius: 20px 20px 0 0;
        }
        .image2
        {
            border-radius: 0px 0px 0px 0px;
        }
        .image3
        {
            border-radius: 0px 0px 20px 20px;
        }
    }

</style>
<link rel="stylesheet" href="css/styles.css">
<style>
    .menu
    {
        padding-top: 0 !important;
    }
    .main .container .container-menu
    {

```

[illegible]

[illegible]

[illegible]

[illegible]


```

                <div class="element">
                    <p class="name">Cheesecake</p>
                    <p class="price">₹150</p>
                </div>
                <div class="element">
                    <p class="name">Lava Cake</p>
                    <p class="price">₹120</p>
                </div>
            </article>

        </div>
    </div>
</div>
</section>
</div>
</div>

<!-- JQUERY CODE FOR PHOTO SCROLL TO MENU-->

<script src="js/jquery.js" type="text/javascript" charset="utf-
8"></script>
<script>
    $("#FOOD_PHOTO").click(function() {
        $('html, body').animate({
            scrollTop: $("#FOOD").offset().top
        }, 1000);
    });
    $("#COFFEE_PHOTO").click(function() {
        $('html, body').animate({
            scrollTop: $("#COFFEE").offset().top
        }, 1000);
    });
    $("#DESSERT_PHOTO").click(function() {
        $('html, body').animate({
            scrollTop: $("#DESSERT").offset().top
        }, 1000);
    });
    $("#fixedbutton").click(function() {
        $('html, body').animate({
            scrollTop: $("#TOP").offset().top
        }, 1000);
    });
</script>

</body>
</html>

```

ABOUT.HTML

```
<html>
  <!-- CREATED BY SHIKHER SRIVASTAVA (15BCE0882) FOR DIGITAL ASSIGNMENT 1
(MOBILE APPLICATION DEVELOPMENT)-->
  <head>
    <meta name="viewport" content="width=device-width">

    <title>
      SHIKHER
    </title>
    <style>
.accordionWrapper
{

  float:left;
  width:100%;
  box-sizing:border-box;
  margin: 0px;
  padding: 0 20px;
  padding-top:100px;
  box-shadow: 0 1.5em 85px 0 rgba(0, 0, 0, 0.2);

}
.accordionItem{
  float:left;
  display:block;
  width:100%;
  box-sizing: border-box;
  font-family:'Open-sans',Arial,sans-serif;
}
.accordionItemHeading{
  cursor:pointer;
  margin:0px 0px 10px 0px;
  padding:25px 10px;
  background:#ce6a24;
  color:#fff;
  width:100%;
  border-radius: 3px;
  box-sizing: border-box;
}
.close .accordionItemContent{
  height:0px;
  transition:height 1s ease-out;
  -webkit-transform: scaleY(0);
  -o-transform: scaleY(0);
  -ms-transform: scaleY(0);
  transform: scaleY(0);
}
```

```

float:left;
display:block;

}
.open .accordionItemContent{
padding: 20px;
background-color: #fff;
border: 1px solid #ddd;
width: 100%;
margin: 0px 0px 10px 0px;
display:block;
transform: scaleY(1);
transform-origin: top;
transition: transform 0.4s ease;
box-sizing: border-box;
}

.open .accordionItemHeading{
margin:0px;
border-top-left-radius: 3px;
border-top-right-radius: 3px;
border-bottom-right-radius: 0px;
border-bottom-left-radius: 0px;
background-color: #e48a4c;
color: #fff;
}

a:visited,a:active,a
{
text-decoration: none;
color: white;
}
.select-menu
{
display: none;
padding: 20px;
}
select
{
padding: 10px;
width: 350px;
border-radius: 5px;
}
body
{
width: 100%;
height: 100%;
}

```

```
        font-family: arial;
        margin: 0;
        padding: 0;
        background: url(images/background.jpg);
    }
    .menu
    {
        position: fixed;
        background-color: rgba(0,0,0,0.5);
        width: 100%;
        display: flex;
        align-content: center;
        justify-content: center;
    }
    .menu-item
    {
        display: flex;
        justify-content: center;
        align-content: center;
        padding: 20px;
        color: white;
    }
    .main-content
    {
        padding-top: 60px;
        display: flex;
        justify-content: center;
        align-items: center;
        overflow: auto;
        width: 100%;
        height: calc(100% - 60px);
    }
    .box
    {
        display: flex;
        background-color: rgba(125,125,125,0.5);
        min-width: 80%;
        height: 500px;
        border-radius: 20px;

    }
    .image1 , .image2
    {
        width: 100%;

        height: 100%;
    }
```

```

    }
    .image1
    {
        background-image: url(images/logo.jpg);
        background-size: 100% 100%;
        border-radius: 20px 0 0 20px;
    }
    .image2
    {
        background-image: url(images/1.jpg);
        background-size: 100% 100%;
        transition-duration: 1s;
        border-radius: 0px 20px 20px 0px;
    }
    @media screen and (max-width: 992px)
    {
        .menu-item
        {
            display: none;
        }
        .select-menu
        {
            display: flex;
        }

        .box
        {
            flex-direction: column;
        }
        .image1,.image2
        {
            border-radius: 0;
        }
        .image1
        {
            border-radius: 20px 20px 0 0;
        }
        .image2
        {
            border-radius: 0px 0px 20px 20px;
        }
    }
}

</style>
</head>
<body>
    <div class="menu">

```

```

<div class="select-menu">

    <!-- JAVASCRIPT FOR MENU BAR -->

    <select name="menu"
onChange="window.document.location.href=this.options[this.selectedIndex].value
;">

        <option value="about.html">About</option>
        <option value="index.html">Home</option>
        <option value="menu.html">Menu</option>

    </select>
</div>

<div class="menu-item"><a href="index.html">HOME</a></div>
<div class="menu-item"><a href="menu.html">MENU</a></div>
<div class="menu-item"><a href="about.html">ABOUT</a></div>
</div>
<div class="accordionWrapper">
    <div class="accordionItem open">
        <div class="accordionItemHeading">Description</div>
        <div class="accordionItemContent">
            <p>Centrally located in VIT University,Vellore , The
VITcafe offers a comfortable environment for everyone. Come and enjoy our
selection of homemade to internation food, coffee, tea and dessert. </p>
            <p> Whether you're looking to relax over a cup of
espresso or grab a quick bite to go, the VITcafe is for you.</p>
        </div>
    </div>

    <div class="accordionItem close">
        <div class="accordionItemHeading">Contact us</div>
        <div class="accordionItemContent">
            <p>VITCafe(near SJT),VIT University,Vellore - 632014 Tamil
Nadu, India</p>
            <p>
                Telephone:(440)546.0901<br>
                Toll Free: (800) 562.8575<br>
                (440) 546.0960<br>
                Email:sales@VITcafe.com</p>
        </div>
    </div>

    <div class="accordionItem close">
        <div class="accordionItemHeading">Our Mission</div>
        <div class="accordionItemContent">
            <p>

```

Our mission is to serve the VIT University by providing the highest-quality coffees, meals, and desserts in an atmosphere that meets the needs of students and staff who are in a hurry as well as those who want a place to relax and enjoy their beverages and food.</p>

```
</div>
</div>
</div>
</div>

<!-- JQUERY CODE FOR PHOTO SLIDESHOW -->

<script src="js/jquery.js" type="text/javascript" charset="utf-8"></script>
<script>
    $(document).ready(function(){
        var arr=["images/1.jpg","images/2.jpg","images/3.jpg"];
        var i=0;
        setInterval(function(){
            $(".image2").css("background-
image","url("+arr[i]+")");
            i=i+1;
            i=i%(arr.length);
        },3000);
    });
    $(document).ready(function(){
        $('body').slideDown();
    });
    var accItem = document.getElementsByClassName('accordionItem');
    var accHD = document.getElementsByClassName('accordionItemHeading');
    for (i = 0; i < accHD.length; i++) {
        accHD[i].addEventListener('click', toggleItem, false);
    }
    function toggleItem() {
        var itemClass = this.parentNode.className;
        for (i = 0; i < accItem.length; i++) {
            accItem[i].className = 'accordionItem close';
        }
        if (itemClass == 'accordionItem close') {
            this.parentNode.className = 'accordionItem open';
        }
    }
</script>
</body>
</html>
```