Qwen

Anabaena as a Multifunctional Chassis for Extraterrestrial Exploration

A Multifaceted Platform for In-Situ Resource Utilization on Mars

The selection of a biological chassis for sustained human presence beyond Earth hinges on its ability to thrive on locally available resources, thereby minimizing the logistical burden of resupply missions [22]. Among cyanobacteria, Anabaena sp. PCC 7938 has emerged as a preeminent candidate for Mars due to its unique combination of metabolic capabilities, which directly address the primary challenges of the Martian environment: a CO_2-rich, N_2-dominant atmosphere and mineral-poor, perchlorate-containing regolith [10 80]. Its core function as a dual processor of carbon and nitrogen positions it not merely as a component of a life support system but as a foundational organism capable of initiating planetary-scale terraforming processes [17]. The successful cultivation of this strain under Mars-relevant conditions has been rigorously demonstrated in controlled laboratory settings, providing a strong scientific basis for its deployment in future habitats [13 141].

A pivotal discovery is Anabaena sp. PCC 7938's remarkable adaptability to low-pressure atmospheres. Experiments conducted within the custom-built 'Atmos' bioreactor, a system designed to simulate Martian surface conditions, revealed that this strain can maintain vigorous diazotrophic growth comparable to ambient Earth air when cultivated at a total pressure of 100 hPa [75 141]. This pressure level is representative of the Martian surface, composed of a gas mixture mimicking the planet's composition (96% N_2, 4% CO_2) [13 75]. Under these conditions, the biomass concentration reached 0.40 ± 0.026 gdw L^{-1}, statistically indistinguishable from the 0.35 ± 0.03 gdw L^{-1}achieved under standard atmospheric pressure [14 75]. This finding carries profound implications for mission architecture, suggesting that photobioreactors for Mars need not be pressurized to Earth-normal levels, thus reducing structural mass and complexity and easing launch constraints [62 142]. Further modeling has established that stable growth can be maintained down to pressures as low as 80 hPa, provided the partial pressures of CO_2 and N_2 are kept constant [137 138]. This allows for the precise optimization of gas processing requirements, where metabolic needs dictate operational parameters rather than arbitrary structural design choices [137]. For instance, a desired specific growth rate of 0.2 day^{-1}requires a minimum total pressure of approximately 30 hPa, highlighting the potential for highly efficient, minimally processed atmospheric utilization [138].

Beyond atmospheric processing, Anabaena sp. PCC 7938 demonstrates a robust capacity to utilize nutrients derived from Martian regolith simulants. In comparative studies, it produced the highest biomass across five different simulants (MGS-1, MGS-1C, MGS-1S, LHS-1, LMS-1), outperforming other tested strains including PCC 7120 and Nostoc sp. PCC 7524 [10 84]. This capability extends to various substrates, including JSC-1A Martian regolith simulant, where growth was observed even in distilled water supplemented only with the regolith, indicating its self-sufficiency in nutrient

extraction [55 100]. However, this process is not without constraints. Phosphorus has been identified as the primary limiting nutrient in simulants like MGS-1, and supplementing phosphorus significantly boosts biomass yield [11 85]. Growth also exhibits a complex relationship with regolith concentration; while biomass increases with concentration up to around 50 kg m^{-3}, higher concentrations lead to inhibition due to shading effects and chemotoxicity [11 17]. Furthermore, direct physical contact between the cells and the regolith grains is crucial for optimal nutrient release, as cultures separated by a membrane show reduced growth, pointing to a contact-dependent bioleaching mechanism [11 85].

Despite its resilience, Anabaena sp. PCC 7938 faces significant challenges from Martian soil chemistry, most notably perchlorate toxicity. While four of five tested cyanobacterial strains, including PCC 7938, maintained biomass above 20% of controls at calcium perchlorate concentrations up to 12 mM, this level corresponds to ~0.6 wt% perchlorate in regolith, a typical concentration found on Mars [10 11]. At this concentration, growth in a dense regolith suspension is reduced by approximately 50%, indicating a substantial inhibitory effect [11]. Mathematical models predict that no biomass is produced when dissolved perchlorate exceeds 1.2 kg m^{-3}, underscoring the necessity of either selecting specific regolith deposits with lower perchlorate content or developing strategies to enhance tolerance [136]. Interestingly, the combined effect of regolith and perchlorate is multiplicative, meaning the fraction of maximum growth rate under both factors is the product of their individual fractions, a critical consideration for predicting performance in real Martian soil [11 56]. Beyond resource utilization, Anabaena's role in a bioregenerative ecosystem is multifaceted. Its biomass serves as a potent feedstock for downstream bioprocesses. Lysates prepared from its dried biomass have been shown to support robust growth of heterotrophic bacteria like E. coli W, reaching cell densities comparable to those in standard LB medium [10 13 17]. Crucially, lysates from PCC 7938 were superior to those from other strains for supporting the growth of higher plants, such as Lemna sp., doubling its biomass compared to controls after 14 days [10]. This establishes Anabaena as a cornerstone species for creating cascaded ecosystems, converting inert atmospheric gases into organic matter that fuels a wider range of life-support functions, a principle central to projects like ESA's MELiSSA but enhanced by intrinsic nitrogen-fixing capabilities [87 112].

Attribute	Performance of Anabaena sp. PCC 7938 in Simulated Martian Conditions
Atmospheric Pressure Tolerance	Maintains diazotrophic growth at 100 hPa (Earth ambient air equivalent). Stable growth down to 80 hPa if pCO_2 and pN_2 are constant. [75 137 138]
Atmospheric Gas Utilization	Grows autotrophically using CO_2 and N_2 from a 96% N_2 / 4% CO_2 atmosphere. [13 75]
Regolith Simulant Growth	Produces highest biomass among tested strains (PCC 7120, 7122, 7937, 7938, Nostoc sp. PCC 7524) across multiple simulants (MGS-1, LHS-1, etc.). [10 84]
Phosphorus Limitation	Phosphorus is the primary limiting nutrient in MGS-1 simulant; supplementation increases biomass by 41-67%. [11 85]

Attribute	Performance of Anabaena sp. PCC 7938 in Simulated Martian Conditions
Perchlorate Resistance	Moderate resistance; maintains >20% biomass at 12 mM Ca-perchlorate (~0.6 wt%). Growth inhibited at higher concentrations. [10 11 100]
Nutrient Feedstock Quality	Dried biomass lysate supports robust growth of E. coli W and Lemna sp., doubling the latter's biomass compared to other strains. [10 13 17]
Biofilm Formation	Forms minimal aggregates in MGS-1 simulant, scoring positively for lack of interference with photobioreactor operations. [10]

Resilience to Space-Relevant Stressors: A Tale of Extremophile Adaptations

For any organism to serve as a reliable biological workhorse in the harsh environment of Mars, it must withstand a suite of combined stressors, including intense radiation, extreme desiccation, toxic chemical compounds, and altered gravity. Anabaena exhibits a complex and often contradictory profile of resilience, possessing remarkable defenses against certain stressors while showing vulnerabilities to others. Its survival mechanisms, particularly against ionizing and UV radiation, are reminiscent of terrestrial extremophiles and provide a foundation for its potential use in shielded habitats or surface-level applications [36 54]. However, the impact of microgravity remains a significant knowledge gap, with conflicting evidence suggesting both adaptive responses and physiological stress [61 101].

One of Anabaena's most impressive attributes is its high tolerance to ionizing radiation. Studies have shown that Anabaena variabilis PCC 7120 can withstand doses of up to 5 kGy of gamma radiation without adverse effects on viability or physiological functions, demonstrating recovery from genome disintegration after a short lag phase [18 54]. Another study reported that exposure to 6 kGy caused a 2 − 3 day lag before growth resumed, indicating a robust repair capacity [39 53]. Proteomic analysis following γ-radiation exposure reveals a coordinated cellular response, involving the downregulation of proteins involved in photosynthesis and carbon/nitrogen assimilation, and the upregulation of reactive oxygen species (ROS) detoxifiers, chaperones, and proteases [39]. This suggests a strategic reorganization of cellular priorities away from growth and towards repair and survival. The LexA protein, a global transcriptional regulator, plays a central role in orchestrating this response, modulating genes related to DNA repair and oxidative stress [39 104]. Intriguingly, the mechanisms underlying radiation and desiccation tolerance appear to overlap, with both stresses inducing similar proteomic shifts and reliance on efficient double-strand break (DSB) repair pathways [95 98]. This shared molecular machinery implies that Anabaena may possess deep evolutionary adaptations to extreme environmental stress.

Against solar UV radiation, Anabaena deploys a multi-layered defense strategy. It synthesizes UV-absorbing mycosporine-like amino acids (MAAs) and scytonemin, which act as sunscreens by dissipating energy as heat [36 37 38]. Specific MAAs like shinorine and porphyra absorb strongly in the

UV-B range (334 nm) [37]. The organism also produces enzymatic antioxidants like superoxide dismutase (SOD) and catalase to neutralize ROS generated by UVR exposure [42 96]. Perhaps its most powerful defense is highly efficient photoreactivation, a light-dependent DNA repair mechanism mediated by CPD photolyase and 6-4 photolyase enzymes that use blue/UV-A light to reverse UV-induced DNA damage like cyclobutane pyrimidine dimers (CPDs) [37 94]. However, a critical vulnerability exists: the nitrogenase enzyme itself is extremely sensitive to UV-B, and sustained exposure can inhibit its activity by up to 55% and degrade the specialized heterocyst envelope necessary for its protection [37 96]. This suggests that while Anabaena could survive on the Martian surface, its vital nitrogen-fixing function would likely require shielding from direct sunlight, making underground cultivation in habitats or greenhouses a more viable strategy [17].

The desert cyanobacterium Chroococcidiopsis serves as a benchmark for survival, having shown no increase in genomic variants after 1.5 years in space and the ability to repair accumulated DNA damage upon rehydration [2 46]. While Anabaena shares some traits with Chroococcidiopsis, such as forming akinetes—dormant cells that allow for long-term survival under adverse conditions—their specific resilience to prolonged desiccation in a Martian context is less well-characterized [8 100]. Desiccation experiments with Anabaena cylindrica showed that while dryness alone did not cause permanent damage, it delayed recovery, and recovery was fastest in clay-containing substrates that retain moisture [16 124]. The impact of microgravity is another area of uncertainty. While one Chinese satellite experiment reported that Anabaena siamensis grown in microgravity adapted and converged in growth with ground controls after several generations, other evidence points to stress [51]. A clinorotation study on Anabaena sp. PCC 7120 found that simulated microgravity induced oxidative stress, evidenced by increased ROS accumulation and alterations in the antioxidant enzyme system [101 102]. In contrast, studies on the related cyanobacterium Limnospira indica attributed growth inhibition under simulated microgravity to poor oxygen transfer causing carbon limitation, rather than a direct inhibitory effect of the low-shear environment [129]. This discrepancy highlights a major knowledge gap: the precise physiological and metabolic consequences of microgravity on a filamentous, diazotrophic organism like Anabaena remain largely unexplored and represent a critical area for future research.

Engineering an Autonomous Workhorse: The Synthetic Biology Toolkit for Anabaena

To transition Anabaena from a naturally occurring organism into a predictable, high-performance biological chassis for space missions, a sophisticated and versatile synthetic biology toolkit is essential. Such a toolkit enables the rational redesign of metabolic pathways, the introduction of novel functionalities, and the enhancement of stress tolerance, transforming it into an autonomous workhorse capable of performing complex tasks on demand. The current landscape for Anabaena is one of rapid progress, characterized by the successful adaptation of tools from model organisms and the development of innovative technologies tailored to its unique biology. However, significant challenges persist, primarily related to its polyploid nature, the difficulty of achieving tight regulatory control, and the risk of genetic instability during long-term cultivation [1 5].

The foundational methods for genetic manipulation in Anabaena include natural transformation and conjugation, which have been used to introduce foreign DNA into the genome [5 31]. The Cre-LoxP recombinase system has been successfully applied to achieve markerless mutagenesis, allowing for the precise deletion of target genes without leaving behind antibiotic resistance markers, a crucial feature for biosafety in closed-loop systems [5]. This system facilitates the reuse of selectable markers and supports the construction of complex genetic circuits. Inducible expression systems, such as the Nir promoter system, offer temporal control over gene expression, responding to nitrate (inducer) and ammonium (repressor) concentrations, which is invaluable for controlling developmental processes like heterocyst differentiation or metabolic pathways without imposing a continuous metabolic burden on the cell [5]. However, these conventional methods are often time-consuming and labor-intensive, hindering the iterative 'design-build-test-learn' cycle necessary for rapid optimization.

Recent breakthroughs in CRISPR-based genome editing have revolutionized the field of cyanobacterial engineering, and Anabaena sp. PCC 7120 has been a key recipient of these advancements [27 77]. The application of CRISPR-Cas9 and Cpf1/Cas12a systems has enabled precise, scar-free modifications, including multiplexed gene knockouts, insertions, and base pair changes [27]. These tools offer a dramatic acceleration over traditional homologous recombination methods. The latest innovation, however, is the development of RNA-guided transposition using the CRISPR-associated transposase (CAST) system, implemented in Anabaena via the CASTGATE Golden Gate vectors [28 29]. This technology represents a paradigm shift, allowing for the precise, single-copy integration of large DNA cargoes at defined genomic loci guided by an sgRNA [34]. The mechanism operates via a 'cut-and-paste' process, avoiding the need for homologous recombination and ensuring that only the intended cargo is inserted, with no detectable off-target effects or remobilization of endogenous mobile elements [28 120]. This capability is transformative, making it feasible to build complex genetic circuits, tag proteins with fluorescent reporters, and insert entire biosynthetic pathways with unprecedented precision and efficiency, overcoming a major bottleneck in filamentous cyanobacteria.

Despite these powerful new tools, several critical bottlenecks and knowledge gaps hinder the development of a fully mature synthetic biology platform for Anabaena. First, like many cyanobacteria, Anabaena is polyploid, containing multiple copies of its genome per cell [1]. This complicates the generation of homozygous knockout strains, as each recombination event requires segregation across multiple genomes, a process that can take weeks or months. While CRISPR-based editing helps mitigate this by enabling rapid, marker-less modifications, strategies to reduce polyploidy or further accelerate segregation are still needed to streamline the workflow [1]. Second, achieving tight, predictable, and tunable regulation of gene expression remains a universal challenge. Native regulatory elements often do not function as expected in cyanobacteria, prompting efforts to develop parts-specific promoters, riboswitches, and terminators, though these can suffer from leakiness, poor dynamic range, or incompatibility with specific growth conditions [1]. A standardized library of well-characterized, orthogonal regulatory parts for Anabaena is a priority for the community. Third, genetic instability is a persistent concern in engineered cyanobacteria. Unintended mutations, gene deletions, or selective pressure from non-producing revertants can lead to the loss of engineered traits during long-term cultivation, posing a severe risk for missions lasting years [4 6 8]. Strategies to combat this include computational design of growth-coupled production strains, where

the synthesis of a desired product is linked to cellular fitness, and the use of regulatable promoters to minimize metabolic burden during non-production phases [3 6]. Finally, a major technical bottleneck is the lack of high-throughput cultivation and screening systems. Current methods rely on low-throughput formats like 6- or 24-well plates, which severely limits the speed of testing genetic constructs under controlled light and CO_2 conditions [5]. The development of compatible 96-well plate systems is a crucial step forward for accelerating the design-build-test-learn cycle.

Advanced Biomanufacturing and Environmental Management in Closed-Loop Systems

Beyond its foundational role in air revitalization and nutrient cycling, Anabaena offers a versatile platform for advanced biomanufacturing and environmental management within a closed-loop life support system. By leveraging synthetic biology, it can be engineered to perform complex tasks that are critical for the sustainability and autonomy of a Mars habitat, such as producing high-value pharmaceuticals, synthesizing bioplastics, recycling waste, and processing toxic materials [22 115]. Its inherent metabolic versatility, combined with the ability to form symbiotic relationships or operate in co-culture systems, positions it as a key player in transforming a barren, hostile environment into a productive and resilient ecosystem [17 68].

A powerful strategy for advanced biomanufacturing is the use of synthetic co-cultures, which decouples primary metabolism (carbon fixation) from specialized bioproduction [17]. Engineered Anabaena can serve as a solar-powered factory, fixing atmospheric CO_2 and converting it into simple sugars like sucrose, which it secretes into the culture medium [18 25]. This secreted sugar then serves as a carbon source to fuel the growth and productivity of a heterotrophic partner, such as Bacillus subtilis or Escherichia coli [18 38]. This modular approach allows for the on-demand production of a wide array of products, including pharmaceuticals, biopolymers, and other valuable chemicals, using only local resources—sunlight, CO_2, and water—from the Martian environment [17 22]. The PowerCell project, for example, involves an engineered strain of Anabaena that secretes sucrose to feed Bacillus subtilis, serving as a proof-of-concept for such systems [18]. Similarly, Anabaena has been engineered to produce essential amino acid-rich proteins (EarP) using atmospheric N_2 as the sole nitrogen source, aiming to create a 'cyanofactory' for high-value bioproducts [30]. This strategy avoids the need to transport pre-packaged feedstocks from Earth, dramatically reducing mission mass and increasing sustainability [25].

Anabaena's metabolic capabilities extend to environmental management and resource recovery, two critical functions for a long-duration habitat. Its ability to simultaneously remove ammonium from wastewater while producing hydrogen showcases a dual functionality ideal for BLSS [68]. In one study, immobilized Anabaena variabilis removed 90% of ammonium from contaminated medium while producing hydrogen at rates up to 20 mL H_2 g^{-1}/dry weight h^{-1}/[68]. This demonstrates its potential for integrated waste processing and renewable fuel generation. Furthermore, Anabaena possesses significant bioleaching capabilities, enabling it to extract essential minerals from Martian regolith. Anabaena cylindrica has been shown to release potassium (K), magnesium (Mg), sodium (Na),

calcium (Ca), iron (Fe), manganese (Mn), nickel (Ni), and zinc (Zn) from a Mars basalt analogue, enriching the soil for subsequent plant growth [100]. This biomining process can help overcome the nutrient limitations of Martian regolith, effectively acting as a biofertilizer and preparing the soil for agriculture [80 86]. The organism's capacity to form robust biofilms is advantageous for these applications, as it facilitates high cell density, efficient gas exchange, and provides a stable matrix for immobilization in bioreactors, which can enhance performance and reduce water usage [17 67]. Biofilm formation also allows for physical containment of genetically modified strains, mitigating risks of environmental release [67].

The integration of Anabaena into a comprehensive BLSS architecture, analogous to ESA's MELiSSA project, is a logical extension of these capabilities [87 112]. In such a system, Anabaena could occupy a key position in Compartment 4, responsible for O_2 production, CO_2 removal, and serving as a food source [38]. Its intrinsic nitrogen-fixing ability would provide a crucial advantage over the MELiSSA system's current reliance on spirulina (Arthrospira), which requires an external nitrogen source [117]. Anabaena's biomass could directly nourish the higher plants in Compartment 5, while its nitrogenous waste products could be recycled through the nitrifying compartments [116]. Moreover, Anabaena could contribute to waste recycling from other compartments, processing organic waste streams and contributing to the overall efficiency of the loop [88]. The ultimate vision is to create a fully closed, Earth-independent system where Anabaena acts as a central hub, converting inorganic inputs from the Martian environment into the organic building blocks required to sustain crew health, provide nutrition, and manufacture essential materials [22 115].

Synthesis and Future Outlook: Charting the Next Decade of Research and Development

In summary, the body of evidence presented solidifies the status of Anabaena, particularly the strain sp. PCC 7938, as a premier biological chassis for space exploration. Its unique combination of traits—oxygenic photosynthesis, atmospheric nitrogen fixation, and the ability to grow on Martian regolith simulants under low-pressure conditions—directly addresses the core logistical imperatives of long-duration missions to Mars [10 80]. The selection of PCC 7938 as a standardized model organism by researchers at ZARM is a landmark decision that will foster greater consistency and comparability across the global research community, accelerating the collective effort toward developing a sustainable human presence on Mars [10 15]. The organism's remarkable resilience to ionizing radiation and its sophisticated multi-layered defenses against UV radiation underscore its potential to function reliably in a shielded habitat environment [18 36]. Furthermore, the recent maturation of its synthetic biology toolkit, especially the advent of CRISPR-based RNA-guided transposition, provides the necessary engineering power to rationally optimize its performance and expand its functional repertoire [28 29].

However, despite these promising developments, significant knowledge gaps and challenges remain that must be addressed over the next decade to ensure the successful deployment of Anabaena-based systems. The most critical unknown is the precise impact of microgravity on diazotrophic growth

and nitrogen fixation. While some terrestrial experiments suggest adaptation, there is conflicting evidence of induced physiological stress, and definitive long-term data from orbital or deep-space environments is urgently needed [51 101]. Secondly, while Anabaena sp. PCC 7938 shows moderate resistance to perchlorates, this toxicity remains a significant threat to its viability in Martian regolith [10 11]. Developing strategies to enhance its tolerance, whether through strain selection, directed evolution, or genetic engineering, is paramount for ensuring reliable cultivation on the Martian surface. Thirdly, the field must move decisively from studying the organism in isolation to designing and validating integrated, multi-compartment systems. This requires a deeper understanding of metabolic cross-talk in co-cultures, the development of novel bioreactor designs optimized for Martian conditions (e.g., low pressure, intermittent light, minimal power), and rigorous techno-economic analyses to determine the feasibility of these systems at scale [22 136].

Looking ahead, the trajectory of research over the next 5-10 years is poised to follow a clear and logical path, transitioning from foundational science to integrated engineering and eventual flight validation. * Years 1-3: The initial focus will be on closing the most critical knowledge gaps. This includes conducting targeted experiments to definitively characterize Anabaena's response to combined stressors, such as radiation and perchlorate, and undertaking dedicated, long-term studies on the ISS or lunar orbiting platforms to elucidate the effects of microgravity on its physiology and genetics. Concurrently, efforts will continue to refine the synthetic biology toolbox, with a particular emphasis on developing high-throughput screening methodologies to accelerate the design-build-test-learn cycle. * Years 4-7: With the foundational knowledge gaps filled, the focus will shift to integrated system design and testing. This phase will involve the development and validation of prototype photobioreactors, the optimization of synthetic co-culture systems for specific, high-priority products like radioprotectants or bioplastics, and the creation of predictive models to assess the scalability and resource-efficiency of these systems for a full-scale Mars habitat [82 136]. * Years 8-10: The ultimate goal of this period will be flight-readiness. This will culminate in preliminary flight experiments on the ISS and the Lunar Gateway to test hardware performance and organism behavior in a relevant off-world environment. The long-term vision is the realization of a "Space Biofoundry"—an automated infrastructure capable of designing, building, and testing biological solutions on-demand for deep-space missions, fundamentally altering the paradigm of space exploration from one of consumption to one of production [22].

In conclusion, Anabaena represents far more than just another cyanobacterium; it is a foundational piece of a new paradigm for human expansion into space. By harnessing its innate biological prowess and augmenting it with cutting-edge synthetic biology, we can engineer a truly self-sustaining, Earth-independent colony on Mars.

Reference

1. Progress and challenges in engineering cyanobacteria as ... https://pmc.ncbi.nlm.nih.gov/articles/PMC7017823/
2. Absence of increased genomic variants in the ... https://www.nature.com/articles/s41598-022-12631-5

3. Assessing and reducing phenotypic instability in ... https://www.sciencedirect.com/science/article/pii/S0958166923000095
4. Genetic Instability in Cyanobacteria − An Elephant in the ... https://www.frontiersin.org/journals/bioengineering-and-biotechnology/articles/10.3389/fbioe.2014.00012/full
5. Synthetic biology of cyanobacteria: unique challenges and ... https://pmc.ncbi.nlm.nih.gov/articles/PMC3755261/
6. (PDF) Genetic Instability in Cyanobacteria − An Elephant in ... https://www.researchgate.net/publication/265018373_Genetic_Instability_in_Cyanobacteria_-_An_Elephant_in_the_Room
7. Cyanobacteria: role in sustainable biomanufacturing and ... https://scijournals.onlinelibrary.wiley.com/doi/10.1002/bbb.2674
8. Establishment and proliferation potential of cyanobacteria https://cogem.net/app/uploads/2023/09/CGM-2022-3-Establishment-and-proliferation-potential-of-cyanobacteria.pdf
9. Cyanobacteria as Candidates to Support Mars Colonization https://pmc.ncbi.nlm.nih.gov/articles/PMC9295076/
10. Selection of Anabaena sp. PCC 7938 as a Cyanobacterium ... https://journals.asm.org/doi/10.1128/aem.00594-22
11. On the growth dynamics of the cyanobacterium Anabaena ... https://www.nature.com/articles/s41526-022-00240-5
12. Use of cyanobacteria for in-situ resource use in space ... https://www.sciencedirect.com/science/article/abs/pii/S0032063310001431
13. New Method for Growing Cyanobacteria in Mars-Like ... https://www.labmanager.com/new-method-for-growing-cyanobacteria-in-mars-like-conditions-25145
14. A Low-Pressure, N 2 /CO 2 Atmosphere Is Suitable for ... https://www.frontiersin.org/journals/microbiology/articles/10.3389/fmicb.2021.611798/full
15. Cyanobacteria Will be our Best Partner for Living on Mars https://www.universetoday.com/articles/cyanobacteria-will-be-our-best-partner-for-living-on-mars
16. Survival of Filamentous Cyanobacteria Through Martian ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12114234/
17. Cyanobacteria and microalgae in supporting human ... https://discovery.ucl.ac.uk/10146641/7/Purton_Cyanobacteria%20and%20microalgae%20in%20supporting%20human%20habitation%20on%20Mars_VoR.pdf
18. (PDF) Desert Cyanobacteria: Potential for Space and Earth ... https://www.researchgate.net/publication/314194281_Desert_Cyanobacteria_Potential_for_Space_and_Earth_Applications
19. Developing an alternative medium for in-space ... https://www.nature.com/articles/s41467-025-56088-2
20. Microbial applications for sustainable space exploration ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10284894/

21. Microalgal bioengineering for futuristic applications in ... https://www.sciencedirect.com/science/article/abs/pii/S074997502500151X
22. Microbial_Biomanufacturing.pdf https://ntrs.nasa.gov/api/citations/20210026230/downloads/Microbial_Biomanufacturing.pdf
23. Properties of alternative microbial hosts used in synthetic ... https://pmc.ncbi.nlm.nih.gov/articles/PMC5264504/
24. Choice of Microbial System for In-Situ Resource Utilization ... https://www.frontiersin.org/journals/astronomy-and-space-sciences/articles/10.3389/fspas.2021.700370/pdf
25. Notes on indoor food production, life support for space ... https://longitudinal.blog/2021/10/03/notes-on-indoor-food-production-life-support-for-space-colonies-refuges-biobox-and-related/
26. Microbial biomanufacturing for space-exploration—what to ... https://pure.tudelft.nl/ws/portalfiles/portal/151528552/s41467_023_37910_1.pdf
27. Development of a base editor for convenient and multiplex ... https://www.nature.com/articles/s42003-024-06696-3
28. Genome Engineering by RNA-Guided Transposition for ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10949235/
29. Genome Engineering by RNA-Guided Transposition for ... https://pubs.acs.org/doi/10.1021/acssynbio.3c00583
30. Genetic engineering of cyanobacteria to produce high- ... https://portal.nifa.usda.gov/web/crisprojectpages/1030536-genetic-engineering-of-cyanobacteria-to-produce-high-value-proteins-using-atmospheric-n2-gas.html
31. Target Gene Inactivation in Cyanobacterium Anabaena sp. ... https://bio-protocol.org/en/bpdetail?id=1890&type=0
32. Improved Eco-Friendly Recombinant Anabaena sp. Strain ... https://journals.asm.org/doi/10.1128/AEM.01714-10
33. Towards the control of biofilm formation in Anabaena (Nostoc ... https://nph.onlinelibrary.wiley.com/doi/10.1111/nph.70317
34. RNA-guided transposition in Anabaena https://www.biorxiv.org/content/10.1101/2022.09.18.508393v1.full-text
35. Double Crossover Approach to Inactivate Target Gene in ... https://experiments.springernature.com/articles/10.1007/978-1-0716-2273-5_16
36. Ultraviolet radiation and cyanobacteria https://www.sciencedirect.com/science/article/pii/S1011134414003042
37. Resilience and Mitigation Strategies of Cyanobacteria under ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10419127/

38. Cyanobacteria Under UV Radiation: General Insights into ... https://www.mdpi.com/1422-0067/26/22/10926

39. Gamma (γ)-radiation stress response of the ... https://www.biorxiv.org/content/10.1101/2022.07.04.498681.full

40. Potential effects of UV radiation on photosynthetic ... https://www.frontiersin.org/journals/microbiology/articles/10.3389/fmicb.2015.01202/full

41. Effects of ultraviolet and photosynthetically active radiation ... https://www.sciencedirect.com/science/article/abs/pii/S0923250824000019

42. (PDF) Ultraviolet radiation and cyanobacteria https://www.researchgate.net/publication/268689943_Ultraviolet_radiation_and_cyanobacteria

43. Ultraviolet radiation and cyanobacteria https://pearl.plymouth.ac.uk/cgi/viewcontent.cgi?article=3008&context=bms-research

44. The role of the protective shield against UV-C radiation and ... https://www.nature.com/articles/s41598-024-70002-8

45. Sensing and Responding to UV-A in Cyanobacteria - PMC https://pmc.ncbi.nlm.nih.gov/articles/PMC3546692/

46. Enabling deep-space experimentations on cyanobacteria ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10229888/

47. Biomarker Preservation and Survivability Under Extreme ... https://www.frontiersin.org/journals/astronomy-and-space-sciences/articles/10.3389/fspas.2020.00031/full

48. Enabling deep-space experimentations on cyanobacteria ... https://www.researchgate.net/publication/371255188_Enabling_deep-space_experimentations_on_cyanobacteria_by_monitoring_cell_division_resumption_in_dried_Chroococcidiopsis_sp_029_with_accumulated_DNA_damage

49. Desert cyanobacteria under space and planetary simulations https://www.cambridge.org/core/journals/international-journal-of-astrobiology/article/desert-cyanobacteria-under-space-and-planetary-simulations-a-tool-for-searching-for-life-beyond-earth-and-supporting-human-space-exploration/8B16A9B7D5870CA68640C34A15DBC336

50. The model cyanobacteria Anabaena sp. PCC 7120 possess ... https://bmcmicrobiol.biomedcentral.com/articles/10.1186/s12866-020-01805-8

51. Population growth and physiological characteristics of ... https://www.sciencedirect.com/science/article/abs/pii/S0094576505003760

52. The influence of microgravity on Euglena gracilis as ... https://www.researchgate.net/publication/255713418_The_influence_of_microgravity_on_Euglena_gracilis_as_studied_on_Shenzhou_8

53. Effect of 60Co-Gamma Ionizing Radiation and Desiccation ... https://pubmed.ncbi.nlm.nih.gov/30361938/

54. Unusual radioresistance of nitrogen-fixing cultures ... https://pubmed.ncbi.nlm.nih.gov/20826952/

55. Growth of Cyanobacteria Anabaena variabilis on JSC-1A, ... https://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1432&context=spacegrant

56. Growth of Anabaena sp. PCC 7938 with regolith and ... https://www.researchgate.net/figure/Growth-of-Anabaena-sp-PCC-7938-with-regolith-and-perchlorates-a-Growth-curves-in_fig1_364738706

57. The role of extremophile microbiomes in terraforming Mars https://www.nature.com/articles/s42003-025-08973-1

58. Investigation into Space Effects on Biofilm Growth Using ... https://ntrs.nasa.gov/api/citations/20220003678/downloads/ICES_215.pdf

59. Microbiome dynamics during the HI-SEAS IV mission, and ... https://microbiomejournal.biomedcentral.com/articles/10.1186/s40168-020-00959-x

60. A simulated microgravity biofilm reactor with integrated ... https://pubmed.ncbi.nlm.nih.gov/40083859/

61. The Influence of Spaceflight and Simulated Microgravity on ... https://pdxscholar.library.pdx.edu/cgi/viewcontent.cgi?article=1411&context=phy_fac

62. Design of Cyanobacterium Photobioreactors for Mars In ... https://www.researchgate.net/publication/392894286_Design_of_Cyanobacterium_Photobioreactors_for_Mars_In-Situ_Resource_Utilisation_Prototyping_and_Testing_with_Anabaena_sp_PCC_7938_to_be_published

63. Biologically-Based and Physiochemical Life Support and In ... https://pmc.ncbi.nlm.nih.gov/articles/PMC8398003/

64. Nanoscale characteristics of conditioning film development ... https://par.nsf.gov/servlets/purl/10336118

65. Phytoremediation capability of Anabaena sp. for high ... https://iwaponline.com/wst/article/89/5/1142/100942/Phytoremediation-capability-of-Anabaena-sp-for

66. (PDF) Influence of wettability and surface design on the ... https://www.researchgate.net/publication/358973719_Influence_of_wettability_and_surface_design_on_the_adhesion_of_terrestrial_cyanobacteria_to_additive_manufactured_biocarriers

67. Immobilising Microalgae and Cyanobacteria as ... https://www.mdpi.com/1996-1073/14/9/2566

68. Using immobilized cyanobacteria and culture medium ... https://www.sciencedirect.com/science/article/abs/pii/S0360319915004061

69. Microalgal bioreactors: Challenges and opportunities - Xu https://analyticalsciencejournals.onlinelibrary.wiley.com/doi/10.1002/elsc.200800111

70. Towards the control of biofilm formation in Anabaena (Nostoc ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12267927/

71. Nitrogen-fixing cyanobacteria enhance microbial carbon ... https://www.sciencedirect.com/science/article/abs/pii/S0048969724027554

72. Understanding and Engineering Distributed Biochemical ... https://pmc.ncbi.nlm.nih.gov/articles/PMC6733022/

73. For Peer Review Only https://repository.library.noaa.gov/view/noaa/16140/noaa_16140_DS1.pdf

74. Carbon metabolism shapes FtsZ levels and cell division in ... https://www.nature.com/articles/s42003-025-08849-4

75. Atmosphere Is Suitable for Cyanobacterium-Based Life- ... https://www.frontiersin.org/journals/microbiology/articles/10.3389/fmicb.2021.611798/pdf

76. Analysis of the cyanobacterial amino acid metabolism with ... https://www.sciencedirect.com/science/article/abs/pii/S1369703X2100084X

77. Cyanobacteria diversity and ecological roles: insights into ... https://link.springer.com/article/10.1007/s43994-025-00261-2

78. Anabaena https://en.wikipedia.org/wiki/Anabaena

79. Comprehensively Curated Genome-Scale Two-Cell Model for ... https://academic.oup.com/plphys/article/173/1/509/6116171

80. How can cyanobacteria be used to create life-support ... https://consensus.app/search/how-can-cyanobacteria-be-used-to-create-life-suppo/PfxnAk62RtWxvULWEA16cg/

81. Space Biotechnology Start-up Launches India's First ... https://citytoday.media/2019/11/18/space-biotechnology-start-up-launches-indias-first-microgravity-experiment-on-international-space-station-iss/

82. Resource-efficiency of cyanobacterium production on Mars https://www.sciencedirect.com/science/article/pii/S2211926424004132

83. Synthetic biology for space exploration | npj Microgravity https://www.nature.com/articles/s41526-025-00488-7

84. Selection of Anabaena sp. PCC 7938 as a ... https://pubmed.ncbi.nlm.nih.gov/35862672/

85. Growing cyanobacteria on Mars http://npjmicrogravitycommunity.nature.com/posts/growing-cyanobacteria-on-mars

86. How Anabaena can improve plant growth on Mars ... https://research-archive.org/index.php/rars/preprint/view/61

87. Toward sustainable space exploration: a roadmap for ... https://pmc.ncbi.nlm.nih.gov/articles/PMC10030976/

88. Bioregenerative Life Support for Humans in Space https://ntrs.nasa.gov/citations/20205008786

89. TA 6: Human Health, Life Support, and Habitation Systems https://www.nasa.gov/wp-content/uploads/2016/08/2015_nasa_technology_roadmaps_ta_6_human_health_life_support_habitation_final.pdf
90. Guiding Requirements for Designing Life Support System ... https://ntrs.nasa.gov/api/citations/20160012091/downloads/20160012091.pdf
91. Understanding the NASA TA6: Human Health, Life Support ... https://ttu-ir.tdl.org/server/api/core/bitstreams/52b036ea-ef6f-4ca0-91df-daa9412fe028/content
92. Environmental Control and Life Support (ECLS) Integrated ... https://ntrs.nasa.gov/citations/20120006550
93. Microalgae in bioregenerative life support systems for ... https://www.sciencedirect.com/science/article/abs/pii/S221192642300365X
94. UV-inducible DNA repair in the cyanobacteria Anabaena spp https://pubmed.ncbi.nlm.nih.gov/3114232/
95. Double strand break (DSB) repair in Cyanobacteria https://www.sciencedirect.com/science/article/abs/pii/S1568786420301919
96. Resilience and Mitigation Strategies of Cyanobacteria ... https://www.mdpi.com/1422-0067/24/15/12381
97. Ultraviolet-B-induced DNA damage and photorepair in ... https://ui.adsabs.harvard.edu/abs/2011EnvEB..74..280R/abstract
98. High radiation and desiccation tolerance of nitrogen-fixing ... https://go.gale.com/ps/i.do?id=GALE%7CA352849776&sid=googleScholar&v=2.1&it=r&linkaccess=abs&issn=01668595&p=AONE&sw=w
99. The application of radiation challenges in simulated ... https://spacegrant.oregonstate.edu/sites/spacegrant.oregonstate.edu/files/2022-05/jbullard_socc_score_poster.pdf
100. Sustainable life support on Mars – the potential roles of ... https://www.cambridge.org/core/journals/international-journal-of-astrobiology/article/sustainable-life-support-on-mars-the-potential-roles-of-cyanobacteria/F22A6C3C0016A98155F0EA78D91D0FB2
101. Reactive oxygen species and antioxidant enzymes activity ... https://www.sciencedirect.com/science/article/abs/pii/S0094576504002139
102. Reactive oxygen species and antioxidant enzymes activity ... https://pubmed.ncbi.nlm.nih.gov/15806733/
103. Genetic responses to carbon and nitrogen availability in ... https://pubmed.ncbi.nlm.nih.gov/30066380/
104. radiation stress response of the cyanobacterium Anabaena ... https://pubmed.ncbi.nlm.nih.gov/36332765/

105. (PDF) Over-Expression of UV-Damage DNA Repair Genes ... https://www.researchgate.net/publication/336421117_Over-Expression_of_UV-Damage_DNA_Repair_Genes_and_Ribonucleic_Acid_Persistence_Contribute_to_the_Resilience_of_Dried_Biofilms_of_the_Desert_Cyanobacetrium_Chroococcidiopsis_Exposed_to_Mars-Like_UV_Flu

106. Simulated microgravity influenced the expression of DNA ... https://ui.adsabs.harvard.edu/abs/2016cosp...41E2164Z/abstract

107. Microgravity alters the expressions of DNA repair genes ... https://www.semanticscholar.org/paper/25eaf3c70cb78dd9ff85d56fc0340224ca6b5119

108. Multiple environmental stressors mediate cyanobacteria ... https://pmc.ncbi.nlm.nih.gov/articles/PMC12418944/

109. Screening the Survival of Cyanobacteria Under ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9233533/

110. Genetic, Genomics, and Responses to Stresses in ... https://www.mdpi.com/2073-4425/12/4/500

111. Moss spores survive 9 months outside International Space ... https://phys.org/news/2025-11-moss-spores-survive-months-international.html

112. Toward sustainable space exploration: a roadmap for ... https://www.nature.com/articles/s41467-023-37070-2

113. ECLSS-CHP SCLT https://ntrs.nasa.gov/api/citations/20240009962/downloads/CHP%20SCLT%20Technology%20Roadmaps%20-%20Public%20Release.pdf?attachment=true

114. ECLSS Technology Roadmap at Spaceship FR https://ttu-ir.tdl.org/server/api/core/bitstreams/9bcdb90d-4592-4cfb-93ef-80908a2911b7/content

115. Toward sustainable space exploration: a roadmap for ... https://www.academia.edu/112371495/Toward_sustainable_space_exploration_a_roadmap_for_harnessing_the_power_of_microorganisms

116. Melissa: The European project of a closed life support system https://www.researchgate.net/publication/253263459_Melissa_The_European_project_of_a_closed_life_support_system

117. Melissa: The European project of a closed life support system https://webs.uab.cat/melissapilotplant/wp-content/uploads/sites/397/2023/11/Melissa_The_European_project_of_a_closed_life_supp-1.pdf

118. A Genome-Scale Metabolic Model of Anabaena 33047 to ... https://pmc.ncbi.nlm.nih.gov/articles/PMC7999273/

119. Application of Synthetic Biology to Bioregenerative Life ... https://ntrs.nasa.gov/citations/20190027510

120. Genome Engineering by RNA-Guided Transposition for ... https://pubmed.ncbi.nlm.nih.gov/38445989/

121. Emerging Trends of Nanotechnology and Genetic ... https://pmc.ncbi.nlm.nih.gov/articles/PMC9781209/

122. UV-B stress induced metabolic rearrangements explored ... https://pubmed.ncbi.nlm.nih.gov/25997677/

123. Effect of Ultraviolet Radiation on Morphology, Physiology ... https://pubmed.ncbi.nlm.nih.gov/41001948/

124. Survival of Filamentous Cyanobacteria Through Martian ... https://www.mdpi.com/2076-2607/13/5/1083

125. Directional RNA deep sequencing sheds new light on the ... https://bmcgenomics.biomedcentral.com/articles/10.1186/1471-2164-12-332

126. Dynamics of transcriptional start site selection during ... https://www.pnas.org/doi/10.1073/pnas.1112724108

127. Regulation of Genes Involved in Heterocyst Differentiation ... https://www.mdpi.com/2075-1729/5/1/587

128. The LysR-type transcriptional factor PacR controls ... https://www.sciencedirect.com/science/article/abs/pii/S0944501324003719

129. Development and implementation of a simulated ... https://pmc.ncbi.nlm.nih.gov/articles/PMC11511917/

130. Multiple Photolyases Protect the Marine Cyanobacterium ... https://roscoff-culture-collection.org/sites/default/files/rcc-papers/Haney%20et%20al.%20-%202022%20-%20Multiple%20Photolyases%20Protect%20the%20Marine%20Cyanobacte.pdf

131. A bifunctional CPD/(6-4)- photolyase from the ... https://www.biorxiv.org/content/10.1101/2022.06.29.498140v1

132. Effects of Solar Radiation on the Cyanobacteria: Diversity ... https://www.frontiersin.org/journals/ecology-and-evolution/articles/10.3389/fevo.2022.928816/full

133. Simulated microgravity confines and fragments the straw ... https://journals.asm.org/doi/abs/10.1128/spectrum.02466-24

134. Inference of interactions in cyanobacterial − heterotrophic co ... https://www.nature.com/articles/ismej201469

135. Synergistic Interaction Between Anabaena and Zoogloea ... https://www.researchgate.net/publication/7424195_Synergistic_Interaction_Between_Anabaena_and_Zoogloea_spp_in_Carbon_Dioxide-Limited_Continuous_Cultures

136. Resource-efficiency of cyanobacterium production on Mars https://www.researchgate.net/publication/382669300_Resource-efficiency_of_cyanobacterium_production_on_Mars_Assessment_and_paths_forward

137. Dependence of cyanobacterium growth and Mars-specific ... https://pubmed.ncbi.nlm.nih.gov/39488511/

138. (PDF) Effects of atmospheric pressure, and of the partial ... https://www.researchgate.net/publication/380539895_Effects_of_atmospheric_pressure_and_of_the_partial_pressures_of_CO2_and_N2_on_the_growth_rates_of_Anabaena_sp_PCC_7938_Assessment_and_implications_for_cyanobacterium_cultivation_on_Mars

139. Gene expression in the cyanobacterium Anabaena sp. ... https://pubmed.ncbi.nlm.nih.gov/14749909/

140. Gene Expression in the Cyanobacterium Anabaena sp. ... https://www.researchgate.net/publication/8897195_Gene_Expression_in_the_Cyanobacterium_Anabaena_sp_PCC7120_under_Desiccation

141. Biotech fit for the Red Planet https://www.frontiersin.org/news/2021/02/16/frontiers-microbiology-cybliss-cyanobacteria-biological-life-support-mars-missions-mars-like-atmosphere-regolith

142. Cyanobacterial Growth Optimized for Mars Promises ... https://www.genengnews.com/topics/bioprocessing/cyanobacterial-growth-optimized-for-mars-promises-lifeline-to-crewed-missions/

143. Blue-Green Algae Can Help Astronauts Survive on Mars https://interestingengineering.com/science/blue-green-algae-can-help-astronauts-survive-on-mars

144. Genome-wide expression analysis of the responses to ... https://pubmed.ncbi.nlm.nih.gov/12886952/