

MINIGRAM BOOT SYSTEM DOCUMENTATION

BOOT.JS is the ENTRY POINT of MINIGram system.

It controls:

1. App initialization
2. Core bundle loading
3. UI bundle loading
4. Page system startup
5. Idle system optimization
6. Error handling

FLOW ARCHITECTURE:

boot() function is executed on DOM ready.

STEP 1: CRITICAL LOAD

- supabase.js
- core.bundle.js
- ui.bundle.js
- pageloader/config.js
- config_Loader.js
- pageLoader.js
- pageloader/loader.js
- cssLoader.js
- jsLoader.js
- home.js
- icons.js

STEP 2: START APP UI

- Shows appbar and bottomNav
- Loads page config (home)
- Calls loadPage("home")
- Removes loader screen
- Initializes icons

STEP 3: IDLE SYSTEM LOAD

Using requestIdleCallback:

- feed.bundle.js
- adaptive.bundle.js
- realtime.js
- pageloader/realtime.js

SMART FEATURES:

1. SCRIPT LOADER SYSTEM

- Prevents duplicate scripts
- Cache tracking via Map
- Cache busting using Date.now()
- Force reload support

2. PERFORMANCE OPTIMIZATION

- Critical scripts load first
- Heavy modules load in idle time
- requestIdleCallback fallback supported

3. ERROR HANDLING

- Global error listener
- Boot crash logging
- Script load failure tracking

SYSTEM ROLE:

BOOT.JS acts as the MASTER CONTROLLER:

BOOT → CONFIG → PAGELOADER → UI → FEED → REALTIME

SUMMARY:

BOOT SYSTEM = Startup brain of MINIGram

It ensures fast UI launch + delayed heavy loading for performance.