Pimpri Chinchwad Education Trust's S.B. PATIL COLLEGE OF SCIENCE & COMMERCE, RAVET

Sr. no. 110, Gate No 1, Ravet, Pune- 412101

www.sbpatilcollege.com, email-sbpc.science@gmail.com

College Index No: J.11.16.060



Class:-12th Science **Information Technology** Teacher: Mrs. Shilpa Kate

MCQ Questions : Lesson No.5 ::- PHP

Q1 Fill in the blanks

- 1. A variable declared within a function has a local scope and can only be accessed within that function.
- 2. Foreach loops works only on arrays.
- 3. A **function** is a block of statements that can be used repeatedly in a program.
- 4. An **array** is a special variable which can hold more than one value at a time.
- 5. The **count** function is used to return the length of an array.
- 6. The **return** statement is used to let a function return a value.
- 7. The form data is sent with the **HTTP POST** method.
- 8. **SGET** is an array of variables passed via the URL parameters.
- 9. When browser requests server page **cookie** are sent along with the request
- 10. <u>Session</u> helps web application to maintain user information on all the pages.
- 11. The array() PHP functions is used to create an array variable.
- 12. **Echo** keyword is used to display text on web page.
- 13. The server side environment that runs a scripting language is called **Web Server**
- 14. Str word count function in php counts the number of words in a string.

Q2 True or false

1. PHP is very difficult to use.

Ans:: False

2. PHP is faster than other scripting language.

Ans:: True

3. PHP is case sensitive only at the time of variable declaration.

Ans:: True

4. The variable starts with \$sign,followed by name of variables.

Ans:: True

5. A variable declared outside a function has a GLOBAL SCOPE.

Ans:: True

6. Strrev() function reverses a string.

Ans:: True7. Ucwords() function converts the first characters of each word in a string to uppercase.Ans:: True		
8.A variable name can contain only alpha-numeric characters and underscores.		
Ans:: True		
9.In PHP,array() function is used to create a array.		
Ans:: True		
10.An array with a numeric index is called indexed arrays.		
Ans: True 11. Array index always starts with zero.		
Ans: True		
12. Arguments are specified after the function name, inside the parentheses.		
Ans: True		
13.Return statement is used to return a value of a function. Ans:True		
14. The PHP superglobals \$_GET and \$_POST are used to collect form data.		
Ans: True		
15.isset() method in PHP is used to check whether variable has value or not. Ans: True		
Q3 .Multiple choice question -1 correct option		
1.The PHP code can be embedded with HTML tags using		
a. php!		
b. php and ?		
c. <=php>		
d. <#php#>		
2. PHP files are saved withextension.		
ahtml		
bxml		
cjs		

d. .php

3keyword is used to display text on web page.		
a. echo		
b. print		
c. write		
d. cin		
4is a symbol or name that stands for value.		
a. Method		
b. Condition		
c. Value		
d. Variable		
5. Correct method for declaring PHP variable is		
a. #age		
b.\$age		
c. @age		
d. age		
6. A variable declarationa function has a GLOBAL SCOPE.		
a.inside		
b.middle		
c. outside		
d.topside		
7. To check data type of variable in PHPmethod is used.		
a.var_dump()		
b.var_del()		
c.var_remove()		
d.var_delete()		

8are used to execute the same block of code repeatedly as long as a certain condition is satisfied.
a.Variable
b. Method
c. Object
d. Loops
9loop works only on arrays.
a.fornext
b.for
c.foreach
d.forone
10function reverses a string.
a.strrev()
b.trim()
c.UCwords()
d.strops()
11function replaces some characters with same other character in a string.
a.substr()
b.strrev()
c.strpos()
d.str_replace()
12function removes whitespace and other predefined characters from both sides of a string.
a)trim
b)strlen()
c)straps()

```
d)strrev()
13. Syntax of creating array variable is .....
       a)@a=array()
       b)#a=arr()
      c)=array()
      d)$a=array(values)
14.....arrays are the arrays with a numeric index.
       a)associative
      b)Indexed
      c)Multi-dimensional
      d) Normal
15. The form data is sent with the...method.
      a) HTTP POST
      b)FTP POST
      c)STP POST
      d)SMTP POST
16.....is an array of variables passed via the HTTP POST method.
       a.$POST
      b.$_POST
      c)@_POST
      d)#_POST
```

Q4 .Multiple choice question Select 2 correct options::: 1.PHP is compatible with following servers. a. unix b. XAMMP c. Linux d. Apache e. True/false 2. A variable starts with the...sign followed byof the variable a. \$ b. # c. value d. name e. Sorting 3A variable declaredfunction has GLOBAL SCOPE and a variable declaredfunction has LOCAL SCOPE. a. Public b. outside c. inside d. within e. between 4. The PHP super globalsand....are used to collect form data. a.\$_GET b. \$POST

c. \$GET

d.\$_POST

6has limits on the amount of information to sendshas no limits on the amount of information to send.			
a. GET			
b. value			
c. Method			
d. POST			
7following are the pre-defined functions in PHP to manipulate string.			
a. trim()			
b. substr()			
c. length()			
d. strreverse()			
8. Following are the data types used in PHP			
a)Boolean			
b)Text			
c)Number			
d) Array			
Q5. Multiple choice question Select 3 correct options::			
1. PHP runs on following platforms			
a. Linux			
b. Unix			

c. Systems

d. Windows

e. none to none

2. PHI	P is compatible with following servers
	a. XAMPP
	b. Apache
	c. Lightpad
	d.Unix
	e. Linux
3.Feat	ures of PHP are
	a. Simple
	b. Platform Independent
	c. Difficult
	d. Error creating
	e. Error Reporting
	f. closed Source
4.Vari	ables are used for storing values such as,,and
	a.Character
	b.Numeric
	c.Objects.
	d.Methods.
	e.Functions
	f.Memory addresses
5. The	scope of variable in PHP are
	a.Local
	b.Regional
	c.National
	d.Global

e.Static	
6. Following are the	e predefined functions in PHP to manipulate string
a.Lower()	

b.strops()

c.substr()

d.strlen()

e.upper()

f.strlength()

7.In PHP 3 types of arrays are.....,......

a)inside

b)multiple

c)indexed

d)associative

d)multi-dimensional