



INFRASTRUCTURE

Hurricane Preparedness Manual

2021

Created by: Shilpa Kaul | Version 2.0

Release Date: 05-19-21

CONTENTS

Contents	2
Revision History	4
Document Approver	4
Contributors	4
Annual Review and Maintenance	5
Instructions for Using this Manual	5
Forecasts	5
Abbreviations and Acronyms	5
Purpose	6
Scope	6
Objectives	6
Assumptions	6
Prior to Hurricane	7
Post Hurricane	7
Emergency Preparedness Committee	7
Messaging/Notification	8
MIR3 Pre-Hurricane Preparation	8
Preparation Before the Hurricane Season	8
Steps in the Event of a Hurricane	9
Post Hurricane Tasks	9
Distributed Systems and Storage (DSS)	10
Preparation Before the Hurricane Season	10
Steps in the Event of a Hurricane	10
Post Hurricane Tasks	11
Network Engineering	12
Preparation Before the Hurricane Season	12
Steps in the Event of a Hurricane	12
Post Hurricane Tasks	13
IBM iSeries	14
Preparation Before the Hurricane Season	14
Steps in the Event of a Hurricane	14
Post Hurricane Tasks	15
Telecom	16
Preparation Before the Hurricane Season	16
Steps in the Event of a Hurricane	16
Post Hurricane Tasks	16
Network Operations Center (NOC)	17
Preparation Before the Hurricane Season	17
Steps in the Event of a Hurricane	17
Post Hurricane Tasks	18

Desktop Engineering/Web/Mobility19
 Preparation Before the Hurricane Season19
 Steps in the Event of a Hurricane.....19
 Post Hurricane Tasks.....19
Appendix A – Facilities/Site Administrator20
 Preparation Before the Hurricane Season20
 Steps in the Event of a Hurricane.....21
 Post Hurricane Tasks.....21
Appendix B – Retrieve Voicemail from Desk Phone.....22
Appendix C – Hurricane Equipment Inventory.....23

REVISION HISTORY

Version	Date	Name	Summary of Changes
2.0	08-20-20	Shilpa Kaul	Updated the document.
3.0	05-21-21	Shilpa Kaul	Updated the document.

DOCUMENT APPROVER

Document Approver	Designation	Signature	Approval Date
xxx	Director, Technology Operations		

CONTRIBUTORS

Contributor	Designation
xxx	Director, Infrastructure Engineering & Operations, Technology Operations
xxx	Network Manager, Technology Operations
xxx	Messaging & IT Security Manager, Technology Operations
xxx	iSeries Manager, Technology Operations
xxx	Network/Telecom Engineering Manager, Technology Operations
xxx	Sr. Site Admin Manager, IT Service Management, Technology Operations
xxx	Corporate Site Administrator, Lead Technician, IT Support Services, Technology Operations
xxx	Manager, Web Admin Mobility Desktop Engineering, Technology Operations
xxx	NOC Manager, Technology Operations

ANNUAL REVIEW AND MAINTENANCE

The Hurricane Preparedness Manual is intended to be a living document and must be reviewed annually at the end of the hurricane season (Nov 30th) to determine any changes or updates needed. With the dynamic environment present within Lennar, it is important to maintain the list of Lennar personnel and phone numbers contained within the document on an ongoing, scheduled basis. This document should be updated and approved no later than May 15th of every calendar year.

This manual will be stored on SharePoint at this [location](#) and will be accessible by LTS Leadership as well as Infrastructure Team.

INSTRUCTIONS FOR USING THIS MANUAL

- This manual becomes operative when a Lennar facility will be affected by a hurricane.
- The LTS Leadership shall monitor progress of hurricanes to determine the necessity and precautionary actions.
- LTS Leadership is responsible for declaring a potential disaster or emergency status for Lennar Infrastructure and notifying the recovery Teams.

FORECASTS

The following terms are used by weather forecasters to describe the strength and probability/proximity of a hurricane:

- HURRICANE WATCH: A hurricane may strike an area within 48 hours.
- HURRICANE WARNING: A hurricane is expected to strike an area within 36 hours.

ABBREVIATIONS AND ACRONYMS

Term	Description
AD	Active Directory
ESC	Enterprise Service Bus
NHC	National Hurricane Center
NOC	Network Operations Center
SCCM	System Center Configuration Manager

PURPOSE

The purpose of this manual is to prepare Lennar's Infrastructure Team in the event of a potential hurricane and to reinstate operations to the broadest level possible in a minimum time frame. This plan identifies susceptibilities and recommends essential processes to minimize the impact on business operations.

SCOPE

The scope of this manual is limited to preparation and readiness of services and facilities that could potentially impact day to day operations of Lennar's LTS Infrastructure. This is a list of preparatory steps to be implemented by the teams before, during, and after the event of a hurricane.

OBJECTIVES

This Hurricane Preparedness Manual acts as a guide for Lennar's LTS Infrastructure Management Teams.

- Provides practices and resources necessary to assist in continuation/restoration of normal business operations as quickly as possible.
- Assists in reducing misunderstandings experienced during a crisis by providing Team-specific steps and procedures to follow.

ASSUMPTIONS

Following are the assumptions to keep in mind when you read this manual:

- Key people – Managers/Team Leaders will be available in the event of a hurricane.
- This manual will be stored on SharePoint at this [location](#) and will be accessible during an event of a hurricane.

PRIOR TO HURRICANE

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Associates should be notified by the Lennar Emergency Communication System via email, text messages and phone calls as to any necessary instructions they need to follow: - Supervisors should immediately call their direct reports to check on their safety and with an update on the status of their local offices and departments. - The status of all offices that will be affected by the hurricane will be posted on the homepage of the Lennar Associate Portal. This status will be updated every 24 hours and be posted by 8 AM Eastern Time each morning.	☐

POST HURRICANE

Associates and contractors will be notified via the **Lennar Emergency Notification System** as soon as the Property Management Company is contacted and an assessment of damages to the property has been made. The Lennar Emergency Notification System will be used to update Associates and contractors with specific instructions on the next steps.

EMERGENCY PREPAREDNESS COMMITTEE

Name	Role/Responsibility	Email	Cell Phone
	Office Services: - Communication with upper management regarding office closure. - Pre-hurricane – getting facilities ready. - Post hurricane communication with landlord regarding the status of campus. - Post hurricane communication with upper management providing campus status. - Coordination of temporary space in the event building is deemed unsafe. - Pre- and post-hurricane communication to all associates.		
	Risk Management: Ela's back-up for all tasks described above		
	LTS – Communication Support		
	LTS – Security		
	LTS – Infrastructure		
	IT – Lennar Mortgage		
	SE Region – HR – Communication pre-and post-hurricane for all SE Region associates		
	Human Resources		
	LTS - NOC		

MESSAGING/NOTIFICATION

MIR3 PRE-HURRICANE PREPARATION

MIR3 is Lennar's intelligent mass notification system. The MIR3 Team can quickly define key audiences, develop clear messages and distribute information securely to any device at any time, critical to operating efficiently and effectively. MIR3 makes it easy to send important mass notifications or alerts to any number of people at once.

- Groups and notifications should be setup in MIR3. These groups are created based on the area that will be affected by a potential hurricane. Groups are made dynamic so people can be added/removed automatically.
- One month prior to the beginning of hurricane season, the MIR3 Team will send out a test communication to all Associates in the Miami office informing them that this is an official emergency notification system for Lennar and to remind all the Associates to update their Workday profile and ensure all of their contact information is up-to-date, e.g. home address, home phone number, work phone number, etc.



- *The Associate information is automatically updated from Workday. Workday generates a file that is processed by Enterprise Service Bus (ESB) into the MIR3 on premise server which then via script uploads the information into the MIR3 cloud*
 - *Contractor information is not available from Workday. That information must be manually exported from Active Directory (AD) and manually uploaded to the MIR3 cloud*
- Once the National Hurricane Center (NHC) identifies a possible threat over an area, the MIR3 Team initiates their communication process. Lennar's [Emergency Preparedness Committee](#) is brought together to determine when the first communication is to be sent to the Associates and contractors.
- When the threat is 7 days away and/or **Hurricane Watch** is issued, the official communication will be sent.

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the MIR3 Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
April 1 – June 1	• Check with Divisions if they need a refresher training on how to send notifications using MIR3. • Offer refresher training on MIR3 usage to Associates who have used the system before.	☐
May 1 – June 1	• Each division creates templates for the communication (hurricane watch, hurricane warning). Divisions have their own process on how to handle an emergency. • The MIR3 Team's responsibility is to get the corporate and division owners of communication to write their communication. • MIR3 receives the templates from owners of the communication.	☐
May 1 – June 1	• Divisions need to start testing their systems. • They must check if there are missing telephone numbers, email addresses, or people.	☐
May 1 – June 1	• Contact information for all Associates has to be updated in MIR3. • Coordinate with all Lennar Associates to ensure their personal and business contact information in Workday is updated as early as possible before the hurricane season.	☐

May 1 – June 1	- Contact information for all contractors has to be updated in MIR3. - Coordinate with contractors and their managers to gather contact information – cell phone number and email address.	☐
----------------	---	--------------------------

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Identified Messaging Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified Messaging Team member(s) should be prepared to travel out of the affected Lennar facility.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	The Lennar Emergency Communication System will be used to contact and update the Associates with specific instructions on the status of the offices.	☐
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

DISTRIBUTED SYSTEMS AND STORAGE (DSS)

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the DSS Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
May 1 to June 1	Co-ordinate with Facilities/Site Administrators to ensure there is power back-up for the server rooms in Building 700, 1 st floor. - UPS should be operational. - Generator should be operational and topped-off with fuel.	☐
May 1 to June 1	Be prepared to execute disaster recovery, if needed. Refer the Disaster Recovery Manual – Recovery Procedures .	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Co-ordinate with Facilities/Site Administrators to ensure there is power back-up for the server rooms in Building 700, 1 st floor. - UPS should be operational. - Generator should be operational and topped-off with fuel.	☐
7 days prior to hurricane	Back-up: Ensure full and incremental back-ups are executed on a regular basis by the DSS Team. Refer the Lennar Server Back-up Policy . Retention: Ensure back-ups are stored at locations that are secure and geographically separate from the affected Lennar facility.	☐
7 days prior to hurricane	Identified DSS Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified DSS Team member(s) should be prepared to travel out of the affected Lennar facility.	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Communicate with Miami Datacenter service provider to ensure they are well-equipped and prepared to deal with the disaster.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Back-up: Verify back-ups were executed daily for all the production systems.	☐
Post hurricane	Only if directed by executive management - Execute disaster recovery. Refer the Disaster Recovery Manual – Recovery Procedures .	☐
Post hurricane	Return operations to Miami Datacenter when the facility is operational, ready for business and directed by executive management.	☐
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

NETWORK ENGINEERING

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the Network Engineering Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
May 1 – June 1	Verify spare equipment availability in a facility outside the zone of impact.	☐
May 1 – June 1	Back-up: Run back-up and startup configuration of all network devices.	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Co-ordinate with Facility to prepare remote hardware that is inside the zone of impact.	☐
7 days prior to hurricane	Back-up: Run back-up and startup configuration of all network devices.	☐
7 days prior to hurricane	Prepare minimum of five Meraki kits with 5 AT&T and Verizon SIM cards.	☐
7 days prior to hurricane	Identified Network Engineering Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified Network Engineering Team member/s should be prepared to travel out of the affected Lennar facility.	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Shutdown network devices to protect them from power surges.	☐
Prior to hurricane	Run back-up and startup configuration of all network devices.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Back-up: Verify back-ups were executed daily for all the network systems.	☐
Post hurricane	System verification.	☐
Post hurricane	Assist DSS in execution of disaster recovery. Refer the Disaster Recovery Manual – Recovery Procedures .	☐
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

IBM ISERIES

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the IBM iSeries Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
May 1 – June 1	Back-up: Verify back-ups are being executed daily for all production systems.	☐
May 1 – June 1	Retention: Verify that permanent back-ups are stored at a secure location away from the Miami Datacenter facility.	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Back-up: Verify back-ups are being executed daily for all production systems.	☐
7 days prior to hurricane	Retention: Verify that permanent back-ups are stored at secure location away from the Miami Datacenter facility.	☐
7 days prior to hurricane	Data Replication: Verify that data replication is up-to-date and network circuit is up.	☐
7 days prior to hurricane	Identified IBM iSeries Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified IBM iSeries Team member/s should be prepared to travel out of the affected Lennar facility.	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Data Replication: Verify that data replication is current and network circuit is up.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Back-up: Verify back-ups were executed daily for all the production systems.	☐
Post hurricane	Data Replication: Ensure replication is current and network circuit is up.	☐
Post hurricane	DR Switch Preparation: Review procedure and prepare to execute disaster recovery in the event of a switch to Las Vegas. Refer to the Switch (PLANNED) Runbook .	☐
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

TELECOM

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the Telecom Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
April 1 – May 1	List the steps and process involved to retrieve voice mails from desk phones remotely. Refer Retrieve Voicemail from Desk Phone .	☐
May 1 – May 10	Ensure all satellite phones are fully charged and batteries are checked and replaced as needed.	☐
May 1 – Nov 30	Every week cycle through 20 satellite phones to ensure they are fully charged, and batteries are checked and replaced as needed.	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Distribute satellite phones to the Lennar Associates identified in this document . Ensure Associates are issued the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified Telecom Team member/s should be prepared to travel out of the affected Lennar facility.	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Remind the Lennar Associates listed in the spreadsheet who have not yet picked-up their satellite phone.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Ensure Lennar Associates return all the satellite phones assigned to them within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

NETWORK OPERATIONS CENTER (NOC)

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the NOC Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
May 1 – June 1	Coordinate with Messaging/Notification to confirm that all Lennar Associates have updated their personal and business contact information in Workday before the hurricane season.	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Identify regions with expected impact in SolarWinds to document hurricane-related outages.	☐
7 days prior to hurricane	Set-up the SolarWinds Hurricane dashboard to provide a focused monitoring view with a storm track overlay.	☐
7 days prior to hurricane	Perform a monitoring status snapshot prior to the hurricane impact so that the NOC is better able to address downed sites in the aftermath.	☐
7 days prior to hurricane	Review the availability and use of MIR3 to notify Lennar Associates of status and other notification messages.	☐
7 days prior to hurricane	Identified NOC Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	All sites/nodes impacted by the hurricane will produce an incident in ServiceNow, each incident will be grouped under a parent, Sev-1 incident for reporting and tracking.	☐
7 days prior to hurricane	For each site/node impacted, populate the node's custom property named Node Disaster with the name of the hurricane. The nodes will be grouped by the value in the property (for example: Irma, Florence).	☐
7 days prior to hurricane	Identified NOC Team member/s should be prepared to travel out of the affected Lennar facility.	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Identify regions with expected impact in SolarWinds to document hurricane-related outages.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Identify and document all sites experiencing continuing network impact as a result of the hurricane.	☐
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

DESKTOP ENGINEERING/WEB/MOBILITY

The Web Team takes care of Lennar.com and the other websites hosted. Lennar.com is in Miami Datacenter and the other websites are on Azure Virginia region.

The Desktop Team works on operational tasks, SCCM environment and assists helpdesk with higher tier support.

The Mobility Team works on operational tasks and day-to-day procurement and configuration of new devices along with supporting helpdesk.

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the Desktop Engineering/Web/Mobility Team will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
May 1 – June 1	Resource allocation based on availability and physical location.	☐

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Web: Dedicated resource will be sent to a non-hurricane impacted location to support <i>Lennar.com</i> that resides in Miami Datacenter and other websites that are in Azure Virginia region.	☐
7 days prior to hurricane	Identified Desktop Engineering/Web/Mobility Team members should be issued satellite phones along with the spreadsheet that provides a list of satellite phone numbers and the assigned members. For information on how to use the satellite phone, refer the Satellite Phone Quick Guide .	☐
7 days prior to hurricane	Identified Team member(s) should be prepared to travel out of the affected Lennar facility.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	Return all the satellite phones to Telecom within 5 business days after the facility is operational and ready for business.	☐

Open to Travel

Name	Cell Phone

APPENDIX A – FACILITIES/SITE ADMINISTRATOR

PREPARATION BEFORE THE HURRICANE SEASON

In preparation before the start of hurricane season on June 1st, the Site Administrators will perform the following steps and procedures:

Timeline	Action to be taken	Check Box
April 1 – May 1	Schedule service of the generator with Pioneer Critical Power .	☐
April 1 – May 1	Submit IS Purchase Request via DocuSign to health check the generator.	☐
April 1 – May 1	Submit ServiceNow Change Request on agreed generator service date and time.	☐
April 1 – May 1	Attend CAB meeting for approval on submitted change request.	☐
April 1 – May 1	Communicate with vendor upon approval of change request.	☐
April 1 – May 1	Ensure the vendor checks the generators tank fuel level. <i>Note: Top off fuel to 90% if current level is at 75% or lower.</i>	☐
April 1 – May 1	Submit IS Purchase Request via DocuSign for fuel services for the generator.	☐
April 1 – May 1	Upload all the documents/invoices to the Box folder – 'UPS & Back-up Generator – Lennar Corporation'.	☐
April 1 – May 1	Ensure hurricane equipment inventory is available for remote office setups.	☐

Point of Contact

Name	Role/Responsibility	Email	Cell Phone
	Sr Manager IT Support / AV Services		
	Site Administrator, Lead Technician, IT Support Services		
	Site Administrator, Technician, IT Support Services		
	Site Administrator, Technician, IT Support Services		
	Site Administrator, Technician, IT Support Services		

Vendors

Vendor Information	Contact Information

STEPS IN THE EVENT OF A HURRICANE

The following procedure is to be initiated in the event a hurricane may affect a Lennar facility:

Timeline	Action to be taken	Check Box
7 days prior to hurricane	Co-ordinate with Site Admins (xxx@Lennar.com) to ensure there is power back-up for the server rooms in Building 700, 1 st floor. - UPS should be operational - Generator should be operational and topped-off with fuel	☐

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Prior to hurricane	Prepare to close the Lennar facility. Refer to the Hurricane Preparedness – Site Administrators document.	☐

POST HURRICANE TASKS

Timeline (TBD by LTS Leadership)	Action to be taken	Check Box
Post hurricane	When the affected Lennar facility is operational and ready for business, disassemble all the equipment at the sites and store them at the corporate office for future use. Refer to the Hurricane Preparedness – Site Administrators document.	☐

APPENDIX B – RETRIEVE VOICEMAIL FROM DESK PHONE

The following are the steps involved in remotely retrieving voicemails from your desk phone:

1. Dial your 10-digit desk phone number from an external phone.
2. When the voicemail answers, press * to interrupt the greeting.
3. When prompted for the ID, enter your area code and last 4 digits of your extension.
4. When prompted for the PIN, enter your PIN.

APPENDIX C – HURRICANE EQUIPMENT INVENTORY

Quantity	Description
20	Cradlepoints
10	Verizon Air Cards
10	AT&T Air Cards
15	Meraki Access Points
5	APC 1500 Battery Backup
10	Lenovo Power Adapters – USBC
10	Lenovo Power Adapters - Square Tip
20	15' Network Cables
10	7' Power Extensions