



File mention + autocomplete

⚡

Slash Commands

SESSION

<code>/clear</code>	Clear conversation
<code>/compact [focus]</code>	Compress context
<code>/resume</code>	Resume / switch session
<code>/rename [name]</code>	Name current session
<code>/fork [name]</code>	Copy to new background session (alias <code>/branch</code>)
<code>/subtask</code>	Run in-session subagent
<code>/cost</code>	Token usage stats
<code>/context</code>	Context usage visualizer
<code>/diff</code>	Interactive diff viewer
<code>/copy</code>	Copy last response
<code>/export</code>	Export conversation
<code>/rewind</code>	Checkpoint / rewind to previous point
<code>/status</code>	Show version, model, account status
<code>/stats</code>	Daily usage, streaks, preferences
<code>/tasks</code>	List background tasks

SETTINGS

<code>/config</code>	Open settings
<code>/model [model]</code>	Switch model ($\leftrightarrow$ effort)
<code>/fast [on off]</code>	Toggle fast mode
<code>/vim</code>	Toggle vim mode
<code>/theme</code>	Change color theme
<code>/permissions</code>	View / update permissions
<code>/effort [level]</code>	Set effort (low / med / high)
<code>/color [color]</code>	Prompt line color
<code>/keybindings</code>	Customize keybindings
<code>/terminal-setup</code>	Configure terminal keys
<code>/ide</code>	Manage IDE integrations
<code>/privacy-settings</code>	View / update privacy settings
<code>/remote-env</code>	Configure web session environment
<code>/desktop</code>	Continue in Desktop app

TOOLS

<code>/init</code>	Create CLAUDE.md
<code>/memory</code>	Edit CLAUDE.md
<code>/mcp</code>	Manage MCP servers
<code>/hooks</code>	Manage hooks
<code>/code-review</code>	Review code (background subagent)
<code>/skills</code>	List available skills
<code>/agents</code>	Manage agents
<code>/add-dir <path></code>	Add working directory
<code>/reload-plugins</code>	Hot-reload plugins

📁

Memory & Files

CLAUDE.MD LOCATIONS

<code>./CLAUDE.md</code>	Project (team-shared)
<code>~/.claude/CLAUDE.md</code>	Personal (all projects)
<code>/etc/claude-code/</code>	Managed (org-wide)

RULES & IMPORTS

<code>.claude/rules/*.md</code>	Project rules
<code>~/.claude/rules/*.md</code>	User rules
<code>paths: frontmatter</code>	Path-specific rules
<code>@path/to/file</code>	Import in CLAUDE.md

AUTO MEMORY

<code>~/.claude/projects/<proj>/memory/</code>	MEMORY.md + topic files, auto-loaded
--	--------------------------------------

<code>/install-slack-app</code>	Install Slack app
<code>/web-setup</code>	Connect GitHub to web
SPECIAL	
<code>/btw <question></code>	Side question (no context cost)
<code>/plan [desc]</code>	Plan mode (+ auto-start)
<code>/ultraplan <prompt></code>	Draft plan in browser, execute remotely
<code>/powerup</code>	Interactive lessons with animated demos
<code>/teleport</code>	Pull web session to terminal
<code>/autofix-pr [prompt]</code>	Auto-fix PR on CI failures
<code>/loop [interval]</code>	Schedule recurring task
<code>/voice</code>	Voice input (20 languages)
<code>/doctor</code>	Diagnose installation
<code>/pr-comments [PR]</code>	GitHub PR comments
<code>/remote-control</code>	Bridge to <code>claude.ai/code</code>
<code>/usage</code>	Plan limits & status
<code>/schedule</code>	Cloud scheduled tasks
<code>/security-review</code>	Security analysis
<code>/insights</code>	Analyze sessions & patterns
<code>/sandbox</code>	Toggle sandbox mode
<code>/extra-usage</code>	Configure extra usage quota
<code>/help</code>	Help + commands
<code>/feedback</code>	Send feedback (alias: <code>/bug</code>)

◇

Workflows & Tips

THINKING & EFFORT

<code>⌘T</code>	Toggle thinking
<code>"ultrathink"</code>	Max effort for one turn
<code>^0</code>	View thinking (verbose)
<code>/effort</code>	☐ low · ☒ med · ☐ high

PLAN MODE

<code>⌘Tab</code>	Normal → Auto-accept → Plan
<code>--permission-mode plan</code>	Launch in plan mode
<code>Auto mode</code>	Default on Bedrock/Vertex/Foundry

GIT WORKTREES

<code>--worktree name</code>	Isolated branch for feature
<code>isolation: worktree</code>	Agent in own worktree
<code>sparsePaths</code>	Checkout only needed folders
<code>/batch</code>	Auto-create worktrees

CONTEXT MANAGEMENT

<code>/context</code>	Usage + optimization tips
<code>/compact [focus]</code>	Compress with focus
<code>Auto-compact</code>	~95% capacity
<code>1M context</code>	Sonnet 5 & Opus 5 (native)

⚙️

Config & Environment

CONFIG FILES

<code>~/.claude/settings.json</code>	User settings
<code>.claude/settings.json</code>	Project (shared)
<code>.claude/settings.local.json</code>	Local only
<code>~/.claude.json</code>	OAuth, MCP, state
<code>.mcp.json</code>	Project MCP servers

KEY SETTINGS

<code>modelOverrides</code>	Map model selection → ID
<code>autoMemoryDirectory</code>	Custom memory directory
<code>worktree.sparsePaths</code>	Sparse checkout folders
<code>sandbox.network.strictAllowlist</code>	Deny non-allowlisted network hosts

ENVIRONMENT VARIABLES

<code>ANTHROPIC_API_KEY</code>	
<code>ANTHROPIC_MODEL</code>	
<code>CLAUDE_CODE Effort_Level</code>	low / med / high
<code>MAX_THINKING_TOKENS</code>	0 = off
<code>CLAUDE_CODE_MAX_OUTPUT_TOKENS</code>	default 32K
<code>CLAUDE_CODE_DISABLE_CRON</code>	Disable scheduled tasks
<code>CLAUDE_CODE_MAX_SUBAGENT_SPAWN_DEPTH</code>	Limit subagent nesting (default 3)

<code>claude -c</code>	Continue last conversation
<code>claude -r "name"</code>	Resume by name
<code>/btw question</code>	Side question, no context cost
SDK / HEADLESS	
<code>claude -p "prompt"</code>	Non-interactive mode
<code>--output-format json</code>	Structured output
<code>--max-budget-usd 5</code>	Cost limit
<code>cat file claude -p</code>	Pipe input
VOICE MODE	
<code>/voice</code>	Enable push-to-talk
<code>Space (hold)</code>	Record; release = send
<code>20 languages</code>	EN, ES, FR, DE, CZ, PL...

◆ Skills & Agents

BUILT-IN SKILLS	
<code>/simplify</code>	Code review (3 parallel agents)
<code>/batch</code>	Bulk changes (5–30 worktrees)
<code>/debug [desc]</code>	Debug from log
<code>/loop [interval]</code>	Recurring scheduled task
<code>/claude-api</code>	Load API + SDK reference
<code>/dataviz</code>	Chart & dashboard design guidance
CUSTOM SKILL LOCATIONS	
<code>.claude/skills/<name>/</code>	Project skills
<code>~/.claude/skills/<name>/</code>	Personal skills
SKILL FRONTMATTER	
<code>description</code>	Auto-invoke trigger
<code>allowed-tools</code>	Skip permission prompts
<code>model</code>	Override model for skill
<code>effort</code>	Override effort level
<code>context: fork</code>	Run in subagent
<code>\$ARGUMENTS</code>	User input placeholder
<code>\${CLAUDE_SKILL_DIR}</code>	Skill directory
<code>!`cmd`</code>	Dynamic context injection
BUILT-IN AGENTS	
<code>Explore</code>	Fast read-only (Haiku)
<code>Plan</code>	Research for plan mode
<code>General</code>	All tools, complex tasks
<code>Bash</code>	Terminal, separate context
<code>Subagents</code>	Run in background by default
<code>Nested spawn</code>	Depth 3 by default (was 1)
AGENT FRONTMATTER	
<code>permissionMode</code>	default/acceptEdits/plan/dontAsk/bypass
<code>isolation: worktree</code>	Run in git worktree

► CLI & Flags

CORE COMMANDS	
<code>claude</code>	Interactive mode
<code>claude "prompt"</code>	With prompt
<code>claude -p "prompt"</code>	Headless
<code>claude -c</code>	Continue last
<code>claude -r "name"</code>	Resume by name
<code>claude update</code>	Update
KEY FLAGS	
<code>--model</code>	Set model
<code>-w</code>	Git worktree
<code>-n / --name</code>	Session name
<code>--add-dir</code>	Add directory
<code>--agent</code>	Use an agent
<code>--allowedTools</code>	Pre-approve tools
<code>--output-format</code>	json / stream
<code>--json-schema</code>	Structured output
<code>--max-turns</code>	Limit turns
<code>--max-budget-usd</code>	Cost limit
<code>--console</code>	Auth via Anthropic Console
<code>--verbose</code>	Verbose output
<code>--bare</code>	Minimal headless (no hooks/LSP)
<code>--channels</code>	Permission relay / MCP push
<code>--remote</code>	Web session
<code>--effort</code>	low / med / high / max
<code>--permission-mode</code>	plan / default / ...
<code>--dangerously-skip-permissions</code>	Skip all prompts ⚠
<code>--ax-screen-reader</code>	Screen reader accessibility mode

maxTurns

Limit agent turns

SendMessage

Resume stopped agents

From the blog

View all posts →

⚙️ Filters & Settings

🔍 Search posts...

RELEASE NOTES

Claude Code Summer 2026 Update: New Models, Background Agents by Default

Sonnet 5 is the new default model, subagents now run in the background automatically, and Claude in Chrome is GA. What shipped this summer and what to actually change in your setup.

Jul 31, 2026 · 11 min read

WORKFLOW

Multi-Agent Control Mode & /goal Workflow: Complete Guide

One engineer now coordinates multiple agents simultaneously. Reduce open terminals by 70%. Complete complex objectives without manual intervention.

May 14, 2026 · 12 min read

COST OPTIMIZATION

How to Manage Context When You Keep Hitting Token Limits

Practical guide to reduce token spending by 60-80% without losing quality. 10-part guide covering context measurement, CLAUDE.md optimization, log filtering, caching, and troubleshooting.

May 11, 2026 · 30 min read

ENGINEERING

AI Engineer Roadmap 2026: Build Production Agents in 17 Weeks

Complete 6-phase learning path from agent fundamentals to production hardening. For AI/ML practitioners building agentic systems.

May 8, 2026 · 35 min read

COST OPTIMIZATION

Burning Through Claude Code's Weekly Limit in 3 Days? Here's How to Fix It

Reduced weekly token limits from burnout in 3 days to sustainable usage. Learn how to delegate I/O operations to cheaper models and save 75% on API costs.

May 4, 2026 · 14 min read

PERFORMANCE

Token Optimization in Claude Code: A 430-Hour Forensics Analysis

Discover the 9 invisible patterns wasting 73% of your Claude Code tokens. Real analysis of 6M tokens and \$1,340 API spend with actionable optimization strategies.

May 3, 2026 · 15 min read

Showing 6 of 32 posts



WORKTOWS



Claude Certified
Architect
GitHub Repository



Paul Larionov
Top 80 Claude Skills,
Agents & GitHub Repos for
AI

Permission Modes: default prompts · acceptEdits auto-accepted edits · plan read-only · dontAsk deny if not allowed · bypassPermissions skip all · CLI:
--dangerously-skip-permissions

Env Vars: ANTHROPIC_API_KEY ANTHROPIC_MODEL CLAUDE_CODE_EFFORT_LEVEL (low/med/high) MAX_THINKING_TOKENS (0=off)
CLAUDE_CODE_MAX_OUTPUT_TOKENS (default 32K) CLAUDE_CODE_DISABLE_CRON

Credits: Paul Larionov · Silikonoviy Meshok