

Task 6: Implement User Table in SQL

1. Set up the database connection

```
CREATE DATABASE IF NOT EXISTS DataLensStreaming;  
USE DataLensStreaming;
```

2. Creating genres table

```
CREATE TABLE genres (  
    GenreID INT PRIMARY KEY,  
    Genre_Name VARCHAR(100) NOT NULL  
);
```

3. Creating movies_clean table

```
CREATE TABLE movies_clean (  
    MovieID INT PRIMARY KEY,  
    Movie_Title VARCHAR(255) NOT NULL,  
    Year INT,  
    Language VARCHAR(100),  
    Country VARCHAR(100),  
    Total_Views INT  
);
```

```
SHOW VARIABLES LIKE 'secure_file_priv';
```

```
LOAD DATA INFILE 'C:/ProgramData/MySQL/MySQL Server 8.0/Uploads/movies_clean.csv'
INTO TABLE movies_clean
FIELDS TERMINATED BY ';'
ENCLOSED BY '"'
LINES TERMINATED BY '\n'
IGNORE 1 ROWS
(MovieID, Movie_Title, Year, Language, Country, Total_Views);
```

4. Creating movies_genres table

```
CREATE TABLE movie_genres (
    MovieID INT NOT NULL,
    GenreID INT NOT NULL,

    PRIMARY KEY (MovieID, GenreID),

    CONSTRAINT fk_movie_genres_movie
        FOREIGN KEY (MovieID)
        REFERENCES movies_clean(MovieID),

    CONSTRAINT fk_movie_genres_genre
        FOREIGN KEY (GenreID)
        REFERENCES genres(GenreID)
);
```

5. Creating ratings table

```
CREATE TABLE ratings (  
    RatingID INT PRIMARY KEY,  
    UserID INT NOT NULL,  
    MovieID INT NOT NULL,  
    Rating DECIMAL(2,1),  
    Rating_Timestamp DATETIME,  
  
    CONSTRAINT fk_ratings_user  
        FOREIGN KEY (UserID)  
        REFERENCES users(UserID),  
  
    CONSTRAINT fk_ratings_movie  
        FOREIGN KEY (MovieID)  
        REFERENCES movies_clean(MovieID)  
);
```

6. Creating users table

```
CREATE TABLE users (  
    UserID INT PRIMARY KEY,  
    Age INT,  
    Gender VARCHAR(20),  
    Country VARCHAR(50),  
    Subscription_Status VARCHAR(20),  
    Total_Watch_Time INT,  
    Device VARCHAR(50)  
);
```