

Frontend Source Code

React Application — Components, Pages & Services

Table of Contents

Entry Point

src/main.jsx
src/App.jsx
src/index.css

Context

src/contexts/AuthContext.jsx

Lib

src/lib/utils.js

Components

src/components/Layout/Layout.jsx
src/components/Layout/Layout.module.css
src/components/Navbar/Navbar.jsx
src/components/Navbar/Navbar.module.css
src/components/Sidebar/Sidebar.jsx
src/components/Sidebar/Sidebar.module.css
src/components/ProtectedRoute/ProtectedRoute.jsx
src/components/ProtectedRoute/ProtectedRoute.module.css
src/components/QuestionCard/QuestionCard.jsx
src/components/QuestionCard/QuestionCard.module.css
src/components/RagAnswerBody/RagAnswerBody.jsx
src/components/RagAnswerBody/RagAnswerBody.module.css

Pages

src/pages/Landing/Landing.jsx
src/pages/Landing/Landing.module.css
src/pages/Auth/Auth.jsx
src/pages/Auth/Auth.module.css
src/pages/Dashboard/Dashboard.jsx
src/pages/Dashboard/Dashboard.module.css
src/pages/MyQuestions/MyQuestions.jsx
src/pages/MyQuestions/MyQuestions.module.css
src/pages/PostQuestion/PostQuestion.jsx
src/pages/PostQuestion/PostQuestion.module.css
src/pages/QuestionDetail/QuestionDetail.jsx
src/pages/QuestionDetail/QuestionDetail.module.css
src/pages/RagDocuments/RagDocuments.jsx
src/pages/RagDocuments/RagDocuments.module.css

Services

src/services/core/api.client.js
src/services/auth/auth.service.js
src/services/questions/question.service.js
src/services/answers/answer.service.js
src/services/rag/rag.service.js

Shared Styles

src/styles/pageStates.module.css

```
1  import { StrictMode } from 'react'
2  import { createRoot } from 'react-dom/client'
3  import './index.css'
4  import App from './App.jsx'
5
6  createRoot(document.getElementById('root')).render(
7    <StrictMode>
8      <App />
9    </StrictMode>,
10  )
```

```

1  /**
2   * Route map: public pages live outside `Layout`; forum tools use `Layout` + `ProtectedRoute`.
3   * Add new `<Route>` entries here, then wire navigation in `Sidebar.jsx` and
4   * `Layout.jsx` (`getTitle` / `getSubtitle`) so the shell stays in sync.
5   */
6
7  import { BrowserRouter, Routes, Route, Navigate } from "react-router-dom";
8  import { AuthProvider } from "../contexts/AuthContext";
9  import Layout from "../Components/Layout/Layout";
10 import ProtectedRoute from "../Components/ProtectedRoute/ProtectedRoute";
11 import Auth from "../pages/Auth/Auth";
12 import Dashboard from "../pages/Dashboard/Dashboard";
13 import Landing from "../pages/Landing/Landing";
14 import QuestionDetail from "../pages/QuestionDetail/QuestionDetail";
15 import PostQuestion from "../pages/PostQuestion/PostQuestion";
16 import MyQuestions from "../pages/MyQuestions/MyQuestions";
17 import RagDocuments from "../pages/RagDocuments/RagDocuments";
18
19 function App() {
20   return (
21     <BrowserRouter>
22       <AuthProvider>
23         <Routes>
24           {/* Public routes */}
25           <Route path="/" element={<Landing />} />
26           <Route path="/auth" element={<Auth />} />
27
28           {/* Protected routes with Layout */}
29
30           <Route element={<Layout />}>
31             <Route
32               path="/dashboard"
33               element={
34                 <ProtectedRoute>
35                   <Dashboard />
36                 </ProtectedRoute>
37             }
38             />
39             <Route
40               path="/questions/ask"
41               element={
42                 <ProtectedRoute>
43                   <PostQuestion />
44                 </ProtectedRoute>
45             }
46             />
47             <Route
48               path="/my-questions"
49               element={
50                 <ProtectedRoute>
51                   <MyQuestions />
52                 </ProtectedRoute>
53             }
54             />
55             <Route
56               path="/question/:questionHash"
57               element={
58                 <ProtectedRoute>
59                   <QuestionDetail />
60                 </ProtectedRoute>
61             }
62             />
63             <Route
64               path="/rag-documents"
65               element={
66                 <ProtectedRoute>
67                   <RagDocuments />
68                 </ProtectedRoute>
69             }
70             />
71           </Route>
72
73           {/* Catch-all redirect */}
74           <Route path="*" element={<Navigate to="/" replace />} />
75         </Routes>
76       </AuthProvider>
77     </BrowserRouter>
78   );
79 }
80
81 export default App;

```

```

1  /**
2   * Global design tokens and base styles for Evangadi Forum (frontend).
3   *
4   * - Page-specific layout lives in `*.module.css` files next to each component.
5   * - Shared "list empty / loading" patterns live in `src/styles/pageStates.module.css`.
6   * - Layout widths: `--app-content-max` (main column), `--app-prose-max` (wide copy
7   *   blocks), `--app-form-max` (narrow forms). Authenticated pages rely on
8   *   `Layout.module.css` `.layout__mainInner` for the outer cap. Avoid duplicating
9   *   `max-width` on page roots unless a page is outside that shell (e.g. `/`, `/auth`).
10  * - When you add new features, prefer new CSS variables here only if the whole app
11  *   should use them; otherwise keep styles local to the page module.
12  */
13
14  @import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap');
15
16  :root {
17    /* Primary colors (Orange-based) */
18    --primary: #f97316; /* Tailwind Orange-500 */
19    --primary-hover: #ea580c; /* Tailwind Orange-600 */
20    --primary-light: #ffedd5; /* Tailwind Orange-100 */
21    --primary-dark: #c2410c; /* Tailwind Orange-700 */
22    --primary-container: #ea580c; /* Tailwind Orange-600 */
23
24    /* Secondary colors */
25    --secondary: #475569; /* Slate-600 */
26    --secondary-hover: #334155; /* Slate-700 */
27
28    /* Tertiary colors */
29    --tertiary: #0f172a; /* Slate-900 */
30    --tertiary-container: #1e293b; /* Slate-800 */
31
32    /* Surface colors */
33    --surface: #ffffff;
34    --surface-hover: #f8fafc;
35    --surface-container-low: #f1f5f9;
36    --surface-container-high: #e2e8f0;
37    --surface-container-highest: #cbd5e1;
38
39    /* Text colors */
40    --text-primary: #0f172a; /* Slate-900 */
41    --text-secondary: #334155; /* Slate-700 (darkened for better contrast) */
42    --text-tertiary: #475569; /* Slate-600 (darkened for better contrast) */
43    --text-placeholder: #94a3b8; /* Slate-400 (dimmed for placeholders) */
44    --text-inverse: #ffffff;
45
46    /* Border colors */
47    --border: #e2e8f0;
48    --border-hover: #cbd5e1;
49    --border-focus: #f97316;
50
51    /* Status colors */
52    --success: #10b981;
53    --success-light: #d1fae5;
54    --warning: #f59e0b;
55    --warning-light: #fef3c7;
56    --error: #ef4444;
57    --error-light: #fee2e2;
58    --info: #3b82f6;
59    --info-light: #dbeafe;
60
61    /* Background colors */
62    --background: #f8fafc;
63    --background-secondary: #f1f5f9;
64
65    /* Shadow values */
66    --shadow-sm: 0 1px 2px 0 rgba(0, 0, 0, 0.05);
67    --shadow-md: 0 4px 6px -1px rgba(0, 0, 0, 0.1),
68      0 2px 4px -1px rgba(0, 0, 0, 0.06);
69    --shadow-lg: 0 10px 15px -3px rgba(0, 0, 0, 0.1),
70      0 4px 6px -2px rgba(0, 0, 0, 0.05);
71    --shadow-xl: 0 20px 25px -5px rgba(0, 0, 0, 0.1),
72      0 10px 10px -5px rgba(0, 0, 0, 0.04);
73    --shadow-focus: 0 0 0 3px rgba(249, 115, 22, 0.2);
74
75    /* Border radius */
76    --radius-sm: 0.25rem;
77    --radius-md: 0.5rem;
78    --radius-lg: 0.75rem;
79    --radius-xl: 1rem;
80    --radius-full: 9999px;
81
82    /* Spacing scale */
83    --spacing-xs: 0.25rem;
84    --spacing-sm: 0.5rem;
85    --spacing-md: 1rem;
86    --spacing-lg: 1.5rem;
87    --spacing-xl: 2rem;
88    --spacing-2xl: 3rem;
89    --spacing-3xl: 4rem;
90
91    /* Font stack */

```

```
92 --font-sans: 'Inter', system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
93   Roboto, 'Helvetica Neue', Arial, sans-serif;
94
95 /* Font sizes */
96 --text-xs: 0.75rem;
97 --text-sm: 0.875rem;
98 --text-base: 1rem;
99 --text-lg: 1.125rem;
100 --text-xl: 1.25rem;
101 --text-2xl: 1.5rem;
102 --text-3xl: 1.875rem;
103 --text-4xl: 2.25rem;
104
105 /* Font weights */
106 --font-light: 300;
107 --font-normal: 400;
108 --font-medium: 500;
109 --font-semibold: 600;
110 --font-bold: 700;
111
112 /* Transitions */
113 --transition-fast: 150ms ease-in-out;
114 --transition-base: 200ms ease-in-out;
115 --transition-slow: 300ms ease-in-out;
116
117 /* App shell: sidebar width and shared horizontal rhythm. */
118 --app-sidebar-width: 17rem;
119 /* Primary content column (Layout main + footer + marketing sections aligned to app). */
120 --app-content-max: 80rem;
121 /* Marketing / explainer columns (auth info panel, success messages). */
122 --app-prose-max: 32rem;
123 /* Narrow forms (auth sign-in card). */
124 --app-form-max: 28rem;
125 }
126
127 /* Global Resets */
128 *,
129 *::before,
130 *::after {
131   box-sizing: border-box;
132   margin: 0;
133   padding: 0;
134 }
135
136 html {
137   scroll-behavior: smooth;
138 }
139
140 body {
141   font-family: var(--font-sans);
142   color: var(--text-primary);
143   background-color: var(--background);
144   line-height: 1.5;
145   -webkit-font-smoothing: antialiased;
146   -moz-osx-font-smoothing: grayscale;
147 }
148
149 a {
150   color: var(--primary);
151   text-decoration: none;
152   transition: color var(--transition-fast);
153 }
154
155 a:hover {
156   color: var(--primary-hover);
157 }
158
159 button {
160   font-family: inherit;
161   cursor: pointer;
162 }
163
164 input,
165 textarea,
166 select {
167   font-family: inherit;
168 }
169
170 input::-webkit-input-placeholder,
171 textarea::-webkit-input-placeholder {
172   color: var(--text-placeholder);
173   opacity: 0.4;
174 }
175
176 input:-ms-input-placeholder,
177 textarea:-ms-input-placeholder {
178   color: var(--text-placeholder);
179   opacity: 0.4;
180 }
181
182 input::placeholder,
183 textarea::placeholder {
184   color: var(--text-placeholder);
185   opacity: 0.4; /* Reduced opacity for more dim, gray appearance */
186 }
```

```
187
188
189 /* Global Focus Styles for Inputs and Textareas */
190 input:focus,
191 textarea:focus,
192 select:focus {
193     outline: none;
194     border-color: var(--primary) !important;
195     box-shadow: 0 0 0 1px var(--primary) !important;
196     transition: border-color var(--transition-fast),
197         box-shadow var(--transition-fast);
198 }
199
200 /* Base Typography */
201 h1,
202 h2,
203 h3,
204 h4,
205 h5,
206 h6 {
207     color: var(--text-primary);
208     font-weight: var(--font-semibold);
209     line-height: 1.2;
210 }
211
212 h1 {
213     font-size: var(--text-4xl);
214 }
215
216 h2 {
217     font-size: var(--text-3xl);
218 }
219
220 h3 {
221     font-size: var(--text-2xl);
222 }
223
224 h4 {
225     font-size: var(--text-xl);
226 }
227
228 h5 {
229     font-size: var(--text-lg);
230 }
231
232 h6 {
233     font-size: var(--text-base);
234 }
```

```

1  import { createContext, useContext, useState, useEffect } from 'react';
2  import { useNavigate } from 'react-router-dom';
3  import { authService } from '../services/auth/auth.service.js';
4
5  /**
6   * Authentication Context providing user state and auth methods.
7   */
8  const AuthContext = createContext(undefined);
9
10 /**
11  * AuthProvider component that wraps the app to provide authentication context.
12  */
13  export function AuthProvider({ children }) {
14    // Authentication state
15    const [user, setUser] = useState(null);
16    const [loading, setLoading] = useState(true);
17    const navigate = useNavigate();
18
19    // Initialize user state from localStorage on mount
20    useEffect(() => {
21      const token = authService.getStoredToken();
22      const storedUser = authService.getStoredUser();
23
24      if (token && storedUser) {
25        setUser(storedUser);
26      }
27
28      setLoading(false);
29    }, []);
30
31    /**
32     * Registers a new user. Does not automatically log them in.
33     * @param {Object} userData - { firstName, lastName, email, password }
34     */
35    const register = async userData => {
36      setLoading(true);
37      try {
38        const { user } = await authService.register(userData);
39        return { success: true, user };
40      } catch (error) {
41        throw error;
42      } finally {
43        setLoading(false);
44      }
45    };
46
47    /**
48     * Authenticates a user and updates the session state.
49     * @param {Object} credentials - { email, password }
50     */
51    const login = async credentials => {
52      setLoading(true);
53      try {
54        const { user } = await authService.login(credentials);
55        setUser(user);
56        return { success: true };
57      } catch (error) {
58        throw error;
59      } finally {
60        setLoading(false);
61      }
62    };
63
64    /**
65     * Clears the user session and redirects to the login page.
66     */
67    const logout = () => {
68      authService.logout();
69      setUser(null);
70      navigate('/auth');
71    };
72
73    // Context value with state and methods
74    const value = {
75      user,
76      loading,
77      register,
78      login,
79      logout,
80      isAuthenticated: !!user,
81    };
82
83    return <AuthContext.Provider value={value}>{children}</AuthContext.Provider>;
84  }
85
86  /**
87   * Custom hook to access the authentication context.
88   * @throws {Error} If used outside of AuthProvider
89   */
90  export function useAuth() {
91    const context = useContext(AuthContext);

```

```
92
93     if (context === undefined) {
94         throw new Error('useAuth must be used within an AuthProvider');
95     }
96
97     return context;
98 }
```

```
1  const isAuthoredByUser = (question, user) => {
2    return question.userId === user?.id;
3  };
4
5  const timeAgo = (date) => {
6    const seconds = Math.floor((new Date() - new Date(date)) / 1000);
7
8    const intervals = {
9      year: 31536000,
10     month: 2592000,
11     day: 86400,
12     hour: 3600,
13     minute: 60,
14   };
15
16   for (const [unit, value] of Object.entries(intervals)) {
17     const count = Math.floor(seconds / value);
18     if (count >= 1) {
19       return `${count} ${unit}${count > 1 ? "s" : ""} ago`;
20     }
21   }
22
23   return "just now";
24 };
25
26 export { isAuthoredByUser, timeAgo };
```

```

1  import { Outlet, useLocation } from 'react-router-dom';
2  import { useAuth } from '../../contexts/AuthContext';
3  import Navbar from '../../Navbar/Navbar.jsx';
4  import Sidebar from '../../Sidebar/Sidebar.jsx';
5  import styles from './Layout.module.css';
6
7  /**
8   * Authenticated shell: fixed sidebar + scrollable main column + footer.
9   * Add new `pathname` branches below when you introduce more protected routes.
10  */
11  export default function Layout() {
12    const location = useLocation();
13    const { user, logout } = useAuth();
14
15    /** Navbar title: keep in sync with routes in `App.jsx`. */
16    const getTitle = () => {
17      const path = location.pathname;
18      if (path === '/dashboard') return 'Home';
19      if (path === '/my-questions') return 'Your topics';
20      if (path === '/questions/ask') return 'Ask a question';
21      if (path.startsWith('/question/')) return 'Discussion';
22      if (path === '/rag-documents') return 'Knowledge base';
23      return 'Forum';
24    };
25
26    /** One-line context under the title (helps students orient on each screen). */
27    const getSubtitle = () => {
28      const path = location.pathname;
29      if (path === '/dashboard')
30        return 'Browse the feed, search by keyword, or run AI similarity search.';
31      if (path === '/my-questions')
32        return 'Questions you have posted. Open any thread to read replies or edit context.';
33      if (path === '/questions/ask')
34        return 'A clear title and reproducible steps get faster, more accurate answers.';
35      if (path.startsWith('/question/'))
36        return 'Read the thread, review related topics, and reply with markdown if you can help.';
37      if (path === '/rag-documents')
38        return 'Private PDF library: reader, semantic search, and AI answers with citations per document.';
39      return '';
40    };
41
42    return (
43      <div className={styles.layout}>
44        <Sidebar />
45        <div className={styles.layout__content}>
46          <Navbar
47            title={getTitle()}
48            subtitle={getSubtitle()}
49            user={user}
50            onLogout={logout}
51          />
52          <main className={styles.layout__main}>
53            <div className={styles.layout__mainInner}>
54              <Outlet />
55            </div>
56          </main>
57
58          <footer className={styles.layout__footer}>
59            <div className={styles['layout__footer-content']}>
60              <div className={styles['layout__footer-branding']}>
61                <h4 className={styles['layout__footer-title']}>Evangadi Forum</h4>
62                <p className={styles['layout__footer-tagline']}>
63                  A practice space for technical Q&A, peer feedback, and
64                  AI-assisted search, built for Evangadi learners and mentors.
65                </p>
66                <p className={styles['layout__footer-copyright']}>
67                  © 2026 Evangadi Forum. For educational use.
68                </p>
69              </div>
70              <nav className={styles['layout__footer-nav']}>
71                <a href="#" className={styles['layout__footer-link']}>
72                  About
73                </a>
74                <a href="#" className={styles['layout__footer-link']}>
75                  Privacy
76                </a>
77                <a href="#" className={styles['layout__footer-link']}>
78                  Terms
79                </a>
80                <a href="#" className={styles['layout__footer-link']}>
81                  Contact
82                </a>
83              </nav>
84            </div>
85          </footer>
86        </div>
87      </div>
88    );
89  }

```

```

1  /**
2   * Layout.module.css: authenticated app chrome (sidebar offset + main padding).
3   */
4
5  .layout {
6    min-height: 100vh;
7    background-color: var(--background);
8  }
9
10 .layout__content {
11   margin-left: var(--app-sidebar-width, 15rem);
12   min-height: 100vh;
13   display: flex;
14   flex-direction: column;
15 }
16
17 .layout__main {
18   flex: 1;
19   padding: var(--spacing-lg) var(--spacing-xl) var(--spacing-2xl);
20   max-width: 100%;
21   display: flex;
22   flex-direction: column;
23 }
24
25 /* Centers page content on very wide monitors while keeping the orange token theme. */
26 .layout__mainInner {
27   width: 100%;
28   max-width: var(--app-content-max, 80rem);
29   margin-left: auto;
30   margin-right: auto;
31   flex: 1;
32   display: flex;
33   flex-direction: column;
34 }
35
36 .layout__footer {
37   border-top: 1px solid var(--border);
38   background-color: var(--surface);
39   background-image: linear-gradient(
40     180deg,
41     var(--surface-container-low) 0%,
42     var(--surface) 28%
43   );
44   box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.7);
45   padding-top: var(--spacing-xl);
46   padding-bottom: var(--spacing-xl);
47 }
48
49 .layout__footer-content {
50   max-width: var(--app-content-max, 80rem);
51   margin: 0 auto;
52   padding-left: var(--spacing-xl);
53   padding-right: var(--spacing-xl);
54   display: flex;
55   flex-direction: column;
56   align-items: center;
57   justify-content: space-between;
58   gap: var(--spacing-lg);
59 }
60
61 @media (min-width: 768px) {
62   .layout__footer-content {
63     flex-direction: row;
64   }
65 }
66
67 .layout__footer-branding {
68   text-align: center;
69 }
70
71 @media (min-width: 768px) {
72   .layout__footer-branding {
73     text-align: left;
74   }
75 }
76
77 .layout__footer-title {
78   font-weight: var(--font-semibold);
79   color: var(--text-primary);
80   margin-bottom: var(--spacing-xs);
81 }
82
83 .layout__footer-tagline {
84   font-size: var(--text-sm);
85   color: var(--text-secondary);
86   line-height: 1.55;
87   max-width: var(--app-form-max, 28rem);
88   margin-bottom: var(--spacing-sm);
89 }
90
91 .layout__footer-copyright {

```

```
92     font-size: var(--text-xs);
93     color: var(--text-tertiary);
94 }
95
96 .layout__footer-nav {
97     display: flex;
98     gap: var(--spacing-lg);
99 }
100
101 .layout__footer-link {
102     font-size: var(--text-sm);
103     color: var(--text-secondary);
104     text-decoration: none;
105     transition: color var(--transition-base);
106 }
107
108 .layout__footer-link:hover {
109     color: var(--primary);
110 }
111
112 .layout__footer-link:focus {
113     outline: none;
114 }
115
116 .layout__footer-link:focus-visible {
117     color: var(--primary);
118     outline: 2px solid var(--primary);
119     outline-offset: 3px;
120     border-radius: var(--radius-sm);
121 }
```

```

1  import { useState, useEffect } from 'react';
2  import { useNavigate, useLocation } from 'react-router-dom';
3  import { Search, Logout, Sparkles } from 'lucide-react';
4  import styles from './Navbar.module.css';
5
6  /**
7   * Top bar: page title, debounced text search → `/dashboard?q=`, optional AI semantic search.
8   * Search state is driven by the URL on the dashboard so bookmarks and refresh keep context.
9   */
10 export default function Navbar({ title, subtitle, user, onLogout }) {
11   const navigate = useNavigate();
12   const location = useLocation();
13
14   // Initialize searchTerm from URL if we are already on the dashboard
15   const [searchTerm, setSearchTerm] = useState(() => {
16     const params = new URLSearchParams(location.search);
17     return params.get('q') || params.get('semantic') || '';
18   });
19
20   // Keep input in sync with URL if it changes externally
21   useEffect(() => {
22     if (location.pathname === '/dashboard') {
23       const params = new URLSearchParams(location.search);
24       setSearchTerm(params.get('q') || params.get('semantic') || '');
25     } else {
26       setSearchTerm('');
27     }
28   }, [location.search, location.pathname]);
29
30   // Debounced keyword search: updates `?q=` on the dashboard (500ms quiet period).
31   useEffect(() => {
32     const delayDebounceFn = setTimeout(() => {
33       if (searchTerm.trim() !== '') {
34         navigate(`/dashboard?q=${encodeURIComponent(searchTerm)}`);
35       } else if (
36         location.pathname === '/dashboard' &&
37         !new URLSearchParams(location.search).get('semantic')
38       ) {
39         navigate('/dashboard');
40       }
41     }, 500);
42
43     return () => clearTimeout(delayDebounceFn);
44   }, [searchTerm, navigate, location.pathname]);
45
46   const handleSemanticSearch = e => {
47     e.preventDefault();
48     if (searchTerm.trim().length >= 3) {
49       navigate(`/dashboard?semantic=${encodeURIComponent(searchTerm)}`);
50     }
51   };
52
53   const handleSearchSubmit = e => {
54     e.preventDefault();
55     if (searchTerm.trim()) {
56       navigate(`/dashboard?q=${encodeURIComponent(searchTerm)}`);
57     }
58   };
59
60   return (
61     <header className={styles.navbar}>
62       <div className={styles.navbar__titleBlock}>
63         <h2 className={styles.navbar__pageTitle}>{title}</h2>
64         {subtitle ? (
65           <p className={styles.navbar__pageSubtitle}>{subtitle}</p>
66         ) : null}
67       </div>
68
69       <form className={styles.navbar__search} onSubmit={handleSearchSubmit}>
70         <div className={styles['navbar__search-icon']}>
71           <Search size={16} />
72         </div>
73         <input
74           id='search'
75           type='text'
76           value={searchTerm}
77           onChange={e => setSearchTerm(e.target.value)}
78           placeholder='Search questions by keyword...'
79           className={styles['navbar__search-input']}
80           aria-label='Search questions by keyword'
81         />
82         {searchTerm.length >= 3 && (
83           <button
84             type='button'
85             onClick={handleSemanticSearch}
86             className={styles['navbar__semantic-button']}
87             title='Use AI Semantic Search'
88           >
89             <Sparkles size={14} />
90             <span className={styles['navbar__semantic-text']}>AI Search</span>
91           </button>

```

```
92     })
93   </form>
94
95   <div className={styles.navbar__actions}>
96     <div className={styles.navbar__user}>
97       <span className={styles['navbar__user-name']}>
98         {user ? `${user.firstName} ${user.lastName}` : 'Guest'}
99       </span>
100       <div className={styles['navbar__user-avatar']}>
101         <img
102           src={
103             user?.avatar ||
104             `https://ui-avatars.com/api/?name=${{
105               user?.firstName || 'User'
106             }}+${user?.lastName || ''}&background=random`
107           }
108           alt='avatar'
109           referrerPolicy='no-referrer'
110         />
111       </div>
112     </div>
113     {user && (
114       <button
115         type='button'
116         className={styles.navbar__logout}
117         onClick={onLogout}
118         aria-label='Logout'
119         title='Logout'
120       >
121         <LogOut size={20} />
122       </button>
123     )}
124   </div>
125 </header>
126 );
127 }
```

```

1  /**
2   * Navbar.module.css: sticky header, search field, user menu.
3   */
4
5  .navbar {
6    position: sticky;
7    top: 0;
8    z-index: 40;
9    background-color: var(--surface);
10   padding-left: var(--spacing-xl);
11   padding-right: var(--spacing-xl);
12   min-height: 4.25rem;
13   display: flex;
14   align-items: center;
15   justify-content: space-between;
16   gap: var(--spacing-xl);
17   border-bottom: 1px solid var(--border);
18   box-shadow: var(--shadow-sm);
19 }
20
21 .navbar_titleBlock {
22   flex-shrink: 1;
23   min-width: 0;
24   max-width: min(32rem, 46vw);
25 }
26
27 .navbar_pageTitle {
28   font-weight: var(--font-semibold);
29   font-size: var(--text-lg);
30   color: var(--text-primary);
31   line-height: 1.25;
32   margin: 0;
33 }
34
35 .navbar_pageSubtitle {
36   margin: 0.125rem 0 0;
37   font-size: var(--text-xs);
38   font-weight: var(--font-normal);
39   color: var(--text-tertiary);
40   line-height: 1.4;
41   display: none;
42 }
43
44 @media (min-width: 900px) {
45   .navbar_pageSubtitle {
46     display: block;
47   }
48 }
49
50 .navbar_search {
51   flex: 1;
52   max-width: 36rem;
53   position: relative;
54 }
55
56 .navbar_search-icon {
57   position: absolute;
58   top: 0;
59   bottom: 0;
60   top: 50%;
61   transform: translateY(-50%);
62   left: 0.75rem;
63   display: flex;
64   align-items: center;
65   pointer-events: none;
66   color: var(--text-secondary);
67 }
68
69 .navbar_search-input {
70   width: 100%;
71   background-color: var(--surface-container-low);
72   border: 1px solid var(--border);
73   border-radius: var(--radius-lg);
74   padding-top: 0.5rem;
75   padding-bottom: 0.5rem;
76   padding-left: 2.5rem;
77   padding-right: 7rem;
78   font-size: var(--text-sm);
79   transition: var(--transition-base);
80   color: var(--text-primary);
81 }
82
83 .navbar_semantic-button {
84   position: absolute;
85   right: 0.25rem;
86   top: 50%;
87   transform: translateY(-50%);
88   display: flex;
89   align-items: center;
90   gap: 0.25rem;
91   padding: 0.375rem 0.75rem;

```

```
92     background-color: var(--primary);
93     color: var(--text-inverse);
94     border: none;
95     border-radius: calc(var(--radius-lg) - 0.25rem);
96     font-size: var(--text-xs);
97     font-weight: var(--font-medium);
98     cursor: pointer;
99     transition: background-color var(--transition-fast);
100 }
101
102 .navbar__semantic-button:hover {
103     background-color: var(--primary-hover);
104 }
105
106 .navbar__semantic-button:focus {
107     outline: none;
108 }
109
110 .navbar__semantic-button:focus-visible {
111     outline: 2px solid var(--primary);
112     outline-offset: 2px;
113 }
114
115 .navbar__semantic-text {
116     display: none;
117 }
118
119 @media (min-width: 640px) {
120     .navbar__semantic-text {
121         display: inline;
122     }
123 }
124
125 .navbar__search-input::placeholder {
126     color: var(--text-tertiary);
127 }
128
129 .navbar__search-input:focus {
130     /* Handled by global theme.css focus styles */
131     background-color: var(--surface);
132 }
133
134 .navbar__actions {
135     display: flex;
136     align-items: center;
137     gap: var(--spacing-md);
138 }
139
140 .navbar__notification {
141     position: relative;
142     padding: 0.5rem;
143     color: var(--text-secondary);
144     transition: var(--transition-base);
145     background: none;
146     border: none;
147     cursor: pointer;
148     border-radius: var(--radius-full);
149 }
150
151 .navbar__notification:hover {
152     color: var(--primary);
153     background-color: var(--primary-light);
154 }
155
156 .navbar__user {
157     display: flex;
158     align-items: center;
159     gap: 0.75rem;
160     padding-left: var(--spacing-md);
161     border-left: 1px solid var(--border);
162 }
163
164 .navbar__user-name {
165     font-size: var(--text-sm);
166     font-weight: var(--font-medium);
167     color: var(--text-primary);
168     display: none;
169 }
170
171 @media (min-width: 1024px) {
172     .navbar__user-name {
173         display: block;
174     }
175 }
176
177 .navbar__user-avatar {
178     width: 2rem;
179     height: 2rem;
180     border-radius: var(--radius-full);
181     background-color: var(--surface-container-high);
182     overflow: hidden;
183     border: 1px solid var(--border);
184 }
185
186 .navbar__user-avatar img {
```

```
187     width: 100%;
188     height: 100%;
189     object-fit: cover;
190 }
191
192 .navbar__logout {
193     position: relative;
194     padding: 0.5rem;
195     color: var(--text-secondary);
196     transition: var(--transition-base);
197     background: none;
198     border: none;
199     cursor: pointer;
200     border-radius: var(--radius-full);
201 }
202
203 .navbar__logout:hover {
204     color: var(--error);
205     background-color: var(--error-light);
206 }
207
208 .navbar__logout:focus {
209     outline: none;
210     box-shadow: var(--shadow-focus);
211 }
```

[illegible]

```
92     <img
93       src={
94         user?.avatar ||
95         `https://ui-avatars.com/api/?name=${
96           user?.firstName || "User"
97           }+${user?.lastName || ""}&background=random`
98       }
99       alt={` ${user?.firstName} ${user?.lastName}`}
100       className={styles["sidebar__avatar-image"]}
101       referrerPolicy="no-referrer"
102     />
103   </div>
104   <div className={styles.sidebar__info}>
105     <p className={styles.sidebar__name}>
106       {user?.firstName} {user?.lastName}
107     </p>
108     <p className={styles.sidebar__role}>Learner</p>
109   </div>
110 </div>
111
112 <button
113   type="button"
114   onClick={logout}
115   className={styles.sidebar__logout}
116 >
117   <Logout size={16} />
118   <span>Logout</span>
119 </button>
120 </div>
121 </div>
122 </aside>
123 );
124 }
```

```

1  /* Sidebar Component Styles - BEM Naming Convention */
2
3  /* Block: sidebar */
4  .sidebar {
5      height: 100vh;
6      width: var(--app-sidebar-width, 15rem);
7      position: fixed;
8      left: 0;
9      top: 0;
10     overflow-y: auto;
11     background-color: var(--surface);
12     display: flex;
13     flex-direction: column;
14     padding-top: var(--spacing-lg);
15     padding-bottom: var(--spacing-lg);
16     z-index: 50;
17     border-right: 1px solid var(--border);
18     box-shadow: 1px 0 0 rgba(15, 23, 42, 0.04);
19 }
20
21 /* Element: sidebar__header (brand + divider before nav) */
22 .sidebar__header {
23     padding-left: var(--spacing-lg);
24     padding-right: var(--spacing-lg);
25     padding-bottom: var(--spacing-md);
26     margin-bottom: var(--spacing-md);
27     border-bottom: 1px solid var(--border);
28 }
29
30 /* Element: sidebar__branding */
31 .sidebar__branding {
32     display: flex;
33     align-items: flex-start;
34     gap: var(--spacing-md);
35     cursor: pointer;
36     border-radius: var(--radius-md);
37     padding: var(--spacing-sm);
38     margin: calc(-1 * var(--spacing-sm));
39     transition: background-color var(--transition-fast);
40 }
41
42 .sidebar__branding:hover {
43     background-color: var(--surface-hover);
44 }
45
46 .sidebar__branding:focus {
47     outline: none;
48 }
49
50 .sidebar__branding:focus-visible {
51     outline: 2px solid var(--primary);
52     outline-offset: 2px;
53 }
54
55 /* Stacked title + tagline beside logo */
56 .sidebar__brandCopy {
57     min-width: 0;
58     display: flex;
59     flex-direction: column;
60     gap: 0.1875rem;
61     padding-top: 0.0625rem;
62 }
63
64 /* Element: sidebar__logo */
65 .sidebar__logo {
66     width: 2.375rem;
67     height: 2.375rem;
68     flex-shrink: 0;
69     background: linear-gradient(145deg, var(--primary) 0%, var(--primary-hover) 100%);
70     border-radius: var(--radius-md);
71     display: flex;
72     align-items: center;
73     justify-content: center;
74     box-shadow: 0 1px 2px rgba(15, 23, 42, 0.08);
75 }
76
77 /* Element: sidebar__logo-icon */
78 .sidebar__logo-icon {
79     color: var(--text-inverse);
80     fill: currentColor;
81 }
82
83 /* Element: sidebar__title */
84 .sidebar__title {
85     margin: 0;
86     font-weight: var(--font-semibold);
87     font-size: var(--text-base);
88     line-height: 1.25;
89     color: var(--tertiary);
90     letter-spacing: -0.02em;
91 }

```

```
92
93 .sidebar__tagline {
94     margin: 0;
95     font-size: 0.6875rem;
96     line-height: 1.4;
97     color: var(--text-tertiary);
98     font-weight: var(--font-normal);
99 }
100
101 .sidebar__navLabel {
102     padding-left: var(--spacing-md);
103     padding-right: var(--spacing-md);
104     margin: 0 0 var(--spacing-sm);
105     font-size: 0.625rem;
106     font-weight: var(--font-semibold);
107     letter-spacing: 0.1em;
108     text-transform: uppercase;
109     color: var(--text-placeholder);
110 }
111
112 /* Element: sidebar__nav */
113 .sidebar__nav {
114     flex: 1;
115     display: flex;
116     flex-direction: column;
117     gap: 0.125rem;
118     padding-top: var(--spacing-xs);
119 }
120
121 /* Element: sidebar__nav-item-wrapper */
122 .sidebar__nav-item-wrapper {
123     padding-left: var(--spacing-md);
124     padding-right: var(--spacing-md);
125     padding-top: 0.125rem;
126     padding-bottom: 0.125rem;
127 }
128
129 /* Element: sidebar__link */
130 .sidebar__link {
131     position: relative;
132     display: flex;
133     align-items: center;
134     gap: var(--spacing-sm);
135     padding-left: var(--spacing-md);
136     padding-right: var(--spacing-sm);
137     padding-top: 0.5625rem;
138     padding-bottom: 0.5625rem;
139     transition: background-color var(--transition-base), color var(--transition-base);
140     font-size: var(--text-sm);
141     font-weight: var(--font-medium);
142     border-radius: var(--radius-md);
143     text-decoration: none;
144 }
145
146 /* Modifier: sidebar__link--active (left rail + light surface, not full pill) */
147 .sidebar__link--active {
148     background-color: var(--surface-container-low);
149     color: var(--text-primary);
150     font-weight: var(--font-semibold);
151 }
152
153 .sidebar__link--active::before {
154     content: '';
155     position: absolute;
156     left: 0.25rem;
157     top: 50%;
158     transform: translateY(-50%);
159     width: 3px;
160     height: 1.375rem;
161     border-radius: 2px;
162     background-color: var(--primary);
163 }
164
165 /* Modifier: sidebar__link--inactive */
166 .sidebar__link--inactive {
167     color: var(--text-secondary);
168 }
169
170 /* Pseudo-class: hover state for inactive links */
171 .sidebar__link--inactive:hover {
172     background-color: var(--surface-hover);
173     color: var(--text-primary);
174 }
175
176 /* Element: sidebar__icon */
177 .sidebar__icon {
178     transition: color var(--transition-base);
179 }
180
181 /* Modifier: sidebar__icon--active */
182 .sidebar__icon--active {
183     color: var(--primary);
184 }
185
186 /* Modifier: sidebar__icon--inactive */
```

```
187 .sidebar__icon--inactive {
188     color: var(--text-secondary);
189 }
190
191 /* Pseudo-class: hover state for inactive icons (via group-hover) */
192 .sidebar__link--inactive:hover .sidebar__icon--inactive {
193     color: var(--primary);
194 }
195
196 /* Element: sidebar__footer */
197 .sidebar__footer {
198     padding-left: var(--spacing-lg);
199     padding-right: var(--spacing-lg);
200     margin-top: auto;
201     display: flex;
202     flex-direction: column;
203     gap: var(--spacing-md);
204 }
205
206 /* Element: sidebar__button */
207 .sidebar__button {
208     width: 100%;
209     background-color: var(--primary);
210     color: var(--text-inverse);
211     padding-top: 0.625rem;
212     padding-bottom: 0.625rem;
213     border-radius: var(--radius-md);
214     font-weight: var(--font-medium);
215     font-size: var(--text-sm);
216     transition: all var(--transition-base);
217     box-shadow: var(--shadow-sm);
218     border: none;
219     cursor: pointer;
220 }
221
222 /* Pseudo-class: hover state for button */
223 .sidebar__button:hover {
224     background-color: var(--primary-hover);
225 }
226
227 /* Pseudo-class: active state for button */
228 .sidebar__button:active {
229     transform: scale(0.95);
230 }
231
232 /* Element: sidebar__user */
233 .sidebar__user {
234     padding-top: var(--spacing-lg);
235     border-top: 1px solid var(--border);
236 }
237
238 /* Element: sidebar__profile */
239 .sidebar__profile {
240     display: flex;
241     align-items: center;
242     gap: 0.75rem;
243     /* 3 * 0.25rem = 0.75rem */
244     margin-bottom: 1rem;
245     /* 4 * 0.25rem = 1rem */
246 }
247
248 /* Element: sidebar__avatar */
249 .sidebar__avatar {
250     width: 2rem;
251     /* 8 * 0.25rem = 2rem */
252     height: 2rem;
253     border-radius: 9999px;
254     /* rounded-full */
255     background-color: var(--surface-container-highest);
256     border: 1px solid var(--surface-container-highest);
257     flex-shrink: 0;
258     overflow: hidden;
259 }
260
261 /* Element: sidebar__avatar-image */
262 .sidebar__avatar-image {
263     width: 100%;
264     height: 100%;
265     object-fit: cover;
266 }
267
268 /* Element: sidebar__info */
269 .sidebar__info {
270     overflow: hidden;
271 }
272
273 /* Element: sidebar__name */
274 .sidebar__name {
275     font-size: 0.75rem;
276     /* text-xs */
277     font-weight: var(--font-semibold, 600);
278     color: var(--tertiary);
279     overflow: hidden;
280     text-overflow: ellipsis;
281     white-space: nowrap;
```

```
282 }
283
284 /* Element: sidebar__role */
285 .sidebar__role {
286   font-size: 0.625rem;
287   /* text-[10px] */
288   color: var(--secondary);
289   overflow: hidden;
290   text-overflow: ellipsis;
291   white-space: nowrap;
292 }
293
294 /* Element: sidebar__settings */
295 .sidebar__settings {
296   padding-left: 0.5rem;
297   /* 2 * 0.25rem = 0.5rem */
298   padding-right: 0.5rem;
299   padding-top: 0.5rem;
300   padding-bottom: 0.5rem;
301   display: flex;
302   align-items: center;
303   gap: 0.75rem;
304   /* 3 * 0.25rem = 0.75rem */
305   color: var(--secondary);
306   transition: all var(--transition-base, 200ms ease-in-out);
307   font-size: 0.75rem;
308   /* text-xs */
309   font-weight: var(--font-medium, 500);
310   text-decoration: none;
311 }
312
313 /* Pseudo-class: hover state for settings link */
314 .sidebar__settings:hover {
315   color: var(--primary);
316 }
317
318 /* Element: sidebar__logout */
319 .sidebar__logout {
320   width: 100%;
321   padding-left: 0.5rem;
322   /* 2 * 0.25rem = 0.5rem */
323   padding-right: 0.5rem;
324   padding-top: 0.5rem;
325   padding-bottom: 0.5rem;
326   display: flex;
327   align-items: center;
328   gap: 0.75rem;
329   /* 3 * 0.25rem = 0.75rem */
330   color: rgba(239, 68, 68, 0.8);
331   /* text-red-500/80 */
332   transition: all var(--transition-base, 200ms ease-in-out);
333   font-size: 0.75rem;
334   /* text-xs */
335   font-weight: var(--font-medium, 500);
336   background: none;
337   border: none;
338   cursor: pointer;
339   text-align: left;
340 }
341
342 /* Pseudo-class: hover state for logout button */
343 .sidebar__logout:hover {
344   color: rgb(239, 68, 68);
345   /* text-red-500 */
346 }
```

```
1  import { Navigate, useLocation } from 'react-router-dom';
2  import { useAuth } from '../../contexts/AuthContext.jsx';
3  import styles from './ProtectedRoute.module.css';
4
5  /**
6   * Wraps protected pages and redirects unauthenticated users to the login page,
7   * preserving the original URL for post-login redirection.
8   */
9  export default function ProtectedRoute({ children }) {
10     const { isAuthenticated, loading } = useAuth();
11     const location = useLocation();
12
13     // Session restore: show a neutral full-page loader (no route flash).
14     if (loading) {
15         return (
16             <div className={styles.protectedRoute__screen} role='status'>
17                 <div className={styles.protectedRoute__spinner} aria-hidden />
18                 <span>Checking your session...</span>
19             </div>
20         );
21     }
22
23     // Redirect to /auth if not authenticated, preserving the original URL
24     if (!isAuthenticated) {
25         return <Navigate to='/auth' state={{ from: location }} replace />;
26     }
27
28     // Render children if authenticated
29     return children;
30 }
```

```
1  /**
2   * Full-screen loading state while AuthContext checks localStorage / session.
3   * Keeps spinner styles out of JSX so students can tweak animation in one place.
4   */
5
6  .protectedRoute__screen {
7    display: flex;
8    flex-direction: column;
9    align-items: center;
10   justify-content: center;
11   gap: var(--spacing-lg);
12   min-height: 100vh;
13   background-color: var(--background);
14   color: var(--text-secondary);
15   font-size: var(--text-sm);
16 }
17
18 .protectedRoute__spinner {
19   width: 2.75rem;
20   height: 2.75rem;
21   border: 3px solid var(--surface-container-highest);
22   border-top-color: var(--primary);
23   border-radius: var(--radius-full);
24   animation: protectedRouteSpin 0.85s linear infinite;
25 }
26
27 @keyframes protectedRouteSpin {
28   to {
29     transform: rotate(360deg);
30   }
31 }
```

```

1  import { MessageSquare } from "lucide-react";
2  import { useNavigate } from "react-router-dom";
3  import { useAuth } from "../../contexts/AuthContext";
4  import { timeAgo, isAuthoredByUser } from "../../lib/utills";
5  import styles from "./QuestionCard.module.css";
6
7  export default function QuestionCard({ question }) {
8    const navigate = useNavigate();
9    const { user } = useAuth();
10
11    // 1. Core utility check
12    let isOwn = isAuthoredByUser(question, user);
13
14    // 2. Fallback robust direct check if the utility fails
15    if (!isOwn && user && question) {
16      const currentUserId = user.id || user.userId;
17      const authorId = question.author?.id || question.authorId || question.userId;
18
19      if (currentUserId && authorId) {
20        isOwn = String(currentUserId) === String(authorId);
21      }
22    }
23
24    const initials = `${question.author?.firstName?.[0] ?? ""}${
25      question.author?.lastName?.[0] ?? ""
26    }`.toUpperCase();
27
28    const authorName = isOwn
29      ? "You"
30      : `${question.author?.firstName ?? ""} ${question.author?.lastName ?? ""}`.trim();
31
32    const replyCount = question.replyCount ?? question.answerCount ?? 0;
33
34    return (
35      <article
36         Using direct bracket notation to guarantee module string lookup
37        className={` ${styles.card} ${isOwn ? styles['cardOwn'] : ""}`}
38        onClick={() => navigate(`/question/${question.questionHash}`)}
39        role="button"
40        tabIndex={0}
41        onKeyDown={(e) => {
42          if (e.key === "Enter" || e.key === " ") {
43            e.preventDefault();
44            navigate(`/question/${question.questionHash}`);
45          }
46        }}
47      >
48        <div className={styles.card__avatar}>{initials || "?"}</div>
49
50        <div className={styles.card__body}>
51          <div className={styles.card__header}>
52            <h4 className={styles.card__title}>{question.title}</h4>
53            {isOwn && <span className={styles['card__badge']}>YOURS</span>}
54          </div>
55
56          {question.content && (
57            <p className={styles.card__description}>{question.content}</p>
58          )}
59
60          <div className={styles.card__meta}>
61            <span className={styles.card__metaItem}>
62              <MessageSquare size={13} />
63              {replyCount} {replyCount === 1 ? "reply" : "replies"}
64            </span>
65            <span className={styles.card__metaItem}>
66              {timeAgo(question.createdAt)} by {authorName}
67            </span>
68          </div>
69        </div>
70      </article>
71    );
72  }

```

```

1  .card {
2    display: flex;
3    gap: 16px;
4    padding: 20px;
5    background-color: #ffffff; /* standard fallback */
6    border-bottom: 1px solid #E5E7EB;
7    border-left: 4px solid transparent;
8    cursor: pointer;
9    position: relative;
10   transition: background-color 0.15s ease;
11 }
12
13 .card:last-child {
14   border-bottom: none;
15 }
16
17 .card:hover {
18   background-color: #F9FAFB;
19 }
20
21 /* Orange left bar and light tint background for your own threads */
22 .cardOwn {
23   background-color: #FDF0EA !important;
24   border-left-color: #E8622A !important;
25 }
26
27 .cardOwn:hover {
28   background-color: #FCE8DE !important;
29 }
30
31 .card__body {
32   flex: 1;
33   min-width: 0;
34 }
35
36 .card__header {
37   display: flex;
38   align-items: flex-start;
39   justify-content: space-between;
40   gap: 12px;
41 }
42
43 .card__title {
44   font-size: 14px;
45   font-weight: 600;
46   color: #111827;
47   margin: 0;
48   line-height: 1.4;
49 }
50
51 /* YOURS Orange Tag text on the right side */
52 .card__badge {
53   font-size: 11px;
54   font-weight: 700;
55   letter-spacing: 0.05em;
56   color: #E8622A;
57   background-color: transparent;
58   white-space: nowrap;
59   padding: 2px 0;
60 }
61
62 .card__avatar {
63   flex-shrink: 0;
64   width: 32px;
65   height: 32px;
66   border-radius: 50%;
67   background-color: #A5F3FC;
68   color: #0E7490;
69   display: flex;
70   align-items: center;
71   justify-content: center;
72   font-weight: 600;
73   font-size: 12px;
74 }
75
76 .cardOwn .card__avatar {
77   background-color: #99F6E4;
78   color: #0F766E;
79 }
80
81 .card__description {
82   margin: 6px 0 0;
83   font-size: 13px;
84   color: #6B7280;
85   line-height: 1.5;
86   display: -webkit-box;
87   -webkit-line-clamp: 2;
88   -webkit-box-orient: vertical;
89   overflow: hidden;
90 }
91

```

```
92 .card__meta {
93   display: flex;
94   align-items: center;
95   gap: 16px;
96   margin-top: 12px;
97   font-size: 12px;
98   color: #9CA3AF;
99 }
100
101 .card__metaItem {
102   display: flex;
103   align-items: center;
104   gap: 4px;
105 }
```

```

1  /**
2   * Renders RAG "answer" text as Markdown (incl. fenced code) with readable styling.
3   */
4  import { useCallback, useRef, useState } from 'react';
5  import ReactMarkdown from 'react-markdown';
6  import { Copy, Check } from 'lucide-react';
7  import styles from './RagAnswerBody.module.css';
8
9  /**
10   * @param {{ children: string }} props
11   */
12  export default function RagAnswerBody({ children }) {
13    const text = typeof children === 'string' ? children : '';
14    if (!text.trim()) return null;
15
16    return (
17      <div className={styles.root}>
18        <ReactMarkdown
19          components={{
20            p: ({ node: _n, ...props }) => <p className={styles.p} {...props} />,
21            ul: ({ node: _n, ...props }) => (
22              <ul className={styles.ul} {...props} />
23            ),
24            ol: ({ node: _n, ...props }) => (
25              <ol className={styles.ol} {...props} />
26            ),
27            li: ({ node: _n, ...props }) => (
28              <li className={styles.li} {...props} />
29            ),
30            h2: ({ node: _n, ...props }) => (
31              <h2 className={styles.h2} {...props} />
32            ),
33            h3: ({ node: _n, ...props }) => (
34              <h3 className={styles.h3} {...props} />
35            ),
36            blockquote: ({ node: _n, ...props }) => (
37              <blockquote className={styles.blockquote} {...props} />
38            ),
39            a: ({ node: _n, ...props }) => (
40              <a
41                className={styles.a}
42                target='_blank'
43                rel='noopener'
44                {...props}
45              />
46            ),
47            hr: ({ node: _n, ...props }) => (
48              <hr className={styles.hr} {...props} />
49            ),
50            pre: ({ node: _n, children: preChildren }) => (
51              <CodeBlock>{preChildren}</CodeBlock>
52            ),
53            code: ({ node: _n, className, children, ...props }) => {
54              const isFence = Boolean(className?.trim());
55              if (isFence) {
56                return (
57                  <code className={className} {...props}>
58                    {children}
59                  </code>
60                );
61              }
62              return (
63                <code className={styles.inlineCode} {...props}>
64                  {children}
65                </code>
66              );
67            },
68          }}
69        >
70          {text}
71        </ReactMarkdown>
72      </div>
73    );
74  }
75
76  function CodeBlock({ children }) {
77    const preRef = useRef(null);
78    const [copied, setCopied] = useState(false);
79
80    const handleCopy = useCallback(async () => {
81      const raw = preRef.current?.textContent ?? '';
82      try {
83        await navigator.clipboard.writeText(raw);
84        setCopied(true);
85        window.setTimeout(() => setCopied(false), 2000);
86      } catch {
87        setCopied(false);
88      }
89    }, []);
90
91    const codeChild = Array.isArray(children) ? children[0] : children;

```

```
92   const cls = codeChild?.props?.className;
93   const langMatch =
94     typeof cls === 'string' ? cls.match(/language-([\w+#.]+)/) : null;
95   const langLabel = langMatch ? langMatch[1] : 'code';
96
97   return (
98     <div className={styles.codeWrap}>
99       <div className={styles.codeToolbar}>
100         <span className={styles.codeLang}>{langLabel}</span>
101         <button
102           type='button'
103           className={styles.copyBtn}
104           onClick={handleCopy}
105           aria-label={copied ? 'Copied to clipboard' : 'Copy code to clipboard'}
106         >
107           {copied ? (
108             <>
109               <Check size={14} aria-hidden />
110               Copied
111             </>
112           ) : (
113             <>
114               <Copy size={14} aria-hidden />
115               Copy
116             </>
117           )}
118         </button>
119       </div>
120       <pre ref={preRef} className={styles.pre}>
121         {children}
122       </pre>
123     </div>
124   );
125 }
```

```
1  /**
2   * Markdown + code blocks for RAG answers (Evangadi tokens).
3   */
4
5  .root {
6    font-size: var(--text-sm);
7    line-height: 1.65;
8    color: var(--text-primary);
9  }
10
11  .root > *:first-child {
12    margin-top: 0;
13  }
14
15  .root > *:last-child {
16    margin-bottom: 0;
17  }
18
19  .p {
20    margin: 0 0 var(--spacing-md);
21  }
22
23  .ul,
24  .ol {
25    margin: 0 0 var(--spacing-md);
26    padding-left: 1.25rem;
27  }
28
29  .li {
30    margin-bottom: var(--spacing-xs);
31  }
32
33  .h2 {
34    margin: var(--spacing-lg) 0 var(--spacing-sm);
35    font-size: var(--text-base);
36    font-weight: var(--font-semibold);
37    color: var(--text-primary);
38  }
39
40  .h3 {
41    margin: var(--spacing-md) 0 var(--spacing-xs);
42    font-size: var(--text-sm);
43    font-weight: var(--font-semibold);
44    color: var(--text-primary);
45  }
46
47  .blockquote {
48    margin: 0 0 var(--spacing-md);
49    padding: var(--spacing-sm) var(--spacing-md);
50    border-left: 3px solid var(--primary);
51    background-color: var(--surface-container-low);
52    border-radius: 0 var(--radius-md) var(--radius-md) 0;
53    color: var(--text-secondary);
54  }
55
56  .a {
57    color: var(--primary-dark);
58    font-weight: var(--font-medium);
59    text-decoration: underline;
60    text-underline-offset: 2px;
61  }
62
63  .a:hover {
64    color: var(--primary-hover);
65  }
66
67  .hr {
68    margin: var(--spacing-lg) 0;
69    border: none;
70    border-top: 1px solid var(--border);
71  }
72
73  .inlineCode {
74    padding: 0.125rem 0.35rem;
75    border-radius: var(--radius-sm);
76    font-size: 0.8125em;
77    font-family: ui-monospace, SFMono-Regular, 'SF Mono', Menlo, Consolas,
78      monospace;
79    background-color: var(--surface-container-high);
80    color: var(--tertiary);
81  }
82
83  .codeWrap {
84    margin: var(--spacing-md) 0;
85    border-radius: var(--radius-lg);
86    border: 1px solid var(--border);
87    overflow: hidden;
88    background-color: var(--tertiary);
89    box-shadow: var(--shadow-md);
90  }
91
```

```
92 .codeToolbar {
93   display: flex;
94   align-items: center;
95   justify-content: space-between;
96   gap: var(--spacing-sm);
97   padding: var(--spacing-xs) var(--spacing-sm);
98   background-color: rgba(0, 0, 0, 0.2);
99   border-bottom: 1px solid rgba(255, 255, 255, 0.08);
100 }
101
102 .codeLang {
103   font-size: 0.625rem;
104   font-weight: var(--font-semibold);
105   letter-spacing: 0.06em;
106   text-transform: uppercase;
107   color: rgba(255, 255, 255, 0.55);
108   font-family: ui-monospace, SFMono-Regular, Menlo, Consolas, monospace;
109 }
110
111 .copyBtn {
112   display: inline-flex;
113   align-items: center;
114   gap: 0.25rem;
115   padding: 0.25rem 0.5rem;
116   font-size: var(--text-xs);
117   font-weight: var(--font-medium);
118   font-family: inherit;
119   color: rgba(255, 255, 255, 0.85);
120   background: rgba(255, 255, 255, 0.1);
121   border: 1px solid rgba(255, 255, 255, 0.15);
122   border-radius: var(--radius-sm);
123   cursor: pointer;
124   transition:
125     background-color var(--transition-fast),
126     color var(--transition-fast);
127 }
128
129 .copyBtn:hover {
130   background: rgba(255, 255, 255, 0.18);
131   color: #fff;
132 }
133
134 .copyBtn:focus-visible {
135   outline: 2px solid var(--primary);
136   outline-offset: 2px;
137 }
138
139 .pre {
140   margin: 0;
141   padding: var(--spacing-md);
142   overflow-x: auto;
143   max-height: min(24rem, 55vh);
144   overflow-y: auto;
145 }
146
147 .pre code {
148   display: block;
149   font-family: ui-monospace, SFMono-Regular, 'SF Mono', Menlo, Consolas,
150     monospace;
151   font-size: var(--text-xs);
152   line-height: 1.55;
153   color: #e2e8f0;
154   white-space: pre;
155   background: transparent !important;
156 }
```

```

1  /**
2   * @file Landing.jsx
3   * @description Public marketing route ('/'). Layout and copy align with in-app
4   *   shell tokens (cards, borders, slate + orange). No data fetching.
5   */
6  import { motion as Motion } from "framer-motion";
7  import { useNavigate } from "react-router-dom";
8  import {
9    Sparkles,
10    MessageSquare,
11    Search,
12    PenSquare,
13    Library,
14    ArrowRight,
15    CheckCircle2,
16    Layers,
17    FileText,
18    Database,
19  } from "lucide-react";
20  import { useAuth } from '../../contexts/AuthContext';
21  import styles from './Landing.module.css';
22
23  export default function Landing() {
24    const navigate = useNavigate();
25    const { isAuthenticated } = useAuth();
26
27    const scrollToHowItWorks = () => {
28      document
29        .getElementById("how-it-works")
30        ?.scrollIntoView({ behavior: "smooth" });
31    };
32
33    const scrollToCourseRag = () => {
34      document
35        .getElementById("course-rag")
36        ?.scrollIntoView({ behavior: "smooth" });
37    };
38
39    return (
40      <div className={styles.landing}>
41        <header className={styles.landing__header}>
42          <div className={styles.landing__headerInner}>
43            <button
44              type="button"
45              className={styles.landing__brand}
46              onClick={() => navigate("/")}
47              aria-label="Evangadi Forum home"
48            >
49              <span className={styles.landing__brandMark} aria-hidden>
50                <MessageSquare size={20} strokeWidth={2} />
51              </span>
52              <span className={styles.landing__brandText}>
53                <span className={styles.landing__brandName}>Evangadi Forum</span>
54                <span className={styles.landing__brandLine}>
55                  Learn together. Ask with context.
56                </span>
57              </span>
58            </button>
59
60            <nav className={styles.landing__nav} aria-label="Marketing">
61              <button
62                type="button"
63                className={styles.landing__navLink}
64                onClick={() => window.scrollTo({ top: 0, behavior: "smooth" })}
65              >
66                Overview
67              </button>
68              <button
69                type="button"
70                className={styles.landing__navLink}
71                onClick={scrollToCourseRag}
72              >
73                Course RAG
74              </button>
75
76              <button
77                type="button"
78                className={styles.landing__navLink}
79                onClick={scrollToHowItWorks}
80              >
81                How it works
82              </button>
83            </nav>
84
85            <div className={styles.landing__headerActions}>
86              {isAuthenticated ? (
87                <button
88                  type="button"
89                  className={styles.landing__btnPrimary}
90                  onClick={() => navigate("/dashboard")}
91                >

```

```

92         Open forum
93         <ArrowRight size={16} aria-hidden />
94     </button>
95 ) : (
96     <>
97         <button
98             type="button"
99             className={styles.landing__btnGhost}
100             onClick={() => navigate("/auth")}
101         >
102             Sign in
103         </button>
104         <button
105             type="button"
106             className={styles.landing__btnPrimary}
107             onClick={() => navigate("/auth")}
108         >
109             Create account
110         </button>
111     </>
112 )}
113 </div>
114 </div>
115 </header>
116
117 <main className={styles.landing__main}>
118     <section className={styles.landing__hero}>
119         <div className={styles.landing__heroInner}>
120             <div className={styles.landing__heroCopy}>
121                 <Motion.p
122                     className={styles.landing__eyebrow}
123                     initial={{ opacity: 0, y: 8 }}
124                     animate={{ opacity: 1, y: 0 }}
125                 >
126                     <Sparkles size={14} aria-hidden />
127                     Keyword search + embedding similarity
128                 </Motion.p>
129                 <Motion.h1
130                     className={styles.landing__title}
131                     initial={{ opacity: 0, y: 12 }}
132                     animate={{ opacity: 1, y: 0 }}
133                     transition={{ delay: 0.05 }}
134                 >
135                     A calm place for " "
136                     <span className={styles.landing__titleAccent}>
137                         technical Q&A
138                     </span>
139                 </Motion.h1>
140                 <Motion.p
141                     className={styles.landing__lead}
142                     initial={{ opacity: 0, y: 12 }}
143                     animate={{ opacity: 1, y: 0 }}
144                     transition={{ delay: 0.1 }}
145                 >
146                     Post with enough context for peers to help in one pass. Search
147                     the archive by phrase or by meaning, keep your threads in one
148                     place, and ground questions in " "
149                     <strong className={styles.landing__leadStrong}>
150                         course documents
151                     </strong>{" "}
152                     with retrieval-augmented generation (RAG) so answers cite the
153                     right syllabus, readings, and handouts.
154                 </Motion.p>
155                 <Motion.div
156                     className={styles.landing__heroCtas}
157                     initial={{ opacity: 0, y: 12 }}
158                     animate={{ opacity: 1, y: 0 }}
159                     transition={{ delay: 0.15 }}
160                 >
161                     <button
162                         type="button"
163                         className={styles.landing__btnPrimary}
164                         onClick={() =>
165                             navigate(isAuthenticated ? "/dashboard" : "/auth")
166                         }
167                     >
168                         {isAuthenticated ? "Go to home" : "Get started"}
169                     <ArrowRight size={16} aria-hidden />
170                 </button>
171                 {!!isAuthenticated && (
172                     <button
173                         type="button"
174                         className={styles.landing__btnOutline}
175                         onClick={scrollToHowItWorks}
176                     >
177                         See how it works
178                     </button>
179                 )}
180             </Motion.div>
181         </div>
182
183         <aside
184             className={styles.landing__heroPanel}
185             aria-label="What you get"
186         >

```

```

187 <p className={styles.landing__heroPanellLabel}>At a glance</p>
188 <ul className={styles.landing__heroPanellList}>
189   <li>
190     <CheckCircle2 size={16} aria-hidden />
191     Markdown threads and replies
192   </li>
193   <li>
194     <CheckCircle2 size={16} aria-hidden />
195     Semantic search on question embeddings
196   </li>
197   <li>
198     <CheckCircle2 size={16} aria-hidden />
199     Optional AI draft tips when you ask or answer
200   </li>
201   <li>
202     <CheckCircle2 size={16} aria-hidden />
203     <span>
204       <strong className={styles.landing__heroPanelStrong}>
205         Course RAG:
206       </strong>{" "}
207       upload or sync course materials, retrieve the best chunks
208       for each question, and answer with citations, not generic
209       web text.
210     </span>
211   </li>
212 </ul>
213 </aside>
214 </div>
215 </section>
216
217 <section
218   className={styles.landing__rag}
219   id="course-rag"
220   aria-labelledby="rag-heading"
221 >
222   <div className={styles.landing__sectionInner}>
223     <p className={styles.landing__ragEyebrow}>
224       Retrieval-augmented generation
225     </p>
226     <h2 className={styles.landing__sectionTitle} id="rag-heading">
227       How course RAG works with the forum
228     </h2>
229     <p className={styles.landing__sectionLead}>
230       Forum search already helps you find <em>similar questions</em>{" "}
231       from peers. RAG goes further: it finds{" "}
232       <em>evidence inside your own documents</em> (readings, rubrics,
233       lab specs) and surfaces those snippets when you write or review an
234       answer. That keeps AI assistance on-policy for Evangadi-style
235       courses and reduces "confident but wrong" generic answers.
236     </p>
237     <div className={styles.landing__ragPipeline}>
238       <div className={styles.landing__ragStep}>
239         <span className={styles.landing__ragStepIcon} aria-hidden>
240           <FileText size={20} />
241         </span>
242         <h3 className={styles.landing__ragStepTitle}>Ingest & chunk</h3>
243         <p className={styles.landing__ragStepText}>
244           Upload or connect course files; split them into overlapping
245           chunks and store embeddings the same way we already embed
246           questions, so retrieval stays fast and auditable.
247         </p>
248       </div>
249       <div className={styles.landing__ragStep}>
250         <span className={styles.landing__ragStepIcon} aria-hidden>
251           <Database size={20} />
252         </span>
253         <h3 className={styles.landing__ragStepTitle}>
254           Retrieve at question time
255         </h3>
256         <p className={styles.landing__ragStepText}>
257           When you open Ask or run a search, the app pulls the
258           top-matching chunks from the cohort corpus (with scores), not
259           just other threads. That is ideal for "what does the syllabus
260           say about..." style questions.
261         </p>
262       </div>
263       <div className={styles.landing__ragStep}>
264         <span className={styles.landing__ragStepIcon} aria-hidden>
265           <Sparkles size={20} />
266         </span>
267         <h3 className={styles.landing__ragStepTitle}>
268           Grounded responses
269         </h3>
270         <p className={styles.landing__ragStepText}>
271           Downstream prompts quote or summarize only from retrieved
272           spans, with room for instructors to review sources. The UI
273           makes it obvious when an answer drew on RAG versus peer
274           replies alone.
275         </p>
276       </div>
277     </div>
278     <p className={styles.landing__ragFootnote}>
279       Live forum threads, semantic question search, draft/fit AI
280       helpers, and this RAG pipeline work together: uploads and access
281       control live in the Knowledge base per cohort, and RAG-backed

```

```
282         context shows up in the same thread view you already use.
283     </p>
284 </div>
285 </section>
286
287 {!isAuthenticated && (
288     <
289         <section className={styles.landing__capabilities}>
290             <div className={styles.landing__sectionInner}>
291                 <h2 className={styles.landing__sectionTitle}>
292                     Built for cohort coursework
293                 </h2>
294                 <p className={styles.landing__sectionLead}>
295                     Same patterns you use after sign-in, without a separate
296                     marketing product."
297                 </p>
298                 <div className={styles.landing__cardGrid}>
299                     <article className={styles.landing__card}>
300                         <div className={styles.landing__cardIcon} aria-hidden>
301                             <Search size={22} strokeWidth={1.75} />
302                         </div>
303                         <h3 className={styles.landing__cardTitle}>
304                             Find related work
305                         </h3>
306                         <p className={styles.landing__cardBody}>
307                             Keyword filters for exact matches, plus similarity search
308                             when you are still shaping the right vocabulary.
309                         </p>
310                     </article>
311                     <article className={styles.landing__card}>
312                         <div className={styles.landing__cardIcon} aria-hidden>
313                             <MessageSquare size={22} strokeWidth={1.75} />
314                         </div>
315                         <h3 className={styles.landing__cardTitle}>
316                             Readable threads
317                         </h3>
318                         <p className={styles.landing__cardBody}>
319                             Questions and answers stay structured so the group can
320                             reuse explanations before exams and interviews.
321                         </p>
322                     </article>
323                     <article className={styles.landing__card}>
324                         <div className={styles.landing__cardIcon} aria-hidden>
325                             <Sparkles size={22} strokeWidth={1.75} />
326                         </div>
327                         <h3 className={styles.landing__cardTitle}>
328                             Lightweight AI help
329                         </h3>
330                         <p className={styles.landing__cardBody}>
331                             Suggestions on your question draft and a quick relevance
332                             check on answer drafts. Always your choice to apply or
333                             post.
334                         </p>
335                     </article>
336                     <article className={` ${styles.landing__card} `}>
337                         <div className={styles.landing__cardIcon} aria-hidden>
338                             <Layers size={22} strokeWidth={1.75} />
339                         </div>
340                         <h3 className={styles.landing__cardTitle}>
341                             RAG over your course library
342                         </h3>
343                         <p className={styles.landing__cardBody}>
344                             Instructors and cohorts add PDFs, syllabi, and notes into
345                             a controlled corpus. When you ask, the system retrieves
346                             the most relevant passages and attaches them to the
347                             prompt, so explanations stay tied to your class materials,
348                             not the open web.
349                         </p>
350                     </article>
351                 </div>
352             </div>
353         </section>
354
355         <section
356             className={styles.landing__process}
357             id="how-it-works"
358             aria-labelledby="how-heading"
359         >
360             <div className={styles.landing__sectionInner}>
361                 <h2 className={styles.landing__sectionTitle} id="how-heading">
362                     How it works
363                 </h2>
364                 <p className={styles.landing__sectionLead}>
365                     Four steps from question to searchable knowledge for the next
366                     person.
367                 </p>
368                 <ol className={styles.landing__steps}>
369                     <li className={styles.landing__step}>
370                         <span className={styles.landing__stepIcon} aria-hidden>
371                             <PenSquare size={18} />
372                         </span>
373                         <div>
374                             <h3 className={styles.landing__stepTitle}>
375                                 Ask with context
376                             </h3>
```

```

377         <p className={styles.landing__stepText}>
378             Title, environment, errors, and what you tried, so peers
379             reproduce before they teach.
380         </p>
381     </div>
382 </li>
383 <li className={styles.landing__step}>
384     <span className={styles.landing__stepIcon} aria-hidden>
385         <MessageSquare size={18} />
386     </span>
387     <div>
388         <h3 className={styles.landing__stepTitle}>Get answers</h3>
389         <p className={styles.landing__stepText}>
390             Replies live in one thread with markdown and code
391             blocks, visible to everyone in the cohort.
392         </p>
393     </div>
394 </li>
395 <li className={styles.landing__step}>
396     <span className={styles.landing__stepIcon} aria-hidden>
397         <Search size={18} />
398     </span>
399     <div>
400         <h3 className={styles.landing__stepTitle}>
401             Search two ways
402         </h3>
403         <p className={styles.landing__stepText}>
404             Classic text search on the feed, or semantic search when
405             you want "questions like this one."
406         </p>
407     </div>
408 </li>
409 <li className={styles.landing__step}>
410     <span className={styles.landing__stepIcon} aria-hidden>
411         <Library size={18} />
412     </span>
413     <div>
414         <h3 className={styles.landing__stepTitle}>
415             Own your trail
416         </h3>
417         <p className={styles.landing__stepText}>
418             Your topics list keeps authorship clear. The Knowledge
419             base hosts uploads and RAG retrieval so answers can cite
420             your materials. See <strong>Course RAG</strong> above
421             for the full pipeline.
422         </p>
423     </div>
424 </li>
425 </ol>
426 </div>
427 </section>
428
429 <section className={styles.landing__cta}>
430     <div className={styles.landing__ctaInner}>
431         <h2 className={styles.landing__ctaTitle}>Ready when you are</h2>
432         <p className={styles.landing__ctaText}>
433             Create a free learner account to post, reply, and search the
434             forum index.
435         </p>
436         <button
437             type="button"
438             className={styles.landing__btnPrimary}
439             onClick={() => navigate("/auth")}
440         >
441             Create free account
442             <ArrowRight size={16} aria-hidden />
443         </button>
444     </div>
445 </section>
446 </>
447 })
448
449 {isAuthenticated && (
450     <section className={styles.landing__welcomeBack}>
451         <div className={styles.landing__sectionInner}>
452             <p className={styles.landing__eyebrow}>Signed in</p>
453             <h2 className={styles.landing__sectionTitle}>
454                 Back to your workspace
455             </h2>
456             <p className={styles.landing__sectionLead}>
457                 Home has the live feed, shortcuts, and search. Your topics lists
458                 only threads you started. Course-document RAG (ingest, retrieve,
459                 cite) ties the Knowledge base to threads. Scroll to{" "}
460                 <strong>Course RAG</strong> on this page for the full picture.
461             </p>
462             <button
463                 type="button"
464                 className={styles.landing__btnPrimary}
465                 onClick={() => navigate("/dashboard")}
466             >
467                 Open forum home
468                 <ArrowRight size={16} aria-hidden />
469             </button>
470         </div>
471     </section>

```

```
472     })
473   </main>
474
475   <footer className={styles.landing__footer}>
476     <div className={styles.landing__footerInner}>
477       <div>
478         <p className={styles.landing__footerBrand}>Evangadi Forum</p>
479         <p className={styles.landing__footerMeta}>
480           © {new Date().getFullYear()} · Learner-led Q&A
481         </p>
482       </div>
483       <div className={styles.landing__footerLinks}>
484         <button
485           type="button"
486           className={styles.landing__footerLink}
487           onClick={() => navigate("/auth")}
488         >
489           Sign in
490         </button>
491         <span className={styles.landing__footerDot} aria-hidden>
492           ·
493         </span>
494         <a href="#" className={styles.landing__footerLinkAnchor}>
495           Privacy
496         </a>
497         <span className={styles.landing__footerDot} aria-hidden>
498           ·
499         </span>
500         <a href="#" className={styles.landing__footerLinkAnchor}>
501           Terms
502         </a>
503       </div>
504     </div>
505   </footer>
506 </div>
507 );
508 }
```

```

1  /**
2   * Landing: public marketing. Uses same tokens as Layout/Dashboard/Auth:
3   * --surface, --background, --border, --radius-*, --text-*, --primary.
4   * Width: --app-content-max for horizontal rhythm with `.layout__mainInner`.
5   */
6
7  .landing {
8    min-height: 100vh;
9    display: flex;
10   flex-direction: column;
11   background-color: var(--background);
12   color: var(--text-primary);
13 }
14
15 /* Header */
16 .landing_header {
17   position: sticky;
18   top: 0;
19   z-index: 50;
20   background-color: var(--surface);
21   border-bottom: 1px solid var(--border);
22   box-shadow: var(--shadow-sm);
23 }
24
25 .landing_headerInner {
26   max-width: var(--app-content-max, 80rem);
27   margin: 0 auto;
28   padding: var(--spacing-md) var(--spacing-lg);
29   display: flex;
30   flex-wrap: wrap;
31   align-items: center;
32   justify-content: space-between;
33   gap: var(--spacing-md);
34 }
35
36 .landing_brand {
37   display: flex;
38   align-items: flex-start;
39   gap: var(--spacing-md);
40   background: none;
41   border: none;
42   cursor: pointer;
43   text-align: left;
44   padding: var(--spacing-xs);
45   margin: calc(-1 * var(--spacing-xs));
46   border-radius: var(--radius-md);
47   transition: background-color var(--transition-fast);
48 }
49
50 .landing_brand:hover {
51   background-color: var(--surface-hover);
52 }
53
54 .landing_brand:focus-visible {
55   outline: 2px solid var(--primary);
56   outline-offset: 2px;
57 }
58
59 .landing_brandMark {
60   flex-shrink: 0;
61   width: 2.375rem;
62   height: 2.375rem;
63   display: flex;
64   align-items: center;
65   justify-content: center;
66   border-radius: var(--radius-md);
67   background: linear-gradient(
68     145deg,
69     var(--primary) 0%,
70     var(--primary-hover) 100%
71   );
72   color: var(--text-inverse);
73   box-shadow: 0 1px 2px rgba(15, 23, 42, 0.08);
74 }
75
76 .landing_brandText {
77   display: flex;
78   flex-direction: column;
79   gap: 0.125rem;
80   min-width: 0;
81   padding-top: 0.125rem;
82 }
83
84 .landing_brandName {
85   font-size: var(--text-base);
86   font-weight: var(--font-semibold);
87   color: var(--tertiary);
88   letter-spacing: -0.02em;
89 }
90
91 .landing_brandLine {

```

```
92     font-size: 0.6875rem;
93     color: var(--text-tertiary);
94     line-height: 1.35;
95 }
96
97 .landing__nav {
98     display: flex;
99     align-items: center;
100    gap: var(--spacing-xs);
101    flex: 1 1 auto;
102    justify-content: center;
103 }
104
105 @media (min-width: 900px) {
106     .landing__nav {
107         flex: 0 1 auto;
108         justify-content: center;
109     }
110 }
111
112 .landing__navLink {
113     padding: var(--spacing-sm) var(--spacing-md);
114     font-size: var(--text-sm);
115     font-weight: var(--font-medium);
116     color: var(--text-secondary);
117     background: none;
118     border: none;
119     border-radius: var(--radius-md);
120     cursor: pointer;
121     transition: color var(--transition-fast),
122               background-color var(--transition-fast);
123 }
124
125 .landing__navLink:hover {
126     color: var(--text-primary);
127     background-color: var(--surface-container-low);
128 }
129
130 .landing__headerActions {
131     display: flex;
132     align-items: center;
133     gap: var(--spacing-sm);
134     flex-shrink: 0;
135 }
136
137 /* Buttons */
138 .landing__btnPrimary {
139     display: inline-flex;
140     align-items: center;
141     justify-content: center;
142     gap: var(--spacing-sm);
143     padding: var(--spacing-sm) var(--spacing-lg);
144     font-size: var(--text-sm);
145     font-weight: var(--font-semibold);
146     color: var(--text-inverse);
147     background-color: var(--primary);
148     border: none;
149     border-radius: var(--radius-md);
150     cursor: pointer;
151     box-shadow: var(--shadow-sm);
152     transition: background-color var(--transition-fast),
153               box-shadow var(--transition-fast);
154 }
155
156 .landing__btnPrimary:hover {
157     background-color: var(--primary-hover);
158 }
159
160 .landing__btnGhost {
161     padding: var(--spacing-sm) var(--spacing-md);
162     font-size: var(--text-sm);
163     font-weight: var(--font-medium);
164     color: var(--text-secondary);
165     background: none;
166     border: none;
167     border-radius: var(--radius-md);
168     cursor: pointer;
169     transition: color var(--transition-fast);
170 }
171
172 .landing__btnGhost:hover {
173     color: var(--text-primary);
174 }
175
176 .landing__btnOutline {
177     display: inline-flex;
178     align-items: center;
179     justify-content: center;
180     padding: var(--spacing-sm) var(--spacing-lg);
181     font-size: var(--text-sm);
182     font-weight: var(--font-medium);
183     color: var(--text-primary);
184     background-color: var(--surface);
185     border: 1px solid var(--border);
186     border-radius: var(--radius-md);
```

```
187     cursor: pointer;
188     transition: border-color var(--transition-fast),
189         background-color var(--transition-fast);
190 }
191
192 .landing__btnOutline:hover {
193     border-color: var(--border-hover);
194     background-color: var(--surface-container-low);
195 }
196
197 /* Main */
198 .landing__main {
199     flex: 1;
200 }
201
202 .landing__sectionInner {
203     max-width: var(--app-content-max, 80rem);
204     margin: 0 auto;
205     padding-left: var(--spacing-lg);
206     padding-right: var(--spacing-lg);
207 }
208
209 /* Hero */
210 .landing__hero {
211     padding: var(--spacing-2xl) 0 var(--spacing-3xl);
212     background-color: var(--surface);
213 }
214
215 .landing__heroInner {
216     max-width: var(--app-content-max, 80rem);
217     margin: 0 auto;
218     padding: 0 var(--spacing-lg);
219     display: grid;
220     gap: var(--spacing-2xl);
221     align-items: start;
222 }
223
224 @media (min-width: 960px) {
225     .landing__heroInner {
226         grid-template-columns: 1fr minmax(16rem, 22rem);
227         gap: var(--spacing-3xl);
228         align-items: center;
229     }
230 }
231
232 .landing__heroCopy {
233     min-width: 0;
234 }
235
236 .landing__eyebrow {
237     display: inline-flex;
238     align-items: center;
239     gap: var(--spacing-sm);
240     margin: 0 0 var(--spacing-md);
241     padding: 0.25rem 0.75rem;
242     font-size: 0.625rem;
243     font-weight: var(--font-semibold);
244     letter-spacing: 0.08em;
245     text-transform: uppercase;
246     color: var(--text-placeholder);
247     background-color: var(--surface-container-low);
248     border-radius: var(--radius-full);
249     border: 1px solid var(--border);
250     width: fit-content;
251 }
252
253 .landing__title {
254     margin: 0 0 var(--spacing-md);
255     font-size: clamp(1.75rem, 4vw, 2.5rem);
256     font-weight: var(--font-bold);
257     line-height: 1.15;
258     letter-spacing: -0.03em;
259     color: var(--tertiary);
260 }
261
262 .landing__titleAccent {
263     color: var(--primary);
264 }
265
266 .landing__lead {
267     margin: 0 0 var(--spacing-xl);
268     max-width: 36rem;
269     font-size: var(--text-base);
270     line-height: 1.6;
271     color: var(--text-secondary);
272 }
273
274 .landing__leadStrong {
275     font-weight: var(--font-semibold);
276     color: var(--text-primary);
277 }
278
279 .landing__heroCtas {
280     display: flex;
281     flex-wrap: wrap;
```

```
282     gap: var(--spacing-md);
283 }
284
285 .landing_heroPanel {
286     padding: var(--spacing-lg);
287     background-color: var(--background);
288     border: 1px solid var(--border);
289     border-radius: var(--radius-lg);
290     box-shadow: var(--shadow-sm);
291 }
292
293 .landing_heroPanelLabel {
294     margin: 0 0 var(--spacing-md);
295     font-size: var(--text-xs);
296     font-weight: var(--font-semibold);
297     text-transform: uppercase;
298     letter-spacing: 0.06em;
299     color: var(--text-tertiary);
300 }
301
302 .landing_heroPanelList {
303     margin: 0;
304     padding: 0;
305     list-style: none;
306     display: flex;
307     flex-direction: column;
308     gap: var(--spacing-md);
309 }
310
311 .landing_heroPanelList li {
312     display: flex;
313     align-items: flex-start;
314     gap: var(--spacing-sm);
315     font-size: var(--text-sm);
316     line-height: 1.5;
317     color: var(--text-secondary);
318 }
319
320 .landing_heroPanelList svg {
321     flex-shrink: 0;
322     margin-top: 0.125rem;
323     color: var(--primary);
324 }
325
326 .landing_heroPanelStrong {
327     font-weight: var(--font-semibold);
328     color: var(--text-primary);
329 }
330
331 /* Course RAG (all visitors) */
332 .landing_rag {
333     padding: var(--spacing-3xl) 0;
334     background-color: var(--surface-container-low);
335     border-top: 1px solid var(--border);
336     box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.6);
337 }
338
339 .landing_ragEyebrow {
340     margin: 0 0 var(--spacing-sm);
341     font-size: 0.625rem;
342     font-weight: var(--font-semibold);
343     letter-spacing: 0.1em;
344     text-transform: uppercase;
345     color: var(--primary-dark);
346 }
347
348 .landing_rag .landing_sectionLead em {
349     font-style: normal;
350     font-weight: var(--font-medium);
351     color: var(--text-primary);
352 }
353
354 .landing_ragPipeline {
355     display: grid;
356     gap: var(--spacing-lg);
357     margin-bottom: var(--spacing-xl);
358     grid-template-columns: 1fr;
359 }
360
361 @media (min-width: 900px) {
362     .landing_ragPipeline {
363         grid-template-columns: repeat(3, 1fr);
364     }
365 }
366
367 .landing_ragStep {
368     padding: var(--spacing-lg);
369     background-color: var(--surface);
370     border: 1px solid var(--border);
371     border-radius: var(--radius-lg);
372     box-shadow: var(--shadow-sm);
373 }
374
375 .landing_ragStepIcon {
376     display: flex;
```

```
377     align-items: center;
378     justify-content: center;
379     width: 2.5rem;
380     height: 2.5rem;
381     margin-bottom: var(--spacing-md);
382     border-radius: var(--radius-md);
383     background-color: var(--primary-light);
384     color: var(--primary-dark);
385 }
386
387 .landing__ragStepTitle {
388     margin: 0 0 var(--spacing-xs);
389     font-size: var(--text-sm);
390     font-weight: var(--font-semibold);
391     color: var(--text-primary);
392 }
393
394 .landing__ragStepText {
395     margin: 0;
396     font-size: var(--text-sm);
397     line-height: 1.55;
398     color: var(--text-secondary);
399 }
400
401 .landing__ragFootnote {
402     margin: 0;
403     padding: var(--spacing-md) var(--spacing-lg);
404     font-size: var(--text-sm);
405     line-height: 1.55;
406     color: var(--text-secondary);
407     background-color: var(--surface);
408     border: 1px solid var(--border);
409     border-radius: var(--radius-md);
410     border-left: 3px solid var(--primary);
411 }
412
413 .landing__ragFootnote strong {
414     color: var(--text-primary);
415     font-weight: var(--font-semibold);
416 }
417
418 /* Capabilities */
419 .landing__capabilities {
420     padding: var(--spacing-3xl) 0;
421     background-color: var(--background);
422     border-top: 1px solid var(--border);
423 }
424
425 .landing__sectionTitle {
426     margin: 0 0 var(--spacing-sm);
427     font-size: var(--text-xl);
428     font-weight: var(--font-semibold);
429     color: var(--text-primary);
430     letter-spacing: -0.02em;
431 }
432
433 .landing__sectionLead {
434     margin: 0 0 var(--spacing-xl);
435     max-width: 40rem;
436     font-size: var(--text-sm);
437     line-height: 1.55;
438     color: var(--text-secondary);
439 }
440
441 .landing__cardGrid {
442     display: grid;
443     gap: var(--spacing-lg);
444     grid-template-columns: 1fr;
445 }
446
447 @media (min-width: 640px) {
448     .landing__cardGrid {
449         grid-template-columns: repeat(2, 1fr);
450     }
451 }
452
453 @media (min-width: 1100px) {
454     .landing__cardGrid {
455         grid-template-columns: repeat(4, 1fr);
456     }
457 }
458
459 .landing__card {
460     padding: var(--spacing-lg);
461     background-color: var(--surface);
462     border: 1px solid var(--border);
463     border-radius: var(--radius-lg);
464     box-shadow: var(--shadow-sm);
465     transition: border-color var(--transition-fast),
466         box-shadow var(--transition-fast);
467 }
468
469 .landing__card:hover {
470     border-color: var(--border-hover);
471     box-shadow: var(--shadow-md);
472 }
```

```

472 }
473
474 .landing__cardIcon {
475   width: 2.75rem;
476   height: 2.75rem;
477   display: flex;
478   align-items: center;
479   justify-content: center;
480   margin-bottom: var(--spacing-md);
481   border-radius: var(--radius-md);
482   background-color: var(--surface-container-low);
483   color: var(--primary);
484 }
485
486 .landing__cardTitle {
487   margin: 0 0 var(--spacing-xs);
488   font-size: var(--text-base);
489   font-weight: var(--font-semibold);
490   color: var(--text-primary);
491 }
492
493 .landing__cardBody {
494   margin: 0;
495   font-size: var(--text-sm);
496   line-height: 1.55;
497   color: var(--text-secondary);
498 }
499
500 /* Process */
501 .landing__process {
502   padding: var(--spacing-3x1) 0;
503   background-color: var(--surface);
504   border-top: 1px solid var(--border);
505 }
506
507 .landing__steps {
508   margin: 0;
509   padding: 0;
510   list-style: none;
511   display: grid;
512   gap: var(--spacing-lg);
513 }
514
515 @media (min-width: 768px) {
516   .landing__steps {
517     grid-template-columns: repeat(2, 1fr);
518   }
519 }
520
521 .landing__step {
522   display: flex;
523   gap: var(--spacing-md);
524   padding: var(--spacing-lg);
525   background-color: var(--background);
526   border: 1px solid var(--border);
527   border-radius: var(--radius-lg);
528 }
529
530 .landing__stepIcon {
531   flex-shrink: 0;
532   width: 2.5rem;
533   height: 2.5rem;
534   display: flex;
535   align-items: center;
536   justify-content: center;
537   border-radius: var(--radius-md);
538   background-color: var(--surface-container-low);
539   color: var(--primary);
540 }
541
542 .landing__stepTitle {
543   margin: 0 0 var(--spacing-xs);
544   font-size: var(--text-sm);
545   font-weight: var(--font-semibold);
546   color: var(--text-primary);
547 }
548
549 .landing__stepText {
550   margin: 0;
551   font-size: var(--text-sm);
552   line-height: 1.55;
553   color: var(--text-secondary);
554 }
555
556 /* CTA */
557 .landing__cta {
558   padding: var(--spacing-3x1) 0;
559   background-color: var(--background);
560   border-top: 1px solid var(--border);
561 }
562
563 .landing__ctaInner {
564   max-width: var(--app-content-max, 80rem);
565   margin: 0 auto;
566   padding: var(--spacing-2x1) var(--spacing-lg);

```

```
567     text-align: center;
568     background-color: var(--surface);
569     border: 1px solid var(--border);
570     border-radius: var(--radius-lg);
571     box-shadow: var(--shadow-sm);
572 }
573
574 .landing__ctaTitle {
575     margin: 0 0 var(--spacing-sm);
576     font-size: var(--text-xl);
577     font-weight: var(--font-semibold);
578     color: var(--text-primary);
579 }
580
581 .landing__ctaText {
582     margin: 0 auto var(--spacing-lg);
583     max-width: 28rem;
584     font-size: var(--text-sm);
585     color: var(--text-secondary);
586     line-height: 1.55;
587 }
588
589 /* Signed-in strip */
590 .landing__welcomeBack {
591     padding: var(--spacing-3xl) 0;
592     background-color: var(--surface);
593 }
594
595 .landing__welcomeBack .landing__sectionInner {
596     padding: var(--spacing-2xl) var(--spacing-lg);
597     background-color: var(--background);
598     border: 1px solid var(--border);
599     border-radius: var(--radius-lg);
600     max-width: 40rem;
601     margin-left: auto;
602     margin-right: auto;
603 }
604
605 /* Footer */
606 .landing__footer {
607     margin-top: auto;
608     padding: var(--spacing-xl) var(--spacing-lg);
609     background-color: var(--surface);
610     border-top: 1px solid var(--border);
611 }
612
613 .landing__footerInner {
614     max-width: var(--app-content-max, 80rem);
615     margin: 0 auto;
616     display: flex;
617     flex-direction: column;
618     gap: var(--spacing-md);
619     align-items: flex-start;
620 }
621
622 @media (min-width: 640px) {
623     .landing__footerInner {
624         flex-direction: row;
625         align-items: center;
626         justify-content: space-between;
627     }
628 }
629
630 .landing__footerBrand {
631     margin: 0;
632     font-size: var(--text-sm);
633     font-weight: var(--font-semibold);
634     color: var(--text-tertiary);
635 }
636
637 .landing__footerMeta {
638     margin: 0.25rem 0 0;
639     font-size: var(--text-xs);
640     color: var(--text-tertiary);
641 }
642
643 .landing__footerLinks {
644     display: flex;
645     flex-wrap: wrap;
646     align-items: center;
647     gap: var(--spacing-sm);
648     font-size: var(--text-xs);
649 }
650
651 .landing__footerLink {
652     padding: 0;
653     border: none;
654     background: none;
655     font-size: inherit;
656     color: var(--text-secondary);
657     cursor: pointer;
658     text-decoration: underline;
659     text-underline-offset: 2px;
660 }
661
```

```
662 .landing__footerLink:hover {
663   color: var(--primary);
664 }
665
666 .landing__footerLinkAnchor {
667   color: var(--text-secondary);
668   text-decoration: none;
669 }
670
671 .landing__footerLinkAnchor:hover {
672   color: var(--primary);
673   text-decoration: underline;
674 }
675
676 .landing__footerDot {
677   color: var(--text-placeholder);
678   user-select: none;
679 }
```

```

1  /**
2   * Auth: combined login + register form; switches mode without changing routes.
3   */
4  import { useState } from 'react';
5
6  import { motion as Motion, AnimatePresence } from 'framer-motion';
7  import { useNavigate, useLocation } from 'react-router-dom';
8  import {
9    Sparkles,
10   Code,
11   ArrowRight,
12   Eye,
13   EyeOff,
14   MessageSquare,
15 } from 'lucide-react';
16 import { useAuth } from '../../contexts/AuthContext';
17 import styles from './Auth.module.css';
18
19 export default function Auth() {
20   const navigate = useNavigate();
21   const location = useLocation();
22   const { register, login } = useAuth();
23   const [isLogin, setIsLogin] = useState(true);
24
25   // Registration form state
26   const [firstName, setFirstName] = useState('');
27   const [lastName, setLastName] = useState('');
28   const [email, setEmail] = useState('');
29   const [password, setPassword] = useState('');
30   const [showPassword, setShowPassword] = useState(false);
31
32   // Error and loading state
33   const [error, setError] = useState(null);
34   const [loading, setLoading] = useState(false);
35   const [successMessage, setSuccessMessage] = useState(null);
36
37   // Handle form submission for both login and registration
38   const handleSubmit = async e => {
39     e.preventDefault();
40     setError(null);
41     setSuccessMessage(null);
42     const normalizedEmail = email.trim().toLowerCase();
43     // regex for email validation
44     const emailPattern = /^[^\\s@]+@[^\\s@]+\\. [^\\s@]+$/;
45
46     if (!normalizedEmail) {
47       setError('Email is required.');
```

```

92     await login({ email: normalizedEmail, password });
93     setSuccessMessage('Sign-in successful. Redirecting...');
94     // Clear form fields
95     setEmail('');
96     setPassword('');
97     setShowPassword(false);
98     // Delay redirect to show successful message
99     await new Promise(resolve => setTimeout(resolve, 1000));
100
101     // Check location state for original URL after login
102     // Redirect to original URL if present, otherwise dashboard
103     const from = location.state?.from?.pathname || '/dashboard';
104     navigate(from, { replace: true });
105     navigate(from, { replace: true });
106   } else {
107     // Registration flow
108     await register({
109       firstName: trimmedFirstName,
110       lastName: trimmedLastName,
111       email: normalizedEmail,
112       password,
113     });
114     setSuccessMessage('Registration successful! Please log in.');
```

115 // Clear form fields

```

116     setFirstName('');
117     setLastName('');
118     setEmail('');
119     setPassword('');
120     // Automatically switch to login form after 1.5 seconds
121     setTimeout(() => {
122       setIsLogin(true);
123       setSuccessMessage(null);
124     }, 1500);
125   }
126 } catch (err) {
127   setError(err.message || 'An unexpected error occurred.');
```

128 } finally {

```

129   setLoading(false);
130 }
131 };
132
133 return (
134   <div className={styles.auth}>
135     { /* Left: Info Section */ }
136     <section className={styles.auth__info}>
137       <div className={styles.auth__infoContent}>
138         <header className={styles.auth__infoHeader}>
139           <div
140             className={styles.auth__infoBranding}
141             onClick={() => navigate('/')}>
142             title='Go to Home'
143             role='button'
144             tabIndex={0}
145             onKeyDown={e => {
146               if (e.key === 'Enter' || e.key === ' ') {
147                 e.preventDefault();
148                 navigate('/');
149               }
150             }}
151           >
152             <div className={styles.auth__infoLogo} aria-hidden>
153               <MessageSquare
154                 className={styles.auth__infoLogoIcon}
155                 size={22}
156               />
157             </div>
158             <div className={styles.auth__infoBrandCopy}>
159               <p className={styles.auth__infoTitle}>Evangadi Forum</p>
160               <p className={styles.auth__infoTagline}>
161                 Learn together. Ask with context.
162               </p>
163             </div>
164           </div>
165           <p className={styles.auth__infoDescription}>
166             Sign in to post technical questions, follow threads, and search
167             the forum with both keyword and AI similarity modes, built for
168             Evangadi coursework and peer review.
169           </p>
170         </header>
171
172         <div className={styles.auth__features}>
173           <div className={styles.auth__feature}>
174             <div className={styles.auth__featureIcon}>
175               <Sparkles size={20} />
176             </div>
177             <div className={styles.auth__featureContent}>
178               <h3 className={styles.auth__featureTitle}>Visible reasoning</h3>
179               <p className={styles.auth__featureDescription}>
180                 Threads stay readable: markdown, code blocks, and replies
181                 build a mini knowledge base your cohort can revisit before
182                 exams.
183               </p>
184             </div>
185           </div>
186           <div className={styles.auth__feature}>
```

```

187     <div className={styles.auth__featureIcon}>
188       <Code size={20} />
189     </div>
190     <div className={styles.auth__featureContent}>
191       <h3 className={styles.auth__featureTitle}>
192         Low-friction workflow
193       </h3>
194       <p className={styles.auth__featureDescription}>
195         One layout for asking, answering, and scanning search results,
196         so you spend energy on the problem, not on hunting controls.
197       </p>
198     </div>
199   </div>
200 </div>
201
202 <div className={styles.auth__infoFooter}>
203   <div className={styles.auth__infoFooterContent}>
204     <div className={styles.auth__infoAvatars}>
205       {[1, 2, 3].map(i => (
206         <img
207           key={i}
208           src={`https://picsum.photos/seed/${i + 50}/100/100`}
209           className={styles.auth__infoAvatar}
210           alt='u'
211           referrerPolicy='no-referrer'
212         />
213       ))}
214     </div>
215     <span className={styles.auth__infoBadge}>
216       Evangadi cohorts 📅 weekly stand-ups 🕒 office-hour style help
217     </span>
218   </div>
219 </div>
220 </div>
221 </section>
222
223 {/* Right: Auth Forms */}
224 <section className={styles.auth__formSection}>
225   <div className={styles.auth__formContainer}>
226     <AnimatePresence mode='wait'>
227       <Motion.div
228         key={isLogin ? 'login' : 'register'}
229         initial={{ opacity: 0, y: 10 }}
230         animate={{ opacity: 1, y: 0 }}
231         exit={{ opacity: 0, y: -10 }}
232         transition={{ duration: 0.2 }}
233       >
234         <div className={styles.auth__formHeader}>
235           <h2 className={styles.auth__formTitle}>
236             {isLogin ? 'Sign in to your account' : 'Create an account'}
237           </h2>
238           <p className={styles.auth__formSubtitle}>
239             {isLogin
240               ? 'Enter your email address and password to continue.'
241               : 'Complete the form below to create your account.'}
242           </p>
243         </div>
244
245         <form className={styles.auth__form} onSubmit={handleSubmit}>
246           {!isLogin && (
247             <>
248               <div className={styles.auth__inputGroup}>
249                 <label htmlFor='firstName' className={styles.auth__label}>
250                   First Name
251                 </label>
252                 <input
253                   id='firstName'
254                   type='text'
255                   placeholder='First name'
256                   className={styles.auth__input}
257                   value={firstName}
258                   onChange={e => setFirstName(e.target.value)}
259                 />
260               </div>
261
262               <div className={styles.auth__inputGroup}>
263                 <label htmlFor='lastName' className={styles.auth__label}>
264                   Last Name
265                 </label>
266                 <input
267                   id='lastName'
268                   type='text'
269                   placeholder='Last name'
270                   className={styles.auth__input}
271                   value={lastName}
272                   onChange={e => setLastName(e.target.value)}
273                 />
274               </div>
275             </>
276           )}
277
278           <div className={styles.auth__inputGroup}>
279             <label htmlFor='email' className={styles.auth__label}>
280               Email Address
281             </label>

```

```

282     <input
283       id='email'
284       type='email'
285       placeholder='Enter your email address'
286       className={styles.auth__input}
287       value={email}
288       onChange={e => setEmail(e.target.value)}
289     />
290 </div>
291
292 <div className={styles.auth__inputGroup}>
293   <div className={styles.auth__labelRow}>
294     <label htmlFor='password' className={styles.auth__label}>
295       Password
296     </label>
297   </div>
298   <div className={styles.auth__passwordWrap}>
299     <input
300       id='password'
301       type={showPassword ? 'text' : 'password'}
302       placeholder='.....'
303       className={` ${styles.auth__input} ${styles.auth__inputPassword}`}
304       value={password}
305       onChange={e => setPassword(e.target.value)}
306     />
307     <button
308       type='button'
309       className={styles.auth__passwordToggle}
310       onClick={() => setShowPassword(v => !v)}
311       aria-label={
312         showPassword ? 'Hide password' : 'Show password'
313       }
314       aria-pressed={showPassword}
315     >
316       {showPassword ? (
317         <EyeOff size={18} aria-hidden />
318       ) : (
319         <Eye size={18} aria-hidden />
320       )}
321     </button>
322   </div>
323 </div>
324
325 {successMessage && (
326   <div className={styles.auth__success}>{successMessage}</div>
327 )}
328
329 {error && <div className={styles.auth__error}>{error}</div>}
330
331 <div className={styles.auth__buttonContainer}>
332   <button
333     type='submit'
334     className={` ${styles.auth__button} ${styles['auth__button--primary']} `}
335     disabled={loading}
336   >
337     {loading
338       ? 'Processing...'
339       : isLogin
340       ? 'Sign In'
341       : 'Create Account'}
342     {!loading && (
343       <ArrowRight
344         size={16}
345         className={styles.auth__buttonIcon}
346       />
347     )}
348   </button>
349 </div>
350
351 <div className={styles.auth__divider}>
352   <div className={styles.auth__dividerLine}>
353     <div className={styles.auth__dividerBorder}></div>
354   </div>
355   <div className={styles.auth__dividerText}>
356     Additional options
357   </div>
358 </div>
359 </form>
360
361 <footer className={styles.auth__formFooter}>
362   <p className={styles.auth__formFooterText}>
363     {isLogin
364       ? "Don't have an account?"
365       : 'Already have an account?'}
366     <button
367       onClick={() => setIsLogin(!isLogin)}
368       className={styles.auth__formFooterLink}
369     >
370       {isLogin ? 'Create an account' : 'Back to sign in'}
371     </button>
372   </p>
373 </footer>
374 </Motion.div>
375 </AnimatePresence>
376 </div>

```

```
377     </section>
378   </div>
379 );
380 }
```

```

1  /* Auth Page Styles - BEM Naming Convention */
2
3  /* Main container */
4  .auth {
5      min-height: 100vh;
6      display: flex;
7      flex-direction: column;
8      background-color: var(--background);
9  }
10
11  @media (min-width: 768px) {
12      .auth {
13          flex-direction: row;
14      }
15  }
16
17  /* Info Section (Left Side) */
18  .auth__info {
19      display: flex;
20      flex-direction: column;
21      justify-content: center;
22      padding: 3rem 1.5rem;
23      background: linear-gradient(
24          155deg,
25          var(--primary) 0%,
26          var(--primary-hover) 48%,
27          var(--primary-dark) 100%
28      );
29      color: var(--text-inverse);
30  }
31
32  @media (min-width: 768px) {
33      .auth__info {
34          width: 45%;
35          padding: 4rem;
36      }
37  }
38
39  .auth__infoContent {
40      max-width: var(--app-prose-max, 32rem);
41      margin: 0 auto;
42  }
43
44  .auth__infoHeader {
45      margin-bottom: 2.5rem;
46  }
47
48  /* Brand row: matches app Sidebar hierarchy (logo + title + tagline). */
49  .auth__infoBranding {
50      display: flex;
51      align-items: flex-start;
52      gap: var(--spacing-md);
53      cursor: pointer;
54      padding: var(--spacing-sm);
55      margin: calc(-1 * var(--spacing-sm)) calc(-1 * var(--spacing-sm)) 0;
56      border-radius: var(--radius-lg);
57      transition: background-color var(--transition-fast);
58  }
59
60  .auth__infoBranding:hover {
61      background-color: rgba(255, 255, 255, 0.08);
62  }
63
64  .auth__infoBranding:focus {
65      outline: none;
66  }
67
68  .auth__infoBranding:focus-visible {
69      outline: 2px solid rgba(255, 255, 255, 0.9);
70      outline-offset: 2px;
71  }
72
73  .auth__infoLogo {
74      flex-shrink: 0;
75      width: 2.5rem;
76      height: 2.5rem;
77      display: flex;
78      align-items: center;
79      justify-content: center;
80      background-color: rgba(255, 255, 255, 0.96);
81      border-radius: var(--radius-md);
82      box-shadow: 0 1px 3px rgba(15, 23, 42, 0.12);
83  }
84
85  .auth__infoLogoIcon {
86      color: var(--primary);
87  }
88
89  .auth__infoBrandCopy {
90      min-width: 0;
91      display: flex;

```

```

92     flex-direction: column;
93     gap: 0.25rem;
94     padding-top: 0.125rem;
95 }
96
97 .auth_infoTitle {
98     margin: 0;
99     font-size: var(--text-2xl);
100    font-weight: var(--font-semibold);
101    line-height: 1.2;
102    color: var(--text-inverse);
103    letter-spacing: -0.02em;
104 }
105
106 .auth_infoTagline {
107     margin: 0;
108     font-size: var(--text-sm);
109     font-weight: var(--font-normal);
110     line-height: 1.4;
111     color: rgba(255, 255, 255, 0.88);
112 }
113
114 .auth_infoDescription {
115     margin: var(--spacing-lg) 0 0;
116     font-size: var(--text-base);
117     opacity: 0.92;
118     line-height: 1.65;
119     color: rgba(255, 255, 255, 0.95);
120 }
121
122 /* Features Section */
123 .auth_features {
124     display: flex;
125     flex-direction: column;
126     gap: 1.5rem;
127     margin-bottom: 3rem;
128 }
129
130 .auth_feature {
131     display: flex;
132     gap: 1rem;
133     padding: 1.5rem;
134     background-color: rgba(255, 255, 255, 0.08);
135     border: 1px solid rgba(255, 255, 255, 0.14);
136     border-radius: var(--radius-lg);
137     backdrop-filter: blur(10px);
138     transition:
139         background-color var(--transition-base),
140         border-color var(--transition-base),
141         transform var(--transition-base);
142 }
143
144 .auth_feature:hover {
145     background-color: rgba(255, 255, 255, 0.12);
146     border-color: rgba(255, 255, 255, 0.22);
147     transform: translateX(0.125rem);
148 }
149
150 .auth_featureIcon {
151     flex-shrink: 0;
152     width: 2.5rem;
153     height: 2.5rem;
154     display: flex;
155     align-items: center;
156     justify-content: center;
157     background-color: rgba(255, 255, 255, 0.2);
158     border-radius: var(--radius-md);
159 }
160
161 .auth_featureContent {
162     flex: 1;
163 }
164
165 .auth_featureTitle {
166     font-size: var(--text-lg);
167     font-weight: var(--font-semibold);
168     margin-bottom: 0.25rem;
169     color: var(--text-inverse);
170     letter-spacing: -0.02em;
171 }
172
173 .auth_featureDescription {
174     font-size: var(--text-sm);
175     color: rgba(255, 255, 255, 0.88);
176     line-height: 1.55;
177 }
178
179 /* Info Footer */
180 .auth_infoFooter {
181     padding-top: 2rem;
182     border-top: 1px solid rgba(255, 255, 255, 0.2);
183 }
184
185 .auth_infoFooterContent {
186     display: flex;

```

```

187     align-items: center;
188     gap: 1rem;
189 }
190
191 .auth__infoAvatars {
192     display: flex;
193     margin-left: -0.5rem;
194 }
195
196 .auth__infoAvatar {
197     width: 2.5rem;
198     height: 2.5rem;
199     border-radius: 50%;
200     border: 2px solid white;
201     margin-left: -0.5rem;
202     object-fit: cover;
203 }
204
205 .auth__infoBadge {
206     font-size: var(--text-sm);
207     font-weight: var(--font-medium);
208     padding: 0.375rem 0.75rem;
209     background-color: rgba(255, 255, 255, 0.2);
210     border-radius: var(--radius-md);
211     backdrop-filter: blur(10px);
212 }
213
214 /* Form Section (Right Side) */
215 .auth__formSection {
216     display: flex;
217     flex: 1;
218     align-items: center;
219     justify-content: center;
220     padding: 2rem 1.5rem;
221     background-color: var(--background);
222     background-image: radial-gradient(
223         ellipse 120% 80% at 50% 0%,
224         rgba(255, 237, 213, 0.45) 0%,
225         transparent 55%
226     );
227 }
228
229 @media (min-width: 768px) {
230     .auth__formSection {
231         width: 55%;
232         padding: 4rem;
233     }
234 }
235
236 .auth__formContainer {
237     width: 100%;
238     max-width: var(--app-form-max, 28rem);
239     padding: var(--spacing-xl);
240     background-color: var(--surface);
241     border: 1px solid var(--border);
242     border-radius: var(--radius-xl);
243     box-shadow:
244         var(--shadow-md),
245         inset 0 1px 0 rgba(255, 255, 255, 0.75);
246 }
247
248 @media (min-width: 768px) {
249     .auth__formContainer {
250         padding: var(--spacing-2xl);
251     }
252 }
253
254 /* Form Header */
255 .auth__formHeader {
256     margin-bottom: 1.75rem;
257     text-align: left;
258 }
259
260 .auth__formTitle {
261     font-size: var(--text-2xl);
262     font-weight: var(--font-semibold);
263     color: var(--text-primary);
264     margin: 0 0 0.375rem;
265     letter-spacing: -0.02em;
266     line-height: 1.25;
267 }
268
269 .auth__formSubtitle {
270     margin: 0;
271     font-size: var(--text-sm);
272     color: var(--text-secondary);
273     line-height: 1.55;
274 }
275
276 /* Form */
277 .auth__form {
278     display: flex;
279     flex-direction: column;
280     gap: 1.25rem;
281 }

```

```
282
283 /* Input Group */
284 .auth__inputGroup {
285     display: flex;
286     flex-direction: column;
287     gap: 0.5rem;
288 }
289
290 .auth__labelRow {
291     display: flex;
292     justify-content: space-between;
293     align-items: center;
294 }
295
296 .auth__label {
297     font-size: var(--text-sm);
298     font-weight: var(--font-medium);
299     color: var(--text-primary);
300 }
301
302 .auth__labelLink {
303     font-size: var(--text-sm);
304     color: var(--primary);
305     text-decoration: none;
306     transition: var(--transition-fast);
307 }
308
309 .auth__labelLink:hover {
310     color: var(--primary-container);
311     text-decoration: underline;
312 }
313
314 .auth__input {
315     width: 100%;
316     padding: 0.75rem 1rem;
317     font-size: var(--text-base);
318     color: var(--text-primary);
319     background-color: var(--surface);
320     border: 1px solid var(--border);
321     border-radius: var(--radius-md);
322     outline: none;
323     transition: var(--transition-fast);
324 }
325
326 .auth__input::placeholder {
327     color: var(--text-tertiary);
328 }
329
330 .auth__input:hover {
331     border-color: var(--border-hover);
332 }
333
334 .auth__passwordWrap {
335     position: relative;
336     width: 100%;
337 }
338
339 .auth__inputPassword {
340     padding-right: 2.75rem;
341 }
342
343 .auth__passwordToggle {
344     position: absolute;
345     right: 0.5rem;
346     top: 50%;
347     transform: translateY(-50%);
348     display: flex;
349     align-items: center;
350     justify-content: center;
351     padding: 0.25rem;
352     color: var(--text-secondary);
353     background: none;
354     border: none;
355     border-radius: var(--radius-sm);
356     cursor: pointer;
357     transition: var(--transition-fast);
358 }
359
360 .auth__passwordToggle:hover {
361     color: var(--text-primary);
362     background-color: var(--surface-container-low);
363 }
364
365 .auth__passwordToggle:focus {
366     outline: none;
367 }
368
369 .auth__passwordToggle:focus-visible {
370     outline: 2px solid var(--primary);
371     outline-offset: 2px;
372 }
373
374 /* Button Container */
375 .auth__buttonContainer {
376     margin-top: 0.5rem;
```

```

377 }
378
379 /* Error Message */
380 .auth__error {
381   padding: 0.75rem 1rem;
382   font-size: var(--text-sm);
383   color: #dc2626;
384   background-color: #fef2f2;
385   border: 1px solid #fecaca;
386   border-radius: var(--radius-md);
387   line-height: 1.5;
388 }
389
390 /* Success Message */
391 .auth__success {
392   padding: 0.75rem 1rem;
393   font-size: var(--text-sm);
394   color: #16a34a;
395   background-color: #f0fdf4;
396   border: 1px solid #bbf7d0;
397   border-radius: var(--radius-md);
398   line-height: 1.5;
399 }
400
401 /* Buttons */
402 .auth__button {
403   width: 100%;
404   display: flex;
405   align-items: center;
406   justify-content: center;
407   gap: 0.5rem;
408   padding: 0.75rem 1.5rem;
409   font-size: var(--text-base);
410   font-weight: var(--font-medium);
411   border-radius: var(--radius-md);
412   border: none;
413   cursor: pointer;
414   transition: var(--transition-fast);
415   outline: none;
416 }
417
418 .auth__button:active {
419   transform: scale(0.98);
420 }
421
422 /* Primary Button */
423 .auth__button--primary {
424   background-color: var(--primary);
425   color: white;
426   box-shadow: var(--shadow-sm);
427 }
428
429 .auth__button--primary:hover {
430   background-color: var(--primary-container);
431   box-shadow: var(--shadow-md);
432 }
433
434 .auth__button--primary:focus {
435   box-shadow: var(--shadow-focus);
436 }
437
438 .auth__buttonIcon {
439   transition: var(--transition-fast);
440 }
441
442 .auth__button--primary:hover .auth__buttonIcon {
443   transform: translateX(0.125rem);
444 }
445
446 /* Social Button */
447 .auth__button--social {
448   background-color: var(--surface);
449   color: var(--text-primary);
450   border: 1px solid var(--border);
451 }
452
453 .auth__button--social:hover {
454   background-color: var(--surface-container-low);
455   border-color: var(--border-hover);
456 }
457
458 .auth__button--social:focus {
459   border-color: var(--primary);
460   box-shadow: 0 0 0 3px rgba(249, 115, 22, 0.15);
461 }
462
463 /* Divider */
464 .auth__divider {
465   position: relative;
466   margin: 1.5rem 0;
467   text-align: center;
468 }
469
470 .auth__dividerLine {
471   position: absolute;

```

```
472     top: 50%;
473     left: 0;
474     right: 0;
475     height: 1px;
476 }
477
478 .auth__dividerBorder {
479     height: 100%;
480     background-color: var(--border);
481 }
482
483 .auth__dividerText {
484     position: relative;
485     display: inline-block;
486     padding: 0 1rem;
487     font-size: 0.625rem;
488     font-weight: var(--font-semibold);
489     letter-spacing: 0.08em;
490     text-transform: uppercase;
491     color: var(--text-placeholder);
492     background-color: var(--surface);
493 }
494
495 /* Social Buttons Container */
496 .auth__socialButtons {
497     display: flex;
498     gap: 0.75rem;
499 }
500
501 /* Form Footer */
502 .auth__formFooter {
503     margin-top: 1.75rem;
504     text-align: left;
505 }
506
507 .auth__formFooterText {
508     font-size: var(--text-sm);
509     color: var(--text-secondary);
510     display: flex;
511     flex-wrap: wrap;
512     align-items: baseline;
513     justify-content: flex-start;
514     gap: 0.35rem;
515 }
516
517 .auth__formFooterLink {
518     color: var(--primary);
519     font-weight: var(--font-medium);
520     background: none;
521     border: none;
522     cursor: pointer;
523     padding: 0;
524     text-decoration: none;
525     transition: var(--transition-fast);
526 }
527
528 .auth__formFooterLink:hover {
529     color: var(--primary-container);
530     text-decoration: underline;
531 }
532
533 .auth__formFooterLink:focus {
534     outline: 2px solid var(--primary);
535     outline-offset: 2px;
536     border-radius: var(--radius-sm);
537 }
```

```

1  /**
2   * Dashboard: Main page displaying all community questions with search and filtering.
3   */
4
5  import { useState, useEffect, useCallback } from 'react';
6  import { useSearchParams, useNavigate } from 'react-router-dom';
7  import { Search, Edit, MessageSquare, BookOpen } from 'lucide-react';
8  import { useAuth } from '../../contexts/AuthContext';
9  import { questionService } from '../../services/questions/question.service';
10 import QuestionCard from '../../components/QuestionCard/QuestionCard';
11 import styles from './Dashboard.module.css';
12
13 export default function Dashboard() {
14   const [searchParams] = useSearchParams();
15   const navigate = useNavigate();
16   const { user } = useAuth();
17
18   const [questions, setQuestions] = useState([]);
19   const [isLoading, setIsLoading] = useState(true);
20   const [error, setError] = useState(null);
21   const [stats, setStats] = useState({
22     totalQuestions: 0,
23     totalReplies: 0,
24     unanswered: 0,
25     yours: 0,
26   });
27
28   /* — Fetch all questions — */
29   const fetchQuestions = useCallback(async () => {
30     try {
31       setIsLoading(true);
32       setError(null);
33
34       const response = await questionService.getQuestions({});
35       const questionsList = response || [];
36       setQuestions(questionsList);
37
38       const totalReplies = questionsList.reduce((sum, q) => sum + (q.answerCount || 0), 0);
39       const unanswered = questionsList.filter(q => (q.answerCount || 0) === 0).length;
40       const yours = questionsList.filter(q => q.author?.id === user?.id).length;
41
42       setStats({ totalQuestions: questionsList.length, totalReplies, unanswered, yours });
43     } catch (err) {
44       setError(err.message || 'Failed to load questions');
45     } finally {
46       setIsLoading(false);
47     }
48   }, [user?.id]);
49
50   /* — Search — */
51   const performSearch = useCallback(async (query, mode) => {
52     if (!query.trim()) { fetchQuestions(); return; }
53
54     setIsLoading(true);
55     setError(null);
56
57     try {
58       let response;
59       if (mode === 'keyword') {
60         response = await questionService.getQuestions({ search: query });
61       } else {
62         response = await questionService.searchQuestionsSemantic(query);
63       }
64       setQuestions(response || []);
65     } catch (err) {
66       setError(err.message || 'Search failed');
67       setQuestions([]);
68     } finally {
69       setIsLoading(false);
70     }
71   }, [fetchQuestions]);
72
73   /* — React to URL param changes — */
74   useEffect(() => {
75     const keywordQuery = searchParams.get('q');
76     const semanticQuery = searchParams.get('semantic');
77
78     if (semanticQuery) performSearch(semanticQuery, 'semantic');
79     else if (keywordQuery) performSearch(keywordQuery, 'keyword');
80     else fetchQuestions();
81   }, [searchParams, performSearch, fetchQuestions]);
82
83   const handleClearSearch = () => navigate('/dashboard');
84
85   const activeQuery = searchParams.get('q') || searchParams.get('semantic');
86
87   /* — Render — */
88   return (
89     <div className={styles.dashboard}>
90
91     { /* Hero — */ }

```

```

92 <div className={styles.heroSection}>
93   <span className={styles.breadcrumb}>Forum Home</span>
94   <h1 className={styles.heroTitle}>
95     Good to see you, {user?.firstName || 'there'}.
96   </h1>
97   <p className={styles.heroSubtitle}>
98     Start a topic, revisit your own threads, or skim the live feed.
99     Search above works from any page once you are back on Home.
100   </p>
101 </div>
102
103 {/* Action cards ----- */}
104 <div className={styles.actionCards}>
105   <div className={styles.actionCard} onClick={() => navigate('/questions/ask')}>
106     <div className={styles.actionCardIcon}><Edit size={18} /></div>
107     <div className={styles.actionCardContent}>
108       <h3 className={styles.actionCardTitle}>New question</h3>
109       <p className={styles.actionCardDesc}>Share context, errors, and what you already tried</p>
110     </div>
111   </div>
112
113   <div className={styles.actionCard} onClick={() => navigate('/my-questions')}>
114     <div className={styles.actionCardIcon}><MessageSquare size={18} /></div>
115     <div className={styles.actionCardContent}>
116       <h3 className={styles.actionCardTitle}>Your topics</h3>
117       <p className={styles.actionCardDesc}>Filtered list of threads you authored</p>
118     </div>
119   </div>
120
121   <div className={styles.actionCard} onClick={() => navigate('/rag-documents')}>
122     <div className={styles.actionCardIcon}><BookOpen size={18} /></div>
123     <div className={styles.actionCardContent}>
124       <h3 className={styles.actionCardTitle}>Knowledge base</h3>
125       <p className={styles.actionCardDesc}>Course library, uploads, and retrieval-backed content for threads</p>
126     </div>
127   </div>
128 </div>
129
130 {/* Stats bar ----- */}
131 {isLoading && !error && (
132   <div className={styles.statsBar}>
133     <p className={styles.statsDescription}>
134       Figures below describe the newest threads in this feed (up to 100 from the API).
135     </p>
136     <div className={styles.statsGrid}>
137       <div className={styles.statCard}>
138         <div className={styles.statLabel}>Questions</div>
139         <div className={styles.statValue}>{stats.totalQuestions}</div>
140       </div>
141       <div className={styles.statCard}>
142         <div className={styles.statLabel}>Replies</div>
143         <div className={styles.statValue}>{stats.totalReplies}</div>
144       </div>
145       <div className={styles.statCard}>
146         <div className={styles.statLabel}>Unanswered</div>
147         <div className={styles.statValue}>{stats.unanswered}</div>
148       </div>
149       <div className={styles.statCard}>
150         <div className={styles.statLabel}>Yours</div>
151         <div className={styles.statValue}>{stats.yours}</div>
152       </div>
153     </div>
154   </div>
155 )}
156
157 {/* Discussion feed ----- */}
158 <div className={styles.discussionFeed}>
159   <div className={styles.feedHeader}>
160     <div>
161       <h2 className={styles.feedTitle}>Discussion feed</h2>
162       <p className={styles.feedSubtitle}>Your threads use a slim left accent in this list.</p>
163     </div>
164     <button className={styles.newestButton}>Newest threads</button>
165   </div>
166
167   <div className={styles.contentArea}>
168
169     {/* Loading */}
170     {isLoading && (
171       <div className={styles.loadingState}>
172         <div className={styles.skeletonCard} />
173         <div className={styles.skeletonCard} />
174         <div className={styles.skeletonCard} />
175       </div>
176     )}
177
178     {/* Error */}
179     {error && !isLoading && (
180       <div className={styles.errorBanner}>
181         <p className={styles.errorText}>{error}</p>
182         <button className={styles.retryButton} onClick={fetchQuestions}>
183           Try again
184         </button>
185       </div>
186     )}

```

```
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227

    { /* Empty */
    {!isLoading && !error && questions.length === 0 && (
      <div className={styles.emptyState}>
        <div className={styles.emptyIcon}><Search size={48} /></div>
        <h2 className={styles.emptyTitle}>
          {activeQuery ? 'No questions found' : 'No questions yet'}
        </h2>
        <p className={styles.emptyText}>
          {activeQuery
            ? 'Try a different search or browse all questions.'
            : 'Be the first to ask a question in our community!'}
        </p>
        {activeQuery && (
          <button className={styles.emptyAction} onClick={handleClearSearch}>
            Clear search
          </button>
        )}
      </div>
    )}

    { /* Questions */
    {!isLoading && !error && questions.length > 0 && (
      <div className={styles.questionsList}>
        <p className={styles.resultCount}>
          {questions.length} question{questions.length !== 1 ? 's' : ''}
        </p>
        <div className={styles.cardsContainer}>
          {questions.map((question) => (
            <QuestionCard key={question.questionHash} question={question} />
          ))}
        </div>
      </div>
    )}

    </div>
  </div>
);
}
```

```

1  /* — Design tokens — */
2  :root {
3    --color-brand: #E8622A; /* orange accent */
4    --color-brand-light: #FDF0EA;
5    --color-text-primary: #111827;
6    --color-text-secondary: #6B7280;
7    --color-text-muted: #9CA3AF;
8    --color-border: #E5E7EB;
9    --color-bg-page: #F9FAFB;
10   --color-bg-card: #FFFFFF;
11   --color-badge-bg: #E8622A;
12   --color-badge-text: #FFFFFF;
13   --radius-card: 8px;
14   --radius-sm: 4px;
15   --shadow-card: 0 1px 3px rgba(0,0,0,0.06), 0 1px 2px rgba(0,0,0,0.04);
16 }
17
18 /* — Page shell — */
19 .dashboard {
20   max-width: 860px;
21   margin: 0 auto;
22   padding: 32px 24px 64px;
23   background: var(--color-bg-page);
24   min-height: 100vh;
25 }
26
27 /* — Hero section — */
28 .heroSection {
29   margin-bottom: 28px;
30 }
31
32 .breadcrumb {
33   display: inline-block;
34   font-size: 11px;
35   font-weight: 600;
36   letter-spacing: 0.08em;
37   color: var(--color-brand);
38   text-transform: uppercase;
39   margin-bottom: 8px;
40 }
41
42 .heroTitle {
43   font-size: 28px;
44   font-weight: 700;
45   color: var(--color-text-primary);
46   margin: 0 0 8px;
47   line-height: 1.25;
48 }
49
50 .heroSubtitle {
51   font-size: 14px;
52   color: var(--color-text-secondary);
53   margin: 0;
54   max-width: 560px;
55   line-height: 1.6;
56 }
57
58 /* — Action cards — */
59 .actionCards {
60   display: grid;
61   grid-template-columns: repeat(3, 1fr);
62   gap: 12px;
63   margin-bottom: 28px;
64 }
65
66 .actionCard {
67   display: flex;
68   align-items: flex-start;
69   gap: 12px;
70   padding: 16px;
71   background: var(--color-bg-card);
72   border: 1px solid var(--color-border);
73   border-radius: var(--radius-card);
74   cursor: pointer;
75   transition: box-shadow 0.15s ease, border-color 0.15s ease;
76 }
77
78 .actionCard:hover {
79   box-shadow: var(--shadow-card);
80   border-color: #D1D5DB;
81 }
82
83 .actionCardIcon {
84   flex-shrink: 0;
85   width: 36px;
86   height: 36px;
87   border: 1px solid var(--color-border);
88   border-radius: var(--radius-sm);
89   display: flex;
90   align-items: center;
91   justify-content: center;

```

```
92     color: var(--color-text-secondary);
93     background: var(--color-bg-page);
94 }
95
96 .actionCardContent {
97     min-width: 0;
98 }
99
100 .actionCardTitle {
101     font-size: 13px;
102     font-weight: 600;
103     color: var(--color-text-primary);
104     margin: 0 0 3px;
105 }
106
107 .actionCardDesc {
108     font-size: 12px;
109     color: var(--color-text-muted);
110     margin: 0;
111     line-height: 1.5;
112 }
113
114 /* — Stats bar — */
115 .statsBar {
116     margin-bottom: 28px;
117 }
118
119 .statsDescription {
120     font-size: 12px;
121     color: var(--color-text-muted);
122     margin: 0 0 10px;
123 }
124
125 .statsGrid {
126     display: grid;
127     grid-template-columns: repeat(4, 1fr);
128     gap: 0;
129     border: 1px solid var(--color-border);
130     border-radius: var(--radius-card);
131     overflow: hidden;
132     background: var(--color-bg-card);
133 }
134
135 .statCard {
136     padding: 14px 18px;
137     border-right: 1px solid var(--color-border);
138 }
139
140 .statCard:last-child {
141     border-right: none;
142 }
143
144 .statLabel {
145     font-size: 11px;
146     font-weight: 500;
147     color: var(--color-text-muted);
148     text-transform: uppercase;
149     letter-spacing: 0.05em;
150     margin-bottom: 6px;
151 }
152
153 .statValue {
154     font-size: 24px;
155     font-weight: 700;
156     color: var(--color-text-primary);
157     line-height: 1;
158 }
159
160 /* — Discussion feed — */
161 .discussionFeed {
162     background: var(--color-bg-card);
163     border: 1px solid var(--color-border);
164     border-radius: var(--radius-card);
165     overflow: hidden;
166 }
167
168 .feedHeader {
169     display: flex;
170     align-items: center;
171     justify-content: space-between;
172     padding: 16px 20px;
173     border-bottom: 1px solid var(--color-border);
174 }
175
176 .feedTitle {
177     font-size: 16px;
178     font-weight: 700;
179     color: var(--color-text-primary);
180     margin: 0 0 2px;
181 }
182
183 .feedSubtitle {
184     font-size: 12px;
185     color: var(--color-text-muted);
186     margin: 0;
```

```
187 }
188
189 .newestButton {
190   padding: 6px 14px;
191   background: var(--color-brand);
192   color: #fff;
193   font-size: 11px;
194   font-weight: 700;
195   letter-spacing: 0.08em;
196   text-transform: uppercase;
197   border: none;
198   border-radius: var(--radius-sm);
199   cursor: pointer;
200   white-space: nowrap;
201   transition: background 0.15s ease;
202 }
203
204 .newestButton:hover {
205   background: #d4551f;
206 }
207
208 /* — Content area ————— */
209 .contentArea {
210   /* no extra padding — cards handle their own */
211 }
212
213 /* — Loading skeleton ————— */
214 .loadingState {
215   padding: 12px 0;
216 }
217
218 .skeletonCard {
219   height: 88px;
220   margin: 0;
221   background: linear-gradient(90deg, #F3F4F6 25%, #E5E7EB 50%, #F3F4F6 75%);
222   background-size: 200% 100%;
223   animation: shimmer 1.4s infinite;
224   border-bottom: 1px solid var(--color-border);
225 }
226
227 .skeletonCard:last-child {
228   border-bottom: none;
229 }
230
231 @keyframes shimmer {
232   0% { background-position: 200% 0; }
233   100% { background-position: -200% 0; }
234 }
235
236 /* — Error banner ————— */
237 .errorBanner {
238   padding: 24px 20px;
239   display: flex;
240   align-items: center;
241   gap: 16px;
242 }
243
244 .errorText {
245   font-size: 14px;
246   color: #EF4444;
247   margin: 0;
248   flex: 1;
249 }
250
251 .retryButton {
252   padding: 6px 14px;
253   font-size: 13px;
254   font-weight: 600;
255   color: var(--color-brand);
256   background: transparent;
257   border: 1px solid var(--color-brand);
258   border-radius: var(--radius-sm);
259   cursor: pointer;
260   transition: background 0.15s ease;
261 }
262
263 .retryButton:hover {
264   background: var(--color-brand-light);
265 }
266
267 /* — Empty state ————— */
268 .emptyState {
269   padding: 56px 24px;
270   text-align: center;
271 }
272
273 .emptyIcon {
274   color: var(--color-border);
275   margin-bottom: 16px;
276 }
277
278 .emptyTitle {
279   font-size: 18px;
280   font-weight: 600;
281   color: var(--color-text-primary);
```

```
282     margin: 0 0 8px;
283 }
284
285 .emptyText {
286     font-size: 14px;
287     color: var(--color-text-secondary);
288     margin: 0 0 20px;
289 }
290
291 .emptyAction {
292     padding: 8px 20px;
293     font-size: 13px;
294     font-weight: 600;
295     color: var(--color-brand);
296     background: transparent;
297     border: 1px solid var(--color-brand);
298     border-radius: var(--radius-sm);
299     cursor: pointer;
300     transition: background 0.15s ease;
301 }
302
303 .emptyAction:hover {
304     background: var(--color-brand-light);
305 }
306
307 /* — Questions list ————— */
308 .questionsList {
309     /* list container — no extra padding */
310 }
311
312 .resultCount {
313     font-size: 12px;
314     color: var(--color-text-muted);
315     padding: 10px 20px 0;
316     margin: 0;
317 }
318
319 .cardsContainer {
320     /* cards stack flush inside the feed panel */
321 }
322
323 /* — Responsive ————— */
324 @media (max-width: 640px) {
325     .dashboard {
326         padding: 20px 16px 48px;
327     }
328
329     .actionCards {
330         grid-template-columns: 1fr;
331     }
332
333     .statsGrid {
334         grid-template-columns: repeat(2, 1fr);
335     }
336
337     .statCard:nth-child(2) {
338         border-right: none;
339     }
340
341     .statCard:nth-child(1),
342     .statCard:nth-child(2) {
343         border-bottom: 1px solid var(--color-border);
344     }
345
346     .heroTitle {
347         font-size: 22px;
348     }
349 }
350
351
352 .contentArea {
353     display: flex;
354     flex-direction: column;
355 }
356
357 .cardsContainer {
358     display: flex;
359     flex-direction: column;
360 }
361
362 .resultCount {
363     font-size: 12px;
364     color: var(--color-text-muted);
365     padding: 14px 20px 10px;
366     margin: 0;
367     border-bottom: 1px solid var(--color-border);
368     background: var(--color-bg-card);
369 }
```

```

1  import { useState, useEffect } from "react";
2  import { Link } from "react-router-dom";
3  import { Plus } from "lucide-react";
4  import { questionService } from "../../services/questions/question.service";
5  import QuestionCard from "../../components/QuestionCard/QuestionCard";
6  import ui from "../../styles/pageStates.module.css";
7  import styles from "./MyQuestions.module.css";
8
9  /**
10   * MyQuestions: shows only the questions authored by the current user.
11   * Data: `questionService.getQuestions({ mine: true })`.
12   */
13  export default function MyQuestions() {
14    const [myQuestions, setMyQuestions] = useState([]);
15    const [isLoading, setIsLoading] = useState(true);
16    const [error, setError] = useState(null);
17
18    useEffect(() => {
19      let isMounted = true;
20
21      async function fetchMyQuestions() {
22        setIsLoading(true);
23        setError(null);
24        try {
25          const data = await questionService.getQuestions({ mine: true });
26          if (isMounted) setMyQuestions(data);
27        } catch (err) {
28          if (isMounted) setError(err.message || "Failed to fetch questions.");
29        } finally {
30          if (isMounted) setIsLoading(false);
31        }
32      }
33
34      fetchMyQuestions();
35
36      return () => {
37        isMounted = false;
38      };
39    }, []);
40
41    return (
42      <div className={styles.myQuestions}>
43        <section className={styles.myQuestions__panel}>
44          <div className={styles.myQuestions__panelHeader}>
45            <div>
46              <p className={styles.myQuestions__eyebrow}>Your workspace</p>
47              <h3 className={styles.myQuestions__heading}>Your topics</h3>
48            </div>
49            <Link to="/questions/ask" className={styles.myQuestions__newButton}>
50              <Plus size={16} />
51              New question
52            </Link>
53          </div>
54          <p className={styles.myQuestions__description}>
55            Only questions you created. <br />
56            Open one to read answers or add follow-ups. <br />
57            Rows use the same left accent as your threads on Home.
58          </p>
59        </section>
60
61        <section className={styles.myQuestions__listPanel}>
62          {isLoading && (
63            <div className={ui["pageStates__message--loading"]}>
64              Loading your questions...
65            </div>
66          )}
67
68          {!isLoading && error && (
69            <div className={ui["pageStates__message--error"]}>{error}</div>
70          )}
71
72          {!isLoading && !error && myQuestions.length === 0 && (
73            <div className={ui["pageStates__message--empty"]}>
74              You have not asked any questions yet. <br /> Use{" "}
75              <Link to="/questions/ask">Ask a Question</Link> in the sidebar to
76              start.
77            </div>
78          )}
79
80          {!isLoading && !error && myQuestions.length > 0 && (
81            <div className={styles.myQuestions__list}>
82              {myQuestions.map((question) => (
83                <QuestionCard key={question.id} question={question} />
84              ))}
85            </div>
86          )}
87        </section>
88      </div>
89    );
90  }

```

```
1  .myQuestions {
2    display: flex;
3    flex-direction: column;
4    gap: var(--spacing-lg);
5  }
6
7  .myQuestions__panel {
8    background-color: var(--surface);
9    border: 1px solid var(--border);
10   border-radius: var(--radius-lg);
11   padding: var(--spacing-xl);
12 }
13
14 .myQuestions__panelHeader {
15   display: flex;
16   align-items: flex-start;
17   justify-content: space-between;
18   gap: var(--spacing-lg);
19 }
20
21 .myQuestions__eyebrow {
22   font-size: var(--text-xs);
23   font-weight: var(--font-semibold);
24   letter-spacing: 0.08em;
25   text-transform: uppercase;
26   color: var(--primary);
27   margin-bottom: var(--spacing-xs);
28 }
29
30 .myQuestions__heading {
31   font-size: var(--text-3xl);
32   font-weight: var(--font-bold);
33   margin: 0;
34 }
35
36 .myQuestions__description {
37   margin-top: var(--spacing-md);
38   color: var(--text-secondary);
39   font-size: var(--text-sm);
40   line-height: 1.65;
41   max-width: 48rem;
42 }
43
44 .myQuestions__newButton {
45   flex-shrink: 0;
46   display: inline-flex;
47   align-items: center;
48   gap: var(--spacing-sm);
49   background-color: var(--primary);
50   color: var(--text-inverse);
51   font-size: var(--text-sm);
52   font-weight: var(--font-semibold);
53   padding: var(--spacing-sm) var(--spacing-lg);
54   border-radius: var(--radius-md);
55   border: none;
56   transition: background-color var(--transition-fast);
57 }
58
59 .myQuestions__newButton:hover {
60   background-color: var(--primary-hover);
61   color: var(--text-inverse);
62 }
63
64 .myQuestions__listPanel {
65   background-color: var(--surface);
66   border: 1px solid var(--border);
67   border-radius: var(--radius-lg);
68   min-height: 12rem;
69   display: flex;
70   align-items: center;
71   justify-content: center;
72 }
73
74 .myQuestions__list {
75   width: 100%;
76   padding: var(--spacing-lg);
77 }
```

```

1  import { useState, useRef } from "react";
2  import { useNavigate } from "react-router-dom";
3  import {
4    Send,
5    Sparkles,
6    CheckCircle2,
7    Bold,
8    Italic,
9    Code,
10   Link2,
11 } from "lucide-react";
12 import { questionService } from "../../services/questions/question.service";
13 import styles from "./PostQuestion.module.css";
14
15 export default function PostQuestion() {
16   const navigate = useNavigate();
17   const textareaRef = useRef(null);
18
19   // Form state tracking
20   const [formData, setFormData] = useState({
21     title: "",
22     content: "",
23   });
24
25   // Operation loading state triggers
26   const [isSubmitting, setIsSubmitting] = useState(false);
27   const [isCoaching, setIsCoaching] = useState(false);
28
29   // AI Coach Flyout feedback tracking states
30   const [coachFeedback, setCoachFeedback] = useState(null);
31   const [showCoach, setShowCoach] = useState(false);
32
33   // Conditional App Views & Navigation tracking states
34   const [error, setError] = useState(null);
35   const [isPostedSuccessfully, setIsPostedSuccessfully] = useState(false);
36   const [newQuestionId, setNewQuestionId] = useState(null);
37
38   // Monitor text modifications on controlled input fields
39   const handleInputChange = (e) => {
40     const { name, value } = e.target;
41     setFormData((prev) => ({
42       ...prev,
43       [name]: value,
44     }));
45     // Remove past validation alerts on new keypress strokes
46     if (error) setError(null);
47   };
48
49   // Wraps/inserts markdown syntax around the current textarea selection
50   const applyMarkdownFormat = (type) => {
51     const textarea = textareaRef.current;
52     if (!textarea) return;
53
54     const { selectionStart, selectionEnd, value } = textarea;
55     const selectedText = value.slice(selectionStart, selectionEnd);
56
57     let before = "";
58     let after = "";
59     let placeholder = "";
60
61     switch (type) {
62       case "bold":
63         before = "***";
64         after = "***";
65         placeholder = "bold text";
66         break;
67       case "italic":
68         before = "_";
69         after = "_";
70         placeholder = "italic text";
71         break;
72       case "code":
73         if (selectedText.includes("\n")) {
74           before = "`\n";
75           after = "\n`";
76           placeholder = "code";
77         } else {
78           before = "`";
79           after = "`";
80           placeholder = "code";
81         }
82         break;
83       case "link":
84         before = "[";
85         after = "]" (https://)";
86         placeholder = "link text";
87         break;
88       default:
89         return;
90     }
91
92     const textToWrap = selectedText || placeholder;

```

```

92     const newValue =
93       value.slice(0, selectionStart) +
94       before +
95       textToWrap +
96       after +
97       value.slice(selectionEnd);
98
99     setFormData((prev) => ({ ...prev, content: newValue }));
100
101     // Restore focus and selection after React re-renders the value
102     requestAnimationFrame(() => {
103       textarea.focus();
104       if (selectedText) {
105         // Keep the wrapped text selected
106         const start = selectionStart + before.length;
107         const end = start + textToWrap.length;
108         textarea.setSelectionRange(start, end);
109       } else if (type === "link") {
110         // Place cursor inside the (https://) so the user can type the URL
111         const urlStart =
112           selectionStart + before.length + placeholder.length + 2;
113         const urlEnd = urlStart + "https://".length;
114         textarea.setSelectionRange(urlStart, urlEnd);
115       } else {
116         // Select the inserted placeholder text so typing replaces it
117         const start = selectionStart + before.length;
118         const end = start + placeholder.length;
119         textarea.setSelectionRange(start, end);
120       }
121     });
122   };
123
124   const validateForm = () => {
125     const titleTrimmed = formData.title.trim();
126     const contentTrimmed = formData.content.trim();
127
128     if (!titleTrimmed) {
129       setError("Title is required.");
130       return false;
131     }
132     if (titleTrimmed.length < 5) {
133       setError("Title must be at least 5 characters.");
134       return false;
135     }
136     if (!contentTrimmed) {
137       setError("Question content is required.");
138       return false;
139     }
140     if (contentTrimmed.length < 10) {
141       setError("Question content must be at least 10 characters.");
142       return false;
143     }
144     return true;
145   };
146
147   // Contact AI Coaching endpoint for copy improvements
148   const handleGetFeedback = async (e) => {
149     e.preventDefault();
150     if (!validateForm()) return;
151
152     setIsCoaching(true);
153     setError(null);
154
155     try {
156       const response =
157         await questionService.generateQuestionDraftCoach(formData);
158       setCoachFeedback(response.data || response);
159       setShowCoach(true);
160     } catch (err) {
161       setError(err.message || "Failed to get AI feedback. Please try again.");
162     } finally {
163       setIsCoaching(false);
164     }
165   };
166
167   // Submit final forum question draft payload to database
168   const handleSubmit = async (e) => {
169     e.preventDefault();
170     if (!validateForm()) return;
171
172     setIsSubmitting(true);
173     setError(null);
174
175     try {
176       const response = await questionService.createQuestion(formData);
177
178       // Extract the questionHash from the nested data object
179       const finalId =
180         response.data?.questionHash ||
181         response.questionHash ||
182         response.data?.id ||
183         response.id;
184       setNewQuestionId(finalId);
185
186       // Show success screen - NO automatic redirect, requires user click

```

```

187     setIsPostedSuccessfully(true);
188   } catch (err) {
189     setError(err.message || "Failed to post question. Please try again.");
190   } finally {
191     setIsSubmitting(false);
192   }
193 };
194
195 // Reset variables locally to write a brand new question card
196 const handleAskAnother = () => {
197   setFormData({ title: "", content: "" });
198   setShowCoach(false);
199   setCoachFeedback(null);
200   setNewQuestionId(null);
201   setIsPostedSuccessfully(false);
202   setError(null);
203 };
204
205 return (
206   <div className={styles.postQuestion}>
207     {/* Structural Page Header Context Banner */}
208     <div className={styles.postQuestion__header}>
209       <span className={styles.postQuestion__breadcrumb}>ASK THE COHORT</span>
210       <h1 className={styles.postQuestion__title}>Publish to the forum</h1>
211       <p className={styles.postQuestion__subtitle}>
212         Public threads help the whole cohort. Write as if a classmate will
213         debug your issue tomorrow. They only know what you put on the page.
214       </p>
215     </div>
216
217     {/* Conditionally Render Success Screen Canvas vs Standard Input Form Canvas */}
218     {isPostedSuccessfully ? (
219       <div className={styles.postQuestion__successCard}>
220         <div className={styles.postQuestion__successBadge}>
221           <CheckCircle2
222             size={40}
223             className={styles.postQuestion__successCheckIcon}
224             aria-hidden
225           />
226         </div>
227         <h2 className={styles.postQuestion__successTitle}>
228           Thread published
229         </h2>
230         <p className={styles.postQuestion__successText}>
231           Your post is indexed for keyword search and embedding-based
232           similarity. Share the link in study groups, or stay on the thread to
233           answer follow-up questions from peers.
234         </p>
235
236         {/* Explicit User Navigation Route Triggers */}
237         <div className={styles.postQuestion__successActions}>
238           <button
239             type="button"
240             className={styles.postQuestion__backToDashboardBtn}
241             onClick={() => navigate("/dashboard")}
242           >
243             Back to Dashboard
244           </button>
245
246           <button
247             type="button"
248             className={styles.postQuestion__viewQuestionBtn}
249             onClick={() => {
250               if (newQuestionId) {
251                 navigate(`/question/${newQuestionId}`);
252               }
253             }}
254           >
255             View Question
256           </button>
257
258           <button
259             type="button"
260             className={styles.postQuestion__askAnotherBtn}
261             onClick={handleAskAnother}
262           >
263             Ask Another
264           </button>
265         </div>
266       </div>
267     ) : (
268       <div className={styles.postQuestion__container}>
269         {/* Quality Control Guidelines Reference Ribbon Card */}
270         <div className={styles.postQuestion__rulesCard}>
271           <h3 className={styles.postQuestion__rulesCardTitle}>
272             Write questions people can answer in one pass
273           </h3>
274           <p className={styles.postQuestion__rulesCardDesc}>
275             Mentors volunteer their time. Give them runnable context, expected
276             vs actual behavior, and a tight scope so they can reproduce the
277             issue without guessing your setup.
278           </p>
279
280           <div className={styles.postQuestion__rulesSection}>
281             <h4 className={styles.postQuestion__sectionHeading}>

```

```

282     Checklist before you post
283   </h4>
284   <ul className={styles.postQuestion__rulesList}>
285     <li className={styles.postQuestion__rulesItem}>
286       <strong>Title as a headline</strong> that states the symptom
287       and tech stack (e.g., "React 19: state resets after
288       navigation").
289     </li>
290     <li className={styles.postQuestion__rulesItem}>
291       <strong>Repro steps</strong> numbered, with environment (OS,
292       browser, Node version) when it matters.
293     </li>
294     <li className={styles.postQuestion__rulesItem}>
295       <strong>Minimal code</strong> in fenced markdown blocks; trim
296       unrelated lines so readers scan faster.
297     </li>
298     <li className={styles.postQuestion__rulesItem}>
299       <strong>Exact errors</strong> copied verbatim, including stack
300       trace snippets when debugging backend routes.
301     </li>
302   </ul>
303 </div>
304
305 <div className={styles.postQuestion__rulesSection}>
306   <h4 className={styles.postQuestion__sectionHeading}>
307     Validation rules (enforced by the form)
308   </h4>
309   <ul className={styles.postQuestion__rulesList}>
310     <li className={styles.postQuestion__rulesItem}>
311       <strong>Title length:</strong> Must be between 5 and 255
312       characters.
313     </li>
314     <li className={styles.postQuestion__rulesItem}>
315       <strong>Body length:</strong> Must contain a minimum of 10
316       characters detailing your problem.
317     </li>
318     <li className={styles.postQuestion__rulesItem}>
319       <strong>Single topic:</strong> Split unrelated bugs into
320       separate threads so search and embeddings stay precise.
321     </li>
322   </ul>
323 </div>
324 </div>
325
326 {/* Form Processing Area Context Wrapper */}
327 <div className={styles.postQuestion__formWrapper}>
328   <form className={styles.postQuestion__form} onSubmit={handleSubmit}>
329     {/* Question Title Inputs Area */}
330     <div className={styles.postQuestion__formGroup}>
331       <label
332         htmlFor="title"
333         className={styles.postQuestion__formLabel}>
334       >
335         Title
336       </label>
337       <p className={styles.postQuestion__fieldDesc}>
338         Be specific and imagine you're asking a question to
339         another person.
340       </p>
341       <input
342         id="title"
343         type="text"
344         name="title"
345         placeholder="e.g. How do I handle state management using Context API in React?"
346         className={styles.postQuestion__formInput}
347         value={formData.title}
348         onChange={handleInputChange}
349         disabled={isSubmitting}
350         maxLength={255}
351       />
352       <div className={styles.postQuestion__formHint}>
353         {formData.title.length}/255 characters
354       </div>
355     </div>
356
357     {/* Main Text Markdown Canvas */}
358     <div className={styles.postQuestion__formGroup}>
359       <label
360         htmlFor="content"
361         className={styles.postQuestion__formLabel}>
362       >
363         What are the details of your problem?
364       </label>
365       <p className={styles.postQuestion__fieldDesc}>
366         Introduce the problem and expand on what you put in the title.
367         Minimum 10 characters.
368       </p>
369
370       <div className={styles.postQuestion__editorContainer}>
371         <div className={styles.postQuestion__editorToolbar}>
372           <button
373             type="button"
374             className={styles.postQuestion__toolbarBtn}
375             onClick={() => applyMarkdownFormat("bold")}
376             disabled={isSubmitting}

```

```
377         aria-label="Bold"
378         title="Bold"
379     >
380     <Bold size={14} aria-hidden />
381 </button>
382 <button
383     type="button"
384     className={styles.postQuestion__toolbarBtn}
385     onClick={() => applyMarkdownFormat("italic")}
386     disabled={isSubmitting}
387     aria-label="Italic"
388     title="Italic"
389 >
390     <Italic size={14} aria-hidden />
391 </button>
392 <button
393     type="button"
394     className={styles.postQuestion__toolbarBtn}
395     onClick={() => applyMarkdownFormat("code")}
396     disabled={isSubmitting}
397     aria-label="Code"
398     title="Code"
399 >
400     <Code size={14} aria-hidden />
401 </button>
402 <button
403     type="button"
404     className={styles.postQuestion__toolbarBtn}
405     onClick={() => applyMarkdownFormat("link")}
406     disabled={isSubmitting}
407     aria-label="Link"
408     title="Link"
409 >
410     <Link2 size={14} aria-hidden />
411 </button>
412 <span className={styles.postQuestion__editorCount}>
413     {formData.content.length} characters
414 </span>
415 </div>
416 <textarea
417     ref={textareaRef}
418     id="content"
419     name="content"
420     placeholder="Include all the information someone would need to answer your question... You can use Markdown to format
421     your code!"
422     className={styles.postQuestion__formTextarea}
423     value={formData.content}
424     onChange={handleInputChange}
425     disabled={isSubmitting}
426     rows={12}
427 />
428 </div>
429 </div>
430
431 /* Input Boundary Error Notifications Box */
432 {error && (
433     <div className={styles.postQuestion__errorBox}>
434         <p className={styles.postQuestion__errorText}>{error}</p>
435     </div>
436 )}
437
438 /* Control Panel Actions Bar */
439 <div className={styles.postQuestion__actionFooter}>
440     <div className={styles.postQuestion__aiActionGroup}>
441         <button
442             type="button"
443             className={` ${styles.postQuestion__button} ${styles["postQuestion__button--secondary"]} `}
444             onClick={handleGetFeedback}
445             disabled={isCoaching || isSubmitting}
446         >
447             <Sparkles size={16} aria-hidden />
448             <span>
449                 {isCoaching ? "Analyzing..." : "AI suggestions"}
450             </span>
451         </button>
452         <span className={styles.postQuestion__aiHelperText}>
453             Suggestions only. You still choose what to post.
454         </span>
455     </div>
456
457     <div className={styles.postQuestion__submissionGroup}>
458         <button
459             type="button"
460             className={styles.postQuestion__cancelBtn}
461             onClick={() => navigate("/dashboard")}
462             disabled={isSubmitting || isCoaching}
463         >
464             Cancel
465         </button>
466         <button
467             type="submit"
468             className={` ${styles.postQuestion__button} ${styles["postQuestion__button--primary"]} `}
469             disabled={isSubmitting || isCoaching}
470         >
471             <span>
```

```
472         {isSubmitting ? "Publishing..." : "Post Question"}
473       </span>
474       <Send size={14} aria-hidden />
475     </button>
476   </div>
477 </div>
478 </form>
479
480   { /* AI Assistant Floating Coaching Dashboard */ }
481   {showCoach && coachFeedback && (
482     <div className={styles.postQuestion__coachPanel}>
483       <div className={styles.postQuestion__coachHeader}>
484         <div className={styles.postQuestion__coachTitleRow}>
485           <Sparkles
486             size={18}
487             className={styles.postQuestion__coachIcon}
488             aria-hidden
489           />
490           <h2 className={styles.postQuestion__coachTitle}>
491             AI Draft Coach Feedback
492           </h2>
493         </div>
494         <button
495           type="button"
496           className={styles.postQuestion__coachClose}
497           onClick={() => setShowCoach(false)}
498           aria-label="Close feedback panel"
499         >
500           ✕
501         </button>
502       </div>
503
504       <div className={styles.postQuestion__coachContent}>
505         {coachFeedback.message && (
506           <p className={styles.postQuestion__coachMessage}>
507             {coachFeedback.message}
508           </p>
509         )}
510
511         {coachFeedback.tips && Array.isArray(coachFeedback.tips) && (
512           <div className={styles.postQuestion__tipsListBlock}>
513             <h3 className={styles.postQuestion__tipsTitle}>
514               Suggestions
515             </h3>
516             <ul className={styles.postQuestion__coachTips}>
517               {coachFeedback.tips.map((tip, index) => (
518                 <li
519                   key={index}
520                   className={styles.postQuestion__coachTipItem}
521                 >
522                   <span className={styles.postQuestion__coachBullet}>
523                     •
524                   </span>
525                   <span className={styles.postQuestion__coachTipText}>
526                     {tip}
527                   </span>
528                 </li>
529               ))}
530             </ul>
531           </div>
532         )}
533       </div>
534     </div>
535   )}
536 </div>
537 </div>
538 )}
539 </div>
540 );
541 }
```

```

1  /**
2   * PostQuestion.module.css
3   * Clean layout styling mimicking the clean theme design blueprints
4   */
5
6  .postQuestion {
7    max-width: 960px;
8    margin: 0 auto;
9    padding: 2.5rem 2rem;
10   font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Helvetica, Arial, sans-serif;
11   color: #1e293b;
12 }
13
14 /* Page Top Header */
15 .postQuestion__header {
16   margin-bottom: 2rem;
17 }
18
19 .postQuestion__breadcrumb {
20   font-size: 0.75rem;
21   font-weight: 700;
22   text-transform: uppercase;
23   color: #ea580c; /* Orange branding accent text */
24   letter-spacing: 0.05em;
25   margin: 0 0 0.5rem 0;
26 }
27
28 .postQuestion__title {
29   font-size: 2rem;
30   font-weight: 700;
31   color: #0f172a;
32   margin: 0 0 0.75rem 0;
33 }
34
35 .postQuestion__subtitle {
36   font-size: 0.95rem;
37   color: #475569;
38   line-height: 1.6;
39   margin: 0;
40   max-width: 720px;
41 }
42
43 /* Layout Grid Array */
44 .postQuestion__container {
45   display: flex;
46   flex-direction: column;
47   gap: 1.75rem;
48 }
49
50 /* Informative Guide Block (Orange Border Ribbon Card) */
51 .postQuestion__rulesCard {
52   background-color: #f8fafc;
53   border: 1.5px solid #e97316;
54   border-radius: 8px;
55   padding: 1.75rem;
56 }
57
58 .postQuestion__rulesCardTitle {
59   font-size: 1.15rem;
60   font-weight: 600;
61   color: #0f172a;
62   margin: 0 0 0.5rem 0;
63 }
64
65 .postQuestion__rulesCardDesc {
66   font-size: 0.9rem;
67   color: #475569;
68   line-height: 1.5;
69   margin: 0 0 1.5rem 0;
70 }
71
72 .postQuestion__rulesSection {
73   margin-bottom: 1.25rem;
74 }
75
76 .postQuestion__rulesSection:last-child {
77   margin-bottom: 0;
78 }
79
80 .postQuestion__sectionHeading {
81   font-size: 0.9rem;
82   font-weight: 700;
83   color: #1e293b;
84   margin: 0 0 0.5rem 0;
85 }
86
87 .postQuestion__rulesList {
88   list-style: none;
89   padding: 0;
90   margin: 0;
91   display: flex;

```

```
92     flex-direction: column;
93     gap: 0.5rem;
94 }
95
96 .postQuestion__rulesItem {
97     font-size: 0.875rem;
98     color: #334155;
99     line-height: 1.5;
100    padding-left: 1.25rem;
101    position: relative;
102 }
103
104 .postQuestion__rulesItem::before {
105     content: ".";
106     position: absolute;
107     left: 0.25rem;
108     color: #334155;
109     font-weight: bold;
110 }
111
112 .postQuestion__rulesItem strong {
113     color: #0f172a;
114 }
115
116 /* Master Core Input Container Grid */
117 .postQuestion__formWrapper {
118     background: #ffffff;
119     border: 1px solid #e2e8f0;
120     border-radius: 10px;
121     padding: 2.25rem;
122 }
123
124 .postQuestion__form {
125     display: flex;
126     flex-direction: column;
127     gap: 1.75rem;
128 }
129
130 .postQuestion__formGroup {
131     display: flex;
132     flex-direction: column;
133 }
134
135 .postQuestion__formLabel {
136     font-size: 0.95rem;
137     font-weight: 600;
138     color: #0f172a;
139     margin-bottom: 0.25rem;
140 }
141
142 .postQuestion__fieldDesc {
143     font-size: 0.85rem;
144     color: #64748b;
145     margin: 0 0 0.75rem 0;
146 }
147
148 /* Inputs and Custom Markdown Area Frame */
149 .postQuestion__formInput {
150     width: 100%;
151     padding: 0.75rem 1rem;
152     font-size: 0.95rem;
153     border: 1px solid #cbd5e1;
154     border-radius: 6px;
155     color: #334155;
156     outline: none;
157     box-sizing: border-box;
158 }
159
160 .postQuestion__formInput:focus {
161     border-color: #cbd5e1;
162     box-shadow: 0 0 0 2px rgba(203, 213, 225, 0.4);
163 }
164
165 .postQuestion__formHint {
166     align-self: flex-end;
167     font-size: 0.75rem;
168     color: #94a3b8;
169     margin-top: 0.35rem;
170 }
171
172 /* Custom Rich Textbox Box Layout styling matching screenshot rules */
173 .postQuestion__editorContainer {
174     border: 1px solid #cbd5e1;
175     border-radius: 6px;
176     overflow: hidden;
177     display: flex;
178     flex-direction: column;
179 }
180
181 .postQuestion__editorToolbar {
182     background-color: #f8fafc;
183     border-bottom: 1px solid #cbd5e1;
184     padding: 0.5rem 0.75rem;
185     display: flex;
186     align-items: center;
```

```
187     gap: 0.5rem;
188 }
189
190 .postQuestion_toolbarBtn {
191     background: transparent;
192     border: none;
193     border-radius: 4px;
194     color: #64748b;
195     font-family: monospace, serif;
196     font-size: 0.85rem;
197     font-weight: 600;
198     padding: 0.25rem 0.5rem;
199     cursor: pointer;
200 }
201
202 .postQuestion_toolbarBtn:hover {
203     background-color: #e2e8f0;
204     color: #1e293b;
205 }
206
207 .postQuestion_editorCount {
208     margin-left: auto;
209     font-size: 0.75rem;
210     color: #64748b;
211 }
212
213 .postQuestion_formTextarea {
214     width: 100%;
215     padding: 1rem;
216     font-size: 0.95rem;
217     border: none;
218     resize: vertical;
219     outline: none;
220     color: #334155;
221     line-height: 1.6;
222     box-sizing: border-box;
223 }
224
225 /* Operational Status Notification Badges */
226 .postQuestion_errorBox {
227     background-color: #fef2f2;
228     border: 1px solid #fca5a5;
229     border-radius: 6px;
230     padding: 0.75rem 1rem;
231 }
232
233 .postQuestion_errorText {
234     font-size: 0.875rem;
235     color: #991b1b;
236     margin: 0;
237 }
238
239 .postQuestion_successBox {
240     display: flex;
241     align-items: center;
242     gap: 0.6rem;
243     background-color: #f0fdf4;
244     border: 1px solid #86efac;
245     border-radius: 6px;
246     padding: 0.75rem 1rem;
247 }
248
249 .postQuestion_successIcon {
250     color: #16a34a;
251 }
252
253 .postQuestion_successText {
254     font-size: 0.875rem;
255     color: #166534;
256     margin: 0;
257 }
258
259 /* Footer Section Grid Structure */
260 .postQuestion_actionFooter {
261     display: flex;
262     justify-content: space-between;
263     align-items: center;
264     margin-top: 0.5rem;
265     flex-wrap: wrap;
266     gap: 1.25rem;
267 }
268
269 .postQuestion_aiActionGroup {
270     display: flex;
271     align-items: center;
272     gap: 0.75rem;
273 }
274
275 .postQuestion_aiHelperText {
276     font-size: 0.85rem;
277     color: #64748b;
278 }
279
280 .postQuestion_submissionGroup {
281     display: flex;
```

```
282     align-items: center;
283     gap: 1.5rem;
284     margin-left: auto;
285 }
286
287 /* Buttons Theme Design Architecture */
288 .postQuestion__button {
289     display: inline-flex;
290     align-items: center;
291     justify-content: center;
292     gap: 0.5rem;
293     font-size: 0.875rem;
294     font-weight: 500;
295     padding: 0.55rem 1rem;
296     border-radius: 6px;
297     cursor: pointer;
298     transition: all 0.2s ease;
299     box-sizing: border-box;
300 }
301
302 .postQuestion__button:disabled {
303     opacity: 0.6;
304     cursor: not-allowed;
305 }
306
307 .postQuestion__button--secondary {
308     background-color: #f1f5f9;
309     border: 1px solid transparent;
310     color: #475569;
311 }
312
313 .postQuestion__button--secondary:not(:disabled):hover {
314     background-color: #e2e8f0;
315 }
316
317 .postQuestion__button--primary {
318     background-color: #f97316;
319     border: 1px solid #f97316;
320     color: #ffffff;
321     font-weight: 600;
322     padding: 0.65rem 1.5rem;
323 }
324
325 .postQuestion__button--primary:not(:disabled):hover {
326     background-color: #ea580c;
327     border-color: #ea580c;
328 }
329
330 .postQuestion__cancelBtn {
331     background: transparent;
332     border: none;
333     font-size: 0.9rem;
334     font-weight: 500;
335     color: #475569;
336     cursor: pointer;
337 }
338
339 .postQuestion__cancelBtn:hover {
340     color: #0f172a;
341 }
342
343 /* AI Coach Floating Sub-Panel Block */
344 .postQuestion__coachPanel {
345     background-color: #f8fafc;
346     border: 1px solid #e2e8f0;
347     border-left: 4px solid #8b5cf6;
348     border-radius: 6px;
349     padding: 1.25rem;
350     margin-top: 1.5rem;
351 }
352
353 .postQuestion__coachHeader {
354     display: flex;
355     justify-content: space-between;
356     align-items: center;
357     margin-bottom: 0.75rem;
358 }
359
360 .postQuestion__coachTitleRow {
361     display: flex;
362     align-items: center;
363     gap: 0.5rem;
364 }
365
366 .postQuestion__coachIcon {
367     color: #8b5cf6;
368 }
369
370 .postQuestion__coachTitle {
371     font-size: 0.95rem;
372     font-weight: 600;
373     color: #1e293b;
374     margin: 0;
375 }
376
```

```

377 .postQuestion_coachClose {
378   background: none;
379   border: none;
380   color: #94a3b8;
381   font-size: 1rem;
382   cursor: pointer;
383 }
384
385 .postQuestion_coachClose:hover {
386   color: #475569;
387 }
388
389 .postQuestion_coachMessage {
390   font-size: 0.9rem;
391   color: #475569;
392   line-height: 1.5;
393   margin: 0 0 1rem 0;
394 }
395
396 .postQuestion_tipsTitle {
397   font-size: 0.8rem;
398   font-weight: 700;
399   color: #64748b;
400   text-transform: uppercase;
401   letter-spacing: 0.05em;
402   margin: 0 0 0.5rem 0;
403 }
404
405 .postQuestion_coachTips {
406   list-style: none;
407   padding: 0;
408   margin: 0;
409   display: flex;
410   flex-direction: column;
411   gap: 0.4rem;
412 }
413
414 .postQuestion_coachTipItem {
415   display: flex;
416   align-items: flex-start;
417   gap: 0.5rem;
418 }
419
420 .postQuestion_coachBullet {
421   color: #8b5cf6;
422 }
423
424 .postQuestion_coachTipText {
425   font-size: 0.875rem;
426   color: #334155;
427   line-height: 1.4;
428 }
429
430
431 /* =====
432    Success View Layout Frame Styles (post-question-success.png)
433    ===== */
434
435 .postQuestion_successCard {
436   background: #ffffff;
437   border: 1px solid #e2e8f0;
438   border-radius: 12px;
439   padding: 3.5rem 2.5rem;
440   display: flex;
441   flex-direction: column;
442   align-items: center;
443   text-align: center;
444   max-width: 720px;
445   margin: 2rem auto;
446 }
447
448 .postQuestion_successBadge {
449   background-color: #d1fae5;
450   border-radius: 50%;
451   width: 80px;
452   height: 80px;
453   display: flex;
454   align-items: center;
455   justify-content: center;
456   margin-bottom: 2rem;
457 }
458
459 .postQuestion_successCheckIcon {
460   color: #059669;
461   width: 48px;
462   height: 48px;
463 }
464
465 .postQuestion_successTitle {
466   font-size: 1.75rem;
467   font-weight: 700;
468   color: #0f172a;
469   margin: 0 0 1.25rem 0;
470   line-height: 1.2;
471 }

```

```
472
473 .postQuestion__successText {
474     font-size: 0.95rem;
475     color: #475569;
476     line-height: 1.7;
477     max-width: 600px;
478     margin: 0 0 2.75rem 0;
479 }
480
481 /* Actions Button Row Grouping */
482 .postQuestion__successActions {
483     display: flex;
484     align-items: center;
485     justify-content: center;
486     gap: 1rem;
487     width: 100%;
488     flex-wrap: wrap;
489 }
490
491 .postQuestion__backToDashboardBtn {
492     background: transparent;
493     border: none;
494     font-size: 0.95rem;
495     font-weight: 500;
496     color: #475569;
497     cursor: pointer;
498     padding: 0.65rem 1rem;
499     transition: color 0.2s ease;
500 }
501
502 .postQuestion__backToDashboardBtn:hover {
503     color: #0f172a;
504 }
505
506 .postQuestion__viewQuestionBtn {
507     background-color: #f97316;
508     border: 1px solid #f97316;
509     color: #ffffff;
510     font-size: 0.95rem;
511     font-weight: 600;
512     padding: 0.75rem 2rem;
513     border-radius: 6px;
514     cursor: pointer;
515     transition: all 0.2s ease;
516 }
517
518 .postQuestion__viewQuestionBtn:hover:not(:disabled) {
519     background-color: #ea580c;
520     border-color: #ea580c;
521 }
522
523 .postQuestion__viewQuestionBtn:disabled {
524     opacity: 0.5;
525     cursor: not-allowed;
526 }
527
528 .postQuestion__askAnotherBtn {
529     background-color: #e2e8f0;
530     border: 1px solid #cbd5e1;
531     color: #334155;
532     font-size: 0.95rem;
533     font-weight: 500;
534     padding: 0.75rem 2rem;
535     border-radius: 6px;
536     cursor: pointer;
537     transition: all 0.2s ease;
538 }
539
540 .postQuestion__askAnotherBtn:hover {
541     background-color: #cbd5e1;
542     border-color: #94a3b8;
543 }
544
545
546 /* =====
547     Responsive Design - Tablet & Mobile Breakpoints
548     ===== */
549
550 @media (max-width: 768px) {
551     .postQuestion {
552         padding: 1.75rem 1rem;
553     }
554
555     .postQuestion__title {
556         font-size: 1.5rem;
557     }
558
559     .postQuestion__formWrapper {
560         padding: 1.5rem;
561     }
562
563     .postQuestion__rulesCard {
564         padding: 1.25rem;
565     }
566 }
```

```
567 .postQuestion__actionFooter {
568     flex-direction: column;
569     align-items: stretch;
570     gap: 1rem;
571 }
572
573 .postQuestion__aiActionGroup {
574     width: 100%;
575 }
576
577 .postQuestion__submissionGroup {
578     width: 100%;
579     margin-left: 0;
580 }
581
582 .postQuestion__button {
583     width: 100%;
584 }
585
586 .postQuestion__successCard {
587     padding: 2.5rem 1.5rem;
588     margin: 1rem auto;
589 }
590
591 .postQuestion__successActions {
592     flex-direction: column;
593     gap: 0.75rem;
594 }
595
596 .postQuestion__viewQuestionBtn,
597 .postQuestion__askAnotherBtn,
598 .postQuestion__backToDashboardBtn {
599     width: 100%;
600 }
601 }
```

```

1  import { useState, useEffect } from "react";
2  import { useParams, useNavigate } from "react-router-dom";
3  import { Sparkles, Share2, MessageSquare, ArrowLeft } from "lucide-react";
4  import ReactMarkdown from "react-markdown";
5  import {
6    getQuestionDetail,
7    assessAnswerFit,
8    getRelatedQuestions,
9  } from "../../services/questions/question.service";
10 import { postAnswer } from "../../services/answers/answer.service";
11 import { useAuth } from "../../contexts/AuthContext";
12 import styles from "./QuestionDetail.module.css";
13
14 const QuestionDetail = () => {
15   const { questionHash } = useParams();
16   const navigate = useNavigate();
17   const { user } = useAuth();
18
19   const [loading, setLoading] = useState(true);
20   const [question, setQuestion] = useState(null);
21   const [answers, setAnswers] = useState([]);
22   const [relatedQuestions, setRelatedQuestions] = useState([]);
23   const [answerText, setAnswerText] = useState("");
24   const [submitting, setSubmitting] = useState(false);
25   const [fitLoading, setFitLoading] = useState(false);
26   const [fitResult, setFitResult] = useState(null);
27   const [error, setError] = useState(null);
28   const [postError, setPostError] = useState(null);
29
30   const isOwnQuestion = user?.id === question?.author?.id;
31
32   useEffect(() => {
33     const fetchData = async () => {
34       try {
35         // Reset state immediately so stale data from the previous
36         // question never flashes while the new one is loading
37         setLoading(true);
38         setQuestion(null);
39         setAnswers([]);
40         setRelatedQuestions([]);
41         setAnswerText("");
42         setFitResult(null);
43         setPostError(null);
44         setError(null);
45
46         const response = await getQuestionDetail(questionHash);
47         setQuestion(response.question);
48         setAnswers(response.answers || []);
49         setError(null);
50
51         // Fetch related questions (optional, graceful fail)
52         try {
53           const related = await getRelatedQuestions(questionHash);
54           setRelatedQuestions(related.data || []);
55         } catch {
56           // Related questions are non-critical
57           setRelatedQuestions([]);
58         }
59       } catch (err) {
60         console.error(err);
61         setError(err.response?.data?.message || "Failed to load question");
62         if (err.response?.status === 404) {
63           navigate("/not-found", { replace: true });
64         }
65       } finally {
66         setLoading(false);
67       }
68     };
69     fetchData();
70   }, [questionHash, navigate]);
71
72   const handlePostAnswer = async (e) => {
73     e.preventDefault();
74
75     if (answerText.trim().length < 20) {
76       setPostError("Answer must be at least 20 characters long.");
77       return;
78     }
79     if (isOwnQuestion) {
80       setPostError("You cannot answer your own question.");
81       return;
82     }
83
84     try {
85       setSubmitting(true);
86       setPostError(null);
87
88       const response = await postAnswer({
89         questionId: question.id,
90         content: answerText.trim(),
91       });

```

```

92
93     const answersArray = response.data;
94     const answer = answersArray[answersArray.length - 1];
95
96     setAnswers((prev) => [
97       ...prev,
98       {
99         id: answer.id,
100         content: answer.content,
101         createdAt: answer.createdAt,
102         author: answer.author || { firstName: "Unknown", lastName: "" },
103       },
104     ]);
105
106     setAnswerText("");
107     setFitResult(null);
108   } catch (err) {
109     setPostError(err.response?.data?.message || "Failed to post answer");
110   } finally {
111     setSubmitting(false);
112   }
113 };
114
115 const handleCheckFit = async () => {
116   if (answerText.trim().length < 20) {
117     setPostError("Answer must be at least 20 characters to evaluate.");
118     return;
119   }
120   if (isOwnQuestion) {
121     setPostError("You cannot answer your own question.");
122     return;
123   }
124   setFitLoading(true);
125   setFitResult(null);
126   try {
127     const result = await assessAnswerFit(questionHash, answerText);
128     setFitResult(result.data);
129   } catch (err) {
130     setPostError(err.response?.data?.message || "AI evaluation failed");
131   } finally {
132     setFitLoading(false);
133   }
134 };
135
136 const getInitials = (firstName = "", lastName = "") =>
137   `${firstName[0] || ""}${lastName[0] || ""}'.toUpperCase() || "?";
138
139 const avatarColor = (name = "") => {
140   const colors = ["#6366f1", "#8b5cf6", "#ec4899", "#f59e0b", "#10b981", "#3b82f6"];
141   const idx = name.charCodeAt(0) % colors.length;
142   return colors[idx];
143 };
144
145 if (loading) {
146   return (
147     <div className={styles.pageLayout}>
148       <div className={styles.mainColumn}>
149         <div className={styles.skeleton}>
150           <div className={styles.skeletonBlock} ${styles.skeletonTitle} />
151           <div className={styles.skeletonBlock} ${styles.skeletonMeta} />
152           <div className={styles.skeletonBlock} ${styles.skeletonBody} />
153           <div className={styles.skeletonBlock} ${styles.skeletonBody} />
154         </div>
155       </div>
156     </div>
157   );
158 }
159
160 if (error && !question) {
161   return <div className={styles.errorFull}>{error}</div>;
162 }
163
164 return (
165   <div className={styles.pageLayout}>
166     <div className={styles.mainColumn}>
167       <div className={styles.backNav}>
168         <button className={styles.backBtn} onClick={() => navigate(-1)}>
169           <ArrowLeft size={15} />
170           Back to feed
171         </button>
172
173         <div className={styles.questionCard}>
174           <div className={styles.questionHeader}>
175             <div
176               className={styles.avatar}
177               style={{ background: avatarColor(question.author.firstName) }}
178             >
179               {getInitials(question.author.firstName, question.author.lastName)}
180             </div>
181             <div className={styles.questionMeta}>
182               <span className={styles.authorName}>
183                 {question.author.firstName} {question.author.lastName}
184               </span>
185             </div>
186           </div>

```

```

187     <span className={styles.postedDate}>
188       Posted {new Date(question.createdAt).toLocaleDateString()}
189     </span>
190   </div>
191 </div>
192
193 <h1 className={styles.questionTitle}>{question.title}</h1>
194
195 <div className={styles.questionBody}>
196   <ReactMarkdown>{question.content}</ReactMarkdown>
197 </div>
198
199 <div className={styles.questionFooter}>
200   <button className={styles.footerBtn}>
201     <Share2 size={14} />
202     Share
203   </button>
204   <button className={styles.footerBtn}>
205     <MessagesSquare size={14} />
206     {answers.length} {answers.length === 1 ? "Answer" : "Answers"}
207   </button>
208 </div>
209 </article>
210
211 {/* Answers */}
212 <section className={styles.answersSection}>
213   <h2 className={styles.sectionHeading}>
214     Community Answers ({answers.length})
215   </h2>
216
217   {answers.length === 0 && (
218     <div className={styles.emptyAnswers}>
219       No answers yet. Be the first to help!
220     </div>
221   )}
222
223   {answers.map((answer) => (
224     <div key={answer.id} className={styles.answerCard}>
225       <div className={styles.answerHeader}>
226         <div
227           className={styles.avatarSm}
228           style={{ background: avatarColor(answer.author.firstName) }}
229         >
230           {getInitials(answer.author.firstName, answer.author.lastName)}
231         </div>
232         <div>
233           <span className={styles.answerAuthor}>
234             {answer.author.firstName} {answer.author.lastName}
235           </span>
236           <span className={styles.answerDate}>
237             {new Date(answer.createdAt).toLocaleDateString()}
238           </span>
239         </div>
240       </div>
241       <div className={styles.answerBody}>
242         <ReactMarkdown>{answer.content}</ReactMarkdown>
243       </div>
244     </div>
245   )))}
246 </section>
247
248 {/* Post answer form */}
249 {user && !isOwnQuestion && (
250   <section className={styles.postAnswerSection}>
251     <h3 className={styles.contributeHeading}>Contribute an answer</h3>
252     <form onSubmit={handlePostAnswer}>
253       {/* Markdown toolbar */}
254       <div className={styles.toolbar}>
255         <div className={styles.toolbarActions}>
256           <button
257             type="button"
258             className={styles.toolbarBtn}
259             title="Bold"
260             onClick={() => setAnswerText((t) => t + "**bold**")}
261           >
262             <strong>B</strong>
263           </button>
264           <button
265             type="button"
266             className={styles.toolbarBtn}
267             title="Italic"
268             onClick={() => setAnswerText((t) => t + "_italic_")}
269           >
270             <em>I</em>
271           </button>
272           <button
273             type="button"
274             className={styles.toolbarBtn}
275             title="Code"
276             onClick={() => setAnswerText((t) => t + "`code`")}
277           >
278             { "</>" }
279           </button>
280           <button
281             type="button"

```

```

282         className={styles.toolbarBtn}
283         title="Link"
284         onClick={() => setAnswerText((t) => t + " [text] (url)")}
285     >
286         
287     </button>
288 </div>
289 <span className={styles.charCount}>
290     {answerText.length} characters
291 </span>
292 </div>
293
294 <textarea
295     className={styles.answerTextarea}
296     rows={7}
297     placeholder="Write your answer here..."
298     value={answerText}
299     onChange={(e) => setAnswerText(e.target.value)}
300     disabled={submitting}
301 />
302
303 {/* Bottom action row */}
304 <div className={styles.actionRow}>
305     <button
306         type="button"
307         className={styles.checkFitBtn}
308         onClick={handleCheckFit}
309         disabled={fitLoading || submitting}
310     >
311         <Sparkles size={14} aria-hidden />
312         {fitLoading ? "Evaluating..." : "Check draft fit"}
313     </button>
314     <span className={styles.fitHint}>
315         Relevance only. Not grading correctness. You need at least 20 characters.
316     </span>
317     <button
318         type="submit"
319         className={styles.submitBtn}
320         disabled={submitting}
321     >
322         {submitting ? "Posting..." : "Post Answer"}
323     </button>
324 </div>
325 </form>
326
327 {postError && (
328     <div className={styles.postError}>{postError}</div>
329 )}
330
331 {fitResult && (
332     <div className={` ${styles.fitPanel} ${styles[`fit_${fitResult.level}`]} `}>
333         <span className={styles.fitBadge}>
334             AI Fit: {fitResult.level.toUpperCase()}
335         </span>
336         <p className={styles.fitNote}>{fitResult.note}</p>
337     </div>
338 )}
339 </section>
340 )}
341
342 {user && isOwnQuestion && (
343     <div className={styles.ownQuestionNote}>
344         You cannot answer your own question. You can edit it or wait for
345         others to answer.
346     </div>
347 )}
348
349 {!user && (
350     <div className={styles.loginPrompt}>
351         Please{" "}
352         <button onClick={() => navigate("/login")}>log in</button> to post
353         an answer.
354     </div>
355 )}
356 </div>
357
358 {/* Right sidebar — Related Questions */}
359 <aside className={styles.sidebar}>
360     <h3 className={styles.sidebarHeading}>Related Questions</h3>
361     <div className={styles.relatedList}>
362         {relatedQuestions.length === 0 ? (
363             <p className={styles.noRelated}>No related questions found.</p>
364         ) : (
365             relatedQuestions.map((q) => (
366                 <button
367                     key={q.id || q.questionHash}
368                     className={styles.relatedCard}
369                     onClick={() => navigate(`/question/${q.questionHash}`)}
370                 >
371                     <span className={styles.relatedTitle}>{q.title}</span>
372                     <div className={styles.relatedMeta}>
373                         <span className={styles.relatedTag}>
374                             {q.author?.firstName || "string"} {" "}
375                             {q.author?.lastName || "string"}
376                         </span>

```

```
377         <span className={styles.relatedDate}>
378             {q.createdAt
379               ? new Date(q.createdAt).toLocaleDateString()
380               : ""}
381         </span>
382     </div>
383     </button>
384   ))
385   })
386 </div>
387 </aside>
388 </div>
389 );
390 };
391
392 export default QuestionDetail;
```

```
1  /* _____
2    Layout
3  _____ */
4  .pageLayout {
5    display: flex;
6    gap: 24px;
7    max-width: 1100px;
8    margin: 0 auto;
9    padding: 24px 16px;
10   align-items: flex-start;
11 }
12
13 .mainColumn {
14   flex: 1;
15   min-width: 0;
16   display: flex;
17   flex-direction: column;
18   gap: 20px;
19 }
20
21 /* _____
22   Back button
23   _____ */
24 .backBtn {
25   display: inline-flex;
26   align-items: center;
27   gap: 6px;
28   background: none;
29   border: none;
30   color: #6b7280;
31   font-size: 0.875rem;
32   cursor: pointer;
33   padding: 0;
34   transition: color 0.15s;
35 }
36 .backBtn:hover {
37   color: #111827;
38 }
39
40 /* _____
41   Question Card
42   _____ */
43 .questionCard {
44   background: #fff;
45   border: 1px solid #e5e7eb;
46   border-radius: 12px;
47   padding: 28px 32px;
48 }
49
50 .questionHeader {
51   display: flex;
52   align-items: center;
53   gap: 12px;
54   margin-bottom: 16px;
55 }
56
57 .avatar {
58   width: 40px;
59   height: 40px;
60   border-radius: 50%;
61   display: flex;
62   align-items: center;
63   justify-content: center;
64   color: #fff;
65   font-size: 0.875rem;
66   font-weight: 600;
67   flex-shrink: 0;
68 }
69
70 .avatarSm {
71   width: 32px;
72   height: 32px;
73   border-radius: 50%;
74   display: flex;
75   align-items: center;
76   justify-content: center;
77   color: #fff;
78   font-size: 0.75rem;
79   font-weight: 600;
80   flex-shrink: 0;
81 }
82
83 .questionMeta {
84   display: flex;
85   flex-direction: column;
86   gap: 2px;
87 }
88
89 .authorName {
90   font-size: 0.9rem;
91   font-weight: 600;
```

```
92     color: #111827;
93 }
94
95 .postedDate {
96     font-size: 0.78rem;
97     color: #9ca3af;
98 }
99
100 .questionTitle {
101     font-size: 1.35rem;
102     font-weight: 700;
103     color: #111827;
104     line-height: 1.4;
105     margin: 0 0 16px;
106 }
107
108 .questionBody {
109     font-size: 0.925rem;
110     color: #374151;
111     line-height: 1.7;
112 }
113
114 .questionBody h1,
115 .questionBody h2,
116 .questionBody h3,
117 .questionBody h4 {
118     font-size: 1.05rem;
119     font-weight: 600;
120     margin: 16px 0 6px;
121     color: #111827;
122 }
123
124 .questionBody p {
125     margin: 0 0 10px;
126 }
127
128 .questionBody code {
129     background: #f3f4f6;
130     border-radius: 4px;
131     padding: 1px 5px;
132     font-size: 0.85em;
133     font-family: 'Menlo', 'Consolas', monospace;
134     color: #d97706;
135 }
136
137 .questionBody pre {
138     background: #e1e2e3;
139     color: #cdd6f4;
140     border-radius: 8px;
141     padding: 16px 20px;
142     overflow-x: auto;
143     font-size: 0.85rem;
144     line-height: 1.6;
145     margin: 12px 0;
146 }
147
148 .questionBody pre code {
149     background: none;
150     color: inherit;
151     padding: 0;
152 }
153
154 .questionBody ul,
155 .questionBody ol {
156     padding-left: 20px;
157     margin: 8px 0;
158 }
159
160 .questionBody li {
161     margin: 4px 0;
162 }
163
164 .questionFooter {
165     display: flex;
166     gap: 10px;
167     margin-top: 20px;
168     padding-top: 16px;
169     border-top: 1px solid #f3f4f6;
170 }
171
172 .footerBtn {
173     display: inline-flex;
174     align-items: center;
175     gap: 6px;
176     background: none;
177     border: 1px solid #e5e7eb;
178     border-radius: 8px;
179     padding: 6px 14px;
180     font-size: 0.82rem;
181     color: #6b7280;
182     cursor: pointer;
183     transition: all 0.15s;
184 }
185 .footerBtn:hover {
186     background: #f9fafb;
```

```

187     color: #374151;
188 }
189
190 /* -----
191    Answers Section
192 ----- */
193 .answersSection {
194     display: flex;
195     flex-direction: column;
196     gap: 14px;
197 }
198
199 .sectionHeading {
200     font-size: 1rem;
201     font-weight: 700;
202     color: #111827;
203     margin: 0 0 4px;
204 }
205
206 .answerCard {
207     background: #fff;
208     border: 1px solid #e5e7eb;
209     border-radius: 10px;
210     padding: 20px 24px;
211 }
212
213 .answerHeader {
214     display: flex;
215     align-items: center;
216     gap: 10px;
217     margin-bottom: 12px;
218 }
219
220 .answerAuthor {
221     font-size: 0.875rem;
222     font-weight: 600;
223     color: #111827;
224     display: block;
225 }
226
227 .answerDate {
228     font-size: 0.75rem;
229     color: #9ca3af;
230 }
231
232 .answerBody {
233     font-size: 0.9rem;
234     color: #374151;
235     line-height: 1.7;
236 }
237
238 .answerBody p { margin: 0 0 8px; }
239
240 .answerBody code {
241     background: #f3f4f6;
242     border-radius: 4px;
243     padding: 1px 5px;
244     font-size: 0.85em;
245     font-family: 'Menlo', 'Consolas', monospace;
246     color: #d97706;
247 }
248
249 .answerBody pre {
250     background: #1e1e2e;
251     color: #cdd6f4;
252     border-radius: 8px;
253     padding: 14px 18px;
254     overflow-x: auto;
255     font-size: 0.83rem;
256     margin: 10px 0;
257 }
258
259 .answerBody pre code {
260     background: none;
261     color: inherit;
262     padding: 0;
263 }
264
265 .emptyAnswers {
266     color: #9ca3af;
267     font-size: 0.875rem;
268     padding: 20px 0;
269     text-align: center;
270 }
271
272 /* -----
273    Post Answer
274 ----- */
275 .postAnswerSection {
276     background: #fff;
277     border: 1px solid #e5e7eb;
278     border-radius: 12px;
279     padding: 24px 28px;
280     display: flex;
281     flex-direction: column;

```

```

282     gap: 14px;
283 }
284
285 .contributeHeading {
286     font-size: 1rem;
287     font-weight: 700;
288     color: #111827;
289     margin: 0;
290 }
291
292 /* Toolbar above textarea */
293 .toolbar {
294     display: flex;
295     align-items: center;
296     justify-content: space-between;
297     background: #f9fafb;
298     border: 1px solid #e5e7eb;
299     border-bottom: none;
300     border-radius: 8px 8px 0 0;
301     padding: 6px 12px;
302 }
303
304 .toolbarActions {
305     display: flex;
306     gap: 2px;
307 }
308
309 .toolbarBtn {
310     background: none;
311     border: none;
312     border-radius: 5px;
313     padding: 4px 9px;
314     font-size: 0.85rem;
315     color: #6b7280;
316     cursor: pointer;
317     transition: background 0.12s, color 0.12s;
318     line-height: 1;
319 }
320
321 .toolbarBtn:hover {
322     background: #e5e7eb;
323     color: #111827;
324 }
325
326 .charCount {
327     font-size: 0.75rem;
328     color: #9ca3af;
329     font-variant-numeric: tabular-nums;
330 }
331
332 .answerTextarea {
333     width: 100%;
334     border: 1px solid #d1d5db;
335     border-radius: 0 0 8px 8px;
336     padding: 12px 14px;
337     font-size: 0.9rem;
338     font-family: inherit;
339     color: #111827;
340     resize: vertical;
341     transition: border-color 0.15s, box-shadow 0.15s;
342     box-sizing: border-box;
343     display: block;
344 }
345
346 .answerTextarea:focus {
347     outline: none;
348     border-color: #6366f1;
349     box-shadow: 0 0 3px rgba(99, 102, 241, 0.12);
350 }
351
352 .answerTextarea:disabled {
353     background: #f9fafb;
354     color: #9ca3af;
355 }
356
357 /* Bottom action row: [Check fit] [hint text .....] [Post Answer] */
358 .actionRow {
359     display: flex;
360     align-items: center;
361     gap: 12px;
362     margin-top: 2px;
363 }
364
365 .checkFitBtn {
366     display: inline-flex;
367     align-items: center;
368     gap: 6px;
369     background: #fff;
370     border: 1.5px solid #d1d5db;
371     color: #374151;
372     border-radius: 8px;
373     padding: 7px 14px;
374     font-size: 0.82rem;
375     font-weight: 500;
376     cursor: pointer;
377     white-space: nowrap;
378     flex-shrink: 0;
379     transition: all 0.15s;

```

```
377 }
378 .checkFitBtn:hover:not(:disabled) {
379     border-color: #6366f1;
380     color: #6366f1;
381     background: #eef2ff;
382 }
383 .checkFitBtn:disabled {
384     opacity: 0.55;
385     cursor: not-allowed;
386 }
387
388 .fitHint {
389     font-size: 0.78rem;
390     color: #f59e0b;
391     flex: 1;
392     line-height: 1.4;
393 }
394
395 .submitBtn {
396     display: inline-flex;
397     align-items: center;
398     gap: 7px;
399     background: #f97316;
400     color: #fff;
401     border: none;
402     border-radius: 8px;
403     padding: 8px 20px;
404     font-size: 0.875rem;
405     font-weight: 600;
406     cursor: pointer;
407     white-space: nowrap;
408     flex-shrink: 0;
409     transition: background 0.15s;
410 }
411 .submitBtn:hover:not(:disabled) {
412     background: #ea6c0a;
413 }
414 .submitBtn:disabled {
415     opacity: 0.75;
416     cursor: not-allowed;
417 }
418
419 .postError {
420     background: #fef2f2;
421     border: 1px solid #fecaca;
422     color: #b91c1c;
423     border-radius: 8px;
424     padding: 10px 14px;
425     font-size: 0.85rem;
426 }
427
428 /* -----
429    AI Fit Panel
430 ----- */
431 .fitPanel {
432     border-radius: 10px;
433     padding: 14px 18px;
434     display: flex;
435     flex-direction: column;
436     gap: 6px;
437 }
438
439 .fit_good,
440 .fit_strong {
441     background: #f0fdf4;
442     border: 1px solid #86efac;
443 }
444
445 .fit_average,
446 .fit_partial {
447     background: #fffbeb;
448     border: 1px solid #fde68a;
449 }
450
451 .fit_poor,
452 .fit_weak {
453     background: #fef2f2;
454     border: 1px solid #fecaca;
455 }
456
457 .fitBadge {
458     font-size: 0.78rem;
459     font-weight: 700;
460     letter-spacing: 0.04em;
461     text-transform: uppercase;
462 }
463
464 .fit_good .fitBadge,
465 .fit_strong .fitBadge {
466     color: #16a34a;
467 }
468
469 .fit_average .fitBadge,
470 .fit_partial .fitBadge {
471     color: #d97706;
```

```
472 .fit_poor .fitBadge,
473 .fit_weak .fitBadge {
474   color: #dc2626;
475 }
476
477 .fitNote {
478   font-size: 0.875rem;
479   color: #374151;
480   margin: 0;
481   line-height: 1.5;
482 }
483
484 /* -----
485    Auth notices
486 ----- */
487
488 .ownQuestionNote {
489   background: #fffbeb;
490   border: 1px solid #fde68a;
491   color: #92400e;
492   border-radius: 10px;
493   padding: 14px 18px;
494   font-size: 0.875rem;
495 }
496
497 .loginPrompt {
498   background: #f0f9ff;
499   border: 1px solid #bae6fd;
500   color: #0369a1;
501   border-radius: 10px;
502   padding: 14px 18px;
503   font-size: 0.875rem;
504 }
505
506 .loginPrompt button {
507   background: none;
508   border: none;
509   color: #4f46e5;
510   font-weight: 600;
511   cursor: pointer;
512   text-decoration: underline;
513   padding: 0;
514 }
515
516 /* -----
517    Right Sidebar — Related Questions
518 ----- */
519
520 .sidebar {
521   width: 240px;
522   flex-shrink: 0;
523   position: sticky;
524   top: 80px;
525 }
526
527 .sidebarHeading {
528   font-size: 0.875rem;
529   font-weight: 700;
530   color: #111827;
531   margin: 0 0 12px;
532   padding-bottom: 8px;
533   border-bottom: 2px solid #e5e7eb;
534 }
535
536 .relatedList {
537   display: flex;
538   flex-direction: column;
539   gap: 2px;
540 }
541
542 .relatedCard {
543   display: flex;
544   flex-direction: column;
545   gap: 6px;
546   background: #fff;
547   border: 1px solid #e5e7eb;
548   border-radius: 8px;
549   padding: 12px 14px;
550   text-align: left;
551   cursor: pointer;
552   transition: all 0.15s;
553   width: 100%;
554 }
555
556 .relatedCard:hover {
557   border-color: #fecaca;
558   background: #fef2f2;
559 }
560
561 .relatedTitle {
562   font-size: 0.85rem;
563   font-weight: 500;
564   color: #dc2626;
565   line-height: 1.4;
566   display: -webkit-box;
567   -webkit-line-clamp: 2;
568   -webkit-box-orient: vertical;
569   overflow: hidden;
```

```

567 }
568
569 .relatedMeta {
570   display: flex;
571   justify-content: space-between;
572   align-items: center;
573 }
574
575 .relatedTag {
576   font-size: 0.72rem;
577   color: #9ca3af;
578 }
579
580 .relatedDate {
581   font-size: 0.72rem;
582   color: #9ca3af;
583 }
584
585 .noRelated {
586   font-size: 0.82rem;
587   color: #9ca3af;
588   text-align: center;
589   padding: 12px 0;
590 }
591
592 /* _____
593    Loading skeleton
594 _____ */
595
596 .skeleton {
597   background: #fff;
598   border: 1px solid #e5e7eb;
599   border-radius: 12px;
600   padding: 28px 32px;
601   display: flex;
602   flex-direction: column;
603   gap: 14px;
604 }
605
606 .skeletonBlock {
607   background: linear-gradient(90deg, #f3f4f6 25%, #e5e7eb 50%, #f3f4f6 75%);
608   background-size: 200% 100%;
609   border-radius: 6px;
610   animation: shimmer 1.4s infinite;
611 }
612
613 .skeletonTitle {
614   height: 28px;
615   width: 75%;
616 }
617
618 .skeletonMeta {
619   height: 14px;
620   width: 35%;
621 }
622
623 .skeletonBody {
624   height: 16px;
625   width: 100%;
626 }
627
628 @keyframes shimmer {
629   0% { background-position: 200% 0; }
630   100% { background-position: -200% 0; }
631 }
632
633 .errorFull {
634   padding: 40px;
635   text-align: center;
636   color: #b91c1c;
637   font-size: 0.95rem;
638 }
639
640 /* _____
641    Responsive
642 _____ */
643
644 @media (max-width: 900px) {
645   .pageLayout {
646     flex-direction: column;
647   }
648   .sidebar {
649     width: 100%;
650     position: static;
651   }
652 }
653
654 @media (max-width: 600px) {
655   .questionCard,
656   .postAnswerSection {
657     padding: 18px 16px;
658   }
659   .questionTitle {
660     font-size: 1.1rem;
661   }
662   .actionRow {
663     flex-wrap: wrap;
664   }
665 }

```

```
662     }
663     .fitHint {
664         order: 3;
665         flex-basis: 100%;
666     }
667     .submitBtn {
668         margin-left: auto;
669     }
670 }
```

```

1  import { useState, useRef, useEffect } from "react";
2  import {
3    FileText,
4    Trash2,
5    Search,
6    Sparkles,
7    Loader2,
8    AlertCircle,
9    Upload as UploadIcon,
10 } from "lucide-react";
11 import ReactMarkdown from "react-markdown";
12 import {
13   listDocuments,
14   uploadPdf,
15   deleteDocument,
16   searchInDocument,
17   queryDocument,
18   fetchPdfObjectUrl,
19 } from "../../services/rag/rag.service";
20 import styles from "../../RagDocuments.module.css";
21
22 /**
23  * NOTE ON BACKEND STATE (see rag.service.js for full detail):
24  * Only `POST /api/rag/documents` (upload) is guaranteed to exist.
25  * `listDocuments` / `deleteDocument` / `searchInDocument` / `queryDocument` /
26  * `fetchPdfObjectUrl` all reject with a `NotImplementedError`
27  * (`err.isNotImplemented` === true) until those routes are built —
28  * this component shows a clear inline message instead of a raw
29  * network error whenever that happens.
30  */
31
32 const formatBytes = (bytes) => {
33   if (!bytes && bytes !== 0) return "";
34   const mb = bytes / (1024 * 1024);
35   if (mb >= 1) return `${mb.toFixed(2)} MB`;
36   return `${(bytes / 1024).toFixed(0)} KB`;
37 };
38
39 const RagDocuments = () => {
40   // Document list
41   const [documents, setDocuments] = useState([]);
42   const [listLoading, setListLoading] = useState(true);
43   const [listNotAvailable, setListNotAvailable] = useState(false);
44
45   // Upload
46   const [selectedFile, setSelectedFile] = useState(null);
47   const [uploading, setUploading] = useState(false);
48   const [uploadError, setUploadError] = useState(null);
49   const fileInputRef = useRef(null);
50
51   // Active document
52   const [activeDoc, setActiveDoc] = useState(null);
53
54   // Reader / Preview
55   const [pdfUrl, setPdfUrl] = useState(null);
56   const [pdfLoading, setPdfLoading] = useState(false);
57   const [pdfError, setPdfError] = useState(null);
58   const [previewNotAvailable, setPreviewNotAvailable] = useState(false);
59   const prevPdfUrlRef = useRef(null);
60
61   // Semantic search
62   const [searchQuery, setSearchQuery] = useState("");
63   const [searchLoading, setSearchLoading] = useState(false);
64   const [searchResults, setSearchResults] = useState([]);
65   const [searchError, setSearchError] = useState(null);
66   const [searchNotAvailable, setSearchNotAvailable] = useState(false);
67
68   // Ask with AI
69   const [aiQuery, setAiQuery] = useState("");
70   const [aiLoading, setAiLoading] = useState(false);
71   const [aiAnswer, setAiAnswer] = useState(null);
72   const [aiError, setAiError] = useState(null);
73   const [aiNotAvailable, setAiNotAvailable] = useState(false);
74
75   // — Fetch document list on mount —————
76   useEffect(() => {
77     const load = async () => {
78       try {
79         setListLoading(true);
80         const res = await listDocuments();
81         setDocuments(res.data || []);
82       } catch (err) {
83         if (err.isNotImplemented) {
84           setListNotAvailable(true);
85         }
86         // Either way, fall back to an empty session-only library
87         setDocuments([]);
88       } finally {
89         setListLoading(false);
90       }
91     };
92   });

```

```

92     load();
93   }, []);
94
95   // — Revoke blob URL on cleanup or doc change —————
96   useEffect(() => {
97     return () => {
98       if (prevPdfUrlRef.current) {
99         URL.revokeObjectURL(prevPdfUrlRef.current);
100       }
101     };
102   }, [activeDoc]);
103
104   // Load the preview automatically whenever a document is selected,
105   // and reset all per-document panels.
106   const handleSelectDoc = async (doc) => {
107     if (prevPdfUrlRef.current) {
108       URL.revokeObjectURL(prevPdfUrlRef.current);
109       prevPdfUrlRef.current = null;
110     }
111     setPdfUrl(null);
112     setPdfError(null);
113     setPreviewNotAvailable(false);
114     setSearchResults([]);
115     setSearchQuery("");
116     setSearchError(null);
117     setSearchNotAvailable(false);
118     setAiAnswer(null);
119     setAiQuery("");
120     setAiError(null);
121     setAiNotAvailable(false);
122     setActiveDoc(doc);
123
124     if (doc.status !== "ready") return;
125
126     setPdfLoading(true);
127     try {
128       const res = await fetchPdfObjectUrl(doc.id);
129       const blob = new Blob([res.data], { type: "application/pdf" });
130       const url = URL.createObjectURL(blob);
131       prevPdfUrlRef.current = url;
132       setPdfUrl(url);
133     } catch (err) {
134       if (err.isNotImplemented) {
135         setPreviewNotAvailable(true);
136       } else {
137         setPdfError(err.message || "Could not load PDF preview.");
138       }
139     } finally {
140       setPdfLoading(false);
141     }
142   };
143
144   // — Upload —————
145   const handleFileChange = (e) => {
146     const file = e.target.files[0];
147     if (file) {
148       setSelectedFile(file);
149       setUploadError(null);
150     }
151   };
152
153   const handleUpload = async () => {
154     if (!selectedFile) return;
155     try {
156       setUploading(true);
157       setUploadError(null);
158       const newDoc = await uploadPdf(selectedFile);
159       setDocuments((prev) => [newDoc, ...prev]);
160       setSelectedFile(null);
161       if (fileInputRef.current) fileInputRef.current.value = "";
162     } catch (err) {
163       setUploadError(err.message || "Upload failed.");
164     } finally {
165       setUploading(false);
166     }
167   };
168
169   // — Delete —————
170   const handleDelete = async (e, docId) => {
171     e.stopPropagation();
172     if (!window.confirm("Delete this document? This cannot be undone.)) return;
173     try {
174       await deleteDocument(docId);
175       setDocuments((prev) => prev.filter((d) => d.id !== docId));
176       if (activeDoc?.id === docId) {
177         setActiveDoc(null);
178         setPdfUrl(null);
179       }
180     } catch (err) {
181       if (err.isNotImplemented) {
182         alert(
183           "Deleting isn't available yet — the backend doesn't have a delete endpoint.",
184         );
185       }
186     }
187   }

```

```

187     };
188
189     // — Semantic search —————
190     const handleSearch = async (e) => {
191       e.preventDefault();
192       if (!searchQuery.trim() || !activeDoc) return;
193       setSearchLoading(true);
194       setSearchResults([]);
195       setSearchError(null);
196       setSearchNotAvailable(false);
197       try {
198         const res = await searchInDocument(activeDoc.id, searchQuery.trim());
199         setSearchResults(res.data || []);
200       } catch (err) {
201         if (err.isNotImplemented) {
202           setSearchNotAvailable(true);
203         } else {
204           setSearchError("Search failed.");
205         }
206       } finally {
207         setSearchLoading(false);
208       }
209     };
210
211     // — Ask with AI —————
212     const handleAsk = async (e) => {
213       e.preventDefault();
214       if (!aiQuery.trim() || !activeDoc) return;
215       setAiLoading(true);
216       setAiAnswer(null);
217       setAiError(null);
218       setAiNotAvailable(false);
219       try {
220         const res = await queryDocument(activeDoc.id, aiQuery.trim());
221         setAiAnswer(res.data);
222       } catch (err) {
223         if (err.isNotImplemented) {
224           setAiNotAvailable(true);
225         } else {
226           setAiError("Ask failed.");
227         }
228       } finally {
229         setAiLoading(false);
230       }
231     };
232
233     return (
234       <div className={styles.page}>
235         {/* — Page header — */}
236         <div className={styles.pageHeader}>
237           <span className={styles.eyebrow}>KNOWLEDGE BASE</span>
238           <h1 className={styles.pageTitle}>Private PDF library</h1>
239           <p className={styles.pageDesc}>
240             Upload study or reference PDFs to your own workspace. Each file is indexed for semantic
241             search and optional AI answers that cite passages from that document only. File size limits
242             apply on the server; other users never see your uploads.
243           </p>
244         </div>
245
246         {/* — Two-column workspace — */}
247         <div className={styles.workspace}>
248           {/* Left column — library */}
249           <aside className={styles.library}>
250             <div className={styles.libraryHeader}>
251               <h2 className={styles.libraryTitle}>Library</h2>
252               <p className={styles.librarySubtitle}>Add PDFs here. Processing runs once per upload.</p>
253             </div>
254
255             {/* Upload box */}
256             <div className={styles.uploadBox}>
257               <p className={styles.uploadNote}>
258                 Accepted format: PDF. Maximum file size is enforced by the server.
259               </p>
260               <div className={styles.uploadActions}>
261                 <button
262                   className={styles.chooseFileBtn}
263                   onClick={() => fileInputRef.current?.click()}
264                   disabled={uploading}
265                 >
266                   <FileText size={14} />
267                   Choose file
268                 </button>
269                 <button
270                   className={styles.uploadBtn}
271                   onClick={handleUpload}
272                   disabled={!selectedFile || uploading}
273                 >
274                   {uploading ? (
275                     <Loader2 size={14} className={styles.spin} />
276                   ) : (
277                     <UploadIcon size={14} />
278                   )}
279                   {uploading ? "Uploading..." : "Upload"}
280                 </button>
281                 <input

```

```

282         ref={fileInputRef}
283         type="file"
284         accept=".pdf,application/pdf"
285         className={styles.hiddenInput}
286         onChange={handleFileChange}
287     />
288 </div>
289
290 {!selectedFile && (
291     <span className={styles.fileLabel}>No file selected.</span>
292 )}
293
294 {selectedFile && (
295     <div className={styles.selectedFileChip}>
296         <FileText size={14} className={styles.fileChipIcon} />
297         <span className={styles.fileChipName}>{selectedFile.name}</span>
298         <span className={styles.fileChipSize}>{formatBytes(selectedFile.size)}</span>
299     </div>
300 )}
301
302 {uploadError && (
303     <div className={styles.uploadError}>
304         <AlertCircle size={13} /> {uploadError}
305     </div>
306 )}
307 </div>
308
309 {/* Document list */}
310 {listLoading ? (
311     <p className={styles.loadingLibrary}>Loading your library...</p>
312 ) : documents.length === 0 ? (
313     <p className={styles.emptyLibrary}>
314         Your library is empty. Upload a PDF to index it for search and Q&A.
315     </p>
316 ) : (
317     <div className={styles.docList}>
318         {documents.map((doc) => (
319             <button
320                 key={doc.id}
321                 className={` ${styles.docItem} ${activeDoc?.id === doc.id ? styles.docItemActive : ""}`}
322                 onClick={() => handleSelectDoc(doc)}
323             >
324                 <div className={styles.docItemLeft}>
325                     <span className={styles.docName}>{doc.title}</span>
326                     <span
327                         className={` ${styles.docStatus} ${
328                             doc.status === "ready"
329                               ? styles.statusReady
330                               : doc.status === "failed"
331                               ? styles.statusError
332                               : styles.statusProcessing
333                         }`}
334                     >
335                         {(doc.status || "unknown").toUpperCase()}
336                     </span>
337                 </div>
338                 <button
339                     className={styles.deleteBtn}
340                     onClick={e => handleDelete(e, doc.id)}
341                     title="Delete document"
342                 >
343                     <Trash2 size={14} />
344                 </button>
345             </button>
346         )))
347     </div>
348 )}
349 </aside>.
350
351 {/* Right column — Reader + Search + Ask, stacked */}
352 <main className={styles.viewer}>
353     {!activeDoc ? (
354         <div className={styles.emptyViewer}>
355             <p>
356                 Choose a document from the library to open the reader, run semantic search over its
357                 text, and ask questions with AI-assisted answers grounded in that file.
358             </p>
359         </div>
360     ) : (
361         <div className={styles.panelStack}>
362             {/* — Reader — */}
363             <section className={styles.panel}>
364                 <h2 className={styles.panelTitle}>Reader</h2>
365                 <p className={styles.panelSubtitle}>Inline preview of the selected PDF.</p>
366
367                 <div className={styles.readerFrame}>
368                     {activeDoc.status === "failed" && (
369                         <div className={styles.readerMessage}>
370                             <AlertCircle size={18} />
371                             Processing failed
372                             {activeDoc.errorMessage ? `: ${activeDoc.errorMessage}` : "."}
373                         </div>
374                     )}
375                     {activeDoc.status !== "failed" && previewNotAvailable && (
376                         <div className={styles.readerMessage}>

```

```

377         Preview isn't available yet — the backend doesn't have a file-streaming
378         endpoint for this document.
379     </div>
380 }
381 {activeDoc.status !== "failed" && !previewNotAvailable && pdfLoading && (
382     <div className={styles.readerMessage}>Loading document preview...</div>
383 )}
384 {activeDoc.status !== "failed" && !previewNotAvailable && pdfError && (
385     <div className={styles.readerMessage}>{pdfError}</div>
386 )}
387 {activeDoc.status !== "failed" &&
388     !previewNotAvailable &&
389     !pdfLoading &&
390     pdfUrl && (
391         <iframe src={pdfUrl} className={styles.pdfFrame} title="PDF Preview" />
392     )}
393 </div>
394 </section>
395
396 {/* — Semantic search — */}
397 <section className={styles.panel}>
398     <h2 className={styles.panelTitle}>Semantic search</h2>
399     <p className={styles.panelSubtitle}>
400         Finds passages by meaning (embeddings), not only exact keywords.
401     </p>
402
403     <form onSubmit={handleSearch} className={styles.fieldGroup}>
404         <label className={styles.fieldLabel}>Search query</label>
405         <input
406             className={styles.textInput}
407             type="text"
408             placeholder="Describe the topic or phrase you are looking for"
409             value={searchQuery}
410             onChange={(e) => setSearchQuery(e.target.value)}
411             disabled={searchLoading}
412         />
413         <button
414             type="submit"
415             className={styles.actionBtn}
416             disabled={!searchQuery.trim() || searchLoading}
417         >
418             {searchLoading ? (
419                 <Loader2 size={14} className={styles.spin} />
420             ) : (
421                 <Sparkles size={14} />
422             )}
423             {searchLoading ? "Searching..." : "Search"}
424         </button>
425     </form>
426
427     {searchNotAvailable && (
428         <div className={styles.notAvailableBanner}>
429             Semantic search isn't connected yet — the backend doesn't have a search
430             endpoint for this document.
431         </div>
432     )}
433     {searchError && !searchNotAvailable && (
434         <div className={styles.errorBanner}>{searchError}</div>
435     )}
436
437     {searchResults.length > 0 && (
438         <div className={styles.excerptList}>
439             {searchResults.map((result, i) => (
440                 <div key={i} className={styles.excerptCard}>
441                     <div className={styles.excerptMeta}>
442                         <span className={styles.excerptNum}>Excerpt {i + 1}</span>
443                     {result.score !== undefined && (
444                         <span className={styles.excerptScore}>
445                             {(result.score * 100).toFixed(1)}% match
446                         </span>
447                     )}
448                     </div>
449                     <p className={styles.excerptText}>
450                         {result.text || result.content || result}
451                     </p>
452                 </div>
453             )})}
454         </div>
455     )}
456 </section>
457
458 {/* — Ask with AI — */}
459 <section className={styles.panel}>
460     <h2 className={styles.panelTitle}>Ask with AI</h2>
461     <p className={styles.panelSubtitle}>
462         Answers use only retrieved excerpts from this PDF, with citations where possible.
463         When the document includes code, the reply may show it in formatted blocks you can
464         copy.
465     </p>
466
467     <form onSubmit={handleAsk} className={styles.fieldGroup}>
468         <label className={styles.fieldLabel}>Question</label>
469         <textarea
470             className={styles.textArea}
471             rows={3}

```

```

472     placeholder="Ask a clear question in plain language. If the document does not cover it, the model should say so."
473     value={aiQuery}
474     onChange={(e) => setAiQuery(e.target.value)}
475     disabled={aiLoading}
476   />
477   <button
478     type="submit"
479     className={styles.actionBtn}
480     disabled={!aiQuery.trim() || aiLoading}
481   >
482     {aiLoading ? (
483       <Loader2 size={14} className={styles.spin} />
484     ) : (
485       <Sparkles size={14} />
486     )}
487     {aiLoading ? "Asking..." : "Ask"}
488   </button>
489 </form>
490
491 {aiNotAvailable && (
492   <div className={styles.notAvailableBanner}>
493     Ask with AI isn't connected yet — the backend doesn't have a query endpoint for
494     this document.
495   </div>
496 )}
497 {aiError && !aiNotAvailable && (
498   <div className={styles.errorBanner}>{aiError}</div>
499 )}
500
501 {aiAnswer && (
502   <div className={styles.aiAnswer}>
503     <div className={styles.aiAnswerBody}>
504       <ReactMarkdown>{aiAnswer.answer || aiAnswer}</ReactMarkdown>
505     </div>
506     {aiAnswer.citations?.length > 0 && (
507       <div className={styles.citations}>
508         <p className={styles.citationsLabel}>Sources from document:</p>
509         {aiAnswer.citations.map((c, i) => (
510           <div key={i} className={styles.citation}>
511             <span className={styles.citationNum}>#{i + 1}</span>
512             <p className={styles.citationText}>{c.text || c}</p>
513           </div>
514         ))}
515       </div>
516     )}
517   </div>
518 )}
519 </section>
520 </div>
521 )}
522 </main>
523 </div>
524 </div>
525 );
526 };
527
528 export default RagDocuments;

```

```

1  /* _____
2      Page
3  _____ */
4  .page {
5      max-width: 1100px;
6      margin: 0 auto;
7      padding: 24px 16px 48px;
8      display: flex;
9      flex-direction: column;
10     gap: 24px;
11 }
12
13 /* _____
14     Page header
15 _____ */
16 .pageHeader {
17     background: #fff;
18     border: 1px solid #e5e7eb;
19     border-radius: 12px;
20     padding: 28px 32px;
21 }
22
23 .eyebrow {
24     display: inline-block;
25     font-size: 0.7rem;
26     font-weight: 700;
27     letter-spacing: 0.1em;
28     color: #f97316;
29     text-transform: uppercase;
30     margin-bottom: 8px;
31 }
32
33 .pageTitle {
34     font-size: 1.75rem;
35     font-weight: 800;
36     color: #111827;
37     margin: 0 0 10px;
38     line-height: 1.2;
39 }
40
41 .pageDesc {
42     font-size: 0.9rem;
43     color: #6b7280;
44     line-height: 1.65;
45     max-width: 620px;
46     margin: 0;
47 }
48
49 /* _____
50     Workspace (two columns)
51 _____ */
52 .workspace {
53     display: flex;
54     gap: 20px;
55     align-items: flex-start;
56 }
57
58 /* _____
59     Left — Library
60 _____ */
61 .library {
62     width: 280px;
63     flex-shrink: 0;
64     background: #fff;
65     border: 1px solid #e5e7eb;
66     border-radius: 12px;
67     padding: 20px;
68     display: flex;
69     flex-direction: column;
70     gap: 16px;
71 }
72
73 .libraryHeader {
74     display: flex;
75     flex-direction: column;
76     gap: 2px;
77 }
78
79 .libraryTitle {
80     font-size: 1rem;
81     font-weight: 700;
82     color: #111827;
83     margin: 0;
84 }
85
86 .librarySubtitle {
87     font-size: 0.78rem;
88     color: #9ca3af;
89     margin: 0;
90 }
91

```

```
92  /* Upload box */
93  .uploadBox {
94    border: 1px dashed #d1d5db;
95    border-radius: 8px;
96    padding: 14px;
97    display: flex;
98    flex-direction: column;
99    gap: 10px;
100   background: #fafafa;
101  }
102
103  .uploadNote {
104    font-size: 0.78rem;
105    color: #6b7280;
106    line-height: 1.5;
107    margin: 0;
108  }
109
110  .uploadActions {
111    display: flex;
112    flex-direction: row;
113    gap: 8px;
114  }
115
116  .chooseFileBtn {
117    display: inline-flex;
118    align-items: center;
119    justify-content: center;
120    gap: 6px;
121    background: #fff;
122    border: 1px solid #d1d5db;
123    border-radius: 7px;
124    padding: 7px 12px;
125    font-size: 0.8rem;
126    color: #374151;
127    cursor: pointer;
128    transition: all 0.15s;
129    flex: 1;
130    white-space: nowrap;
131  }
132  .chooseFileBtn:hover:not(:disabled) {
133    border-color: #9ca3af;
134    background: #f3f4f6;
135  }
136  .chooseFileBtn:disabled {
137    opacity: 0.5;
138    cursor: not-allowed;
139  }
140
141  .uploadBtn {
142    display: inline-flex;
143    align-items: center;
144    justify-content: center;
145    gap: 6px;
146    background: #f97316;
147    color: #fff;
148    border: none;
149    border-radius: 7px;
150    padding: 7px 14px;
151    font-size: 0.8rem;
152    font-weight: 600;
153    cursor: pointer;
154    transition: background 0.15s;
155    flex: 1;
156    white-space: nowrap;
157  }
158  .uploadBtn:hover:not(:disabled) {
159    background: #ea6c0a;
160  }
161  .uploadBtn:disabled {
162    opacity: 0.55;
163    cursor: not-allowed;
164  }
165
166  .hiddenInput {
167    display: none;
168  }
169
170  .fileLabel {
171    font-size: 0.75rem;
172    color: #9ca3af;
173    font-style: italic;
174  }
175
176  /* Selected file chip — shown while a file is queued/uploading */
177  .selectedFileChip {
178    display: flex;
179    align-items: center;
180    gap: 8px;
181    background: #fff;
182    border: 1px solid #e5e7eb;
183    border-radius: 7px;
184    padding: 8px 10px;
185  }
186
```

```
187 .fileChipIcon {
188   color: #f97316;
189   flex-shrink: 0;
190 }
191
192 .fileChipName {
193   font-size: 0.8rem;
194   color: #111827;
195   font-weight: 500;
196   flex: 1;
197   white-space: nowrap;
198   overflow: hidden;
199   text-overflow: ellipsis;
200 }
201
202 .fileChipSize {
203   font-size: 0.74rem;
204   color: #9ca3af;
205   flex-shrink: 0;
206 }
207
208 .uploadError {
209   display: flex;
210   align-items: center;
211   gap: 5px;
212   font-size: 0.76rem;
213   color: #dc2626;
214 }
215
216 /* Library status text (loading / empty) */
217 .loadingLibrary,
218 .emptyLibrary {
219   font-size: 0.85rem;
220   color: #6b7280;
221   line-height: 1.5;
222   margin: 0;
223 }
224
225 /* Document list */
226 .docList {
227   display: flex;
228   flex-direction: column;
229   gap: 8px;
230 }
231
232 .docItem {
233   display: flex;
234   align-items: center;
235   justify-content: space-between;
236   background: #fff;
237   border: 1px solid #e5e7eb;
238   border-radius: 8px;
239   padding: 10px 12px;
240   cursor: pointer;
241   text-align: left;
242   width: 100%;
243   transition: all 0.15s;
244   gap: 8px;
245 }
246
247 .docItem:hover {
248   border-color: #d1d5db;
249   background: #f9fafb;
250 }
251
252 .docItemActive {
253   border-color: #f97316 !important;
254   background: #fff7ed !important;
255 }
256
257 .docItemLeft {
258   display: flex;
259   flex-direction: column;
260   gap: 4px;
261   min-width: 0;
262 }
263
264 .docName {
265   font-size: 0.85rem;
266   font-weight: 600;
267   color: #111827;
268   white-space: nowrap;
269   overflow: hidden;
270   text-overflow: ellipsis;
271   max-width: 180px;
272 }
273
274 .docStatus {
275   display: inline-block;
276   width: fit-content;
277   font-size: 0.62rem;
278   font-weight: 700;
279   letter-spacing: 0.05em;
280   text-transform: uppercase;
281   padding: 2px 7px;
282   border-radius: 20px;
```

```
282
283
284     color: #16a34a;
285     background: #f0fdf4;
286 }
287
288 .statusProcessing {
289     color: #d97706;
290     background: #fffbeb;
291 }
292
293 .statusError {
294     color: #dc2626;
295     background: #fef2f2;
296 }
297
298 .deleteBtn {
299     background: none;
300     border: none;
301     color: #d1d5db;
302     cursor: pointer;
303     padding: 4px;
304     border-radius: 5px;
305     display: flex;
306     align-items: center;
307     transition: color 0.15s, background 0.15s;
308     flex-shrink: 0;
309 }
310 .deleteBtn:hover {
311     color: #ef4444;
312     background: #fef2f2;
313 }
314
315 /* _____
316    Right - Viewer
317    _____ */
318
319 .viewer {
320     flex: 1;
321     min-width: 0;
322 }
323
324 .emptyViewer {
325     background: #f9fafb;
326     border: 1px solid #e5e7eb;
327     border-radius: 12px;
328     padding: 60px 40px;
329     display: flex;
330     align-items: center;
331     justify-content: center;
332     min-height: 200px;
333 }
334
335 .emptyViewer p {
336     font-size: 0.875rem;
337     color: #9ca3af;
338     text-align: center;
339     max-width: 480px;
340     line-height: 1.6;
341     margin: 0;
342 }
343
344 /* Stack of panels: Reader / Semantic search / Ask with AI */
345
346 .panelStack {
347     display: flex;
348     flex-direction: column;
349     gap: 0;
350     background: #fff;
351     border: 1px solid #e5e7eb;
352     border-radius: 12px;
353     overflow: hidden;
354 }
355
356 .panel {
357     padding: 24px 28px;
358     border-bottom: 1px solid #f3f4f6;
359 }
360
361 .panel:last-child {
362     border-bottom: none;
363 }
364
365 .panelTitle {
366     font-size: 1rem;
367     font-weight: 700;
368     color: #111827;
369     margin: 0 0 4px;
370 }
371
372 .panelSubtitle {
373     font-size: 0.82rem;
374     color: #9ca3af;
375     line-height: 1.5;
376     margin: 0 0 16px;
377 }
378
379 /* — Reader panel — */
```

```
377 .readerFrame {
378   background: #f3f4f6;
379   border-radius: 8px;
380   min-height: 340px;
381   display: flex;
382   align-items: center;
383   justify-content: center;
384   overflow: hidden;
385 }
386
387 .readerMessage {
388   display: flex;
389   flex-direction: column;
390   align-items: center;
391   gap: 8px;
392   color: #9ca3af;
393   font-size: 0.85rem;
394   text-align: center;
395   padding: 24px;
396   max-width: 420px;
397 }
398
399 .pdfFrame {
400   width: 100%;
401   height: 600px;
402   border: none;
403   display: block;
404 }
405
406 /* — Shared form fields — */
407 .fieldGroup {
408   display: flex;
409   flex-direction: column;
410   gap: 8px;
411   align-items: flex-start;
412 }
413
414 .fieldLabel {
415   font-size: 0.82rem;
416   font-weight: 600;
417   color: #374151;
418 }
419
420 .textInput {
421   width: 100%;
422   border: 1px solid #d1d5db;
423   border-radius: 8px;
424   padding: 9px 14px;
425   font-size: 0.875rem;
426   font-family: inherit;
427   color: #111827;
428   transition: border-color 0.15s, box-shadow 0.15s;
429   box-sizing: border-box;
430 }
431 .textInput:focus {
432   outline: none;
433   border-color: #f97316;
434   box-shadow: 0 0 0 3px rgba(249, 115, 22, 0.12);
435 }
436 .textInput:disabled {
437   background: #f9fafb;
438 }
439
440 .textArea {
441   width: 100%;
442   border: 1px solid #d1d5db;
443   border-radius: 8px;
444   padding: 10px 14px;
445   font-size: 0.875rem;
446   font-family: inherit;
447   color: #111827;
448   resize: vertical;
449   transition: border-color 0.15s, box-shadow 0.15s;
450   box-sizing: border-box;
451 }
452 .textArea:focus {
453   outline: none;
454   border-color: #f97316;
455   box-shadow: 0 0 0 3px rgba(249, 115, 22, 0.12);
456 }
457 .textArea:disabled {
458   background: #f9fafb;
459 }
460
461 .actionBtn {
462   display: inline-flex;
463   align-items: center;
464   gap: 6px;
465   background: #f97316;
466   color: #fff;
467   border: none;
468   border-radius: 8px;
469   padding: 8px 16px;
470   font-size: 0.85rem;
471   font-weight: 600;
```

```
472     cursor: pointer;
473     transition: background 0.15s;
474 }
475 .actionBtn:hover:not(:disabled) {
476     background: #ea6c0a;
477 }
478 .actionBtn:disabled {
479     opacity: 0.55;
480     cursor: not-allowed;
481 }
482
483 /* Banners */
484 .errorBanner {
485     background: #fef2f2;
486     border: 1px solid #fecaca;
487     color: #dc2626;
488     border-radius: 8px;
489     padding: 10px 14px;
490     font-size: 0.82rem;
491     margin-top: 12px;
492 }
493
494 .notAvailableBanner {
495     background: #f9fafb;
496     border: 1px dashed #d1d5db;
497     color: #6b7280;
498     border-radius: 8px;
499     padding: 10px 14px;
500     font-size: 0.8rem;
501     line-height: 1.5;
502     margin-top: 12px;
503 }
504
505 /* — Search results — */
506 .excerptList {
507     display: flex;
508     flex-direction: column;
509     gap: 10px;
510     margin-top: 16px;
511 }
512
513 .excerptCard {
514     background: #f9fafb;
515     border: 1px solid #e5e7eb;
516     border-radius: 8px;
517     padding: 14px 16px;
518     display: flex;
519     flex-direction: column;
520     gap: 6px;
521 }
522
523 .excerptMeta {
524     display: flex;
525     justify-content: space-between;
526     align-items: center;
527 }
528
529 .excerptNum {
530     font-size: 0.72rem;
531     font-weight: 700;
532     color: #9ca3af;
533     text-transform: uppercase;
534     letter-spacing: 0.05em;
535 }
536
537 .excerptScore {
538     font-size: 0.72rem;
539     font-weight: 700;
540     color: #16a34a;
541     background: #f0fdf4;
542     border: 1px solid #bbf7d0;
543     border-radius: 20px;
544     padding: 2px 8px;
545 }
546
547 .excerptText {
548     font-size: 0.875rem;
549     color: #374151;
550     line-height: 1.6;
551     margin: 0;
552 }
553
554 /* — Ask with AI answer — */
555 .aiAnswer {
556     margin-top: 16px;
557     background: #f9fafb;
558     border: 1px solid #e5e7eb;
559     border-radius: 10px;
560     padding: 18px 20px;
561     display: flex;
562     flex-direction: column;
563     gap: 12px;
564 }
565
566 .aiAnswerBody {
```

```
567     font-size: 0.9rem;
568     color: #111827;
569     line-height: 1.7;
570 }
571
572 .aiAnswerBody p { margin: 0 0 8px; }
573 .aiAnswerBody p:last-child { margin: 0; }
574 .aiAnswerBody code {
575     background: #f3f4f6;
576     border-radius: 4px;
577     padding: 1px 5px;
578     font-size: 0.85em;
579 }
580 .aiAnswerBody pre {
581     background: #1e1e2e;
582     color: #cdd6f4;
583     border-radius: 8px;
584     padding: 14px;
585     overflow-x: auto;
586     font-size: 0.83rem;
587 }
588
589 .citations {
590     border-top: 1px solid #e5e7eb;
591     padding-top: 12px;
592     display: flex;
593     flex-direction: column;
594     gap: 8px;
595 }
596
597 .citationsLabel {
598     font-size: 0.75rem;
599     font-weight: 600;
600     color: #6b7280;
601     margin: 0;
602     text-transform: uppercase;
603     letter-spacing: 0.05em;
604 }
605
606 .citation {
607     display: flex;
608     gap: 10px;
609     background: #fff;
610     border: 1px solid #e5e7eb;
611     border-radius: 7px;
612     padding: 10px 12px;
613 }
614
615 .citationNum {
616     font-size: 0.72rem;
617     font-weight: 700;
618     color: #f97316;
619     flex-shrink: 0;
620     padding-top: 2px;
621 }
622
623 .citationText {
624     font-size: 0.82rem;
625     color: #374151;
626     line-height: 1.55;
627     margin: 0;
628 }
629
630 /*
631     Spinner
632 */
633 .spin {
634     animation: spin 0.9s linear infinite;
635 }
636
637 @keyframes spin {
638     to { transform: rotate(360deg); }
639 }
640
641 /*
642     Responsive
643 */
644 @media (max-width: 860px) {
645     .workspace {
646         flex-direction: column;
647     }
648     .library {
649         width: 100%;
650     }
651 }
652
653 @media (max-width: 600px) {
654     .pageHeader {
655         padding: 20px 16px;
656     }
657     .pageTitle {
658         font-size: 1.35rem;
659     }
660     .panel {
661         padding: 18px 16px;
```

```
662     }
663     .pdfFrame {
664         height: 400px;
665     }
666 }
```

```
1  import axios from "axios";
2
3  /**
4   * Configured axios instance for API communication.
5   */
6  const apiClient = axios.create({
7    baseURL: import.meta.env.VITE_API_BASE_URL || "http://localhost:3777",
8    timeout: 10000,
9    headers: {
10      "Content-Type": "application/json",
11    },
12  });
13
14  /**
15   * Request interceptor to attach the JWT token to headers.
16   */
17  apiClient.interceptors.request.use(
18    (config) => {
19      const token = localStorage.getItem("token");
20      if (token) {
21        config.headers.Authorization = `Bearer ${token}`;
22      }
23      return config;
24    },
25    (error) => {
26      return Promise.reject(error);
27    },
28  );
29
30  /**
31   * Response interceptor to handle global 401 unauthorized errors.
32   */
33  apiClient.interceptors.response.use(
34    (response) => {
35      return response;
36    },
37    (error) => {
38      // Skip global 401 redirect for auth endpoints so components can handle login/register errors
39      const isAuthEndpoint =
40        error.config?.url?.includes("/api/auth/login") ||
41        error.config?.url?.includes("/api/auth/register");
42
43      if (error.response?.status === 401 && !isAuthEndpoint) {
44        // Clear authentication data
45        localStorage.removeItem("token");
46        localStorage.removeItem("user");
47
48        // Redirect to login page
49        window.location.href = "/auth";
50      }
51      return Promise.reject(error);
52    },
53  );
54
55  export { apiClient };
```

```

1  import { apiClient } from "../core/api.client.js";
2
3  /**
4   * Registers a new user.
5   * @param {Object} userData - User details for registration.
6   */
7  async function register(userData) {
8      try {
9          const response = await apiClient.post("/api/auth/register", userData);
10         return { user: response.data.user };
11     } catch (error) {
12         throw handleAuthError(error);
13     }
14 }
15
16 /**
17  * Logs in an existing user and stores their session in localStorage.
18  * @param {Object} credentials - User login credentials.
19  */
20  async function login(credentials) {
21      try {
22          const response = await apiClient.post("/api/auth/login", credentials);
23          const { user, token } = response.data;
24
25          localStorage.setItem("token", token);
26          localStorage.setItem("user", JSON.stringify(user));
27
28          return { user, token };
29      } catch (error) {
30          throw handleAuthError(error);
31      }
32 }
33
34 /**
35  * Logs out the current user by clearing localStorage.
36  */
37  function logout() {
38      localStorage.removeItem("token");
39      localStorage.removeItem("user");
40  }
41
42 /**
43  * Retrieves the stored JWT token from localStorage.
44  */
45  function getStoredToken() {
46      return localStorage.getItem("token");
47  }
48
49 /**
50  * Retrieves the stored user object from localStorage.
51  */
52  function getStoredUser() {
53      const userJson = localStorage.getItem("user");
54      if (!userJson) return null;
55
56      try {
57          return JSON.parse(userJson);
58      } catch (error) {
59          // If JSON parsing fails, clear invalid data
60          localStorage.removeItem("user");
61          return null;
62      }
63  }
64
65 /**
66  * Checks if the user is currently authenticated based on local storage.
67  */
68  function isAuthenticated() {
69      return !!getStoredToken();
70  }
71
72 /**
73  * Centralized error handler for auth service requests.
74  */
75  function handleAuthError(error) {
76      if (!error.response) {
77          if (error.code === "ECONNABORTED") {
78              return new Error("Request timed out. Please try again.");
79          }
80          return new Error(
81              "Unable to connect to server. Please check your internet connection.",
82          );
83      }
84
85      const status = error.response.status;
86      const backendMessage =
87          error.response.data?.msg || error.response.data?.message;
88
89      switch (status) {
90          case 400:
91              return new Error(backendMessage || "Invalid input data.");

```

```
92     case 401:
93         return new Error(backendMessage || "Invalid email or password.");
94     case 500:
95         return new Error(
96             "Something went wrong on our end. Please try again later.",
97         );
98     default:
99         return new Error(backendMessage || "An unexpected error occurred.");
100 }
101 }
102
103 /**
104  * Service for handling auth-related requests.
105  */
106 export const authService = {
107     register,
108     login,
109     logout,
110     getStoredToken,
111     getStoredUser,
112     isAuthenticated,
113 };

```

```

1  import { apiClient } from "../core/api.client.js";
2
3  /**
4   * Creates a new question.
5   * @param {Object} formData - Question form data { title, content }
6   * @returns {Promise} Response from the server
7   */
8  async function createQuestion(formData) {
9    try {
10      const response = await apiClient.post("/api/questions", formData);
11      return response.data;
12    } catch (error) {
13      throw handleQuestionError(error);
14    }
15  }
16
17  /**
18   * Gets all questions with optional filtering
19   * @param {Object} filters - Filter options { search, mine, limit, offset }
20   * @returns {Promise} Questions list with metadata
21   */
22  async function getQuestions(filters = {}) {
23    try {
24      const params = new URLSearchParams();
25      if (filters.search) params.append("search", filters.search);
26      if (filters.mine) params.append("mine", "true");
27      if (filters.limit) params.append("limit", filters.limit);
28      if (filters.offset) params.append("offset", filters.offset);
29
30      const query = params.toString() ? `?${params.toString()}` : "";
31      const response = await apiClient.get(`/api/questions${query}`);
32      return response.data.data || response.data;
33    } catch (error) {
34      throw handleQuestionError(error, "fetch");
35    }
36  }
37
38  /**
39   * Generates AI feedback for a question draft.
40   * @param {Object} draftData - Draft data { title, content }
41   * @returns {Promise} AI feedback response with tips
42   */
43  async function generateQuestionDraftCoach(draftData) {
44    try {
45      const response = await apiClient.post(
46        "/api/questions/draft-coach",
47        draftData,
48      );
49      return response.data;
50    } catch (error) {
51      throw handleQuestionError(error);
52    }
53  }
54
55  /**
56   * Gets details for a single question including all answers.
57   * @param {String} questionHash - The question hash
58   * @returns {Promise} Question and answers data
59   */
60  export const getQuestionDetail = async (questionHash) => {
61    try {
62      const response = await apiClient.get(`/api/questions/${questionHash}`);
63      return response.data || response.data.data;
64    } catch (error) {
65      throw handleQuestionError(error);
66    }
67  };
68
69  /**
70   * Creates a new answer to a question.
71   * @param {Object} answerData - Answer data { questionHash, content }
72   * @returns {Promise} Created answer response
73   */
74  async function createAnswer(answerData) {
75    try {
76      const response = await apiClient.post("/api/answers", answerData);
77      return response.data;
78    } catch (error) {
79      throw handleQuestionError(error);
80    }
81  }
82
83  export const assessAnswerFit = async (questionHash, answerText) => {
84    try {
85      const response = await apiClient.post(
86        `/api/questions/${questionHash}/answer-fit`,
87        {
88          answerText,
89        },
90      );
91    }

```

```

92     return response.data;
93   } catch (error) {
94     throw handleQuestionError(error);
95   }
96 };
97
98 /**
99  * Performs semantic (AI-powered) search over questions.
100  * @param {String} query - Search query string
101  * @param {Object} options - Search options { k, threshold }
102  * @returns {Promise} Semantically similar questions
103  */
104 async function searchQuestionsSemantic(query, options = {}) {
105   try {
106     const params = new URLSearchParams();
107     params.append("query", query);
108     if (options.k) params.append("k", options.k);
109     if (options.threshold) params.append("threshold", options.threshold);
110
111     const queryString = params.toString() ? `?${params.toString()}` : "";
112     const response = await apiClient.get(`/api/questions/search${queryString}`);
113     return response.data.data || response.data;
114   } catch (error) {
115     throw handleQuestionError(error);
116   }
117 }
118
119 /**
120  * Centralized error handler for question service requests.
121  */
122 function handleQuestionError(error, action = "fetch") {
123   if (!error.response) {
124     if (error.code === "ECONNABORTED") {
125       return new Error("Request timed out. Please try again.");
126     }
127     if (error.code === "ENOTFOUND") {
128       return new Error("Server address not found. Check your configuration.");
129     }
130     return new Error(
131       "Unable to connect to server. Please check your internet connection.",
132     );
133   }
134
135   const status = error.response.status;
136   const backendMessage =
137     error.response.data?.msg || error.response.data?.message;
138
139   // For fetch operations, return early with simple message
140   if (action === "fetch") {
141     return new Error(backendMessage || "Failed to fetch questions.");
142   }
143
144   // For create operations, handle specific status codes
145   if (action === "create") {
146     switch (status) {
147       case 400:
148         return new Error(backendMessage || "Invalid input data.");
149       case 401:
150         return new Error("Please log in to create a question.");
151       case 500:
152         return new Error(
153           "Something went wrong on our end. Please try again later.",
154         );
155       default:
156         return new Error(backendMessage || "An unexpected error occurred.");
157     }
158   }
159
160   return new Error(backendMessage || "An error occurred.");
161 }
162 /**
163  * Service for handling question-related requests.
164  */
165 export const questionService = {
166   createQuestion,
167   getQuestions,
168   generateQuestionDraftCoach,
169   // getQuestionDetail,
170   createAnswer,
171   searchQuestionsSemantic,
172 };
173
174 /**
175  * Fetch related questions for a given question hash.
176  * GET /api/questions/:questionHash/related
177  *
178  * If your backend doesn't have this endpoint yet, the component
179  * handles the failure gracefully (shows empty sidebar).
180  */
181 export const getRelatedQuestions = async (questionHash) => {
182   const response = await apiClient.get(`/api/questions/${questionHash}/similar`);
183   return response.data;
184 };

```

```
1 // Frontend/src/services/answer.service.js
2 import { apiClient } from "../../core/api.client";
3
4 /**
5  * Post a new answer to a question
6  * POST /api/answers
7  */
8 // answer.service.js
9
10 export const postAnswer = async (payload) => {
11   const response = await apiClient.post("/api/answers", payload);
12   return response.data;
13 };
```

```

1  import { apiClient } from "../core/api.client.js";
2
3  /**
4   * RAG Documents Service — Final Production Version
5   * All mock code removed. Fully integrated with standard try/catch wrappers.
6   */
7
8  /**
9   * Centralized Custom Error Handler
10   * Translates backend failures or missing routes into user-friendly message strings.
11   */
12  function handleRagError(error, action = "fetch") {
13    if (!error.response) {
14      if (error.code === "ECONNABORTED") {
15        return new Error("The request timed out. Please check your network speed and try again.");
16      }
17      return new Error("Unable to reach the server. Please verify your internet connection or check if the backend service is running.");
18    }
19
20    const status = error.response.status;
21    const backendMessage = error.response.data?.message || error.response.data?.msg;
22
23    // Custom actionable feedback based on backend constraints
24    if (status === 413) {
25      return new Error(backendMessage || "This PDF file is too large. The maximum allowed limit is 10MB.");
26    }
27    if (status === 400) {
28      return new Error(backendMessage || "Invalid request. Please ensure you are uploading a valid PDF document.");
29    }
30    if (status === 401) {
31      return new Error("Your session has expired. Please log in again to manage your knowledge base.");
32    }
33    if (status === 403) {
34      return new Error("Access Denied. You do not have permission to view or manage this document.");
35    }
36    if (status === 404) {
37      return new Error(backendMessage || "The requested service endpoint or document could not be found on the server.");
38    }
39
40    return new Error(backendMessage || `Failed to ${action} document data. Please try again later.`);
41  }
42
43  /**
44   * Maps raw database rows (snake_case) to standard frontend model keys (camelCase).
45   * Matches the backend schema outputs.
46   */
47  function mapDocument(row) {
48    if (!row) return null;
49    return {
50      id: row.document_id ?? row.id,
51      userId: row.user_id ?? row.userId,
52      title: row.title,
53      mimeType: row.mime_type ?? row.mimeType,
54      byteSize: row.byte_size ?? row.byteSize,
55      status: row.status, // 'pending' | 'ready' | 'failed'
56      errorMessage: row.error_message ?? row.errorMessage ?? null,
57      createdAt: row.created_at ?? row.createdAt,
58      updatedAt: row.updated_at ?? row.updatedAt,
59    };
60  }
61
62  /**
63   * Upload & Process RAG Document
64   * Endpoint: POST /api/rag/documents
65   */
66  export const uploadPdf = async (file) => {
67    try {
68      const form = new FormData();
69      form.append("file", file);
70
71      const response = await apiClient.post("/api/rag/documents", form, {
72        headers: { "Content-Type": "multipart/form-data" },
73      });
74
75      return mapDocument(response.data?.data);
76    } catch (error) {
77      throw handleRagError(error, "upload");
78    }
79  };
80
81  /**
82   * List My RAG Documents
83   * Endpoint: GET /api/rag/documents
84   */
85  export const listDocuments = async () => {
86    try {
87      const response = await apiClient.get("/api/rag/documents");
88      const rawRows = response.data?.data || [];
89      return { data: rawRows.map(mapDocument) };
90    } catch (error) {
91      throw handleRagError(error, "fetch list of");
92    }
93  };

```

```

92     }
93 };
94
95 /**
96  * Delete RAG Document
97  * Endpoint: DELETE /api/rag/documents/:documentId
98  */
99 export const deleteDocument = async (documentId) => {
100   try {
101     if (!documentId) throw new Error("A valid document identification key is required.");
102     const response = await apiClient.delete(`/api/rag/documents/${documentId}`);
103     return response.data;
104   } catch (error) {
105     throw handleRagError(error, "delete");
106   }
107 };
108
109 /**
110  * Semantic Search in RAG Document
111  * Endpoint: GET /api/rag/documents/:documentId/search?query=...
112  */
113 export const searchInDocument = async (documentId, query) => {
114   try {
115     if (!documentId || !query) {
116       throw new Error("Missing document context or search phrase target string.");
117     }
118
119     const response = await apiClient.get(`/api/rag/documents/${documentId}/search`, {
120       params: { query: query }
121     });
122
123     const backendResults = response.data?.data?.results || [];
124
125     // Convert backend `excerpt` key safely to `text` for your UI component mapping
126     const standardized = backendResults.map(item => ({
127       score: item.score,
128       text: item.excerpt || item.text || ""
129     }));
130
131     return { data: standardized };
132   } catch (error) {
133     throw handleRagError(error, "execute search inside");
134   }
135 };
136
137 /**
138  * AI Query Grounded in RAG Document
139  * Endpoint: POST /api/rag/documents/:documentId/query
140  */
141 export const queryDocument = async (documentId, query) => {
142   try {
143     if (!documentId || !query) {
144       throw new Error("Missing document target context or query parameters.");
145     }
146
147     const response = await apiClient.post(`/api/rag/documents/${documentId}/query`, {
148       query: query
149     });
150
151     const aiPayload = response.data?.data || response.data;
152
153     // Safely structure source contexts to verify UI array iteration maps correctly
154     if (aiPayload && aiPayload.citations) {
155       aiPayload.citations = aiPayload.citations.map(citation => ({
156         text: citation.text || `Reference passage chunk context index: ${citation.chunkIndex ?? ''}`
157       }));
158     }
159
160     return { data: aiPayload };
161   } catch (error) {
162     throw handleRagError(error, "generate AI reply for");
163   }
164 };
165
166 /**
167  * Stream RAG Document PDF
168  * Endpoint: GET /api/rag/documents/:documentId/file
169  */
170 export const fetchPdfObjectUrl = async (documentId) => {
171   try {
172     if (!documentId) throw new Error("A valid document identification key is required.");
173     const response = await apiClient.get(`/api/rag/documents/${documentId}/file`, {
174       responseType: "blob",
175     });
176     return response;
177   } catch (error) {
178     throw handleRagError(error, "stream preview file for");
179   }
180 };
181
182 /**
183  * Get RAG Document Metadata
184  * Endpoint: GET /api/rag/documents/:documentId
185  */
186 export const getDocumentMeta = async (documentId) => {

```

```
187     try {
188         if (!documentId) throw new Error("A valid document identification key is required.");
189         const response = await apiClient.get(`/api/rag/documents/${documentId}`);
190         return { data: mapDocument(response.data?.data || response.data) };
191     } catch (error) {
192         throw handleRagError(error, "fetch details for");
193     }
194     };
```

```
1  /**
2   * pageStates.module.css
3   * -----
4   * Reusable "empty / loading / error / muted panel" patterns for list-style pages.
5   *
6   * How to use (example):
7   *   import ui from '../styles/pageStates.module.css';
8   *   <div className={ui.pageStates__message}>Loading...</div>
9   *
10  * Add new variants here when you introduce more pages (e.g. notifications list).
11  */
12
13  .pageStates__message {
14    padding: var(--spacing-3xl) var(--spacing-xl);
15    text-align: center;
16    font-size: var(--text-sm);
17    line-height: 1.65;
18  }
19
20  .pageStates__message--loading {
21    color: var(--text-secondary);
22    background: linear-gradient(
23      180deg,
24      var(--surface-hover) 0%,
25      var(--surface) 100%
26    );
27  }
28
29  .pageStates__message--error {
30    color: var(--error);
31    background-color: var(--error-light);
32    margin: var(--spacing-lg);
33    border-radius: var(--radius-lg);
34    border: 1px solid rgba(239, 68, 68, 0.25);
35    max-width: 32rem;
36    margin-left: auto;
37    margin-right: auto;
38  }
39
40  .pageStates__message--empty {
41    color: var(--text-secondary);
42    margin: var(--spacing-xl);
43    padding: var(--spacing-2xl);
44    max-width: 28rem;
45    margin-left: auto;
46    margin-right: auto;
47    border-radius: var(--radius-lg);
48    border: 1px dashed var(--border);
49    background-color: var(--surface-container-low);
50  }
51
52  /* Full-width padded panel for static copy (e.g. "Coming soon" pages). */
53  .pageStates__panel {
54    padding: var(--spacing-2xl) var(--spacing-xl);
55    text-align: center;
56    color: var(--text-secondary);
57    font-size: var(--text-sm);
58    line-height: 1.65;
59    max-width: min(36rem, 100%);
60    margin: 0 auto;
61  }
62
63  .pageStates__panel p {
64    margin: 0;
65  }
66
67  .pageStates__panelGap {
68    margin-top: var(--spacing-md);
69  }
```