



Khulna University of Engineering & Technology

Department of Electronics and Communication Engineering

Course Title: Internet Programming Laboratory

Course No: CSE 3100

Project No. : 02

Project Name:

Design Broadband Website Using ASP.NET

Supervised by:

Md Nazirul Hasan Shawon
Lecturer
Department of CSE

Md. Repon Islam
Lecturer
Department of CSE

Submitted By:

Shuva Podder

Roll: 1909051

Session: 2021-22

3rd Year, 1st Sem.

Department of Electronics and Communication
Engineering

Objective:

To create a project (Broadband Website) using HTML, CSS, JavaScript in the frontend and ASP.NET in the backend

Theory:

Frontend and Backend are the two most popular terms used in web development. The front end is what users see and interact with and the backend is how everything works. Each side needs to communicate and operate effectively with the other as a single unit to improve the website's functionality.

The front end is the part of the website users can see and interact with such as the graphical user interface (GUI) and the command line including the design, navigating menus, texts, images, videos, etc. The backend, on the contrary, is part of the website users cannot see and interact with.

The visual aspects of the website that can be seen and experienced by users are frontend. On the other hand, everything that happens in the background can be attributed to the backend.

Languages used for the front end are HTML, CSS, and JavaScript while those used for the back end include Java, Ruby, Python, and .Net.

Software Requirements:

Visual Studio

Code:

There is huge number of files in this project, Whole Project is uploaded in the GitHub. Link is provided below:

<https://github.com/shin890/Broadband-Website-Using-ASP.NET-CORE-MVC-HTML-CSS.git>

Few Frontend Page Code is given below:

Layout.cshtml

```
@using Microsoft.AspNetCore.Identity
```

```
@inject SignInManager<IdentityUser> SignInManager
```

```
@inject UserManager<IdentityUser> UserManager
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="utf-8" />
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
    <title>@ViewData["Title"] - Broadband</title>
```

```
    <link rel="stylesheet" href="/css/style.css" />
```

```
</head>
```

```
<body>
```

```
    <header>
```

```

<div class="head">
    <div class="content">
        
        <div class="name">
            <h1>Khulna Internet Services<br>Limited</h1>
        </div>
        <div class="navbar">
            <ul>
                <li>
                    <a asp-controller="Home" asp-action="Index">
                        <h1>Home</h1>
                    </a>
                </li>
                <li>
                    <a asp-controller="Home" asp-action="Index" asp-
fragment="packages">
                        <h1>Packages</h1>
                    </a>
                </li>
                <li>
                    <a asp-controller="About" asp-action="Index">
                        <h1>About Us</h1>
                    </a>
                </li>
                <li>
                    <a asp-controller="Contact" asp-action="Index">
                        <h1>Contact Us</h1>
                    </a>
                </li>
                <li>
                    <@if (SignInManager.IsSignedIn(User))
                    {
                        <li>
                            <a id="manage" asp-area="Identity" asp-
page="/Account/Manage/Index" title="Manage"><h1 style="font-size:20px">Hi
@UserManager.GetUserName(User)!</h1></a>
                        </li>
                        <li>
                            <form id="logoutForm" asp-area="Identity" asp-
page="/Account/Logout" asp-route-returnUrl="@Url.Action("Index", "Home", new {
area = "" })">
                                <button id="logout1" type="submit" style="
                                    background: turquoise;
                                    border:0px;
                                    border-radius: 5px;
                                    padding:10px;"
onMouseOver="this.style.color='orangered'" onMouseOut="this.style.color='black'">
                                    <i class="fa-solid fa-arrow-right-from-
bracket fa-beat-fade fa-2x" style="color: #ff0000;"></i>
                                </button>
                            </form>
                        </li>
                    }
                    else
                    {
                        <li>
                            <a id="register" asp-area="Identity" asp-
page="/Account/Register"><h1>Register</h1></a>
                        </li>
                        <li>
                            <a id="login" asp-area="Identity" asp-
page="/Account/Login"><h1>Login</h1></a>
                        </li>
                    }
                </li>
            </ul>
        </div>
    </div>
</div>

```

[illegible]

```

        <div class="third">
            <h1 style="color:orangered; font-weight: 600;">Contact
Us</h1><br><br><br>
            <div>
                <span class="icon"><i class="fa-solid fa-phone"></i></span>
                <span><a href="tel:+8801723266516">01723266516</a></span>
            </div><div>
                <span class="icon"><i class="fa-solid fa-
envelope"></i></span>
                <span><a
href="mailto:support@kislbd.com">support@kislbd.com</a></span>
            </div>
        </div>
    </footer>
    <script src="https://kit.fontawesome.com/060a8e08cb.js"
crossorigin="anonymous"></script>
    @await RenderSectionAsync("Scripts", required: false)
</body>
</html>

```

Home/Index.cshtml

```
@model Broadband.Models.UserMessage
```

```
@{
    ViewData["Title"] = "Home Page";
}
```

```
<style>
    body {
        position: absolute;
        background-image: url("../core/internet-1170x658.jpg");
        background-size: cover;
        background-repeat: no-repeat;
    }

```

```
</style>
```

```
<div class="container1">
    <div class="text">
        <h1>Welcome to KISL</h1><br>
        <h2>Fly to the universe of fastest internet</h2><br>
        <h3>
            KISL has come a long way since its establishment in 2000.<br>
            From small beginnings as a provider of dial-up & radio link <br>
            Internet access to local businesses, we have grown consistently<br>
            and organically as a communications provider serving a diverse<br>
            portfolio of business class voice and data services.
        </h3>
    </div>

```

```
</div>
```

```

    <div class="gif">
        
    </div>

```

```
</div>
```

```
<div id="packages" class="container2">
```

```
    <div class="text">
```

```
        <h1>
```

```
            Pricing Plans
```

```
        </h1>
```

```
        <h2>Choose a package that suits your budget & business.</h2></div>
```



```

        <h1>🔥 Platinum+</h1>
        <h1 style="font-weight: 400;color: #b2beb5;font-size:
1.5rem;">Choice For Gamers</h1>

        <div class="speedbox" style="background-color: #F8718C;">
            <h1>50 Mbps</h1>
        </div>
    </div>
    <div>
        <ul>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>100 Mbps BDIX and Other Speed</span>
            </li>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>4K Youtube and Facebook<br>Stream.</span>
            </li>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>Optical Fiber Connection</span>
            </li>
        </ul>
    </div>
    <div>
        <ul>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>IPv6 Public IP Only</span>
            </li>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>24/7 Phone and Online Support</span>
            </li>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>1:8 Contention Ratio</span>
            </li>
        </ul>
    </div>
    <div class="price">
        <h1>TK1390/mo</h1>
        <input type="button"
onclick="location.href='Identity/Account/Register';"
value="Buy Now">
    </div>
</div>

<div class="flexrow">
    <div>

```

```

        <h1>🔥 Diamond+</h1>
        <h1 style="font-weight: 400;color: #b2beb5;font-size:
1.5rem;">Upload Speed Unlocked</h1>

        <div class="speedbox" style="background-color: #4F46E5;">
            <h1>60 Mbps</h1>
        </div>

    </div>
    <div>
        <ul>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>100 Mbps BDIX and Other Speed</span>
            </li>

            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>4K Youtube and Facebook<br>Stream.</span>
            </li>

            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>Optical Fiber Connection</span>
            </li>
        </ul>
    </div>
    <div>
        <ul>
            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>IPv6 Public IP Only</span>
            </li>

            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>24/7 Phone and Online Support</span>
            </li>

            <li>
                <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
                <span>1:8 Contention Ratio</span>
            </li>
        </ul>

    </div>
    <div class="price">
        <h1>TK1790/mo</h1>
        <input type="button" value="Buy Now"
onclick="location.href='Identity/Account/Register';">
    </div>
</div>

```



```

<div class="flexrow">
  <div>
    <h1>🔥 Sapphire+</h1>
    <h1 style="font-weight: 400;color: #b2beb5;font-size:
1.5rem;">Always get ahead of others</h1>

    <div class="speedbox" style="background-color: #9333EA;">
      <h1>80 Mbps</h1>
    </div>

  </div>
  <div>
    <ul>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>100 Mbps BDIX and Other Speed</span>
      </li>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>4K Youtube and Facebook<br>Stream.</span>
      </li>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>Optical Fiber Connection</span>
      </li>
    </ul>

  </div>
  <div>
    <ul>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>IPv6 Public IP Only</span>
      </li>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>24/7 Phone and Online Support</span>
      </li>
      <li>
        <span><i class="fa-solid fa-check" style="color:
#00ff00;"></i></span>
        <span>1:8 Contention Ratio</span>
      </li>
    </ul>

  </div>
  <div class="price">
    <h1>TK2090/mo</h1>

```

```

        <input type="button" value="Buy Now"
onclick="location.href='Identity/Account/Register';">

        </div>
    </div>

</div>
</div>

<div class="ques">
    <div class="container2">
        <div class="text spacing">
            <h1>Have Doubts?</h1>
            <h2>
                Ask your query. We will get back to you as soon as possible
            </h2>

        </div>

    </div>

</div>
<div class="contactForm">
    <form asp-action="Create">
        <h1>
            Send Message</h1>
        <div class="inputBox">
            <input asp-for="Name" type="text" required="required">
            <span>Name</span>
        </div>

        <div class="inputBox">
            <input asp-for="Email" type="text" required="required">
            <span>Email</span>
        </div>

        <div class="inputBox">
            <textarea asp-for="Query" required="required"></textarea>
            <span>Type your query here...</span>
        </div>

        <div class="inputBox">
            <input type="submit" value="Send">
        </div>
    </form>

</div>
</div>

```

Few Backend Pages given below:

Areas/Identity/Pages/Account/Manage/Register.cshtml.cs

```

using System;
using System.Collections.Generic;
using System.ComponentModel.DataAnnotations;
using System.Linq;
using System.Net.Mail;
using System.Security.Claims;
using System.Text;
using System.Text.Encodings.Web;
using System.Threading;
using System.Threading.Tasks;
using Broadband.Models;
using Microsoft.AspNetCore.Authentication;
using Microsoft.AspNetCore.Authentication.Cookies;

```

```

using Microsoft.AspNetCore.Authorization;
using Microsoft.AspNetCore.Identity;
using Microsoft.AspNetCore.Identity.UI.Services;
using Microsoft.AspNetCore.Mvc;
using Microsoft.AspNetCore.Mvc.RazorPages;
using Microsoft.AspNetCore.WebUtilities;
using Microsoft.Extensions.Logging;

namespace Broadband.Areas.Identity.Pages.Account
{
    public class RegisterModel : PageModel
    {
        private readonly SignInManager<IdentityUser> _signInManager;
        private readonly UserManager<IdentityUser> _userManager;
        private readonly IUserStore<IdentityUser> _userStore;
        private readonly IUserEmailStore<IdentityUser> _emailStore;
        private readonly ILogger<RegisterModel> _logger;
        private readonly IEmailSender _emailSender;

        public RegisterModel(
            UserManager<IdentityUser> userManager,
            IUserStore<IdentityUser> userStore,
            SignInManager<IdentityUser> signInManager,
            ILogger<RegisterModel> logger,
            IEmailSender emailSender)
        {
            _userManager = userManager;
            _userStore = userStore;
            _emailStore = GetEmailStore();
            _signInManager = signInManager;
            _logger = logger;
            _emailSender = emailSender;
        }

        [BindProperty]
        public InputModel Input { get; set; }
        public string returnUrl { get; set; }
        public IList<AuthenticationScheme> ExternalLogins { get; set; }
        public class InputModel
        {
            [Required]
            [EmailAddress]
            [Display(Name = "Email")]
            public string Email { get; set; }

            [Required]
            [DataType(DataType.Text)]
            [Display(Name = "Name")]
            public string Name { get; set; }

            [Required]
            [DataType(DataType.Text)]
            [Display(Name = "Address")]
            public string Address { get; set; }

            [Required]
            [DataType(DataType.Text)]
            [Display(Name = "Package")]
            public string Packages { get; set; }

            [Required]
            [Phone]
            [Display(Name = "Phone")]
            public string PhoneNumber { get; set; }
        }
    }
}

```

```

        [Required]
        [StringLength(100, ErrorMessage = "The {0} must be at least {2} and
at max {1} characters long.", MinimumLength = 6)]
        [DataType(DataType.Password)]
        [Display(Name = "Password")]
        public string Password { get; set; }

        [DataType(DataType.Password)]
        [Display(Name = "Confirm password")]
        [Compare("Password", ErrorMessage = "The password and confirmation
password do not match.")]
        public string ConfirmPassword { get; set; }
    }

    public async Task OnGetAsync(string returnUrl = null)
    {
        if (User.Identity.IsAuthenticated)
        {
            if (User.IsInRole("Admin")) {}
            else {Response.Redirect("/Identity/Account/Manage");}
        }
        ReturnUrl = returnUrl;
        ExternalLogins = (await
_signInManager.GetExternalAuthenticationSchemesAsync()).ToList();
    }

    public async Task<IActionResult> OnPostAsync(string returnUrl = null)
    {
        returnUrl ??= Url.Content("~/");
        ExternalLogins = (await
_signInManager.GetExternalAuthenticationSchemesAsync()).ToList();
        if (ModelState.IsValid)
        {
            var user = CreateUser();
            user.Name = Input.Name;
            user.Address = Input.Address;
            user.Packages= Input.Packages;
            user.PhoneNumber = Input.PhoneNumber;
            await _userStore.SetUserNameAsync(user, Input.Email,
CancellationToken.None);
            await _emailStore.SetEmailAsync(user, Input.Email,
CancellationToken.None);
            var result = await _userManager.CreateAsync(user,
Input.Password);

            if (result.Succeeded)
            {
                _logger.LogInformation("User created a new account with
password.");

                var userId = await _userManager.GetUserIdAsync(user);
                var code = await
_userManager.GenerateEmailConfirmationTokenAsync(user);
                code =
WebEncoders.Base64UrlEncode(Encoding.UTF8.GetBytes(code));
                var callbackUrl = Url.Page(
                    "/Account/ConfirmEmail",
                    pageHandler: null,
                    values: new { area = "Identity", userId = userId, code =
code, returnUrl = returnUrl },
                    protocol: Request.Scheme);
            }
        }
    }

```

```

        await _emailSender.SendEmailAsync(Input.Email, "Confirm your
email",
        $"Please confirm your account by <a
href='{HtmlEncoder.Default.Encode(callbackUrl)}'>clicking here</a>.");

        if (_userManager.Options.SignIn.RequireConfirmedAccount)
        {
            return RedirectToPage("RegisterConfirmation", new { email
= Input.Email, returnUrl = returnUrl });
        }
        else
        {
            await _signInManager.SignInAsync(user, isPersistent:
false);
            return LocalRedirect(returnUrl);
        }
    }
    foreach (var error in result.Errors)
    {
        ModelState.AddModelError(string.Empty, error.Description);
    }
    var claims = new List<Claim>
    {
        new Claim(ClaimTypes.Name, Input.Email)
    };
    var claimsIdentity = new ClaimsIdentity(claims,
CookieAuthenticationDefaults.AuthenticationScheme);


HttpContext.SignInAsync(CookieAuthenticationDefaults.AuthenticationScheme, new
ClaimsPrincipal(claimsIdentity), new AuthenticationProperties()).Wait();
    }
    return Page();
}

private Login CreateUser()
{
    try
    {
        return Activator.CreateInstance<Login>();
    }
    catch
    {
        throw new InvalidOperationException($"Can't create an instance of
'{nameof(IdentityUser)}'. " +
        $"Ensure that '{nameof(IdentityUser)}' is not an abstract
class and has a parameterless constructor, or alternatively " +
        $"override the register page in
/Areas/Identity/Pages/Account/Register.cshtml");
    }
}

private IUserEmailStore<IdentityUser> GetEmailStore()
{
    if (!_userManager.SupportsUserEmail)
    {
        throw new NotSupportedException("The default UI requires a user
store with email support.");
    }
    return (IUserEmailStore<IdentityUser>)_userStore;
}
}
}

```


Output:



Pricing Plans

Choose a package that suits your budget & business.

Gold+ Best for Home users	✓ 100 Mbps BDIX and Other Speed ✓ 4K Youtube and Facebook Stream. ✓ Optical Fiber Connection	✓ IPv6 Public IP Only ✓ 24/7 Phone and Online Support ✓ 1:8 Contention Ratio	TK990/mo Buy Now
Platinum+ Choice For Gamers	✓ 100 Mbps BDIX and Other Speed ✓ 4K Youtube and Facebook Stream. ✓ Optical Fiber Connection	✓ IPv6 Public IP Only ✓ 24/7 Phone and Online Support ✓ 1:8 Contention Ratio	TK1390/mo Buy Now



Khulna Internet Services Limited

Beginning our journey in the year 2000, Khulna Internet Services Limited is a leading IT solution provider offering a range of solutions including IP telephony, cybersecurity, Office 365 and fixed fiber broadband connections across both the retail and corporate markets of Bangladesh. In October of 2021, KISL crossed 100k retail broadband connections, becoming the largest ISP in the country in terms of active subscribers. KISL is also a pioneer in offering integrated solutions in the corporate sector of Bangladesh and is the only ISP connected with every bank in the country.

At KISL, we place the customer at the center of our business and our highly trained team of professionals ensure a level of quality and service which remain unmatched by any other player in the industry. We believe in innovating to simplify and in taking ownership of our actions and services. Whether it be people or organizations, we see it as our duty to enrich the lives of all our customers and to become the preferred choice for a digital lifestyle in the market.

Mission and Vision

Amerit is set out to do the things our customers want in an internet service providing company. Which is to provide the most reliable service, coupled with the most sophisticated and modern equipment available.

Send Message

Name

Email

Type your query here...

[Send](#)

Other Channels to Contact Us



Manage your account


Change your account settings



Profile
 Password
 Personal data
 User List
 App Roles
 Queries

Profile
 Username
 admin@gmail.com
 Phone number

[Save](#)

Find Us Here





Discussion and Conclusion:

In this project-based experiment, we have to submit project using HTML, CSS, JavaScript as the frontend language and ASP or php as the backend languages. In which backend language, I have to code was decided by the course teachers. I was told to use ASP as the backend language. There are different versions of ASP. I have chosen ASP.NET Core MVC as it is the latest one. My selected project is Broadband Website. The whole file is huge and only a few codes are shown in this report, full project is available in the GitHub provided. Under the supervision of my course teachers, I have fully completed this project.