



Admin Dashboard and Management

admin/dashboard.php

```
<?php
session_start();
if (!isset($_SESSION['user_id']) || $_SESSION['user_type'] != 'admin') {
    header('Location: ../login.php');
    exit();
}

require_once '../config/database.php';
$db = new Database();
$conn = $db->getConnection();

// Get statistics
$total_books = $conn->query("SELECT SUM(quantity) as total FROM books")->fetch_assoc()['total'];
$total_students = $conn->query("SELECT COUNT(*) as total FROM students")->fetch_assoc()['total'];
$issued_books = $conn->query("SELECT COUNT(*) as total FROM issued_books WHERE status='issued'")->fetch_assoc()['total'];
$overdue_books = $conn->query("SELECT COUNT(*) as total FROM issued_books WHERE status='overdue'")->fetch_assoc()['total'];

// Recent issued books
$recent_issues = $conn->query("SELECT ib.*, s.name as student_name, b.book_title
                                FROM issued_books ib
                                JOIN students s ON ib.student_id = s.id
                                JOIN books b ON ib.book_id = b.id
                                ORDER BY ib.issue_date DESC LIMIT 5");

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Admin Dashboard - Koha Library</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css">
    <style>
        .sidebar {
            min-height: 100vh;
            background: #2c3e50;
        }
        .sidebar a {
            color: #ecf0f1;
            text-decoration: none;
            padding: 15px 20px;
            display: block;
            transition: 0.3s;
        }
    </style>
</head>
<body>
    <div class="d-flex">
        <div class="flex-column">
            <div class="p-4">
                <div class="d-flex justify-content-between">
                    <div>
                        <div class="text-center">
                            <div class="font-weight-bold">Koha Library</div>
                            <div class="font-weight-normal">Admin Dashboard</div>
                        </div>
                    </div>
                    <div>
                        <div class="font-weight-normal">Welcome, Admin</div>
                        <div class="font-weight-normal">Logout</div>
                    </div>
                </div>
                <div class="mt-3">
                    <div class="font-weight-normal">Dashboard</div>
                    <div class="font-weight-normal">Books</div>
                    <div class="font-weight-normal">Students</div>
                    <div class="font-weight-normal">Issued Books</div>
                    <div class="font-weight-normal">Overdue Books</div>
                </div>
            </div>
            <div class="flex-grow-1">
                <div class="p-4">
                    <div class="font-weight-normal">Recent Issued Books</div>
                    <table class="table">
                        <thead>
                            <tr>
                                <th>Issue Date</th>
                                <th>Student Name</th>
                                <th>Book Title</th>
                            </tr>
                        </thead>
                        <tbody>
                            <tr>
                                <td>2023-10-27</td>
                                <td>John Doe</td>
                                <td>The Great Gatsby</td>
                            </tr>
                            <tr>
                                <td>2023-10-26</td>
                                <td>Jane Smith</td>
                                <td>1984</td>
                            </tr>
                            <tr>
                                <td>2023-10-25</td>
                                <td>Mike Johnson</td>
                                <td>The Catcher in the Rye</td>
                            </tr>
                            <tr>
                                <td>2023-10-24</td>
                                <td>Emily White</td>
                                <td>The Hobbit</td>
                            </tr>
                            <tr>
                                <td>2023-10-23</td>
                                <td>David Brown</td>
                                <td>The Lord of the Rings</td>
                            </tr>
                        </tbody>
                    </table>
                </div>
            </div>
        </div>
    </div>
</body>
</html>
```

```

    }
    .sidebar a:hover {
        background: #34495e;
        padding-left: 30px;
    }
    .stat-card {
        border-left: 4px solid;
        transition: transform 0.3s;
    }
    .stat-card:hover {
        transform: translateY(-5px);
    }
}
</style>
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <!-- Sidebar -->
            <div class="col-md-2 sidebar p-0">
                <div class="p-3 text-white">
                    <h4><i class="fas fa-book-reader"></i> Koha Library</h4>
                    <p class="small">Admin Panel</p>
                </div>
                <a href="dashboard.php"><i class="fas fa-tachometer-alt"></i> Dashboard</a>
                <a href="add-book.php"><i class="fas fa-plus-circle"></i> Add Book</a>
                <a href="manage-books.php"><i class="fas fa-books"></i> Manage Books</a>
                <a href="categories.php"><i class="fas fa-list"></i> Categories</a>
                <a href="authors.php"><i class="fas fa-user-edit"></i> Authors</a>
                <a href="issue-book.php"><i class="fas fa-hand-holding"></i> Issue Book</a>
                <a href="return-book.php"><i class="fas fa-undo"></i> Return Book</a>
                <a href="manage-students.php"><i class="fas fa-users"></i> Students</a>
                <a href="reports.php"><i class="fas fa-chart-bar"></i> Reports</a>
                <a href="settings.php"><i class="fas fa-cog"></i> Settings</a>
                <a href="..../logout.php"><i class="fas fa-sign-out-alt"></i> Logout</a>
            </div>

            <!-- Main Content -->
            <div class="col-md-10 p-4">
                <div class="d-flex justify-content-between align-items-center mb-4">
                    <h2>Dashboard</h2>
                    <div>
                        <span class="text-muted">Welcome, <?php echo $_SESSION['user_name']>
                    </div>
                </div>

                <!-- Statistics Cards -->
                <div class="row mb-4">
                    <div class="col-md-3">
                        <div class="card stat-card border-primary">
                            <div class="card-body">
                                <div class="d-flex justify-content-between">
                                    <div>
                                        <h6 class="text-muted">Total Books</h6>
                                        <h3><?php echo $total_books ?? 0; ?></h3>
                                    </div>
                                </div>
                            </div>
                        </div>

```

```

                <i class="fas fa-book fa-3x text-primary"></i>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3">
    <div class="card stat-card border-success">
        <div class="card-body">
            <div class="d-flex justify-content-between">
                <div>
                    <h6 class="text-muted">Total Students</h6>
                    <h3><?php echo $total_students ?? 0; ?></h3>
                </div>
                <div>
                    <i class="fas fa-users fa-3x text-success"></i>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3">
    <div class="card stat-card border-warning">
        <div class="card-body">
            <div class="d-flex justify-content-between">
                <div>
                    <h6 class="text-muted">Issued Books</h6>
                    <h3><?php echo $issued_books ?? 0; ?></h3>
                </div>
                <div>
                    <i class="fas fa-hand-holding fa-3x text-warning">
                </div>
            </div>
        </div>
    </div>
</div>
<div class="col-md-3">
    <div class="card stat-card border-danger">
        <div class="card-body">
            <div class="d-flex justify-content-between">
                <div>
                    <h6 class="text-muted">Overdue</h6>
                    <h3><?php echo $overdue_books ?? 0; ?></h3>
                </div>
                <div>
                    <i class="fas fa-exclamation-triangle fa-3x text-
                </div>
            </div>
        </div>
    </div>
</div>
</div>
<!-- Recent Issues -->
<div class="card">
    <div class="card-header bg-primary text-white">

```

```

        <h5 class="mb-0">Recent Book Issues</h5>
    </div>
    <div class="card-body">
        <table class="table table-hover">
            <thead>
                <tr>
                    <th>Student</th>
                    <th>Book Title</th>
                    <th>Issue Date</th>
                    <th>Due Date</th>
                    <th>Status</th>
                </tr>
            </thead>
            <tbody>
                <?php while($row = $recent_issues->fetch_assoc()): ?>
                <tr>
                    <td><?php echo $row['student_name']; ?></td>
                    <td><?php echo $row['book_title']; ?></td>
                    <td><?php echo date('d M Y', strtotime($row['issue_date'])); ?></td>
                    <td><?php echo date('d M Y', strtotime($row['due_date'])); ?></td>
                    <td>
                        <?php if($row['status'] == 'issued' && $row['due_date'] <= date('d M Y')): ?>
                        <span class="badge bg-danger">Overdue</span>
                        <?php else: ?>
                        <span class="badge bg-success"><?php echo ucfirst($row['status']); ?></span>
                        <?php endif; ?>
                    </td>
                </tr>
                <?php endwhile; ?>
            </tbody>
        </table>
    </div>
</div>
</div>
</div>
</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

admin/add-book.php

```

<?php
session_start();
if (!isset($_SESSION['user_id']) || $_SESSION['user_type'] != 'admin') {
    header('Location: ../login.php');
    exit();
}

require_once '../config/database.php';
$db = new Database();
$conn = $db->getConnection();

```

```

$success = '';
$error = '';

// Get categories and authors
$categories = $conn->query("SELECT * FROM categories ORDER BY category_name");
$authors = $conn->query("SELECT * FROM authors ORDER BY author_name");

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $book_title = $conn->real_escape_string($_POST['book_title']);
    $isbn = $conn->real_escape_string($_POST['isbn']);
    $author_id = (int)$_POST['author_id'];
    $category_id = (int)$_POST['category_id'];
    $publisher = $conn->real_escape_string($_POST['publisher']);
    $publication_year = (int)$_POST['publication_year'];
    $edition = $conn->real_escape_string($_POST['edition']);
    $pages = (int)$_POST['pages'];
    $price = (float)$_POST['price'];
    $quantity = (int)$_POST['quantity'];
    $location = $conn->real_escape_string($_POST['location']);
    $description = $conn->real_escape_string($_POST['description']);

    // Handle cover image upload
    $cover_image = '';
    if (isset($_FILES['cover_image']) && $_FILES['cover_image']['error'] == 0) {
        $target_dir = "../uploads/covers/";
        if (!file_exists($target_dir)) {
            mkdir($target_dir, 0777, true);
        }
        $file_extension = pathinfo($_FILES['cover_image']['name'], PATHINFO_EXTENSION);
        $cover_image = uniqid() . '.' . $file_extension;
        move_uploaded_file($_FILES['cover_image']['tmp_name'], $target_dir . $cover_image);
    }

    $query = "INSERT INTO books (book_title, isbn, author_id, category_id, publisher,
        publication_year, edition, pages, price, quantity, available_quantity,
        location, description, cover_image)
        VALUES ('$book_title', '$isbn', $author_id, $category_id, '$publisher',
        $publication_year, '$edition', $pages, $price, $quantity, $quantity,
        '$location', '$description', '$cover_image')";

    if ($conn->query($query)) {
        $success = 'Book added successfully!';
    } else {
        $error = 'Error adding book: ' . $conn->error;
    }
}

?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Add Book - Koha Library</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.4.0/css/all.min.css">
</head>

```

```

<body>
  <div class="container-fluid">
    <div class="row">
      <!-- Include same sidebar as dashboard -->
      <div class="col-md-2 bg-dark text-white p-3">
        <h4><i class="fas fa-book-reader"></i> Koha Library</h4>
        <hr>
        <a href="dashboard.php" class="text-white d-block py-2"><i class="fas fa-
        <a href="add-book.php" class="text-white d-block py-2 bg-primary"><i clas
        <a href="manage-books.php" class="text-white d-block py-2"><i class="fas
        <a href=" ../logout.php" class="text-white d-block py-2"><i class="fas fa-
      </div>

      <div class="col-md-10 p-4">
        <h2 class="mb-4">Add New Book</h2>

        <?php if ($success): ?>
          <div class="alert alert-success alert-dismissible">
            <button type="button" class="btn-close" data-bs-dismiss="alert"><
            <?php echo $success; ?>
          </div>
        <?php endif; ?>

        <?php if ($error): ?>
          <div class="alert alert-danger alert-dismissible">
            <button type="button" class="btn-close" data-bs-dismiss="alert"><
            <?php echo $error; ?>
          </div>
        <?php endif; ?>

        <div class="card">
          <div class="card-body">
            <form method="POST" enctype="multipart/form-data">
              <div class="row">
                <div class="col-md-6 mb-3">
                  <label class="form-label">Book Title *</label>
                  <input type="text" name="book_title" class="form-cont
                </div>
                <div class="col-md-6 mb-3">
                  <label class="form-label">ISBN *</label>
                  <input type="text" name="isbn" class="form-control" 1
                </div>
              </div>

              <div class="row">
                <div class="col-md-6 mb-3">
                  <label class="form-label">Author *</label>
                  <select name="author_id" class="form-select" required>
                    <option value="">Select Author</option>
                    <?php while($author = $authors->fetch_assoc()): ?
                      <option value="<?php echo $author['id']; ?>">
                    <?php endwhile; ?>
                  </select>
                </div>
                <div class="col-md-6 mb-3">
                  <label class="form-label">Category *</label>

```

```

        <select name="category_id" class="form-select" require
            <option value="">Select Category</option>
            <?php while($category = $categories->fetch_assoc()
                <option value="<?php echo $category['id']; ?>
            <?php endwhile; ?>
        </select>
    </div>
</div>

<div class="row">
    <div class="col-md-6 mb-3">
        <label class="form-label">Publisher</label>
        <input type="text" name="publisher" class="form-control">
    </div>
    <div class="col-md-6 mb-3">
        <label class="form-label">Publication Year</label>
        <input type="number" name="publication_year" class="form-control">
    </div>
</div>

<div class="row">
    <div class="col-md-4 mb-3">
        <label class="form-label">Edition</label>
        <input type="text" name="edition" class="form-control">
    </div>
    <div class="col-md-4 mb-3">
        <label class="form-label">Pages</label>
        <input type="number" name="pages" class="form-control">
    </div>
    <div class="col-md-4 mb-3">
        <label class="form-label">Price</label>
        <input type="number" step="0.01" name="price" class="form-control">
    </div>
</div>

<div class="row">
    <div class="col-md-6 mb-3">
        <label class="form-label">Quantity *</label>
        <input type="number" name="quantity" class="form-control">
    </div>
    <div class="col-md-6 mb-3">
        <label class="form-label">Location (Shelf)</label>
        <input type="text" name="location" class="form-control">
    </div>
</div>

<div class="mb-3">
    <label class="form-label">Description</label>
    <textarea name="description" class="form-control" rows="4">
</div>

<div class="mb-3">
    <label class="form-label">Cover Image</label>
    <input type="file" name="cover_image" class="form-control">
</div>

```

```

        <button type="submit" class="btn btn-primary">
            <i class="fas fa-save"></i> Add Book
        </button>
        <a href="manage-books.php" class="btn btn-secondary">Cancel</a>
    </form>
</div>
</div>
</div>
</div>
</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

admin/manage-books.php

```

<?php
session_start();
if (!isset($_SESSION['user_id']) || $_SESSION['user_type'] != 'admin') {
    header('Location: ../login.php');
    exit();
}

require_once '../config/database.php';
$db = new Database();
$conn = $db->getConnection();

// Handle delete
if (isset($_GET['delete'])) {
    $id = (int)$_GET['delete'];
    $conn->query("DELETE FROM books WHERE id = $id");
    header('Location: manage-books.php');
    exit();
}

// Search functionality
$search = isset($_GET['search']) ? $conn->real_escape_string($_GET['search']) : '';
$where = $search ? "WHERE b.book_title LIKE '%$search%' OR b.isbn LIKE '%$search%' OR a.author_name LIKE '%$search%'" : '';

$query = "SELECT b.*, a.author_name, c.category_name
FROM books b
LEFT JOIN authors a ON b.author_id = a.id
LEFT JOIN categories c ON b.category_id = c.id
$where
ORDER BY b.id DESC";
$books = $conn->query($query);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Manage Books - Koha Library</title>

```



```

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.
</head>
<body>
  <div class="container-fluid">
    <div class="row">
      <div class="col-md-2 bg-dark text-white p-3">
        <h4><i class="fas fa-book-reader"></i> Koha Library</h4>
        <hr>
        <a href="dashboard.php" class="text-white d-block py-2"><i class="fas fa-
        <a href="add-book.php" class="text-white d-block py-2"><i class="fas fa-p
        <a href="manage-books.php" class="text-white d-block py-2 bg-primary"><i
        <a href="..../logout.php" class="text-white d-block py-2"><i class="fas fa-
      </div>

      <div class="col-md-10 p-4">
        <div class="d-flex justify-content-between align-items-center mb-4">
          <h2>Manage Books</h2>
          <a href="add-book.php" class="btn btn-primary">
            <i class="fas fa-plus"></i> Add New Book
          </a>
        </div>

        <!-- Search Bar -->
        <div class="card mb-4">
          <div class="card-body">
            <form method="GET" class="row g-3">
              <div class="col-md-10">
                <input type="text" name="search" class="form-control"
                  placeholder="Search by title, ISBN, or author..."
                  value="<?php echo $search; ?>">
              </div>
              <div class="col-md-2">
                <button type="submit" class="btn btn-primary w-100">
                  <i class="fas fa-search"></i> Search
                </button>
              </div>
            </form>
          </div>
        </div>

        <!-- Books Table -->
        <div class="card">
          <div class="card-body">
            <div class="table-responsive">
              <table class="table table-hover">
                <thead class="table-dark">
                  <tr>
                    <th>ID</th>
                    <th>Title</th>
                    <th>ISBN</th>
                    <th>Author</th>
                    <th>Category</th>
                    <th>Quantity</th>
                    <th>Available</th>
                    <th>Status</th>

```

```

        <th>Actions</th>
    </tr>
</thead>
<tbody>
    <?php while($book = $books->fetch_assoc()): ?>
        <tr>
            <td><?php echo $book['id']; ?></td>
            <td><?php echo $book['book_title']; ?></td>
            <td><?php echo $book['isbn']; ?></td>
            <td><?php echo $book['author_name']; ?></td>
            <td><span class="badge bg-info"><?php echo $book['available_quantity']; ?></td>
            <td><?php echo $book['quantity']; ?></td>
            <td><?php echo $book['available_quantity']; ?></td>
            <td>
                <?php if($book['available_quantity'] > 0): ?>
                    <span class="badge bg-success">Available</span>
                <?php else: ?>
                    <span class="badge bg-danger">Out of Stock</span>
                <?php endif; ?>
            </td>
            <td>
                <a href="edit-book.php?id=<?php echo $book['id']; ?>"
                    class="btn btn-sm btn-warning">
                    <i class="fas fa-edit"></i>
                </a>
                <a href="?delete=<?php echo $book['id']; ?>"
                    class="btn btn-sm btn-danger"
                    onclick="return confirm('Are you sure?')">
                    <i class="fas fa-trash"></i>
                </a>
            </td>
        </tr>
    <?php endwhile; ?>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

```
<?php
session_start();
if (!isset($_SESSION['user_id']) || $_SESSION['user_type'] != 'admin') {
    header('Location: ../login.php');
    exit();
}
```

```

require_once '../config/database.php';
$db = new Database();
$conn = $db->getConnection();

$success = '';
$error = '';

if ($_SERVER['REQUEST_METHOD'] == 'POST') {
    $student_id = (int)$_POST['student_id'];
    $book_id = (int)$_POST['book_id'];
    $issue_date = $conn->real_escape_string($_POST['issue_date']);
    $due_date = $conn->real_escape_string($_POST['due_date']);

    // Check if book is available
    $book = $conn->query("SELECT available_quantity FROM books WHERE id = $book_id")->fetch_assoc();

    if ($book['available_quantity'] > 0) {
        // Issue the book
        $query = "INSERT INTO issued_books (student_id, book_id, issue_date, due_date, status)
            VALUES ($student_id, $book_id, '$issue_date', '$due_date', 'issued')";

        if ($conn->query($query)) {
            // Update book availability
            $conn->query("UPDATE books SET available_quantity = available_quantity - 1 WHERE id = $book_id");
            $success = 'Book issued successfully!';
        } else {
            $error = 'Error issuing book: ' . $conn->error;
        }
    } else {
        $error = 'Book is not available!';
    }
}

// Get students and books for dropdown
$students = $conn->query("SELECT id, student_id, name FROM students WHERE status='active'");
$books = $conn->query("SELECT id, book_title, isbn FROM books WHERE available_quantity > 0");

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Issue Book - Koha Library</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.4.0/css/fontawesome.min.css">
</head>
<body>
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-2 bg-dark text-white p-3">
                <h4><i class="fas fa-book-reader"></i> Koha Library</h4>
                <hr>
                <a href="dashboard.php" class="text-white d-block py-2"><i class="fas fa-home"></i> Dashboard</a>
                <a href="issue-book.php" class="text-white d-block py-2 bg-primary"><i class="fas fa-book"></i> Issue Book</a>
                <a href="return-book.php" class="text-white d-block py-2"><i class="fas fa-book"></i> Return Book</a>
            </div>

```

```
<a href="../../logout.php" class="text-white d-block py-2"><i class="fas fa-
</div>
```

```
<div class="col-md-10 p-4">
```

```
<h2 class="mb-4">Issue Book to Student</h2>
```

```
<?php if ($success): ?>
```

```
<div class="alert alert-success"><?php echo $success; ?></div>
```

```
<?php endif; ?>
```

```
<?php if ($error): ?>
```

```
<div class="alert alert-danger"><?php echo $error; ?></div>
```

```
<?php endif; ?>
```

```
<div class="card">
```

```
<div class="card-body">
```

```
<form method="POST">
```

```
<div class="row">
```

```
<div class="col-md-6 mb-3">
```

```
<label class="form-label">Select Student *</label>
```

```
<select name="student_id" class="form-select" required>
```

```
<option value="">Choose Student</option>
```

```
<?php while($student = $students->fetch_assoc()):
```

```
<option value="<?php echo $student['id']; ?>"
```

```
<?php echo $student['name'] . ' (' . $stu
```

```
</option>
```

```
<?php endwhile; ?>
```

```
</select>
```

```
</div>
```

```
<div class="col-md-6 mb-3">
```

```
<label class="form-label">Select Book *</label>
```

```
<select name="book_id" class="form-select" required>
```

```
<option value="">Choose Book</option>
```

```
<?php while($book = $books->fetch_assoc()): ?>
```

```
<option value="<?php echo $book['id']; ?>"
```

```
<?php echo $book['book_title'] . ' - ' .
```

```
</option>
```

```
<?php endwhile; ?>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-6 mb-3">
```

```
<label class="form-label">Issue Date *</label>
```

```
<input type="date" name="issue_date" class="form-cont
```

```
value="<?php echo date('Y-m-d'); ?>" required>
```

```
</div>
```

```
<div class="col-md-6 mb-3">
```

```
<label class="form-label">Due Date *</label>
```

```
<input type="date" name="due_date" class="form-contr
```

```
value="<?php echo date('Y-m-d', strtotime('+14
```

```
</div>
```

```
</div>
```

```
<button type="submit" class="btn btn-primary">
```

```

        <i class="fas fa-check"></i> Issue Book
    </button>
</form>
</div>
</div>

<!-- Currently Issued Books -->
<div class="card mt-4">
    <div class="card-header bg-info text-white">
        <h5 class="mb-0">Currently Issued Books</h5>
    </div>
    <div class="card-body">
        <table class="table">
            <thead>
                <tr>
                    <th>Student</th>
                    <th>Book</th>
                    <th>Issue Date</th>
                    <th>Due Date</th>
                    <th>Days Left</th>
                </tr>
            </thead>
            <tbody>
                <?php
                $issued = $conn->query("SELECT ib.*, s.name, b.book_title
                                        FROM issued_books ib
                                        JOIN students s ON ib.student_id =
                                        JOIN books b ON ib.book_id = b.id
                                        WHERE ib.status = 'issued'
                                        ORDER BY ib.due_date");
                while($row = $issued->fetch_assoc()):
                    $days_left = (strtotime($row['due_date']) - time()) /
                ?>
                <tr>
                    <td><?php echo $row['name']; ?></td>
                    <td><?php echo $row['book_title']; ?></td>
                    <td><?php echo date('d M Y', strtotime($row['issue_da
                    <td><?php echo date('d M Y', strtotime($row['due_date
                    <td>
                        <?php if($days_left < 0): ?>
                            <span class="badge bg-danger">Overdue by <?ph
                        <?php else: ?>
                            <span class="badge bg-success"><?php echo flc
                        <?php endif; ?>
                    </td>
                </tr>
                <?php endwhile; ?>
            </tbody>
        </table>
    </div>
</div>
</div>
</div>
</div>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.mi

```

```
</body>  
</html>
```

Want me to continue with the return-book, student portal, and reports modules?