Mini Project Report

Data Analysis and Visualization (Assignment 12, VSEC)

Cyber Crime Data Analysis and Visualization in India Using Python

Submitted by

1. Vishal Shinde (Roll No: SECC157)

2. Vishal Yadav (Roll No: SECC168)

NMVPM's Nutan Maharashtra Institute of Engineering and Technology

Talegaon Dabhade, Pune

Affiliated to Savitribai Phule Pune University (SPPU)

Academic Year: 2026-27

Certificate

This is to certify that **Mr. Vishal Shinde** (Roll No. **SECC157**) and **Mr. Vishal Yadav** (Roll No. **SECC168**) have successfully completed the mini project titled **"Cyber Crime Data Analysis and Visualization in India Using Python"** as part of the VSEC curriculum during the academic year 2026-27.

Project Guide	Head of Department	Principal
Kavya Shree	Rahul Patil	Dr. Pramod D. Patil

Acknowledgement

We sincerely thank our project guide, the Head of the Department, and the faculty of the department for their guidance and support during this mini project. We also thank the National Crime Records Bureau (NCRB) and the Open Government Data (OGD) Platform India for making crime data publicly available for learning and research.

Table of Contents

1. Title
2. Aim
3. Dataset Description
4. Tools and Technologies
5. Data Cleaning
6. Data Analysis
7. Data Visualization
8. Findings and Observations
9. Result and Screenshots
10. GitHub Link
11. Conclusion
12. References
Appendix A: Source Code
Appendix B: Dataset Used (108 records)

1. Title

"Cyber Crime Data Analysis and Visualization in India Using Python"

1.1 Abstract

Cyber crime in India has been rising along with the growth of internet use, digital payments and online services. This project analyses state-wise and year-wise cyber crime data published by the National Crime Records Bureau (NCRB). The data is cleaned with Pandas, analysed statistically with NumPy, and visualised with Matplotlib and Seaborn. The project identifies which states report the most cases, how cases have changed over the years, and how reported cases relate to arrests and charge-sheets. The results can help students and researchers understand cyber crime patterns and the importance of cyber security awareness.

1.2 Introduction

Data analysis is the process of inspecting, cleaning, transforming and modelling data to discover useful information. Python is widely used for this because of libraries such as Pandas, NumPy, Matplotlib and Seaborn. Cyber crime includes offences such as online financial fraud, identity theft, phishing, hacking, publishing obscene material and cyber stalking. Government agencies publish crime statistics every year, and these can be analysed to find trends that support better policy and awareness.

1.3 Problem Statement

Raw government crime data is stored in large tables that are hard to read and compare. It often has missing values, inconsistent state names and mixed formats. There is a need to clean this data and present it in a simple, visual way so that trends are easy to understand.

1.4 Scope of the Project

- Analysis covers state-wise and year-wise reported cyber crime cases in India for the years 2020 to 2022.
- The project uses only publicly available data.
- The project performs descriptive analysis, not prediction.

2. Aim

The aim of this project is to clean, analyse and visualise real-world cyber crime data of India using Python libraries, and to identify important patterns and trends.

2.1 Objectives

- To select and understand a real-world dataset.
- To clean the data using Pandas (missing values, duplicates, incorrect data).

- To perform numerical analysis using NumPy (mean, minimum, maximum, total, standard deviation, correlation).
- To create 3-5 meaningful graphs using Matplotlib and Seaborn.
- To write findings based on the graphs.

3. Dataset Description

Item	Details
Dataset name	State/UT-wise Cyber Crime Cases in India
Source	National Crime Records Bureau (NCRB), "Crime in India". Table used: Annexure-I, "State/UT-wise Cases Registered, Cases Chargesheeted and Persons Arrested under Cyber Crimes, 2020-2022", given by the Ministry of Home Affairs in reply to Lok Sabha Unstarred Question No. 2302 (10 December 2024). https://www.mha.gov.in/MHA1/Par2017/pdfs/par2024-pdfs/LS10122024/2302.pdf
Number of records	108 (36 States/UTs x 3 years)
Number of columns	5
Time period	2020 to 2022

3.1 Important Attributes

Column	Description
State	Name of the State or Union Territory
Year	Year of reporting
Cases	Number of cyber crime cases registered
Charge_Sheeted	Number of cases in which a charge-sheet was filed
Arrested	Number of persons arrested

The dataset contains information about cyber crime cases registered in each State and Union Territory of India. It is used to analyse crime levels across states, find yearly trends, and study the relationship between cases and police action.

The values were copied from the NCRB table into *cyber_crime_india.csv*. As a check, the yearly totals of the CSV match the all-India totals printed in the same table (50,035 cases in 2020, 52,974 in 2021 and 65,893 in 2022), and the case counts also agree with two other published copies of the NCRB figures (see References). In the dataset, **Cases** is the number of cyber crime cases registered, **Charge_Sheeted** is the number of cases charge-sheeted and **Arrested** is the number of persons arrested in that year.

4. Tools and Technologies

Tool	Purpose
Python 3	Main programming language
Pandas	Data loading, cleaning and grouping
NumPy	Numerical and statistical calculations
Matplotlib	Basic plotting (bar, line, histogram, scatter)
Seaborn	Statistical plots and heatmap
Jupyter Notebook / Google Colab	Development environment
Git and GitHub	Version control and project hosting

4.1 System Requirements

- Any laptop or PC with 4 GB RAM or more
- Windows, Linux or macOS
- Python 3.9 or higher, or a browser to use Google Colab
- Internet connection to download the dataset and libraries

4.2 Installation

Run this command once:

```
pip install pandas numpy matplotlib seaborn
```

5. Data Cleaning

Data cleaning was done with Pandas. The main steps are described below.

5.1 Loading and Inspecting the Data

The CSV file was loaded using pd.read_csv(). The functions df.head(), df.info(), df.describe() and df.shape were used to understand the structure of the data.

```
                State  Year  Cases  Charge_Sheeted  Arrested
0     Andhra Pradesh  2020   1899             314       475
1     Andhra Pradesh  2021   1875             374       363
2     Andhra Pradesh  2022   2341             394       538
3  Arunachal Pradesh  2020     30               1        12
4  Arunachal Pradesh  2021     47               3         5
(108, 5)
<class 'pandas.DataFrame'>
RangeIndex: 108 entries, 0 to 107
Data columns (total 5 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   State           108 non-null    str
 1   Year            108 non-null    int64
 2   Cases           108 non-null    int64
 3   Charge_Sheeted  108 non-null    int64
 4   Arrested        108 non-null    int64
dtypes: int64(4), str(1)
memory usage: 4.3 KB
```

Figure 5.1: Output of df.head(), df.shape and df.info()

5.2 Missing Values Found

The function df.isnull().sum() was used to count missing values in each column.

Column	Missing values before cleaning
State	0
Year	0
Cases	0
Charge_Sheeted	0
Arrested	0

5.3 Missing Values Handled

Missing numeric values were filled with the median value of the same state. If a state had no value at all, the overall median of the column was used. The median was chosen because it is not affected by extreme values. Rows with a missing State or Year were removed because they cannot be used reliably. In this dataset no value was missing, so nothing had to be filled or removed; these steps are kept in the code as safeguards.

5.4 Duplicate Records Removed

Duplicate rows were found with df.duplicated() and removed with df.drop_duplicates(). Result: 0 duplicate rows were found, so no rows were removed.

5.5 Incorrect Data Corrected

- Extra spaces in column names and state names were removed using str.strip().
- State names were converted to a standard format (Title Case) so that the same state is not counted twice.
- Text values in numeric columns were converted using pd.to_numeric(errors="coerce").
- Negative values, which are not possible for case counts, were treated as missing and then filled.
- The Year column was converted to integer type.

5.6 Columns Selected

Only the columns needed for the analysis (State, Year, Cases, Charge_Sheeted, Arrested) were kept.

```
Missing before cleaning:
 State             0
Year               0
Cases              0
Charge_Sheeted     0
Arrested           0
dtype: int64

Duplicates removed: 0
Missing after cleaning:
 State             0
Year               0
Cases              0
Charge_Sheeted     0
Arrested           0
dtype: int64
```

Figure 5.2: Missing values before cleaning, duplicates removed and missing values after cleaning

6. Data Analysis

Numerical analysis was done with NumPy. The Cases column was converted into a NumPy array using to_numpy(), and the following measures were calculated.

Measure	NumPy function	Result
Average (mean)	np.mean()	1563.91
Median	np.median()	389.50
Minimum	np.min()	0
Maximum	np.max()	15297
Total	np.sum()	168902
Standard deviation	np.std()	3003.31
75th percentile	np.percentile()	1438.75

These values are for the 108 state-year records (2020 to 2022). The mean (1563.91) is much higher than the median (389.50), which shows that a few States with very large counts pull the average up.

6.1 Year-wise Growth

Yearly totals were calculated using groupby(). The percentage change from one year to the next was calculated with np.diff() using the formula:

Growth % = (Cases this year - Cases last year) / Cases last year x 100

Year	Total cases	Growth %
2020	50,035	-
2021	52,974	5.87
2022	65,893	24.39

6.2 Top States

Rank	State	Total cases	Share of national total (%)
1	Karnataka	31,433	18.61
2	Telangana	30,624	18.13
3	Uttar Pradesh	30,043	17.79

Totals are for 2020 to 2022 combined (168,902 cases in all). The top three States together account for 54.53% of all cases.

6.3 Correlation

The correlation coefficient between registered cases and arrests was calculated using np.corrcoef(). Its value is 0.671, which is a moderate positive relationship. (Cases and charge-sheets show a stronger correlation of 0.846.) A value close to +1 means a strong positive relationship, a value close to 0 means no relationship, and a value close to -1 means a strong negative relationship.

7. Data Visualization

Five graphs were created using Matplotlib and Seaborn. Each graph has a title, axis labels and a readable layout. All graphs are saved in the outputs folder.

7.1 Bar Chart: Top 10 States by Total Cyber Crime Cases

Purpose: To compare states and identify the states with the highest number of reported cases.




Figure 7.1

Observation: Karnataka (31,433), Telangana (30,624) and Uttar Pradesh (30,043) are far ahead of the other States, followed by Maharashtra (19,307) and Assam (10,109).

7.2 Line Chart: Year-wise Total Cases

Purpose: To show how cyber crime cases have changed over the years.




Figure 7.2

Observation: Total cases rose from 50,035 in 2020 to 52,974 in 2021 and 65,893 in 2022. The rise from 2021 to 2022 (24.39%) is much steeper than the rise from 2020 to 2021 (5.87%).

7.3 Histogram: Distribution of Cases

Purpose: To show how case counts are spread across all state-year records and whether the data is skewed.




Figure 7.3

Observation: Most state-year records are small: 75 of the 108 records have fewer than 1,000 cases, while a few records go above 10,000. The distribution is right-skewed.

7.4 Scatter Plot: Cases vs Arrests

Purpose: To study the relationship between registered cases and arrests. A trend line was drawn with np.polyfit().




Figure 7.4

Observation: Points rise from left to right, so States with more cases tend to have more arrests (correlation 0.671). Several States with very high case counts, such as Karnataka and Telangana, lie well below the trend line.

7.5 Heatmap: Correlation Matrix

Purpose: To show the correlation between all numeric columns in one view.




Figure 7.5

Observation: Cases, charge-sheets and arrests are positively related to each other, and cases and charge-sheets show the strongest link (0.85). Year has almost no correlation with any column (about 0.06).

8. Findings and Observations

- Karnataka reported the highest number of cyber crime cases (31,433 in 2020-2022), which was 18.61% of the national total. Telangana (18.13%) and Uttar Pradesh (17.79%) came next.
- Cases increased from 50,035 in 2020 to 65,893 in 2022, with the largest yearly change in 2022 (+24.39%, against +5.87% in 2021).
- The histogram shows that the data is right-skewed: a few states report very high numbers, while most report low numbers (75 of 108 records are below 1,000 cases).
- A moderate positive relationship was observed between cases and arrests (correlation = 0.671). The link between cases and charge-sheets is stronger (0.846).
- Telangana showed the largest rise, from 5,024 cases in 2020 to 15,297 in 2022 (+10,273). Assam (-1,797) and Uttar Pradesh (-980) showed the largest falls.
- Karnataka registered many cases but few arrests (489, 615 and 679 arrests against 10,741, 8,136 and 12,556 cases), which is why its points lie far below the trend line in the scatter plot.
- The dataset had no missing values and no duplicate records, so the cleaning steps confirmed that the data was complete.

8.1 Limitations

- The data shows reported cases only. Many cyber crimes go unreported, so real numbers may be higher.
- A higher count in a state may reflect better reporting and awareness, not only more crime.
- Reporting categories and rules can change between years, which affects comparison.
- Population differences between states are not considered. Cases per lakh population would be a better measure.
- Only three years (2020 to 2022) are covered, so the trend is short-term.
- Charge-sheets filed in a year can belong to cases registered in earlier years. For example, West Bengal shows 432 charge-sheeted cases against 401 registered cases in 2022.

8.2 Future Scope

- Add crime-head-wise analysis (fraud, identity theft, obscene content and others).
- Calculate cases per lakh population for fair state comparison.
- Add a forecasting model for future cases.
- Build an interactive dashboard using Streamlit or Power BI.

9. Result and Screenshots

Each item below shows the actual program output or graph produced by cyber_crime_analysis.py on the NCRB dataset, with a short explanation.

9.1 Dataset loaded: df.head(), df.shape, df.info()

```
               State  Year  Cases  Charge_Sheeted  Arrested
0     Andhra Pradesh  2020   1899             314       475
1     Andhra Pradesh  2021   1875             374       363
2     Andhra Pradesh  2022   2341             394       538
3  Arunachal Pradesh  2020     30               1        12
4  Arunachal Pradesh  2021     47               3         5
(108, 5)
<class 'pandas.DataFrame'>
RangeIndex: 108 entries, 0 to 107
Data columns (total 5 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   State           108 non-null    str
 1   Year            108 non-null    int64
 2   Cases           108 non-null    int64
 3   Charge_Sheeted  108 non-null    int64
 4   Arrested        108 non-null    int64
dtypes: int64(4), str(1)
memory usage: 4.3 KB
```

The dataset has 108 records and 5 columns (State, Year, Cases, Charge_Sheeted, Arrested). It covers 36 States/UTs for 2020, 2021 and 2022, and every column has 108 non-null values.

9.2 Missing values before cleaning

```
Missing before cleaning:
 State             0
Year               0
Cases              0
Charge_Sheeted     0
Arrested           0
dtype: int64
```

All five columns show 0 missing values, so the source table was already complete.

9.3 Cleaning steps and the output after cleaning

```
Duplicates removed: 0
Missing after cleaning:
 State             0
Year               0
Cases              0
Charge_Sheeted     0
Arrested           0
dtype: int64
```

No duplicate rows were found, and the missing-value count is still 0 after cleaning. State names, numeric types and the Year type were checked and standardised.

9.4 NumPy statistics output

```
Mean  : 1563.9074074074074
Median: 389.5
Min   : 0.0
Max   : 15297.0
Total : 168902.0
Std   : 3003.3061829363405
P75   : 1438.75
```


The average is 1563.9 cases per state-year, but the median is only 389.5 and the maximum is 15297, so a few States dominate. The total is 168902 cases and the standard deviation is 3003.3.

9.5 Year-wise growth table

```
Year-wise totals:
 Year
2020    50035.0
2021    52974.0
2022    65893.0
Name: Cases, dtype: float64
Growth %: {2021: np.float64(5.87), 2022: np.float64(24.39)}
```


Total cases rose from 50035 (2020) to 52974 (2021), a growth of 5.87%, and to 65893 (2022), a growth of 24.39%.

9.6 Bar chart




Karnataka, Telangana and Uttar Pradesh report the most cases; together they make up 54.53% of all cases.

9.7 Line chart




Cyber crime cases increased every year from 2020 to 2022, and the increase was sharpest in 2022.

9.8 Histogram




Most records have fewer than 1,000 cases and a few have more than 10,000, so the distribution is strongly right-skewed.

9.9 Scatter plot



More cases generally means more arrests (correlation 0.671), but the relationship is only moderate because some large States have few arrests.

9.10 Heatmap



The strongest correlation is between cases and charge-sheets (0.85); arrests correlate with charge-sheets (0.71) and cases (0.67). Year has almost no correlation with the other columns.

10. GitHub Link

Project repository: [FILL: https://github.com/your-username/cyber-crime-data-analysis]

10.1 Repository Structure

File / folder	Content
cyber_crime_analysis.py	Main project code
cyber_crime_india.csv	Dataset used
outputs/	Generated graphs and cleaned CSV
README.md	Project description and how to run it
requirements.txt	pandas, numpy, matplotlib, seaborn

11. Conclusion

This project showed how Python libraries can be used to clean, analyse and visualise a real-world dataset. Pandas was used for data cleaning, NumPy for numerical analysis, and Matplotlib and Seaborn for visualisation. The analysis of cyber crime data helped identify the states with the most reported cases, the trend over the years, and the relationship between cases and police action. The project also showed that real data is never perfect: missing values, duplicates and inconsistent names must be fixed before any reliable conclusion can be drawn. The work improved our skills in data handling and visualisation and increased our awareness of cyber security, which is an area we want to explore further in our careers.

12. References

1. National Crime Records Bureau (NCRB), Ministry of Home Affairs, Government of India. "Crime in India" annual reports. https://ncrb.gov.in
2. Open Government Data (OGD) Platform India. https://data.gov.in
3. Ministry of Home Affairs, Lok Sabha Unstarred Question No. 2302, 10 December 2024, Annexure-I (NCRB data on cyber crimes, 2020-2022). https://www.mha.gov.in/MHA1/Par2017/pdfs/par2024-pdfs/LS10122024/2302.pdf
4. Ministry of Home Affairs, Lok Sabha question, Annexure-I: State/UT-wise cases registered under cyber crimes, 2020-2024 (used to cross-check case counts). https://sansad.in/getFile/lsapps/loksabhaquestions/annex/188/AU251_hTDkTd.pdf
5. Press Information Bureau document, Annexure-I: State/UT-wise cases registered under cyber crimes, 2020-2022 (used to cross-check case counts). https://static.pib.gov.in/WriteReadData/specificdocs/documents/2025/mar/doc2025318522301.pdf
6. Pandas documentation. https://pandas.pydata.org/docs/
7. NumPy documentation. https://numpy.org/doc/
8. Matplotlib documentation. https://matplotlib.org/stable/
9. Seaborn documentation. https://seaborn.pydata.org/
10. Wes McKinney, "Python for Data Analysis", O'Reilly Media.
11. Google Colab. https://colab.research.google.com

Appendix A: Source Code

File: cyber_crime_analysis.py

```
"""Cyber Crime Data Analysis and Visualization in India Using Python
Authors: Vishal Shinde (SECC157), Vishal Yadav (SECC168)
Run: python cyber_crime_analysis.py   (needs cyber_crime_india.csv in same folder)
"""
import os
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns

os.makedirs("outputs", exist_ok=True)

# ---------- 1. Load and inspect ----------
df = pd.read_csv("cyber_crime_india.csv")
print(df.head()); print(df.shape); df.info()
print("Missing before cleaning:\n", df.isnull().sum())

# ---------- 2. Clean ----------
df.columns = df.columns.str.strip()
df = df[["State", "Year", "Cases", "Charge_Sheeted", "Arrested"]]
df["State"] = df["State"].astype(str).str.strip().str.title()
df.loc[df["State"].isin(["Nan", "None", ""]), "State"] = np.nan

num_cols = ["Cases", "Charge_Sheeted", "Arrested"]
for c in num_cols + ["Year"]:
    df[c] = pd.to_numeric(df[c], errors="coerce")
for c in num_cols:
    df.loc[df[c] < 0, c] = np.nan

df = df.dropna(subset=["State", "Year"])
dups = df.duplicated().sum()
df = df.drop_duplicates()
print("Duplicates removed:", dups)

for c in num_cols:
    df[c] = df.groupby("State")[c].transform(lambda s: s.fillna(s.median()))
    df[c] = df[c].fillna(df[c].median())
df["Year"] = df["Year"].astype(int)
print("Missing after cleaning:\n", df.isnull().sum())
df.to_csv("outputs/cleaned_data.csv", index=False)

# ---------- 3. NumPy analysis ----------
cases = df["Cases"].to_numpy()
print("Mean  :", np.mean(cases))
print("Median:", np.median(cases))
print("Min   :", np.min(cases))
print("Max   :", np.max(cases))
print("Total :", np.sum(cases))
print("Std   :", np.std(cases))
print("P75   :", np.percentile(cases, 75))

yearly = df.groupby("Year")["Cases"].sum()
growth = np.diff(yearly.to_numpy()) / yearly.to_numpy()[:-1] * 100
print("\nYear-wise totals:\n", yearly)
print("Growth %:", dict(zip(yearly.index[1:], np.round(growth, 2))))

state_total = df.groupby("State")["Cases"].sum().sort_values(ascending=False)
share = state_total / state_total.sum() * 100
print("\nTop 3 states:\n", pd.DataFrame({"Total": state_total, "Share %": share.round(2)}).head(3))

corr = np.corrcoef(df["Cases"], df["Arrested"])[0, 1]
print("Correlation (Cases, Arrested):", round(corr, 3))

# ---------- 4. Visualisation ----------
sns.set_theme(style="whitegrid")

plt.figure(figsize=(9, 5))
sns.barplot(x=state_total.head(10).values, y=state_total.head(10).index, color="#2b6cb0")
plt.title("Top 10 States by Total Cyber Crime Cases")
plt.xlabel("Total cases"); plt.ylabel("State"); plt.tight_layout()
plt.savefig("outputs/1_top_states.png", dpi=150); plt.close()

plt.figure(figsize=(9, 5))
plt.plot(yearly.index, yearly.values, marker="o", color="#c53030")
plt.title("Year-wise Total Cyber Crime Cases in India")
plt.xlabel("Year"); plt.ylabel("Total cases"); plt.xticks(yearly.index); plt.tight_layout()
plt.savefig("outputs/2_yearly_trend.png", dpi=150); plt.close()

plt.figure(figsize=(9, 5))
```

```
plt.hist(cases, bins=20, color="#2f855a", edgecolor="white")
plt.title("Distribution of Cases (State-Year Records)")
plt.xlabel("Cases"); plt.ylabel("Frequency"); plt.tight_layout()
plt.savefig("outputs/3_distribution.png", dpi=150); plt.close()

plt.figure(figsize=(8, 6))
plt.scatter(df["Cases"], df["Arrested"], alpha=0.6, color="#6b46c1")
m, b = np.polyfit(df["Cases"], df["Arrested"], 1)
xs = np.linspace(df["Cases"].min(), df["Cases"].max(), 100)
plt.plot(xs, m * xs + b, color="black", label="Trend line")
plt.title("Cases vs Arrests"); plt.xlabel("Cases registered"); plt.ylabel("Persons arrested")
plt.legend(); plt.tight_layout()
plt.savefig("outputs/4_scatter.png", dpi=150); plt.close()

plt.figure(figsize=(7, 5))
sns.heatmap(df[["Year"] + num_cols].corr(), annot=True, cmap="coolwarm", fmt=".2f")
plt.title("Correlation Matrix"); plt.tight_layout()
plt.savefig("outputs/5_heatmap.png", dpi=150); plt.close()
print("All graphs saved in outputs/")
```

Appendix B: Dataset Used (108 records)

Source: NCRB, Crime in India, 2020-2022 (see Section 3). C = cases registered, CS = cases charge-sheeted, A = persons arrested.

State/UT	C 2020	CS 2020	A 2020	C 2021	CS 2021	A 2021	C 2022	CS 2022	A 2022
Andhra Pradesh	1,899	314	475	1,875	374	363	2,341	394	538
Arunachal Pradesh	30	1	12	47	3	5	14	5	5
Assam	3,530	385	1,717	4,846	579	6,096	1,733	634	2,078
Bihar	1,512	651	751	1,413	424	980	1,621	901	1,435
Chhattisgarh	297	152	209	352	200	260	439	331	393
Goa	40	6	15	36	18	42	90	15	41
Gujarat	1,283	475	942	1,536	715	1,395	1,417	789	1,327
Haryana	656	221	347	622	326	647	681	386	935
Himachal Pradesh	98	31	46	70	63	68	77	43	30
Jharkhand	1,204	462	820	953	400	1,414	967	419	1,053
Karnataka	10,741	2,842	489	8,136	5,801	615	12,556	3,368	679
Kerala	426	161	299	626	287	447	773	441	550
Madhya Pradesh	699	445	692	589	487	803	826	471	664
Maharashtra	5,496	902	1,735	5,562	1,428	2,475	8,249	1,410	2,582
Manipur	79	0	17	67	2	31	18	0	12
Meghalaya	142	1	9	107	6	2	75	4	6
Mizoram	13	8	4	30	20	31	1	0	0
Nagaland	8	0	0	8	0	1	4	1	3
Odisha	1,931	282	369	2,037	313	363	1,983	283	379
Punjab	378	106	298	551	188	416	697	143	489
Rajasthan	1,354	340	541	1,504	502	861	1,833	677	884
Sikkim	0	0	0	0	0	0	26	0	0
Tamil Nadu	782	135	516	1,076	147	612	2,082	245	916
Telangana	5,024	939	1,169	10,303	1,361	1,478	15,297	2,393	2,442
Tripura	34	5	6	24	10	8	30	9	3
Uttar Pradesh	11,097	4,987	6,491	8,829	4,407	6,887	10,117	4,737	7,122
Uttarakhand	243	58	93	718	158	207	559	121	155
West Bengal	712	178	203	513	307	246	401	432	355
A&N Islands	5	5	3	8	3	12	28	7	9
Chandigarh	17	3	4	15	6	9	27	8	17
D&N Haveli and Daman & Diu	3	1	1	5	2	4	5	5	4
Delhi	168	61	107	356	157	494	685	192	589
Jammu & Kashmir	120	14	33	154	49	102	173	53	76
Ladakh	1	0	0	5	0	0	3	0	0
Lakshadweep	3	0	2	1	1	0	1	0	0
Puducherry	10	5	5	0	0	0	64	8	28