MegaTrader

AUTOMATED TRADING SOFTTECH PVT LTD

This is RESTFul Api Document. For Request /Response format should be in JSON.

1] LoginRequest:

../api/PublicAPI/LoginRequest

Login with Username and password. This Username and Password is same as Web Application.

LoginId	string	UserName
Password	string	Password

On LogonRequest, will get response.

LogonResponse:

UniqueId	int	Unique Identification Number
RefNo	string	Login Authentication String
Error	string	Error text

ErrorText will Empty whenever Successful Login.
On Unsuccessful Login, will get Uniqueid will be zero and RefNo will be empty.

Note: On Every Login Request, Will get different RefNo.

2] OrderEntry: This Method is used to Place a new Order into API.

../api/PublicAPI/ OrderEntry

Uniqueid	int	Unique Identification Number
LoginId	String	UserName
RefNo	String	Login Authentication String.
gateway	String	Ex: NSECM, NSEFO(in caps)
Exchange	String	Ex: NSEFO, NSEFO(in caps)
Tokenno	String	Contract Instrument Identification.(Which is given by Exchange)
clientcode	String	Ex: "1A1".(For Pro Account, Clientcode will Empty)
Buysell	String	EX: BUY, SELL(in caps)
qty	Decimal	Quantity
qtydisclosed	Decimal	Disclosed Quantity
Price	Decimal	OrderPrice
Triggerprice	Decimal	TriggerPrice(In case of Stoploss Order)
Booktype	String	Ex: RL, SL
validity	String	EX: DAY, IOC, FOK
DeliveryType	int	EX: 0=NORMAL(Default), 1=Intraday

On OrderEntry Request, Will get OrderResponse.

OrderResponse: This a Response that one will received on call OrderEntry Method.

IntOrdNo	int	Internal Order number (in case of, Unsuccessful Order Request will get 0.)
Error	string	Error Text(in case of, Successful Order Request will get Empty)

3] OrderStatusRequest: To know the Status of any Order Call this Method, so that you will receive a string response describing Status of that Particular Order.

../api/PublicAPI/ OrderStatusRequest

Uniqueid	Int	Unique Identification Number
RefNo	String	Login Authentication String.
IntordNo	int	Internal Order number(Which is got from OrderEntryResponse)

From OrderStatusRequest, will get String Response. In case of Wrong data, String will be empty. String will be like Submitted, EPEnding, Ecancelled, ERejected, MRejected, and Executed.

4] ModifyRequest: This Method is used to modify an Order into API by its IntOrdNo.

../api/PublicAPI/ ModifyRequest

Uniqueid	int	Unique Identification Number.
RefNo	String	Login Authentication String.
IntordNo	Int	Internal Order number(Which is got from OrderEntryResponse)
qty	Decimal	New Order Quantiy
qtydisclosed	Decimal	New Qty Disclosed
Price	Decimal	New OrderPrice
TriggerPrice	Decimal	New TriggerPrice
Booktype	String	Ex: RL, SL
Validity	String	Ex: DAY, IOC,FOK

On Modify Request, Will get OrderResponse(same as OrderEntry Response)

5] CancelRequest: This Method is used to cancel an Order into API by its IntOrdNo.

../api/PublicAPI/ CancelRequest

UniqueId	int	Unique Identification Number.
RefNo	String	Login Authentication String.
IntOrdNo	Int	Internal Order Number (Which is got from OrderEntryResponse).

On Cancel Request, Will get OrderResponse (same as OrderEntry Response).

6] OrderBookRequest: This Method is used to get todays all Order Details placed into an API.

../api/PublicAPI/ OrderBookRequest

UniqueId	int	Unique Identification Number.
RefNo	string	Login Authentication String.
Error	string	Error text.
IntOrdNo	Int	Not Compulsory(In case of, IntOrdNo Wise Orders)
TokenNo	string	Not Compulsory(In case of, Script Wise Orders)
ExchOrdNo	string	Not Required
QtyRemaining	Decimal	Not Required.
QtyTraded	Decimal	Not Required.
OrderStatus	string	Not Required.
OrderPrice	decimal	Not Required.
OrderTime	Datetime	Not Required.
BuySell	String	Not Required.
TriggerPrice	decimal	Not Required.

In case of, OrderBookRequest will get response from collection of same packet.

7] TradeBookRequest: This Method is used to get todays all Trade Details placed into an API.

../api/PublicAPI/ TradeBookRequest

UniqueId	int	Unique Identification Number.
RefNo	string	Login Authentication String.
Error	string	Error text.
IntOrdNo	Int	Not Compulsory(In case of, IntOrdNo Wise Trades)
TokenNo	string	Not Compulsory(In case of, Script Wise Trades)
QtyTraded	Decimal	Not Required.
TradePrice	Decimal	Not Required.
TradeTime	DateTime	Not Required.
ExchOrdNo	String	Not Required.
TradeNo	string	Not Required.
BuySell	String	Not Required.

In case of, TradeBookRequest will get response from collection of same packet.

8] PositionRequest: This Method is used to get all Positions Details placed into an API.

../api/PublicAPI/ PositionRequest

Uniqueid	Int	Unique Identification Number.
RefNo	string	Login Authentication String.
Error	string	Error text.
TokenNo	String	Not Compulsory (In case of, Script Wise Trades).
ClientCode	String	Clientcode(for PRO Account, Clientcode will be empty)
Qty	Decimal	Position Quantity.
Average	Average	Position Average.

In case of, PositionRequest will get response from collection of same packet.

.

Automated Trading SoftTech Pvt Ltd

UNIT-1-A, 15TH FLOOR, TOWER-1, GIFT CITY, GANDHINAGAR,
GUJARAT, INDIA, 382355