SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Trade name	:	FRESH CELLS MANGO PFE
Product code	:	5811
Product group	:	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use
Use of the substance/mixture	:	Cosmetic ingredient

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GATTEFOSSE SAS
36 chemin de Genas CS 70070
69804 Saint-Priest Cedex
France
T +33 472 22 98 00 - F +33 478 90 45 67
regulatory@gattefosse.com - www.gattefosse.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2 REACH-no: Exempted from REACh registration (Annex IV)	≥ 75	Not classified
Mango, Ext.	CAS-No.: 90063-86-8 EC-No.: 290-045-4 REACH-no: Exempted from registration (Volume < 1 tpa)	10 – 25	Not classified
2-phenoxyethanol	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943-21	0.1 – 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT SE 3, H335
Xanthan gum	CAS-No.: 11138-66-2 EC-No.: 234-394-2 REACH-no: Exempted from REACh registration (Polymer)	0.1 – 1	Not classified
3-(2-ethylhexyloxy)propane-1,2-diol	CAS-No.: 70445-33-9 EC-No.: 408-080-2 EC Index-No.: 603-168-00-9 REACH-no: 01-0000015745-65	0.1 – 1	Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sorbic acid	CAS-No.: 110-44-1 EC-No.: 203-768-7 REACH-no: 01-2119950330-49	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact	:	Wash skin with plenty of water.
First-aid measures after eye contact	:	Rinse eyes with water as a precaution.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	:	Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	:	Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	:	Take up liquid spill into absorbent material.
Other information	:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	:	Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:
Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

8.2.2.1. Eye and face protection

Eye protection:
Safety glasses

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:
Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Yellow. Beige.
Odour	:	characteristic.
Odour threshold	:	Not available

Melting point	:	Not applicable
Freezing point	:	Not available
Boiling point	:	> 100 °C
Flammability	:	Not applicable
Explosive limits	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
pH	:	4.5 – 5.5
Viscosity, kinematic	:	Not available
Solubility	:	soluble in water.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	23 mbar Read-across (CAS 7732-18-5; Water); 20°C
Vapour pressure at 50 °C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20 °C	:	Not available
Particle characteristics	:	Not applicable

2-phenoxyethanol	
Flash point	122 °C

3-(2-ethylhexyloxy)propane-1,2-diol	
Flash point	152 °C

Sorbic acid	
Flash point	127 °C Source: HSDB

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (The data is based on the toxicological properties of the components of the product)
Acute toxicity (inhalation) : Not classified (The data is based on the toxicological properties of the components of the product)

FRESH CELLS MANGO PFE	
LD50 oral rat	> 5000 mg/kg Data: Gattefossé;(OECD 401 method); Test item: FRESH CELLS MANGO (different preservative system)
2-phenoxyethanol (122-99-6)	
LD50 oral rat	1840 – 4070 mg/kg Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 401 method)
LD50 dermal rat	14391 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 402 method)
LD50 dermal rabbit	> 2214 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/
LC50 Inhalation - Rat	> 1000 mg/m³ Source: European Chemicals Agency, http://echa.europa.eu/; OCDE 412; >6h,
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l/4h (OECD 403 method); Source: European Chemicals Agency, http://echa.europa.eu/
Xanthan gum (11138-66-2)	
LD50 oral rat	45000 mg/kg
LD50 oral	20000 mg/kg mouse
3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
LD50 oral rat	> 2000 mg/kg (OECD 401 method)
LD50 oral	> 2000 mg/kg (OECD 402 method)
LC50 Inhalation - Rat (Vapours)	3.07 mg/l/4h (OECD 403 method)
Sorbic acid (110-44-1)	
LD50 oral rat	3200 – 10500 mg/kg (OECD 401 method); Source: European Chemicals Agency, http://echa.europa.eu/
LD50 dermal rat	> 2000 mg/kg (OECD 402 method); Source: European Chemicals Agency, http://echa.europa.eu/

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 4.5 – 5.5
Additional information : Data: Gattefossé
Test item: FRESH CELLS MANGO (different preservative system)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 4.5 – 5.5
Additional information : Data: Gattefossé
Test item: FRESH CELLS MANGO (different preservative system)
Respiratory or skin sensitisation : Not classified (The data is based on the toxicological properties of the components of the product)
Germ cell mutagenicity : Not classified (The data is based on the toxicological properties of the components of the product)

Carcinogenicity : Not classified (The data is based on the toxicological properties of the components of the product)

2-phenoxyethanol (122-99-6)	
NOAEL (chronic, oral, animal/male, 2 years)	468 mg/kg bodyweight (OECD 451 method)
NOAEL (chronic, oral, animal/female, 2 years)	468 mg/kg bodyweight (OECD 451 method)

Reproductive toxicity : Not classified (The data is based on the toxicological properties of the components of the product)

2-phenoxyethanol (122-99-6)	
LOAEL (animal/male, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: male
LOAEL (animal/female, F1)	≈ 1875 mg/kg bodyweight Animal: mouse, Animal sex: female
NOAEL (animal/male, F0/P)	1875 mg/kg
NOAEL (animal/female, F0/P)	1875 mg/kg
NOAEL (animal/male, F1)	375 mg/kg bodyweight Animal: mouse, Animal sex: female, male
3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
NOAEL (animal/female, F0/P)	800 mg/kg (OECD 414 method)
NOAEL (animal/male, F1)	50 mg/kg
Sorbic acid (110-44-1)	
NOAEL (animal/male, F0/P)	3000 mg/kg (OECD 416 method); Source: European Chemicals Agency, http://echa.europa.eu/
NOAEL (animal/male, F1)	3000 mg/kg (OECD 416 method); Source: European Chemicals Agency, http://echa.europa.eu/

STOT-single exposure : Not classified (The data is based on the toxicological properties of the components of the product)

2-phenoxyethanol (122-99-6)	
STOT-single exposure	May cause respiratory irritation.
Sorbic acid (110-44-1)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (The data is based on the toxicological properties of the components of the product)

2-phenoxyethanol (122-99-6)	
LOAEL (oral, rat, 90 days)	> 700 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/; Animal: rat, Guideline: OECD Guideline 408
LOAEL (dermal, rat/rabbit, 90 days)	> 500 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/; Animal: rabbit, Guideline: OECD Guideline 411
NOAEL (oral, rat, 90 days)	369 mg/kg bodyweight/day (OECD 408 method)
NOAEL (dermal, rat/rabbit, 90 days)	500 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/; Animal: rabbit, Guideline: OECD Guideline 411
3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
NOAEL (oral, rat, 90 days)	50 mg/kg bodyweight/day (OECD 408 method); (OECD 407 method)
NOAEL (subacute, oral, animal/male, 28 days)	100 mg/kg bodyweight (OECD 407 method); rat
Sorbic acid (110-44-1)	
NOAEL (subacute, oral, animal/male, 28 days)	9200 mg/kg bodyweight (OECD 407 method); Source: European Chemicals Agency, http://echa.europa.eu/

Sorbic acid (110-44-1)	
NOAEL (subacute, oral, animal/female, 28 days)	8600 mg/kg bodyweight (OECD 407 method); Source: European Chemicals Agency, http://echa.europa.eu/

Aspiration hazard : Not classified (The data is based on the toxicological properties of the components of the product)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	:	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short–term (acute)	:	Not classified (No ecotoxicological data about this product are known)
Hazardous to the aquatic environment, long–term (chronic)	:	Not classified (No ecotoxicological data about this product are known)
Additional information	:	The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

2-phenoxyethanol (122-99-6)	
LC50 - Fish [1]	≈ 344 mg/l Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 203 method); Pimephales promelas
EC50 - Crustacea [1]	> 500 mg/l Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 202 method)Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 100 mg/l Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 201 method);Desmodesmus subspicatus
ErC50 algae	625 mg/l Source: European Chemicals Agency, http://echa.europa.eu/;Desmodesmus subspicatus; 72h; Directive 67/548/CEE, Annexe V, C.3.
NOEC chronic fish	24 mg/l (OECD 210 method); Pimephales promelas; 34d
NOEC chronic crustacea	9.43 mg/l (OECD 211 method); Daphnia magna (Water flea); 21d

Xanthan gum (11138-66-2)	
LC50 - Fish [1]	420 mg/l Oncorhynchus mykiss (Rainbow trout)

3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
LC50 - Fish [1]	60.2 mg/l Brachydanio rerio (zebra-fish); (OECD 203 method)
EC50 - Crustacea [1]	78.3 mg/l Daphnia magna (Water flea); (OECD 202 method)
EC50 72h - Algae [1]	84.3 mg/l Desmodesmus subspicatus; (OECD 201 method); Growth rate
EC50 72h - Algae [2]	48.3 mg/l Desmodesmus subspicatus; (OECD 201 method); Biomass
NOEC chronic fish	1.5 ml/l (OECD 210 method); Danio rerio; Mortality and weight; 35d
NOEC chronic crustacea	20 mg/l Daphnia magna (Water flea); (OECD 211 method); Reproduction and immobilisation

Sorbic acid (110-44-1)	
LC50 - Fish [1]	75 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	70 mg/l (OECD 202 method);Daphnia magna (Water flea)
EC50 72h - Algae [1]	24.1 mg/l Scenedesmus subspicatus, Biomass, (OECD 201 method)
EC50 72h - Algae [2]	41.9 mg/l Scenedesmus subspicatus, Growth rate, (OECD 201 method)

Sorbic acid (110-44-1)	
NOEC chronic crustacea	50 mg/l Source: European Chemicals Agency, http://echa.europa.eu/; (OECD 211 method); Daphnia magna (Water flea)

12.2. Persistence and degradability

FRESH CELLS MANGO PFE	
Persistence and degradability	Potentially biodegradable. No specific data.
Water (7732-18-5)	
Persistence and degradability	Readily biodegradable.
2-phenoxyethanol (122-99-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	90 % (OECD 301F method)
Xanthan gum (11138-66-2)	
Persistence and degradability	Readily biodegradable.
Biodegradation	78 % (OECD 301F method)
3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
Persistence and degradability	Inherently biodegradable.
Biodegradation	70 % (OECD 302B method)
Sorbic acid (110-44-1)	
Persistence and degradability	Readily biodegradable.
Additional information	(OECD 301B method)
Mango, Ext. (90063-86-8)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

FRESH CELLS MANGO PFE	
Bioaccumulative potential	Accumulation in organisms is not to be expected. Not established.
Water (7732-18-5)	
Bioaccumulative potential	Accumulation in organisms is not to be expected.
2-phenoxyethanol (122-99-6)	
Bioconcentration factor (BCF REACH)	0.35
Partition coefficient n-octanol/water (Log Pow)	1.2 23°C; pH 7; Méthode: Règlement (CE) n° 440/2008, annexe, A.8; (OECD 107 method)
Bioaccumulative potential	Accumulation in organisms is not to be expected.
Xanthan gum (11138-66-2)	
Bioaccumulative potential	Accumulation in organisms is not to be expected.
3-(2-ethylhexyloxy)propane-1,2-diol (70445-33-9)	
Partition coefficient n-octanol/water (Log Pow)	2.53
Sorbic acid (110-44-1)	
Partition coefficient n-octanol/water (Log Pow)	1.33

Sorbic acid (110-44-1)	
Bioaccumulative potential	Accumulation in organisms is not to be expected.

12.4. Mobility in soil

2-phenoxyethanol (122-99-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.6 (OECD 121 method)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport
Not regulated

Transport by sea
Not regulated

Air transport
Not regulated

Inland waterway transport
Not regulated

Rail transport
Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances
Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants
Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.
Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.
Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:
Sorbic acid

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer

Abbreviations and acronyms:	
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU