

TECHNICAL DATA SHEET

- LABRAFIL M 2125 CS -

DEFINITION

Linoleoyl macrogol-6 glycerides EP / Linoleoyl polyoxyl-6 glycerides NF.

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of vegetable and synthetic origins.

MANUFACTURING SITE(S)

This product may be manufactured at several sites.
Quality control and batch release are the responsibility of Gattefossé SAS.
The manufacturing site(s) is (are) indicated in the certificate of analysis.

DESCRIPTION

- INCI (PCPC): Corn Oil PEG-6 Esters
- CAS: 61789-25-1
- EINECS: Not applicable

REGULATORY INFORMATION

- Pharmacopeia conformity: Product conforms to EP, USP/NF.
- For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.
This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

USES

Dermal drug delivery: W/O surfactant. It improves the stability of emulsions.
Oral/Dermal drug delivery: Solubilizer for actives.
Oral drug delivery: Water dispersible surfactant for SELF (self-emulsifying lipidic formulation).
Oral drug delivery: Excipient used in formulations for solubility and bioavailability enhancement.

STORAGE RECOMMENDATIONS

Store the product in its original packaging sealed tightly, protected from light and moisture.

TECHNICAL DATA SHEET

- LABRAFIL M 2125 CS -

STORAGE RECOMMENDATIONS

Special temperature storage conditions are not required.

Container packaged under nitrogen.

A partial crystallization of the product may occur during storage at low temperature with no effect on the properties of the product. It disappears after heating and homogenization.

Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

HANDLING ADVICE

Presentation: liquid.

In case of crystallization, heat at 40-50 °C and homogenize before use.

Container packaged under nitrogen. Flush with nitrogen after each opening of the container or use it rapidly.

For additional information, please consult the product handling sheet.

PACKAGING

Steel drum 200 kg (FFG).

Steel drum 25 kg (BFC).

Sample available upon request.

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product tox and safety overview.

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Insoluble
- Chloroform, Methylene chloride: Soluble
- Water: Dispersible
- Mineral oils: Soluble

TECHNICAL DATA SHEET

- LABRAFIL M 2125 CS -

Test	Specification
APPEARANCE	Liquid at 45°C
ODOUR	Faint
COLOUR (Gardner Scale)	<= 6.0
SPECIFIC GRAVITY AT 20°C (D20/4)	0.935 to 0.955
REFRACTIVE INDEX AT 20°C	1.465 to 1.475
VISCOSITY AT 20°C	70 to 90 mPa.s
IDENTIFICATION TEST BY INFRARED	Conforms
ACID VALUE	<= 2.00 mgKOH/g
SAPONIFICATION VALUE	150 to 170 mgKOH/g
IODINE VALUE	90.0 to 110.0 gI ₂ /100g
HYDROXYL VALUE	45 to 65 mgKOH/g
PEROXIDE VALUE	<= 12.0 meqO ₂ /kg
ALKALINE IMPURITIES	<= 80 ppm NaOH
WATER CONTENT	<= 0.50 %
TOTAL ASHES CONTENT	<= 0.10 %
HEAVY METALS CONTENT (Pb)	< 10 ppm
FREE GLYCEROL CONTENT	<= 3.0 %
PALMITIC ACID (C16)	4.0 to 20.0 %
STEARIC ACID (C18)	<= 6.0 %
OLEIC ACID (C18:1)	20.0 to 35.0 %
LINOLEIC ACID (C18:2)	50.0 to 65.0 %
LINOLENIC ACID (C18:3)	<= 2.0 %
ARACHIDIC ACID (C20)	<= 1.0 %
EICOSENOIC ACID (C20:1)	<= 1.0 %
ETHYLENE OXIDE CONTENT	< 1 ppm
1,4-DIOXANE CONTENT	<= 10 ppm
THIN LAYER CHROMATOGRAPHY	Conforms
EUR. PHARM. AND USP/NF current ed.	Conforms

TECHNICAL DATA SHEET

- LABRAFIL M 2125 CS -

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.