

TECHNICAL DATA SHEET

- PECEOL -

DEFINITION

Glycerol mono-oleate (Type 40) EP / Glyceryl monooleate (Type 40)
NF/ChP.

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of strictly vegetable origin.

MANUFACTURING SITE(S)

This product may be manufactured at several sites.
Quality control and batch release are the responsibility of Gattefossé SAS.
The manufacturing site(s) is (are) indicated in the certificate of analysis.

DESCRIPTION

- INCI (PCPC): Glyceryl Oleate
- CAS: 68424-61-3 (or 25496-72-4) (or 91744-20-6)
- EINECS: 270-312-1 (or 247-038-6) (or 294-582-5)

REGULATORY INFORMATION

Pharmacopeia Conformity : product conforms to EP, USP/NF, ChP.
For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.
This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

USES

Oral drug delivery: excipient used in formulations for solubility and bioavailability enhancement.
Oral drug delivery: oily carrier for capsule formulations.

STORAGE RECOMMENDATIONS

Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

TECHNICAL DATA SHEET

- PECEOL -

STORAGE RECOMMENDATIONS

A partial crystallization of the product may occur during storage at low temperature with no effect on the properties of the product. It disappears after heating and homogenization.

Container packaged under nitrogen.

Special temperature storage conditions are not required.

Store the product in its original packaging sealed tightly, protected from light and moisture.

HANDLING ADVICE

Presentation: liquid.

In case of crystallization, heat at 50-60 °C and homogenize before use.

Container packaged under nitrogen. Flush with nitrogen after each opening of the container or use it rapidly.

For additional information, please consult the product handling sheet.

PACKAGING

Steel drum 25 kg.

Sample available upon request.

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product toxicological file and material safety data sheet (MSDS).

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Very soluble
- Chloroform, Methylene chloride: Easily soluble
- n-Hexane: Insoluble
- Water: Insoluble
- Mineral oils: Very soluble

TECHNICAL DATA SHEET

- PECEOL -

Test	Specification
APPEARANCE (at 20°C)	Partially crystallized liquid
ODOUR	Faint
COLOUR (Gardner Scale)	<= 8.0
ACID VALUE	<= 3.0 mgKOH/g
SAPONIFICATION VALUE	150 to 175 mgKOH/g
IODINE VALUE	65.0 to 95.0 gI ₂ /100g
PEROXIDE VALUE	<= 12.0 meqO ₂ /kg
WATER CONTENT	<= 1.0 %
TOTAL ASHES CONTENT	<= 0.1 %
ARSENIC CONTENT (E471, JSFA)	< 3 mg/kg
HEAVY METALS (as Pb)	< 10 mg/kg
SULPHATED ASHES (800 +/- 25°C)	<= 0.5 %
FREE GLYCEROL CONTENT	<= 6.0 %
TOTAL MONOGLYCERIDES CONTENT	32.0 to 52.0 %
TOTAL DIESTERS CONTENT	30.0 to 50.0 %
TOTAL TRIESTERS CONTENT	5.0 to 20.0 %
POLYGLYCEROLS CONTENT (E471)	Dimeric < 4% - Other polymeric < 1%
TOTAL GLYCEROL CONTENT (E471)	16 to 33 %
PALMITIC ACID (C16)	<= 12.0 %
STEARIC ACID (C18)	<= 6.0 %
OLEIC ACID (C18:1)	>= 60.0 %
LINOLEIC ACID (C18:2)	<= 35.0 %
LINOLENIC ACID (C18:3)	<= 2.0 %
ARACHIDIC ACID (C20)	<= 2.0 %
EICOSENOIC ACID (C20:1)	<= 2.0 %
LEAD CONTENT (E471)	< 2 ppm
MERCURY CONTENT (E471)	< 1 ppm
CADMIUM CONTENT (E471)	< 1 ppm
TLC (Ident test Ph. Eur. USP/NF and ChP)	Conforms to the standard
PH. EUR. AND USP/NF current ed.	Conforms

TECHNICAL DATA SHEET

- PECEOL -

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.