

TECHNICAL DATA SHEET

- PLUROL OLEIQUE CC 497 -

DEFINITION

Polyglyceryl-3 dioleate NF.

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of strictly vegetable origin.

DESCRIPTION

- INCI (PCPC): Polyglyceryl-3 Dioleate
- CAS: 9007-48-1
- EINECS: Not applicable

REGULATORY INFORMATION

- Pharmacopeia conformity: product conforms to USP/NF.
- For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.

This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

USES

- Oral drug delivery: excipient used in formulations for solubility and bioavailability enhancement.
- Oral drug delivery: water insoluble surfactant for SELF (self-emulsifying lipidic formulation).
- Oral/Dermal drug delivery: solubilizer for actives.
- Dermal drug delivery: W/O surfactant. It improves the stability of emulsions.

STORAGE RECOMMENDATIONS

Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

A partial crystallization of the product may occur during storage at low temperature with no effect on the properties of the product. It disappears after heating and homogenization.

Container packaged under nitrogen.

Special temperature storage conditions are not required.

TECHNICAL DATA SHEET

- PLUROL OLEIQUE CC 497 -

STORAGE RECOMMENDATIONS

Store the product in its original packaging sealed tightly, protected from light and moisture.

HANDLING ADVICE

Presentation: liquid.

In case of crystallization, heat at 40-50 °C and homogenize before use.

Container packaged under nitrogen. Flush with nitrogen after each opening of the container or use it rapidly.

For additional information, please consult the product handling sheet.

PACKAGING

Steel can 5 kg (BFE).

Steel drum 25 kg (BFC).

Sample available upon request.

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product tox and safety overview.

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Part. soluble
- Chloroform, Methylene chloride: Soluble
- Water: Dispersible
- Vegetable oils: Soluble
- Mineral oils: Soluble

TECHNICAL DATA SHEET

- PLUROL OLEIQUE CC 497 -

Test	Specification
APPEARANCE	Viscous liquid
ODOUR	Characteristic
COLOUR (Gardner Scale)	<= 5.0
REFRACTIVE INDEX AT 20°C	1.465 to 1.485
pH (at 10% in water)	3.5 to 7.5
ACID VALUE	<= 6.00 mgKOH/g
SAPONIFICATION VALUE	135 to 155 mgKOH/g
IODINE VALUE	60 to 80 gI ₂ /100g
HYDROXYL VALUE	196 to 244 mgKOH/g
PEROXIDE VALUE	<= 12.5 meqO ₂ /kg
WATER CONTENT	<= 0.50 %
SODIUM SALTS OF FATTY ACIDS	<= 0.50 mgKOH/g
TOTAL ASHES CONTENT	<= 0.50 %
RESIDUE ON IGNITION	<= 0.5 %
MYRISTIC ACID (C14)	<= 5.0 %
PALMITIC ACID (C16)	2.0 to 16.0 %
PALMITOLEIC ACID (C16:1)	<= 8.0 %
STEARIC ACID (C18)	<= 6.0 %
OLEIC ACID (C18:1)	65.0 to 88.0 %
LINOLEIC ACID (C18:2)	5.0 to 18.0 %
LINOLENIC ACID (C18:3)	<= 4.0 %
SUM OF FATTY ACIDS > C18	<= 4.0 %
LEAD CONTENT	< 2 ppm
MERCURY CONTENT	< 1 ppm
CADMIUM CONTENT	< 1 ppm
ARSENIC CONTENT	< 3 ppm
HEAVY METALS CONTENT (Pb)	< 10 ppm
FREE GLYCEROL AND POLYGLYCEROLS	<= 7 %
TOTAL GLYCEROL AND POLYGLYCEROLS	18 to 60 %
ACIDS OTHER THAN FATTY ACIDS	Not detectable
FATTY ACID ESTER CONTENT	> 90 %

TECHNICAL DATA SHEET

- PLUROL OLEIQUE CC 497 -

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.