

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : GATULINE AGE DEFENSE NP
Product code : 5907
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Cosmetic ingredient

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GATTEFOSSE SAS
36 chemin de Genas CS 70070
FR- 69804 Saint-Priest Cedex
France
T +33 472 22 98 00 - F +33 478 90 45 67
regulatory@gattefosse.com - www.gattefosse.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2 REACH-no: Exempted from REACH registration (Annex IV)	≥ 75	Not classified
Walnut, Juglans regia, ext.	CAS-No.: 84012-43-1 EC-No.: 281-688-1 REACH-no: Exempted from REACH registration (Volume < 1 tpa)	5 – 10	Not classified
benzoic acid	CAS-No.: 65-85-0 EC-No.: 200-618-2 EC Index-No.: 607-705-00-8 REACH-no: 01-2119455536-33	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 1, H372
sodium metabisulphite	CAS-No.: 7681-57-4 EC-No.: 231-673-0 EC Index-No.: 016-063-00-2 REACH-no: 01-2119531326-45	0.1 – 1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Ethylenediaminetetraacetic acid disodium salt	CAS-No.: 139-33-3 EC-No.: 205-358-3 REACH-no: 01-2119486775-20	0.1 – 1	Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373
Sorbic acid	CAS-No.: 110-44-1 EC-No.: 203-768-7 REACH-no: 01-2119950330-49	0.1 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

benzoic acid (65-85-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	0.1 mg/m ³
Long-term - systemic effects, dermal	62.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3 mg/m ³
Long-term - local effects, inhalation	0.1 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	16.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.5 mg/m ³
Long-term - systemic effects, dermal	31.25 mg/kg bodyweight/day
Long-term - local effects, inhalation	0.06 mg/m ³
DNEL/DMEL (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
PNEC (Water)	
PNEC aqua (freshwater)	0.34 mg/l
PNEC aqua (marine water)	0.034 mg/l
PNEC aqua (intermittent, freshwater)	0.331 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1.75 mg/kg dwt
PNEC sediment (marine water)	0.175 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.151 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
PNEC (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
Sorbic acid (110-44-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	40 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	17.63 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52.17 mg/m ³
Long-term - systemic effects, dermal	20 mg/kg bodyweight/day
Long-term - local effects, dermal	0.17 mg/cm ²
Long-term - local effects, inhalation	26.08 mg/m ³

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sorbic acid (110-44-1)	
DNEL/DMEL (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
PNEC (Water)	
PNEC aqua (freshwater)	0.129 mg/l
PNEC aqua (marine water)	0.01294 mg/l
PNEC aqua (intermittent, freshwater)	0.241 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.465 mg/kg dwt
PNEC sediment (marine water)	0.046 mg/kg dwt
PNEC (Soil)	
PNEC soil	5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
PNEC (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
sodium metabisulphite (7681-57-4)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	225 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	8.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	66 mg/m ³
DNEL/DMEL (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
PNEC (Water)	
PNEC aqua (freshwater)	1 mg/l
PNEC aqua (marine water)	0.1 mg/l
PNEC (STP)	
PNEC sewage treatment plant	75.4 mg/l
PNEC (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	3 mg/m ³
Acute - local effects, inhalation	3 mg/m ³
Long-term - systemic effects, inhalation	1.5 mg/m ³
Long-term - local effects, inhalation	1.5 mg/m ³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1.2 mg/m ³

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
Long-term - systemic effects, oral	25 mg/kg bodyweight/day
Long-term - local effects, inhalation	0.6 mg/m ³
DNEL/DMEL (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/
PNEC (Water)	
PNEC aqua (freshwater)	2.5 mg/l
PNEC aqua (marine water)	0.25 mg/l
PNEC (Soil)	
PNEC soil	1.1 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	50 mg/l
PNEC (additional information)	
Source	European Chemicals Agency, http://echa.europa.eu/

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Appearance	: clear. opalescent.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 4 – 5.5
Viscosity, kinematic	: Not available
Solubility	: Insoluble in oils/fats. Water: Soluble in water
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

On burning: release of carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (The data is based on the toxicological properties of the components of the product)
Acute toxicity (inhalation)	: Not classified (The data is based on the toxicological properties of the components of the product)

GATULINE AGE DEFENSE NP	
LD50 oral rat	> 2000 mg/kg Data: Gattefossé; (OECD 401 method); Test item: GATULINE AGE DEFENSE
benzoic acid (65-85-0)	
LD50 oral rat	2565 mg/kg Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 401 method)
LD50 oral	2250 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/ ; LD50 oral mouse; (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg bw/day Source: European Chemicals Agency, http://echa.europa.eu/
LC50 Inhalation - Rat (Dust/Mist)	> 12200 mg/l/4h Source: European Chemicals Agency, http://echa.europa.eu/
Sorbic acid (110-44-1)	
LD50 oral rat	3200 – 10500 mg/kg (OECD 401 method); Source: European Chemicals Agency, http://echa.europa.eu/
LD50 dermal rat	> 2000 mg/kg (OECD 402 method); Source: European Chemicals Agency, http://echa.europa.eu/
sodium metabisulphite (7681-57-4)	
LD50 oral rat	1540 g/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l/4h (OECD 403 method)
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
LD50 oral rat	2800 mg/kg bodyweight (OECD 401 method); Source: European Chemicals Agency, http://echa.europa.eu/
LC50 Inhalation - Rat (Dust/Mist)	1 – 5 mg/l/4h (OECD 412 method); Source: European Chemicals Agency, http://echa.europa.eu/
Skin corrosion/irritation	: Not irritating when applied to human skin (Based on available data, the classification criteria are not met) pH: 4 – 5.5
Additional information	: Data: Gattefossé In vitro Test item: GATULINE AGE DEFENSE
benzoic acid (65-85-0)	
pH	2.8 Temp.: 25 °C

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

sodium metabisulphite (7681-57-4)	
pH	4.3
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
pH	4 – 6
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 4 – 5.5
Additional information	: Data: Gattefossé Test item: GATULINE AGE DEFENSE
benzoic acid (65-85-0)	
pH	2.8 Temp.: 25 °C
sodium metabisulphite (7681-57-4)	
pH	4.3
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
pH	4 – 6
Respiratory or skin sensitisation	: Negative (Based on available data, the classification criteria are not met)
Additional information	: Data: Gattefossé Marzulli-Maibach Test item: GATULINE AGE DEFENSE
Germ cell mutagenicity	: Mutagenicity : Ames test : negative (Based on available data, the classification criteria are not met)
Additional information	: (OECD 471 method) Data: Gattefossé Test item: GATULINE AGE DEFENSE
Carcinogenicity	: Not classified (The data is based on the toxicological properties of the components of the product)
benzoic acid (65-85-0)	
NOAEL (chronic, oral, animal/male, 2 years)	> 1000 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/ ; Test item: Sodium benzoate (532-32-1)
Reproductive toxicity	: Not classified (The data is based on the toxicological properties of the components of the product)
Sorbic acid (110-44-1)	
NOAEL (animal/male, F0/P)	3000 mg/kg (OECD 416 method); Source: European Chemicals Agency, http://echa.europa.eu/
NOAEL (animal/male, F1)	3000 mg/kg (OECD 416 method); Source: European Chemicals Agency, http://echa.europa.eu/
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
NOAEL (animal/male, F1)	> 250 mg/kg bodyweight
NOAEL (animal/female, F1)	> 250 mg/kg bodyweight
STOT-single exposure	: Not classified (The data is based on the toxicological properties of the components of the product)
Sorbic acid (110-44-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (The data is based on the toxicological properties of the components of the product)
benzoic acid (65-85-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/ ; Read-across from CAS No. 532-32-1 sodium benzoate

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzoic acid (65-85-0)	
NOAEL (dermal, rat/rabbit, 90 days)	> 2500 mg/kg bodyweight Source: European Chemicals Agency, http://echa.europa.eu/ ; Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≤ 0.025 mg/l air Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 412 method)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Sorbic acid (110-44-1)	
NOAEL (subacute, oral, animal/male, 28 days)	9200 mg/kg bodyweight (OECD 407 method); Source: European Chemicals Agency, http://echa.europa.eu/
NOAEL (subacute, oral, animal/female, 28 days)	8600 mg/kg bodyweight (OECD 407 method); Source: European Chemicals Agency, http://echa.europa.eu/
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study); Source: European Chemicals Agency, http://echa.europa.eu/
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal sex: male; Source: European Chemicals Agency, http://echa.europa.eu/
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified (Based on lack of available data, it is not possible to provide classification)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (No ecotoxicological data about this product are known)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (No ecotoxicological data about this product are known)
Additional information	: The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

benzoic acid (65-85-0)	
LC50 - Fish [1]	47.3 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 203 method); Oncorhynchus mykiss
LC50 - Fish [2]	44.6 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 203 method); Lepomis macrochirus
EC50 - Crustacea [2]	> 100 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; Daphnia magna (Water flea); (OECD 202 method)
EC50 72h - Algae [1]	> 33.1 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 201 method); Pseudokirchneriella subcapitata
NOEC chronic fish	120 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 215 method); (OECD 204 method); Oncorhynchus mykiss
NOEC chronic crustacea	> 25 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 211 method); Daphnia Magna
NOEC chronic algae	3.4 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 201 method)Pseudokirchneriella subcapitataTest item: Benzyl acetate (CAS 140-11-4)

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sorbic acid (110-44-1)	
LC50 - Fish [1]	75 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	70 mg/l (OECD 202 method); Daphnia magna (Water flea)
EC50 72h - Algae [1]	24.1 mg/l Scenedesmus subspicatus, Biomass, (OECD 201 method)
EC50 72h - Algae [2]	41.9 mg/l Scenedesmus subspicatus, Growth rate, (OECD 201 method)
NOEC chronic crustacea	50 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ ; (OECD 211 method); Daphnia magna (Water flea)

sodium metabisulphite (7681-57-4)	
LC50 - Fish [1]	150 – 464 mg/l Leuciscus idus (golden orfe)
EC50 - Crustacea [1]	89 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	48 mg/l

Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
LC50 - Fish [1]	> 116 mg/l (OECD 203 method); Test organisms (species): Oncorhynchus mykiss ; Source: European Chemicals Agency, http://echa.europa.eu/ ; Read-across CAS 54959-35-2 EC 259-411-0 Potassium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']ferrate(1-)
EC50 - Crustacea [1]	> 114 mg/l (OECD 202 method) Test organisms (species): Daphnia magna; Source: European Chemicals Agency, http://echa.europa.eu/ ; Read-across CAS 54959-35-2 EC 259-411-0 Potassium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']ferrate(1-)
EC50 72h - Algae [1]	> 60 mg/l (OECD 201 method) Test organisms (species): Pseudokirchneriella subcapitata ; Source: European Chemicals Agency, http://echa.europa.eu/ ; read-across Sodium feredetate CAS 15708-41-5 EC 239-802-2
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	> 25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 35.1 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ (OECD 210 method), read-across from Sodium calcium edetate CAS 62-33-9; Brachydanio rerio (zebra-fish), (35days)
NOEC chronic crustacea	≥ 25 mg/l Source: European Chemicals Agency, http://echa.europa.eu/ (OECD 211 method); 21days; Daphnia magna (Water flea)

12.2. Persistence and degradability

GATULINE AGE DEFENSE NP	
Persistence and degradability	No specific data. Potentially biodegradable.
Water (7732-18-5)	
Persistence and degradability	Readily biodegradable.
Walnut, Juglans regia, ext. (84012-43-1)	
Persistence and degradability	Readily biodegradable. No specific data.
benzoic acid (65-85-0)	
Persistence and degradability	Readily biodegradable.
Source	European Chemicals Agency, http://echa.europa.eu/
Sorbic acid (110-44-1)	
Persistence and degradability	Readily biodegradable.

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sorbic acid (110-44-1)	
Additional information	(OECD 301B method)
sodium metabisulphite (7681-57-4)	
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

GATULINE AGE DEFENSE NP	
Bioaccumulative potential	Accumulation in organisms is not to be expected. No specific data.
Water (7732-18-5)	
Bioaccumulative potential	Accumulation in organisms is not to be expected.
Walnut, <i>Juglans regia</i>, ext. (84012-43-1)	
Bioaccumulative potential	Accumulation in organisms is not to be expected.
benzoic acid (65-85-0)	
Partition coefficient n-octanol/water (Log Pow)	1.88
Bioaccumulative potential	Accumulation in organisms is not to be expected.
Sorbic acid (110-44-1)	
Partition coefficient n-octanol/water (Log Pow)	1.33
Bioaccumulative potential	Accumulation in organisms is not to be expected.
sodium metabisulphite (7681-57-4)	
Partition coefficient n-octanol/water (Log Pow)	-3.7 Source: ICSC
Bioaccumulative potential	Accumulation in organisms is not to be expected.
Ethylenediaminetetraacetic acid disodium salt (139-33-3)	
Partition coefficient n-octanol/water (Log Pow)	-11.7
Bioaccumulative potential	Accumulation in organisms is not to be expected.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

Sorbic acid

Ethylenediaminetetraacetic acid disodium salt

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development

GATULINE AGE DEFENSE NP

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.