

TECHNICAL DATA SHEET

- CAPRYOL 90 -

DEFINITION

Propylene glycol monocaprylate (type II) EP.
Propylene Glycol Monocaprylate NF.
Supply Chain Certificate (SCC) number: BVC-RSPO-1-1106949778 - from 01 July 2023.

ORIGIN OF THE RAW MATERIALS

The product is manufactured from raw materials of vegetable and synthetic origins.

MANUFACTURING SITE(S)

This product may be manufactured at several sites.
Quality control and batch release are the responsibility of Gattefossé SAS.
The manufacturing site(s) is (are) indicated in the certificate of analysis.

DESCRIPTION

- INCI (PCPC): Propylene glycol caprylate
- CAS: 85883-73-4 (or 68332-79-6) (or 31565-12-5)
- EINECS: 288-722-4 (or none) (or none)

REGULATORY INFORMATION

- Pharmacopeia conformity: Product conforms to EP, USP/NF.
- For information on the regulatory status of this product, please consult the regulatory data sheet (RDS).

NATURAL / ORGANIC LABEL

- Product certified RSPO Mass Balance. More information on www.RSPO.org.
- Gattefossé RSPO certification number: BVC-RSPO-1-1106949778.

FIELD OF USE

This product is a pharmaceutical ingredient. It is recommended for use in pharmaceutical formulations administered by oral, topical and/or rectal/vaginal routes.
This ingredient must be used according to appropriate regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.

TECHNICAL DATA SHEET

- CAPRYOL 90 -

USES

Dermal drug delivery: W/O surfactant. It improves the stability of emulsions.
Oral/Dermal drug delivery: solubilizer for actives.
Oral drug delivery: water insoluble surfactant for SELF (self-emulsifying lipidic formulation).
Oral drug delivery: excipient used in formulations for solubility and bioavailability enhancement.

STORAGE RECOMMENDATIONS

Store the product in its original packaging sealed tightly, protected from light and moisture.
Special temperature storage conditions are not required.
Container packaged under nitrogen.
Product has a shelf-life of 3 years under the recommended storage conditions and should not be used after its expiry date.

HANDLING ADVICE

Presentation: liquid.
Stir well to ensure homogeneity before use.
Container packaged under nitrogen. Flush with nitrogen after each opening of the container or use it rapidly.
For additional information, please consult the product handling sheet.

PACKAGING

Steel can 5 kg.
Steel drum 25 kg.
Sample available upon request.

SAFETY OF USE

For information on the toxicology and safety of this product, please consult the product tox and safety overview.

SOLUBILITIES AT 20°C(Eur. Ph.)

- Ethanol 96°: Soluble
- Chloroform, Methylene chloride: Soluble
- Vegetable oils: Soluble
- Water: Insoluble

TECHNICAL DATA SHEET

- CAPRYOL 90 -

Test	Specification
APPEARANCE	Oily liquid
ODOUR	Faint
COLOUR (Gardner Scale)	<= 1.0
SPECIFIC GRAVITY AT 20°C (D20/4)	0.935 to 0.955
IDENTIFICATION TEST BY INFRARED	Conforms
ACID VALUE	<= 1.00 mgKOH/g
SAPONIFICATION VALUE	270 to 285 mgKOH/g
IODINE VALUE	<= 1.0 gI ₂ /100g
PEROXIDE VALUE	<= 6.0 meqO ₂ /kg
ALKALINE IMPURITIES	<= 30 ppm NaOH
WATER CONTENT	<= 1.00 %
TOTAL ASHES CONTENT	<= 0.1 %
SULPHATED ASHES CONTENT	<= 1.5 %
HEAVY METALS CONTENT (Pb)	< 10 ppm
ARSENIC CONTENT	< 3 ppm
TLC (Identification test, USP/NF)	Conforms to the reference standard
FREE PROPYLENE GLYCOL CONTENT	<= 1.5 %
MONOESTERS CONTENT	>= 90.0 %
DIESTERS CONTENT	<= 10.0 %
CAPRYLIC ACID (C8)	>= 90.0 %
CAPRIC ACID (C10)	<= 3.0 %
LAURIC ACID (C12)	<= 3.0 %
MYRISTIC ACID (C14)	<= 3.0 %
PALMITIC ACID (C16)	<= 1.0 %
POLYOXYETHYLENE (JSFA)	No change of chloroform layer to blue
JSFA Identification (Test N°1 and 2)	Conforms
USP/NF (Current ed.)	Conforms to specifications

TECHNICAL DATA SHEET**- CAPRYOL 90 -**

The information contained in this data sheet is based on our knowledge of the related product on the date indicated, but does not amount to a guarantee in respect of the product's properties and does not give rise to any contractual legal tie. This information is given in utmost good faith. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. This data sheet does not under any circumstance replace knowledge and application by the user of all laws and regulations relevant to his own operations. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.