

Emulium® 22 MB

Elegant paradox



People make our name



Paradoxical sensoriality



What you see is not what you get...

Touch and feel are important factors when buying beauty and personal care products. Consumers attach great importance to the texture and comfort of a formulation, focusing on how it feels, and making a link between sensoriality and functionality.

The pleasure on application encourages compliance and creates a connection between product and consumer.

Unexpected sensoriality

Bright, creamy and rich appearance

Evanescent feel (light & thin)
Mat finish

Emulium® 22 MB provides true sensory benefits to consumers:

1 a rich and creamy appearance, with excellent pick up


+

2 an evanescent feel after application and a **mat finish** on the skin

making it an ideal emulsifier for:

- day & night applications
- make-up
- men's care
- suncare products

EMULIUM® 22 MB, *the elegant paradox.*



Emulium® 22 MB allows the creation of non-tacky and non-greasy emulsions, showing a very light residual film, even when used with UV filters.

⁽¹⁾ JB 2784/L
⁽²⁾ JB 2412

Ideal for suncare and make-up applications

Good compatibility
with sunscreens
and pigments

Well adapted to lotions
and supple creams

Fineness of emulsions
and optimal dispersion

Suncare



In a suncare product, the texture is just as important as the SPF.

A consumer finding the texture pleasant will apply it more generously and frequently, thus ensuring a higher protection against sun damages. Emulium® 22 MB answers customers' expectations by offering an easy spreading and rapid absorbency, as well as a non-greasy and non-tacky feel.

Emulium® 22 MB is particularly well adapted to suncare products, showing perfect compatibility with sun filters and capable of stabilizing high SPF.


Make up



Preferred color cosmetics associate an optimal dispersion and homogeneity of pigments with a light skin feel.


The fineness of emulsions obtained with Emulium® 22 MB makes it an ally for make-up formulations. Its mat finish and very light film residue after application are ideal for foundations and tinted emulsions.

*The extreme fineness of emulsion obtained with **Emulium® 22 MB** allows an optimal dispersion of pigments and filters.*



Easy to formulate

Direct emulsification / Hot process



Large compatibility

Oils	All types of oils up to 30%
Gelling agents	All types of gelling agents. Optimal results with Carbomer + Xanthan Gum
Consistency agents	Increase stability at 50°C in case of high oil content. Best results with cetyl alcohol, cetearyl alcohol
Active ingredients	Most actives at a pH between 3 and 8
UV filters	Mineral and organic

Targeted viscosities



Emulium® 22 MB

is an O/W emulsifier that creates fine, elegant emulsions with a transforming skin feel.

The behenic acid chain contains 22 carbon atoms making it a long fatty acid. Emulium® 22 MB is obtained by grafting a specific PEG group onto this substantive carbon chain. Solid at room temperature, behenic acid provides excellent skin tolerance profile and improves heat stability of emulsions due to its high melting point.



Characteristics

- O/W emulsifier (pellet form)
- Non ionic
- HLB 10.5

Applications

- Skin care: all skin types, for day and night applications
- Suncare: protective sunscreens (high SPF)
- Make up: foundations (finesness and homogeneity of pigment dispersions)

Sensoriality

- Bright, creamy and rich appearance
- Excellent pick up
- Evanescent feel (light and thin)
- Easy spreading and rapid absorbency
- Non greasy, non tacky after-feel
- Mat finish, low film residue

Use level

2-6 %

Use pH

3-8

INCI: Tribehenin PEG-20 Esters

Worldwide approval for cosmetic applications

Listed on IECIC (Inventory of Existing Cosmetic Ingredients in China) 2015

The information given in this brochure is presented in good faith and we believe that it is correct at the moment of printing, but no warranty as to accuracy of results or fitness for a particular use is given. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.



www.gattefosse.com



Corporate Headquarters

36 chemin de Genas - CS 70070 - 69804 Saint-Priest Cedex - **France**
+(33) 4 72 22 98 00