

Gatuline® Derma-Sensitive

A touch of serenity



People make our name



The rise of skin sensitivity



Sensitive skin is a clinical condition defined by the self-reported facial presence of different sensory perceptions, including tightness, stinging, burning, tingling, pain and pruritus.

Gatuline® Derma-Sensitive is a 100% natural origin active designed to bring comfort and protect sensitive skin.

This oily extract reduces clinical signs of inflammation and soothes sensitive skins.


The pathway to irritations

Inflammatory reaction is part of the immune response. It comprises all the reaction phenomena triggered by the attack of a pathogenic agent or external aggressions. Multiple causes can be involved: physical (trauma, thermal shock, UV radiation), chemical (pollution), biological (virus, bacteria) or psychological (stress, anxiety).

Sensitive skin may occur in individuals with normal skin, along with skin barrier disturbance, or as a part of the symptoms associated with facial dermatoses such as rosacea, atopic dermatitis and psoriasis.

Under normal conditions, inflammatory reaction is controlled with different regulating systems and participate to the tissue protection and repair. However, if the inflammatory response is inadequate or poorly controlled, it can become aggressive.

Under stress, the keratinocytes, primary target cells of several aggression factors, secrete pro-inflammatory mediators such as cytokines in large proportion. The release of these mediators leads to vascular changes in the attacked zone (blood vessels dilation, increase of capillaries permeability) and to clinical signs of inflammation (redness, burning, pain and oedema).




Gatuline® Derma-Sensitive reduces the secretion of pro-inflammatory cytokines

TNF-α are primary cytokines capable of activating, directly or indirectly, all the cells of the epidermis (Langerhans cells, melanocytes, Merkel cells) and dermis (fibroblasts) to trigger the accurate reaction.

This is also the case of IL-8, a chemokine produced by almost all skin cells and induced under the action of various stimuli. Its expression is augmented under the action of TNF-α.

Test on reconstructed epidermis stressed with PMA
2% Gatuline® Derma-Sensitive vs. placebo



** p<0.01


Gatuline® Derma-Sensitive shows clear anti-inflammatory potential. It helps significantly reduce the production of IL-8 and TNF-α induced by PMA (-44% and -69% respectively).

Relieved discomfort

The efficacy of Gatuline® Derma-Sensitive has been demonstrated *in vivo*⁽¹⁾. Different assessment techniques have been implemented to evaluate the soothing activity and its perceptions by the volunteers.


Visible soothing properties

Clinical scoring



Self-assessment

After 4 weeks of twice-daily application of the cream containing 2% of Gatuline® Derma-Sensitive, a significant improvement in all soothing parameters was observed.



Efficacy acknowledged by panelists

Use Test

	Percentage of panelists that answer «I agree» or «I slightly agree»	
	Cream A (Gatuline® Derma-Sensitive 2%)	Cream B (Bisabolol 0.5%)
The skin is more hydrated	85%	85%
The skin is soft	95%	85%
The skin is more protected	75%	70%
The skin is less reactive	75%	65%
Tugging sensations are reduced	90%	85%

The significant improvement encompasses sensations of stinging, burning, redness, suppleness and general comfort of the skin, parameters associated with reactive, irritated and environmentally stressed skin.

⁽¹⁾ 4-weeks clinical test on 20 Caucasian women, presenting sensitive skin. Twice-daily application of a cream containing 2% Gatuline® Derma-Sensitive on split face vs. a cream containing a reference calming active (bisabolol at 0.5%)



Gatuline® Derma-Sensitive

While inhibiting the production of major cytokines, Gatuline® Derma-Sensitive inhibits inflammatory reactions and offers an efficient solution for sensitive skins.

Signs of irritations and sensations of discomfort are relieved.

Gatuline® Derma-Sensitive is an active ingredient of natural origin, extracted from *Capparis spinosa* sourced in the Mediterranean basin, its native territory.

The plant is known for its edible flower buds (capers) and fruits (caper berries), both consumed pickled as seasoning. Anti-inflammatory properties are associated to the plant.

The use of a supercritical CO₂ extraction technique coupled with a co-solvent enables to obtain an oily extract rich in apolar compounds.

Claims

- Decreases secretion of pro-inflammatory mediators
- Reduces clinical signs of inflammation
- Improves comfort of sensitive and reactive skin

Applications

- Sensitive and reactive skin: repairing products
- Daily protection: fragile skin, baby lines, sun care products
- Dermatological products
- Make-up and anhydrous textures

INCI name: Octyldodecyl Myristate (and) Capparis Spinosa Fruit Extract



The information given in this brochure is presented in good faith and we believe that it is correct at the moment of printing, but no warranty as to accuracy of results or fitness for a particular use is given. It cannot substitute for indispensable preliminary tests that must be conducted to ensure product suitability for each intended use. Nothing herein shall be construed as a recommendation or license to use any information that conflicts with any patent or trademark of our company or others. We make no representations or warranties, express or implied that any use of this information will not infringe any such patent or trademark. The user's attention is also drawn to the possible risks incurred if a product is used for a purpose other than its designed purpose. The user shall be solely liable for the precautions taken relevant to the use made of the products. This information does not exempt the user from ensuring that he may possibly come under other obligations pursuant to laws or regulations other than those indicated relating to the possession and manipulation of the product for which he shall be solely liable.



www.gattefosse.com



Corporate Headquarters

36 chemin de Genas - CS 70070 - 69804 Saint-Priest Cedex - **France**
+(33) 4 72 22 98 00