

1. DEFINITION

DEFINITION	
Oleoyl macrogol-6 glycerides Oleoyl polyoxyl-6 glycerides	

DENOMINATION	
INCI NAME (PCPC - International Nomenclature of Cosmetic Ingredients)	Apricot Kernel Oil PEG-6 Esters
UNII (Unique Ingredient Identifier) USP/FDA Substance Registration System (SRS)	DRG3KJZ1TJ
ADDITIONAL INFORMATION ON THE DENOMINATION	Oleoyl polyoxylglycerides

2. FIELD OF USE

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (oral, topical and/or rectal/vaginal routes)

3. MANUFACTURING PROCESS AND COMPOSITION

MANUFACTURING PROCESS
Alcoholysis reaction between PEG-6 and Refined kernel oil

COMPOSITION	
Well defined multi-constituent substance composed of mono-, di- and triglycerides and PEG-6 mono- and di- esters of Oleic acid (C18:1)	
Full Labeling (Key letters system) $A_1 \geq 75.0$; $50.0 \leq A_2 < 75.0$; $25.0 \leq B < 50.0$; $10.0 \leq C < 25.0$; $5.0 \leq D < 10.0$; $1.0 \leq E < 5.0$; $0.1 \leq F < 1.0$; $G < 0.1$	
Apricot Kernel Oil PEG-6 Esters	$A_1 \geq 75.0\%$
Other constituents (i.e. incidental ingredients)	
None	

Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 1944 C Code: 3061)

Last update: 02 March 2021

4. PHARMACOPEIAS

CONFORMITY TO PHARMACOPEIAS	
Reference	Conforms to monograph
European Pharmacopeia Current edition	Oleoyl Macrogolglycerides (Alcaline impurities test not conformed)

5. VETERINARY MEDICINES FOR FOOD PRODUCING ANIMALS

EUROPEAN REGULATION Substances authorized to be used in		USA REGULATION Substances authorized to be used in			
Veterinary medicines and/or Biocidal products		Veterinary drugs		Pesticide products	
All products (except *)	* Products for use in food producing animals (husbandry)	All products (except *)	* Drugs for food producing animals (husbandry)	Applied to non-food use sites (e.g., flea and tick products in pets)	Applied to food use sites
✓	✓ (1+4) (glyceryl oleate with no limitation and PEG oleate at doses up to 1.15 mg/kg bw)	✓	✓ (Market reference)	✓	✓ (40CFR180.910)

EUROPEAN REGULATION
 (1) Regulation (EU) No 37/2010 - Listed in annex (Food additives: substances with a valid E number approved as additives in food stuffs for human consumption)
 (2) Regulation (EU) No 37/2010 - Listed in annex (Polyethylene glycol stearates with 8-40 oxyethylene units)
 (3) Regulation (EU) No 37/2010 - Listed in annex (Diethylene glycol monoethyl ether)
 (4) EMA/CVMP - Substances considered as not falling within the scope of Regulation (EC) No 470/2009, with regard to residues of veterinary medicinal products in foodstuffs of animal origin

USA REGULATION
 - Veterinary drugs
 FDA is responsible for assuring that animal drugs are not only safe and effective for animals, but that food products from treated animals are safe for humans to consume. In the case of a drug for food producing animals, the inactive ingredients of the drug or its composition may be safe with respect to human food safety
 (5) Approved food additives and GRAS substances for human food - Title 21, Part 172, 182—184 of the Code of Federal Regulations (CFR)
 (6) Approved excipients (inactive ingredients) for use in human drugs by oral route (Ref: FDA Inactive ingredient database)
 - Pesticides
 (8) EPA's pesticides program (<http://iaspub.epa.gov/apex/pesticides/f?p=INERTFINDER:1:0::NO:1::>)

6. SPECIFIC PHARMACEUTICAL REGULATIONS

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS AUSTRALIA (TGA) - Australian Register of Therapeutic Goods Ingredients			
Status	Ingredient Name	Use	Restrictions
Approved	Apricot kernel oil PEG-6 esters Apricot Kernel Oil PEG-6 complex	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines Available for use as an Excipient Ingredient in: Biologicals, Devices, Export Only, Listed Medicines, Over the Counter, Prescription Medicines	Only for use as an excipient in topical medicines for dermal application. Listed Medicines

AUSTRALIA: Therapeutic goods are divided into 'medicines' and 'medical devices'. Some 'medicines' are limited to prescription-only while others are available without a prescription. Non-prescription medicines may be 'complementary medicines' (i.e. vitamin, mineral, herbal, aromatherapy, and homoeopathic products) or 'OTC medicines' and may be 'listed' (i.e. Sunscreens SPF4 and >4) or 'registered' in the ARTG.



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 1944 C Code: 3061)

Last update: 02 March 2021

7. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSE

Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Acute irritation (JORF)	Dermal	Rabbit	LABRAFIL® M1944CS pure	Not Irritant Cutaneous irritation index: 0.38	Gattefossé data, GAT-7978, 1979
Acute toxicity	Oral	Rat	LABRAFIL® M1944CS pure	LD0(oral) > 20000 ml/kg	Gattefossé data, GAT-7979, 1979
Acute toxicity (Dose escalating)	IV bolus (tail vein)	Mouse	LABRAFIL® M1944CS Vehicle: Physiological saline solution M: 25, 50, 100, 200, 400, 800, 1600, 6400, 3200 and 4800 mg/kg F: 25, 50, 100, 200, 400, 800, 1600, 6400 and 4800 mg/kg	MTD(IV) (M): 3200 mg/kg MTD(IV) (F): 4800 mg/kg	Gattefossé data, GAT-MTDs-PH- 08/0474, 2009
Acute toxicity (eq OECD 423)	IV bolus (tail vein)	Mouse	LABRAFIL® M1944CS Vehicle: Physiological saline solution M: 3200 mg/kg F: 4800 mg/kg	MTD(IV): 3200 mg/kg M: Administration at 3200 mg/kg induces no mortality and toxicity signs. F: Administration at 4800 mg/kg induces mortality (1/5)	Gattefossé data, GAT-TAIs-PH- 08/044, 2009
Mammalian Erythrocyte Micronucleus Test	IP	Mouse	LABRAFIL® M1944CS	Negative. Not clastogenic.	Gattefossé data, GAT-90425, 1990

CIR COMPENDIUM (Cosmetic Ingredient Review) (<http://www.cir-safety.org>)

Denomination	Reference	Maximum “as used” concentration	Conclusions
Apricot Kernel Oil PEG- 6 Esters	IJT 33 (Suppl 4):13-39, 2014	Up to 1 %	The CIR expert panel concluded the Apricot Kernel Oil PEG-6 Esters is safe in the present practices of use and concentration in cosmetics when formulated to be nonirritating.

Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 1944 C Code: 3061)

Last update: 02 March 2021

8. CHEMICAL REGULATIONS

CHEMICAL REGULATION			
INCI NAME	CAS #	EINECS #	Chemical name
Apricot Kernel Oil PEG-6 Esters	69071-70-1 (or 68424-61-3 + 9004-96-0)	Not applicable (or 270-312-1 + Not applicable)	Fats and Glyceridic oils, apricot kernel, ethoxylated (or Glycerides, C16-18 and C18-unsatd. mono- and di- + Poly(oxy-1,2-ethanediyl), α-[(9Z)-1-oxo-9-octadecenyl]- ω-hydroxy-)

NATIONAL INVENTORIES					
INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AICS)	China (IECSC)	Other inventories
Apricot Kernel Oil PEG-6 Esters	Listed	Not Listed (or DSL listed + DSL listed)	Listed	Not listed (or Listed + Listed)	Fats and Glyceridic oils, apricot kernel, ethoxylated: ASIA-PAC, NZIoC, TCSI (or Glycerides, C16-18 and C18-unsatd. mono- and di- (TSCA, DSL, EINECS, AICS, ECL Serial No. KE-17824, PICCS, ASIA-PAC, NZIoC, IECSC, TCSI) + Poly(oxy-1,2-ethanediyl), α-[(9Z)-1-oxo-9-octadecenyl]- ω-hydroxy-: TSCA, SWISS, PICCS, ASIA-PAC, NZIoC, DSL, AICS, ENCS No. 7-88, ECL Serial No. KE-27609, IECSC))

U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics ... are not subject to TSCA regulation.

Canada: Substances not listed on DSL or NDSL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. In addition, substances not listed in DSL or NDSL, but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation.

Australia: Substances Introduced at 1% or less in cosmetics are exempted from AICS listing. Otherwise, substances not listed on AICS can be imported in Australia in quantities not exceeding 10 kg per 12-month period and per importer. In addition, in the Industrial Chemicals (Notification and Assessment) Act 1989 (the Act), an industrial chemical which meets the definition of 'a naturally-occurring chemical' is taken to be on the Australian Inventory of Chemical Substances (AICS), whether listed or not, and therefore does not require notification as a new chemical prior to manufacture or importation into Australia.

REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)		
INCI NAME	Status of the product	Status per substance
Apricot Kernel Oil PEG-6 Esters	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.

9. HISTORY OF USE

9.1. Pharmaceutical applications

9.1.1. FDA IIG reference for Chemical equivalent



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 1944 C Code: 3061)

Last update: 02 March 2021

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
APRICOT KERNEL OIL PEG-6 ESTERS (UNII: DRG3KJZ1TJ)	TOPICAL	Cream	2.94 %	NA
	VAGINAL	Cream	2.94 %	NA
PEG-5 OLEATE (or PEGLICOL-5 OLEATE) (UNII: 0240V77G50)	ORAL	Solution	300 mg/1mL	NA
	TOPICAL	Cream	14 % w/w	NA
	TOPICAL	Lotion	NA	NA
	VAGINAL	Cream	3 % w/w	NA
	VAGINAL	Suppository	30 mg	NA
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

9.1.2. FDA IIG references to the most similar chemical (read-across approach)

In the **read-across approach**, endpoint information for one chemical (the source chemical) is used to predict the same endpoint for another chemical (the target chemical), which is considered to be "similar" in some way (usually on the basis of structural similarity or on the basis of the same mode or mechanisms of action). In principle, read-across approach can be used to assess physicochemical properties, toxicity, environmental fate and ecotoxicity.

For any of these endpoints, read-across approach may be performed in a qualitative or quantitative manner.'

The similarities may be based on the following:

- a common functional group (e.g. aldehyde, epoxide, ester, specific metal ion);
- common constituents or chemical classes, similar carbon range numbers;
- an incremental and constant change across the category (e.g. a chain-length category);
- the likelihood of common precursors and/or breakdown products, via physical or biological processes, which result in structurally similar chemicals.

These similarities justify data gap filling in a chemical category by applying read-across.

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
CORN OIL PEG-6 ESTERS* (UNII: 1U4409FYOP)	ORAL	Capsule, soft gelatin	300 mg	NA
LINOLEOYL MACROGOLGLYCERIDE* (UNII: NA)	ORAL	Capsule, soft gelatin	23.8 mg	NA
PEG-7 LINOLEOYL GLYCERIDES (UNII: 993L80B0ER)	ORAL	Capsule	23.8 mg	NA
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 1944 C Code: 3061)

Last update: 02 March 2021

**removed from IIG in July 2019 due to new data standard. The reference was not removed from IIG due to safety concerns.*

9.1.3. FDA IIG references for larger family of chemicals

The following reference covers multiconstituent substances containing apricot kernel oil PEG-6 esters.

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)		
Inactive ingredient	Route / Dosage form	Maximum Potency per unit dose
PEG VEGETABLE OIL* (UNII: Not available)	IM – SC (Injection)	7 %
	IV(INFUSION) (Injection)	5 %
Maximum potency: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the "maximum potency" field will be blank.		

**removed from IIG in July 2019 due to new data standard. The reference was not removed from IIG due to safety concerns.*

9.1.4. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT (Current edition by R. C. Rowe, P.J. Sheskey, W. G. Cook, M. E Fenton)			
Denomination	Functional Category	Regulatory status	Safety
Polyoxylglycerides	Emulsifying agent; modified-release agent; nonionic surfactant; penetration enhancer; solubilizing agent.	Lauroyl polyoxylglycerides and stearoyl polyoxylglycerides are approved as food additives in the US. Included in the FDA Inactive Ingredients Database (oral route: capsules, tablets, solutions; topical route: emulsions, creams, lotions; vaginal route: emulsions, creams). Oleyl polyoxylglycerides are included in a topical cream formulation licensed in the UK.	Polyoxylglycerides are used in oral and topical pharmaceutical formulations, and also in cosmetics and food products. They are generally regarded as relatively nonirritant and nontoxic materials.

COMPENDIUM OF PHARMACEUTICAL EXCIPIENTS FOR VAGINAL FORMULATIONS		
Denomination	Category (concentration in %)	regulatory status
Peglicol-5-oleate	Water-miscible cream base	I
Abbreviations: G: GRAS, I: inactive ingredients guide, Pharmacopeias, 1: Austrian, 2: Belgian, 3: British, 3v: British (veterinary), 4: Brazilian, 5: Chinese, 6: former Czechoslovakian, 7: Egyptian, 8: European, 9: French, 10: German, 11: Greek, 12: Hungarian, 13: Indian, 14: Italian, 15: International, 16: Japanese, 17: Mexican, 18: Netherlands, 19: Nordic, 20: Portuguese, 21: Romanian, 22: Russian, 23: Swiss, 24: Turkish, 25: United States, 26: former Yugoslavian Garg et al., <i>Pharmaceutical Technology, Drug Delivery</i>, 2001, p14-24, Compendium Of Pharmaceutical Excipients For Vaginal Formulations		

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

