

1. DEFINITION

DEFINITION	
Linoleoyl macrogol-6 glycerides EP / Linoleoyl polyoxyl-6 glycerides NF	

DENOMINATION	
INCI NAME (PCPC - International Nomenclature of Cosmetic Ingredients)	Linoleoyl Polyoxylglycerides Corn oil PEG-6 esters
UNII (Unique Ingredient Identifier) USP/FDA Substance Registration System (SRS)	1U4409FY0P

2. FIELD OF USE

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (oral, topical and/or rectal/vaginal routes)

3. MANUFACTURING PROCESS AND COMPOSITION

MANUFACTURING PROCESS
Alcoholysis reaction between PEG-6 and Refined Corn oil

COMPOSITION	
Well defined multi-constituent substance composed of mono-, di- and triglycerides and PEG-6 mono- and di- esters of Linoleic acid (C18:2)	
Full Labeling (Key letters system) $A_1 \geq 75.0$; $50.0 \leq A_2 < 75.0$; $25.0 \leq B < 50.0$; $10.0 \leq C < 25.0$; $5.0 \leq D < 10.0$; $1.0 \leq E < 5.0$; $0.1 \leq F < 1.0$; $G < 0.1$	
Linoleoyl Polyoxylglycerides Corn oil PEG-6 esters	$A_1 \geq 75.0\%$
Other constituents (i.e. incidental ingredients)	
None	



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 2125 CS (Code: 3066)

Last update: 14 September 2023

4. DRUG MASTER FILE

Country	Master file number
US DMF (Type IV – Excipient)	5849
For submission of the DMF in another country, please contact your local Gattefossé representative	

5. PHARMACOPEIAS

CONFORMITY TO PHARMACOPEIAS	
Reference	Conforms to monograph
European Pharmacopeia Current edition	Linoleoyl macrogol-6 glycerides
USP/ NF Current edition	Linoleoyl polyoxyl-6 glycerides

6. SPECIFIC PHARMACEUTICAL REGULATIONS

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS AUSTRALIA (TGA) - Australian Register of Therapeutic Goods Ingredients			
Status	Ingredient Name	Use	Restrictions
Approved	Corn oil PEG-6 esters Corn Oil PEG-6 Complex	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines Available for use as an Excipient Ingredient in: Biologicals, Devices, Export Only, Over the Counter, Prescription Medicines	/
AUSTRALIA: Therapeutic goods are divided into 'medicines' and 'medical devices'. Some 'medicines' are limited to prescription-only while others are available without a prescription. Non-prescription medicines may be 'complementary medicines' (i.e. vitamin, mineral, herbal, aromatherapy, and homoeopathic products) or 'OTC medicines' and may be 'listed' (i.e. Sunscreens SPF4 and >4) or 'registered' in the ARTG.			

7. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSE					
Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Acute irritation (JORF)	Dermal	Human	LABRAFIL® M2125CS pure	Well Tolerated, Not Irritant Cutaneous irritation index: 0.00	(Gattefossé data, GAT-91158, 1991)



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 2125 CS (Code: 3066)

Last update: 14 September 2023

SAFETY STUDIES PERFORMED BY GATTEFOSSE

Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Acute toxicity	Oral	Rat	LABRAFIL® M2125CS pure	LD _{0(oral)} > 20000 ml/kg	(Gattefossé data, GAT-79159, 1979)

CIR COMPENDIUM (Cosmetic Ingredient Review) (<http://www.cir-safety.org>)

Denomination	Reference	Maximum "as used" concentration	Conclusions
Corn oil PEG-6 esters	IJT 33 (Suppl 4):13-39, 2014	No data	Expectation that they would be used in product categories and at concentrations comparable with others in this group

8. CHEMICAL REGULATIONS

CHEMICAL REGULATION

INCI NAME	CAS #	EINECS #	Chemical name
Linoleoyl Polyoxylglycerides	61789-25-1	Not applicable	Corn-oil, ethoxylated (6 mol EO average molar ratio)

NATIONAL INVENTORIES

INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AICS)	China (IECSC)	Other inventories
Linoleoyl Polyoxylglycerides	Listed	Listed NSDL Listed R-ICL	Listed	Not listed	Corn oil, ethoxylated: TSCA, NSDL, AICS, ECL Serial No. KE-08976, PICCS, ASIA-PAC, NZIoC, TCSI

U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics ... are not subject to TSCA regulation.

Canada: Substances not listed on DSL or NSDL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. In addition, substances not listed in DSL or NSDL, but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation.

Australia: Substances Introduced at 1% or less in cosmetics are exempted from AICS listing. Otherwise, substances not listed on AICS can be imported in Australia in quantities not exceeding 10 kg per 12-month period and per importer. In addition, in the Industrial Chemicals (Notification and Assessment) Act 1989 (the Act), an industrial chemical which meets the definition of 'a naturally-occurring chemical' is taken to be on the Australian Inventory of Chemical Substances (AICS), whether listed or not, and therefore does not require notification as a new chemical prior to manufacture or importation into Australia.

REACH REGULATION

(REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)

INCI NAME	Status of the product	Status per substance
Linoleoyl Polyoxylglycerides	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 2125 CS (Code: 3066)

Last update: 14 September 2023

9. HISTORY OF USE

9.1. Pharmaceutical applications

9.1.1. FDA IIG reference for Chemical equivalent

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
LINOLEOYL MACROGOLGLYCERIDE* (UNII: NA)	ORAL	Capsule, soft gelatin	23.8 mg	
CORN OIL PEG-6 ESTERS* (UNII: 1U4409FYOP)	ORAL	Capsule, soft gelatin	300 mg	
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

*removed from IIG in July 2019 due to new data standard. The reference was not removed from IIG due to safety concerns.

9.1.2. FDA IIG references to the most similar chemical (read-across approach)

In the **read-across approach**, endpoint information for one chemical (the source chemical) is used to predict the same endpoint for another chemical (the target chemical), which is considered to be "similar" in some way (usually on the basis of structural similarity or on the basis of the same mode or mechanisms of action). In principle, read-across approach can be used to assess physicochemical properties, toxicity, environmental fate and ecotoxicity.

For any of these endpoints, read-across approach may be performed in a qualitative or quantitative manner.'

The similarities may be based on the following:

- a common functional group (e.g. aldehyde, epoxide, ester, specific metal ion);
- common constituents or chemical classes, similar carbon range numbers;
- an incremental and constant change across the category (e.g. a chain-length category);
- the likelihood of common precursors and/or breakdown products, via physical or biological processes, which result in structurally similar chemicals.

These similarities justify data gap filling in a chemical category by applying read-across.

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
PEG-7 LINOLEOYL GLYCERIDES (UNII: 993L80B0ER)	ORAL	Capsule	300 mg	
APRICOT KERNEL OIL PEG-6 ESTERS (UNII: DRG3KJZ1TJ)	TOPICAL	Cream		280mg
	VAGINAL	Cream	2.94 %	
PEG-5 OLEATE (or PEGLICOL-5 OLEATE) (UNII: 0240V77G50)	ORAL	Solution	300 mg/1mL	
	TOPICAL	Cream		98mg



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 2125 CS (Code: 3066)

Last update: 14 September 2023

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
	TOPICAL	Lotion	NA	
	VAGINAL	Cream	3 % w/w	
	VAGINAL	Suppository	30 mg	
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

**removed from IIG in July 2019 due to new data standard. The reference was not removed from IIG due to safety concerns.*

9.1.3. FDA IIG references for larger family of chemicals

The following reference covers multiconstituent substances containing Corn-oil PEG-6 esters.

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)		
Inactive ingredient	Route / Dosage form	Maximum Potency per unit dose
PEG VEGETABLE OIL* (UNII: Not available)	IM – SC (Injection)	7 %
	IV(INFUSION) (Injection)	5 %
Maximum potency: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the "maximum potency" field will be blank.		

**removed from IIG in July 2019 due to new data standard. The reference was not removed from IIG due to safety concerns.*

9.1.4. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT (Current edition by R. C. Rowe, P.J. Sheskey, W. G. Cook, M. E Fenton)			
Denomination	Functional Category	Regulatory status	Safety
Polyoxylglycerides	Dissolution enhancer; emulsifying agent; nonionic surfactant; penetration agent; solubilizing agent; sustained release agent.	Lauroyl polyoxylglycerides and stearoyl polyoxylglycerides are approved as food additives in the USA. Included in the FDA Inactive Ingredients Database (oral route: capsules, tablets, solutions; topical route: emulsions, creams, lotions; vaginal route: emulsions, creams). Oleyl polyoxylglycerides are included in a topical cream formulation licensed in the UK.	Polyoxylglycerides are used in oral and topical pharmaceutical formulations, and also in cosmetics and food.



Regulatory data sheet (RDS) – Pharmaceutical market

LABRAFIL M 2125 CS (Code: 3066)

Last update: 14 September 2023

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

