

1. **DEFINITION**

DEFINITION	
Hard fat EP/NF/JPE with Glycerol monostearate EP/NF and PEG-75 stearate (type I) NF	

DENOMINATION	
INCI NAME* (PCPC - International Nomenclature of Cosmetic Ingredients)	C10-18 triglycerides Glyceryl Stearate PEG-75 Stearate
UNII (Unique Ingredient Identifier) USP/FDA Substance Registration System (SRS)	8334LX7S21 (HARD FAT) 2300U9XXE4 (Glyceryl monostearate) OT38R0N74H (PEG-75 Stearate)
ADDITIONAL INFORMATION ON THE DENOMINATION	HARD FAT GLYCERYL MONOSTEARATE POLYOXYL 75 STEARATE
*INCI name is given for information only. This ingredient is a pharmaceutical excipient. It must be used according to applicable regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.	

2. **FIELD OF USE**

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (rectal/vaginal routes)

3. **MANUFACTURING PROCESS AND COMPOSITION**

MANUFACTURING PROCESS
Simple physical mixture of 3 components: Hard Fat, Glycerol Monostearate and PEG-75 Stearate

COMPOSITION	
Simple physical mixture of 3 components: Hard Fat, Glycerol Monostearate and PEG-75 Stearate	
Full Labeling (Key letters system)	
$A_1 \geq 75.0$; $50.0 \leq A_2 < 75.0$; $25.0 \leq B < 50.0$; $10.0 \leq C < 25.0$; $5.0 \leq D < 10.0$; $1.0 \leq E < 5.0$; $0.1 \leq F < 1.0$; $G < 0.1$	
C10-18 triglycerides	$A_1 \geq 75.0\%$
Glyceryl Stearate	$5.0\% \leq D < 10.0\%$
PEG-75 Stearate	$1.0\% \leq E < 5.0\%$



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

COMPOSITION
Other constituents (i.e. incidental ingredients)
None

4. DRUG MASTER FILE

Country	Master file number
US DMF (Type IV – Excipient)	/
Canada MF (Type III – Excipient)	/
Other countries	/
For submission of the DMF in another country, please contact your local Gattefossé representative	

5. PHARMACOPEIAS

CONFORMITY TO PHARMACOPEIAS	
Reference	Conforms to monograph
HARD FAT	
European Pharmacopeia Current edition	Hard fat
USP/ NF current edition	Hard fat
Japanese Pharmaceutical Excipient JPE Current edition	Hard fat
GLYCEROL MONOSTEARATE	
European Pharmacopeia Current edition	Glycerol Monostearate 40-55 (Type I)
USP/ NF current edition	Mono and diglycerides
PEG-75 STEARATE	
USP/ NF current edition	Polyoxyl stearate
Japanese Pharmaceutical Excipient JPE Current edition	Polyethylene glycol monostearate



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

6. SPECIFIC PHARMACEUTICAL REGULATIONS

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS AUSTRALIA (TGA) - Australian Register of Therapeutic Goods Ingredients			
Status	Ingredient Name	Use	Restrictions
Approved	Hard fat	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines; Available for use as an Excipient Ingredient in: Biologicals, Export Only, Listed Medicines, Over the Counter, Prescription Medicines,	/
Approved	Glyceryl palmito-stearate	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines; Available for use as an Excipient Ingredient in: Biologicals, Devices, Export Only, Listed Medicines, Over the Counter, Prescription Medicines,	/
Approved	PEG-75 stearate	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines Available for use as an Excipient Ingredient in: Biologicals, Export Only, Listed Medicines, Over the Counter, Prescription Medicines	PEG-75 Stearate is for dermal use only, the concentration of the ingredient is not to exceed 1.5% and is not to be used in topical products intended for use in the eye.
AUSTRALIA: Therapeutic goods are divided into 'medicines' and 'medical devices'. Some 'medicines' are limited to prescription-only while others are available without a prescription. Non-prescription medicines may be 'complementary medicines' (i.e. vitamin, mineral, herbal, aromatherapy, and homeopathic products) or 'OTC medicines' and may be 'listed' (i.e. Sunscreens SPF4 and >4) or 'registered' in the ARTG.			

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS NATURAL HEALTH PRODUCTS – CANADA NHPID		
Status	NHPID name	Route of administration/ Restrictions
Approved Chemical Name	Adeps solidus Common Name(s): Hard fat; Hard fat triglyceride esters	Monograph(s): Medicated Skin Care Products Schedule 1: Synthetic duplicate <u>Role Medicinal:</u> Rationale: Classified as an NHP under Schedule 1, item 6 (a synthetic duplicate) of the Natural Health Products Regulations. <u>Role Non-medicinal:</u> Purposes: Suppository Base
Approved chemical name	Glyceryl Monostearate	<u>Medicinal:</u> Rationale: Classified as an NHP under Schedule 1, item 2 (an isolate) of the Natural Health Products Regulations. <u>Non-medicinal:</u> Purposes: Diluent , Emulsifying Agent , Flavour Enhancer , Fragrance Ingredient , Humectant , Lubricant , Solubilizing Agent , Stabilizing Agent , Surfactant - Emulsifying Agent
Approved chemical name	PEG-75 stearate	<u>Role Non-medicinal:</u> Purposes: Surfactant - Cleansing Agent <u>General:</u> Route Of Administration: Topical
Under the Natural Health Products Regulations, which came into effect on January 1, 2004, natural health products (NHPs) are defined as: Probiotics; Herbal remedies; Vitamins and minerals; Homeopathic medicines; Traditional medicines such as traditional Chinese medicines; Other products like amino acids and essential fatty acids. The Natural Health Products Ingredients Database (NHPID) lists acceptable medicinal and non-medicinal ingredients used in Natural Health Products.		



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

7. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSE

Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
HARD FAT					
Acute irritation (JORF)	Dermal	Rabbit	SUPPOCIRE® CM No dilution	Non irritant	Gattefossé data, GAT - 7734, 1977
Acute irritation (OCDE 404)	Dermal	Rabbit	SUPPOCIRE® NA10 No dilution	Non irritant	Gattefossé data, GAT - 98402, 1998
Acute irritation (Single patch test)	Dermal	Human	SUPPOCIRE® DM Diluted at 15% in kernel oil	Well tolerated	Gattefossé data, GAT - 96284, 1996
Acute irritation (JORF)	Ocular	Rabbit	SUPPOCIRE® CM No dilution	Slightly Irritant	Gattefossé data, GAT - 7734, 1977
Acute irritation (OCDE 405)	Ocular	Rabbit	SUPPOCIRE® NA10 No dilution	Slightly Irritant	Gattefossé data, GAT - 98403, 1998
Acute irritation (JORF)	Rectal	Rabbit	SUPPOCIRE® A No dilution	Non Irritant	Gattefossé data, GAT - 79220, 1979
Acute irritation (JORF)	Rectal	Rabbit	SUPPOCIRE® DM No dilution	Non Irritant	Gattefossé data, GAT - 79113, 1979
Acute toxicity (JORF)	Oral	Rat	SUPPOCIRE® CM No dilution	LD50(oral) > 20000 mg/kg	Gattefossé data, GAT - 7735, 1977
Acute toxicity (OCDE 401)	Oral	Rat	SUPPOCIRE® NA10 No dilution	LD50(oral) > 2001 mg/kg	Gattefossé data, GAT - 98404, 1998
MIXTURE OF GLYCEROL MONOSTEARATE AND PEG-75 STEARATE					
Acute irritation (JORF)	Dermal	Rabbit	GELOT 64 20% in Water	Non irritant Cutaneous irritation index: 0.00	Gattefossé data, GAT- 84232
Acute irritation (OECD 404)	Dermal	Rabbit	GELOT 64 Pure (undiluted)	No sign of irritation	Gattefossé data, GAT- 99466
Acute irritation (JORF)	Ocular	Rabbit	GELOT 64 20% in Water	Non irritant Ocular irritation index (24h): 3.00	Gattefossé data, GAT- 84232
Acute irritation (OECD 405)	Ocular	Rabbit	GELOT 64 25% in fruit nut oil	Slightly Irritant	Gattefossé data, GAT- 99465
Acute toxicity	Oral	Rat	GELOT 64 25% in Lipocire A	LD50(oral) ≥ 5000 mg/kg	Gattefossé data, GAT- 84232
Acute toxicity (OECD 401)	Oral	Rat	GELOT 64 25% in fruit nut oil	LD50(oral) ≥ 2007 mg/kg	Gattefossé data, GAT- 99467



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

CIR COMPENDIUM (Cosmetic Ingredient Review) (http://www.cir-safety.org)			
Denomination	Reference	Maximum “as used” concentration	Conclusions
HARD FAT			
Triglycerides (hard fat bases)	IJT 20(suppl 4):61-94, 2001 (CIR <i>et al.</i> , 2001)	Up to 50% (trilaurin)	On the basis of the animal and clinical data included in this report, the CIR Expert Panel concludes that the following ingredients are safe as used in cosmetics.
GLYCEROL MONOSTEARATE			
Glyceryl stearate	JACT 1(4) 1982	Up to 50%	Based on the available animal and clinical data included in the report, the Panel concludes that Glyceryl Stearate and Glyceryl Stearate/SE are safe for topical application to humans in the present practices of use and concentration.
PEG-75 STEARATE			
PEG-2, -6, -8, -12, -20, -32, -40, -50, -100 and -150 stearates	JACT 2(7): 17-60, 1983	Up to 5%	On the basis of the available information presented in this report, the panel concludes that PEG-2, -6, -8, -12, -20, -32, -40, -50, -100 and -150 Stearates are safe as cosmetic ingredients in the present practices of concentration and use.

8. CHEMICAL REGULATIONS

CHEMICAL REGULATION			
INCI NAME	CAS #	EC #	Chemical name
C10-18 triglycerides	85665-33-4 (or 67701-26-2)	288-123-8 (or 266-944-2)	Glycerides, C10-18 (or Glycerides, C12-18)
Glyceryl Stearate	91052-47-0 (or 85251-77-0) (or 31566-31-1)	293-208-8 (or 286-490-9) (or 250-705-4)	Glycerides, C16-18 mono- (or Glycerides, C16-18 mono- and di-) (or Octadecanoic acid, monoester with 1,2,3-propanetriol)
PEG-75 Stearate	9004-99-3	Not applicable	Poly(oxy-1,2-ethanediyl), α-(1-oxooctadecyl)-ω-hydroxy-

EC numbers: There are three separate inventories. These are the European Inventory of Existing Commercial Chemical Substances (EINECS), the European List of Notified Chemical Substances (ELINCS) and the No-Longer Polymers (NLP) list. EINECS numbers start with 2 or 3. ELINCS numbers start with 4. NLP numbers start with 5. Substances without EC numbers were assigned “list numbers” in order to facilitate REACH submissions. They are solely of administrative, and not of regulatory relevance. The list numbers start with 6, 7, 8 or 9.

NATIONAL INVENTORIES					
INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDL)	Australia (AIC)	China (IECSC)	Other inventories
C10-18 triglycerides	Listed	DSL listed	Listed	Listed	Glycerides, C10-18: IECSC / Glycerides, C10-18: AIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, VNECI / Glycerides, (C10-18): AREC, ECL (or) Glycerides, C12-18: AIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, TSCA, IECSC / Glycerides, (C12-18): AREC, ECL, VNECI



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

NATIONAL INVENTORIES

INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AIIC)	China (IECSC)	Other inventories
Glyceryl Stearate	Listed	DSL listed	Listed	Listed	Glycerides, C16-18 mono-: IECSC, EINECS, NZIoC, REACH, TCSI / Glycerides, (C16-18) mono-: AREC, ECL / C16-18 Monoglycerides: VNECI (or) Glycerides, C16-18 mono- and di-: AIIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, TSCA, VNECI, AREC, ECL / Glycerides, C16-18 mono- and di-ester: IECSC (or) Octadecanoic acid, monoester with 1,2,3-propanetriol: AIIC, DSL, ENCS, IECSC, INSQ, NZIoC, PICCS, TCSI, TDCA, TSCA, VNECI / Stearic acid, monoester with glycerol: EINECS, PICCS, REACH / Glyceryl monostearate: AREC, ECL, PICCS
PEG-75 Stearate	Listed	DSL listed	Listed	Listed	Poly(oxy-1,2-ethanediyl), α -(1-oxooctadecyl)- ω -hydroxy-: AIIC, DSL, ENCS, IECSC, INSQ, NZIoC, PICCS, REACH, TCSI, TSCA, VNECI, AREC, ECL

U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics... are not subject to TSCA regulation. "Naturally occurring substances" are not subject to Premanufacture Notice reporting.

Canada: Substances not listed on DSL or NDSL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. Substances listed on NDSL only can be imported in Canada in quantities not exceeding 1000 kg per 12-month period and per importer. Please contact us if you go beyond these volumes. In addition, substances not listed in DSL or NDSL, but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation.

Australia: The Australian Inventory of Chemical Substances (AICS) has been replaced by the Australian Inventory of Industrial Chemicals (AIIC) since July 2020. Chemicals listed on the AIIC are available for industrial use in Australia; however, importers must register with Australian authorities before importing the chemical in Australia. Some chemicals require specific information to be provided to Australian authorities.

Naturally occurring chemicals are exempted from AIIC listing; importers may have to submit a declaration.

Chemicals not listed on the AIIC must be assessed before importation.

REACH REGULATION

(REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)

INCI NAME	Status of the product	Status per substance
C10-18 triglycerides Glyceryl Stearate PEG-75 Stearate	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.

9. HISTORY OF USE

9.1. Pharmaceutical applications

9.1.1. FDA IIG reference for Chemical equivalent



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

FDA INACTIVE INGREDIENT GUIDE (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
HARD FAT (UNII: 8334LX7S21)	ORAL	CAPSULE, LIQUID FILLED		153 mg
HARD FAT (UNII: 8334LX7S21)	RECTAL	SUPPOSITORY		7657 mg
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

9.1.2. FDA IIG references to the most similar chemical (read-across approach)

In the **read-across approach**, endpoint information for one chemical (the source chemical) is used to predict the same endpoint for another chemical (the target chemical), which is considered to be "similar" in some way (usually on the basis of structural similarity or on the basis of the same mode or mechanisms of action). In principle, read-across approach can be used to assess physicochemical properties, toxicity, environmental fate and ecotoxicity.

For any of these endpoints, read-across approach may be performed in a qualitative or quantitative manner.'

The similarities may be based on the following:

- a common functional group (e.g. aldehyde, epoxide, ester, specific metal ion);
- common constituents or chemical classes, similar carbon range numbers;
- an incremental and constant change across the category (e.g. a chain-length category);
- the likelihood of common precursors and/or breakdown products, via physical or biological processes, which result in structurally similar chemicals.

These similarities justify data gap filling in a chemical category by applying read-across.

FDA INACTIVE INGREDIENT GUIDE (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
Glyceryl stearate/PEG-100 stearate (UNII: RD25J5V947)	ORAL	TABLET	1.8mg	
	ORAL	TABLET, COATED	1.8mg	
	RECTAL	SUPPOSITORY	36mg	
	TOPICAL	CREAM		645 mg
	TOPICAL	CREAM, AUGMENTED	7.08%w/w	
	TOPICAL	LOTION	6.5%w/w	
GLYCERYL STEARATE/PEG-40 STEARATE (UNII: NA)	RECTAL	SUPPOSITORY	35 mg	
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

9.1.3. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT (Current edition by Paul J. Sheskey, Bruno C Hancock, Gary P Moss Dabid J Goldfard)			
Denomination	Functional Category	Regulatory status	Safety
HARD FAT			
Hard Fat	Suppository base.	Included in the FDA Inactive Ingredients Database (rectal and vaginal preparations). Included in nonparenteral medicines licensed in the UK.	Suppository bases are generally regarded as nontoxic and nonirritant materials when used in rectal formulations. However, animal studies have suggested that some bases, particularly those types with a high hydroxyl value, may be irritant to the rectal mucosa.
GLYCEROL MONOSTEARATE			
Glyceryl Monostearate	Emollient; emulsifying agent; emulsion stabilizing agent; modified-release agent; solubilizing agent; solvent; tablet and capsule lubricant.	GRAS listed. Included in the FDA Inactive Ingredients Database (oral capsules and tablets; ophthalmic, otic, rectal, topical, transdermal, and vaginal preparations). Included in nonparenteral medicines licensed in the UK. Included in the Canadian Natural Health Products Ingredients Database.	Glyceryl monostearate is widely used in cosmetics, foods, and oral and topical pharmaceutical formulations, and is generally regarded as a nontoxic and nonirritant material.
PEG-75 STEARATE			
Polyoxyethylene stearates	Emulsifying agent; nonionic surfactant.	Included in the FDA Inactive Ingredients Database (dental solutions; IV injections; ophthalmic preparations; oral capsules and tablets; otic suspensions; topical creams, emulsions, lotions, ointments, and solutions; and vaginal preparations). Included in nonparenteral medicines licensed in the UK. Included in the Canadian Natural Health Products Ingredients Database.	Although polyoxyethylene stearates are primarily used as emulsifying agents in topical pharmaceutical formulations, certain materials, particularly polyoxyl 40 stearate, have also been used in intravenous injections and oral preparations. Polyoxyethylene stearates have been tested extensively for toxicity in animals and are widely used in pharmaceutical formulations and cosmetics. They are generally regarded as essentially nontoxic and nonirritant materials.



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE AGP PASTILLES / SUPPOCIRE AGP PELLETS (Code: 3437)

Last update: 28 March 2023

COMPENDIUM OF PHARMACEUTICAL EXCIPIENTS FOR VAGINAL FORMULATIONS		
Denomination	Category (concentration in %)	Regulatory status
HARD FAT		
Suppocire	Suppository bases	1, 3, 3v, 8–12, 14, 18–20, 23, 25
Glycerides of fatty acids	Suppository bases	1, 3–14, 16–26
GLYCEROL MONOSTEARATE		
Glyceryl monostearate	emulsifier; stabilizer; emollient; plasticizer; tableting aid	G, 1, 3, 8–10, 12–14, 23, 25, 26
PEG-75 STEARATE		
Polyoxyl Stearates	Emulsifying agent	1, 4, 10, 12, 16, 23–25
Abbreviations: G: GRAS, I: inactive ingredients guide, Pharmacopeias, 1: Austrian, 2: Belgian, 3: British, 3v: British (veterinary), 4: Brazilian, 5: Chinese, 6: former Czechoslovakian, 7: Egyptian, 8: European, 9: French, 10: German, 11: Greek, 12: Hungarian, 13: Indian, 14: Italian, 15: International, 16: Japanese, 17: Mexican, 18: Netherlands, 19: Nordic, 20: Portugese, 21: Romanian, 22: Russian, 23: Swiss, 24: Turkish, 25: United States, 26: former Yugoslavian		

9.2. Food/Nutraceutical/Dietary supplement applications

Hard fat have a long history of use worldwide as food additives for use in food, nutraceutical products and dietary supplements.

Country	Reference	Registration number
U.S.A.	DSHEA (Dietary Supplement Health and Education Act) "Grandfathered ingredient" authorized for use in Dietary supplements	Hydrogenated vegetable oil
U.S.A.	USFA US Food additives according to 21 CFR	21 CFR 172.861 Cocoa butter substitute from coconut oil, palm kernel oil, or both oils
JAPAN	JSFA (Japanese Standards of Food Additives)	Glycerol esters of fatty acids

NB: The Food additive details are given for information. Gattefossé does not promote the use of this ingredient for Nutraceutical applications (food additive monograph conformity is not guaranteed). The suitability of the ingredient for use in nutraceutical products and dietary supplements remains the own responsibility of the company marketing the finished product.

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

