

1. DEFINITION

DEFINITION	
Hard fat with additive EP	
Hard fat USP-NF/JPE/ChP* with additive	
* The ChP monograph does not cover the following excipient : SUPPOCIRE grade AIML	

DENOMINATION

INCI NAME* (PCPC - International Nomenclature of Cosmetic Ingredients)	C10-18 Triglycerides Lecithin
UNII (Unique Ingredient Identifier) USP/FDA Substance Registration System (SRS)	8334LX7S21 (HARD FAT)
*INCI name is given for information only. This ingredient is a pharmaceutical excipient. It must be used according to applicable regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.	

2. FIELD OF USE

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (rectal/vaginal routes)

3. MANUFACTURING PROCESS AND COMPOSITION
MANUFACTURING PROCESS

Suppocire Standard type are obtained by Interesterification reaction between hydrogenated Palm kernel oil (mainly containing Triglycerides of Lauric acid) and hydrogenated palm oil (containing Triglycerides of palmitostearic acids).

COMPOSITION

Triglycerides of saturated fatty acids (C10 - C18), with an additive.	
Additive: Lecithins	
Full Labeling (Key letters system)	
$A_1 \geq 75.0$; $50.0 \leq A_2 < 75.0$; $25.0 \leq B < 50.0$; $10.0 \leq C < 25.0$; $5.0 \leq D < 10.0$; $1.0 \leq E < 5.0$; $0.1 \leq F < 1.0$; $G < 0.1$	
C10-18 Triglycerides	$A_1 \geq 75.0$ %
Lecithin	$0.1 \leq F < 1.0$ %
Other constituents (i.e. incidental ingredients)	
None	

Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

4. DRUG MASTER FILE

Country	Master file number
US DMF (Type IV – Excipient)	6028
For submission of the DMF in another country, please contact your local Gattefossé representative	

5. PHARMACOPEIAS

CONFORMITY TO PHARMACOPEIAS	
Reference	Conforms to monograph
European Pharmacopeia Current edition	Hard fat with additives (2731)
USP/ NF Current edition	The hard fat fraction conforms to the Hard Fat monograph Lecithin conforms to the Lecithin NF monograph
Japanese Pharmaceutical Excipient JPE Current edition	The hard fat fraction conforms to the Hard Fat monograph
Chinese Pharmacopoeia Current edition	The hard fat fraction conforms to the Hard Fat monograph*
The hard fat fraction conforms to the Hard Fat monograph * The ChP monograph does not cover the following excipient : SUPPOCIRE grade AIML	

6. SPECIFIC PHARMACEUTICAL REGULATIONS

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS AUSTRALIA (TGA) - Australian Register of Therapeutic Goods Ingredients			
Status	Ingredient Name	Use	Restrictions
Approved	Hard fat	Available for use as an Active Ingredient in: Biologicals, Prescription Medicines Available for use as an Excipient Ingredient in: Biologicals, Export Only, Listed Medicines, Over the Counter, Prescription Medicines	/
Approved	Lecithin	Available for use as an Active Ingredient in: Biologicals, Export Only, Listed Medicines, Over the Counter, Prescription Medicines. Not available as a Homoeopathic Ingredient in Listed Medicines. Available for use as an Excipient Ingredient in: Biologicals, Devices, Export Only, Listed Medicines, Over the Counter, Prescription Medicines. Not available as an Equivalent Ingredient in any application.	/



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

AUSTRALIA: Therapeutic goods are divided into 'medicines' and 'medical devices'. Some 'medicines' are limited to prescription-only while others are available without a prescription. Non-prescription medicines may be 'complementary medicines' (i.e. vitamin, mineral, herbal, aromatherapy, and homeopathic products) or 'OTC medicines' and may be 'listed' (i.e. Sunscreens SPF4 and >4) or 'registered' in the ARTG.

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS NATURAL HEALTH PRODUCTS – CANADA [NHPID](#)

Status	NHPID name	Route of administration/ Restrictions
Approved Chemical Name	Adeps solidus Common Name(s): Hard fat; Hard fat triglyceride esters	Monograph(s): Medicated Skin Care Products Schedule 1: Synthetic duplicate <u>Role Medicinal:</u> Rationale: Classified as an NHP under Schedule 1, item 6 (a synthetic duplicate) of the Natural Health Products Regulations. <u>Role Non-medicinal:</u> Purposes: Suppository Base
Approved Chemical Name	Lecithin	Monograph(s): Lecithin Schedule 1: Extract Sub-ingredient(s): Choline , Phosphatidic acids , Phosphatidylcholine , Phosphatidylethanolamine , Phosphatidylinositol <u>Role Medicinal:</u> Rationale: Classified as an NHP under Schedule 1, item 2 (an extract) of the Natural Health Products Regulations <u>Role Non-medicinal:</u> Purposes: Antioxidant Synergist , Coating Agent , Filler , Gelling Agent , Oleaginous Vehicle , Preservative Antioxidant , Skin-Conditioning Agent , Solubilizing Agent , Stabilizing Agent , Surfactant - Emulsifying Agent , Thickening Agent <u>General:</u> Route Of Administration: Oral Detail: Oral use only. Reference: NNHPD Route Of Administration: Topical Detail: Topical use only. Reference: ICID

Under the Natural Health Products Regulations, which came into effect on January 1, 2004, natural health products (NHPs) are defined as: Probiotics; Herbal remedies; Vitamins and minerals; Homeopathic medicines; Traditional medicines such as traditional Chinese medicines; Other products like amino acids and essential fatty acids.
The Natural Health Products Ingredients Database (NHPID) lists acceptable medicinal and non-medicinal ingredients used in Natural Health Products.



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

7. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSÉ

Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Acute irritation (JORF)	Dermal	Rabbit	SUPPOCIRE® CM No dilution	Non irritant	Gattefossé data, GAT -7734, 1977
Acute irritation (OCDE 404)	Dermal	Rabbit	SUPPOCIRE® NA10 No dilution	Non irritant	Gattefossé data, GAT -98402, 1998
Acute irritation (Single patch test)	Dermal	Human	SUPPOCIRE® DM Diluted at 15% in kernel oil	Well tolerated	Gattefossé data, GAT -96284, 1996
Acute irritation (JORF)	Ocular	Rabbit	SUPPOCIRE® CM No dilution	Slightly Irritant	Gattefossé data, GAT -7734, 1977
Acute irritation (OCDE 405)	Ocular	Rabbit	SUPPOCIRE® NA10 No dilution	Slightly Irritant	Gattefossé data, GAT -98403, 1998
Acute irritation (JORF)	Rectal	Rabbit	SUPPOCIRE® A No dilution	Non Irritant	Gattefossé data, GAT -79220, 1979
Acute irritation (JORF)	Rectal	Rabbit	SUPPOCIRE® DM No dilution	Non Irritant	Gattefossé data, GAT -79113, 1979
Acute toxicity (JORF)	Oral	Rat	SUPPOCIRE® CM No dilution	LD50 _(oral) > 20000 mg/kg	Gattefossé data, GAT -7735, 1977
Acute toxicity (OCDE 401)	Oral	Rat	SUPPOCIRE® NA10 No dilution	LD50 _(oral) > 2001 mg/kg	Gattefossé data, GAT -98404, 1998

CIR COMPENDIUM (Cosmetic Ingredient Review)

(<http://www.cir-safety.org>)

Denomination	Reference	Maximum “as used” concentration	Conclusions
C10-18 Triglycerides	IJT 20(suppl 4):61- 94, 2001 (CIR et al., 2001)	Up to 46.3% (trilaurin)	Based on the available data, the CIR Expert Panel concludes that triglycerides described in the safety assessment are safe in cosmetics in the present practices of use and concentration.

Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

CIR COMPENDIUM (Cosmetic Ingredient Review)

(<http://www.cir-safety.org>)

Lecithin	IJT 20(S1):21-45, 2001	Up to 15%	Lecithin and Hydrogenated Lecithin are safe as used in rinse-off products, safe for use in leave-on products at concentrations of $\leq 15\%$, and that the data are insufficient to determine the safety for use in cosmetic products where Lecithin or Hydrogenated Lecithin are likely to be inhaled. Lecithin and Hydrogenated Lecithin should not be used in cosmetic products in which <i>N</i> -nitroso compounds may be formed.
----------	------------------------	-----------	--

8. CHEMICAL REGULATIONS

CHEMICAL REGULATION

INCI NAME	CAS #	EC #	Chemical name
C10-18 Triglycerides	85665-33-4 (or 67701-26-2)	288-123-8 (or 266-944-2)	Glycerides, C10-18 (or Glycerides, C12-18)
Lecithin	8002-43-5	232-307-2	Lecithins

EC numbers: There are three separate inventories. These are the European Inventory of Existing Commercial Chemical Substances (EINECS), the European List of Notified Chemical Substances (ELINCS) and the No-Longer Polymers (NLP) list.

EINECS numbers start with 2 or 3. ELINCS numbers start with 4. NLP numbers start with 5.

Substances without EC numbers were assigned "list numbers" in order to facilitate REACH submissions. They are solely of administrative, and not of regulatory relevance. The list numbers start with 6, 7, 8 or 9.

NATIONAL INVENTORIES

INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AIIC)	China (IECSC)	Other inventories
C10-18 Triglycerides	Listed	DSL listed	Listed	Listed	Glycerides, C10-18-: IECSC / Glycerides, C10-18: AIIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, VNECI / Glycerides, (C10-18): AREC, ECL (or) Glycerides, C12-18: AIIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, TSCA, IECSC / Glycerides, (C12-18): AREC, ECL, VNECI
Lecithin	Listed	DSL listed	Listed	Listed	Lecithins: AIIC, AREC, DSL, ECL, EINECS, INSQ, NZIoC, PICCS, REACH, TCSI, TSCA, VNECI / Lecithin from soy beans: IECSC / Lecithin: ENCS, PICCS

U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics... are not subject to TSCA regulation. "Naturally occurring substances" are not subject to Premanufacture Notice reporting.

Canada: Substances not listed on DSL or NDSL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. Substances listed on NDSL only can be imported in Canada in quantities not exceeding 1000 kg per 12-month period and per importer. Please contact us if you go beyond these volumes. In addition, substances not listed in DSL or NDSL, but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation.



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

NATIONAL INVENTORIES

INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDL)	Australia (AIIC)	China (IECSC)	Other inventories
Australia: The Australian Inventory of Chemical Substances (AICS) has been replaced by the Australian Inventory of Industrial Chemicals (AIIC) since July 2020. Chemicals listed on the AIIC are available for industrial use in Australia; however, importers must register with Australian authorities before importing the chemical in Australia. Some chemicals require specific information to be provided to Australian authorities. Naturally occurring chemicals are exempted from AIIC listing; importers may have to submit a declaration. Chemicals not listed on the AIIC must be assessed before importation.					

REACH REGULATION

(REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)

INCI NAME	Status of the product	Status per substance
C10-18 Triglycerides Lecithin	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.

9. HISTORY OF USE

9.1. Pharmaceutical applications

9.1.1. FDA IIG reference for Chemical equivalent

FDA INACTIVE INGREDIENT GUIDE

(<http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm>)

Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
HARD FAT (UNII: 8334LX7S21)	ORAL	CAPSULE, LIQUID FILLED		153 mg
	RECTAL	SUPPOSITORY		7657 mg
LECITHIN (UNII : NA)	INTRAMUSCULAR	INJECTION	0.6%w/v	
	ORAL	CAPSULE	15mg	
	ORAL	CAPSULE, EXTENDED RELEASE	NA	
	ORAL	CAPSULE, LIQUID FILLED		3900 mg
	ORAL	POWDER, FOR SUSPENSION	167mg/5ml	
	ORAL	SUSPENSION		150 mg
	ORAL	TABLET		40 mg
	ORAL	TABLET, DELAYED RELEASE		1 mg
	ORAL	TABLET, EXTENDED RELEASE		10 mg
	ORAL	TABLET, FILM COATED		2 mg



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

FDA INACTIVE INGREDIENT GUIDE

(<http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm>)

Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
	ORAL	TABLET, FILM COATED, EXTENDED RELEASE	0.35mg	
	RECTAL	SUPPOSITORY	6.5mg	
	TOPICAL	GEL	1%w/w	
	TOPICAL	SOLUTION	1.4%w/w	
	VAGINAL	CREAM	1%w/w	

Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.

9.1.2. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT

(Current edition by Paul J. Sheskey, Bruno C Hancock, Gary P Moss Dabid J Goldfard)

Denomination	Functional Category	Regulatory status	Safety
Hard Fat	Suppository Bases	Included in the FDA Inactive Ingredients Database (rectal and vaginal preparations). Included in nonparenteral medicines licensed in the UK.	Suppository bases are generally regarded as nontoxic and nonirritant materials when used in rectal formulations. However, animal studies have suggested that some bases, particularly those types with a high hydroxyl value, may be irritant to the rectal mucosa.
Lecithin	Emollient; emulsifying agent ; solubilizing agent.	GRAS listed. Accepted for use a food additive in Europe. Included in the FDA Inactive Ingredients Database. Included in nonparenteral and parenteral medicines licensed in the UK. Included in the Canadian Natural Health products Ingredients Database.	Lecithin is a component of cell membranes and is therefore consumed as a normal part of the diet. [...] When used in topical formulations, lecithin is generally regarded as a non-irritant and nonsensitizing material. [...]

COMPENDIUM OF PHARMACEUTICAL EXCIPIENTS FOR VAGINAL FORMULATIONS

Denomination	Category (concentration in %)	regulatory status
Suppocire	Suppository bases	1, 3, 3v, 8–12, 14, 18–20, 23, 25
Glycerides of fatty acids	Suppository bases	1, 3–14, 16–26

Abbreviations: G: GRAS, I: inactive ingredients guide, Pharmacopeias, 1: Austrian, 2: Belgian, 3: British, 3v: British (veterinary), 4: Brazilian, 5: Chinese, 6: former Czechoslovakian, 7: Egyptian, 8: European, 9: French, 10: German, 11: Greek, 12: Hungarian, 13: Indian, 14: Italian, 15: International, 16: Japanese, 17: Mexican, 18: Netherlands, 19: Nordic, 20: Portuguese, 21: Romanian, 22: Russian, 23: Swiss, 24: Turkish, 25: United States, 26: former Yugoslavian
Garg et al., *Pharmaceutical Technology, Drug Delivery*, 2001, p14–24, Compendium Of Pharmaceutical Excipients For Vaginal Formulations



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE STANDARD TYPE, GRADE L

AIML, AML, BML (Code: 3003, 3006, 3015)

Last update: 28 March 2023

9.2. Food/Nutraceutical/Dietary supplement applications

Hard fat have a long history of use worldwide as food additives for use in food, nutraceutical products and dietary supplements.

Country	Reference	Registration number
U.S.A.	DSHEA (Dietary Supplement Health and Education Act) "Grandfathered ingredient" authorized for use in Dietary supplements	Hydrogenated vegetable oil
U.S.A.	USFA US Food additives according to 21 CFR	21 CFR 172.861 Cocoa butter substitute from coconut oil, palm kernel oil, or both oils
JAPAN	JSFA (Japanese Standards of Food Additives)	Glycerol esters of fatty acids

NB: The Food additive details are given for information. Gattefossé does not promote the use of this ingredient for Nutraceutical applications (food additive monograph conformity is not guaranteed). The suitability of the ingredient for use in nutraceutical products and dietary supplements remains the own responsibility of the company marketing the finished product.

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

