

1. DEFINITION

DEFINITION	
Saturated polyglycolised glycerides	

DENOMINATION	
INCI NAME* (PCPC - International Nomenclature of Cosmetic Ingredients)	C12-18 glycerides + PEG-6 C12-18 esters
*INCI name is given for information only. This ingredient is a pharmaceutical excipient. It must be used according to applicable regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.	

2. FIELD OF USE

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (rectal/vaginal routes)

3. MANUFACTURING PROCESS AND COMPOSITION

MANUFACTURING PROCESS
Suppocire P Type are obtained by an esterification reaction between PEG, Glycerol and selected fractions of saturated C12-18 fatty acids

COMPOSITION
Well defined mixture of mono-, di- and triglycerides and PEG mono- and di- esters of saturated fatty acids from C12 to C18
Other constituents (i.e. incidental ingredients)
None



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE P TYPE AP, BP, CP, DP (Code: 3007, 3016)

SUPPOCIRE L (Code: 3030)

Last update: 14 August 2020

4. DRUG MASTER FILE

Country	Master file number
US DMF (Type IV – Excipient)	9350 (Inactive)
For submission of the DMF in another country, please contact your local Gattefossé representative	

5. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSE					
Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Irritation of the rectal mucosa/ 14 days	Rectal	Rabbit	Suppocire AP 1g/day	No significant superficial irritation of the mucosa	Gattefossé Data Tox. n°78359
Irritation of the rectal mucosa/ 14 days	Rectal	Rabbit	Suppocire CP 1g/day	No significant superficial irritation of the mucosa	Gattefossé Data Tox. n°85357
Acute oral toxicity	Oral	Rat	Suppocire AP No dilution	LD0 > 20 mL/kg/day	Gattefossé Data Tox. n°79358

6. CHEMICAL REGULATIONS

CHEMICAL REGULATION			
	CAS #	EINECS #	Chemical name
C12-18 glycerides + PEG-6 C12-18 esters	91052-53-8 (or 67701-26-2) + 68154-29-0	293-214-0 (or 266-944-2) + 614-334-5	Glycerides, C12-18 mono-, di- and tri- (or Glycerides, C12-18) + Fatty acids, C12-18, ethoxylated



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE P TYPE AP, BP, CP, DP (Code: 3007, 3016)

SUPPOCIRE L (Code: 3030)

Last update: 14 August 2020

NATIONAL INVENTORIES					
	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AICS)	China (IECSC)	Other inventories
C12-18 glycerides + PEG-6 C12-18 esters	Not listed (or listed) + Listed	DSL listed (or DSL Listed) + NDSL Listed	Not listed (or listed) + listed	Listed (or listed) + listed	Glycerides, C12-18 mono-, di- and tri- : EINECS, PICCS, ASIA-PAC, ECL n° KE- 17931, IECSC (or Glycerides, C12-18: SCA, DSL, EINECS, AICS, PICCS, ASIA-PAC, NZIoC, ECL Serial No. KE-17791, IECSC, TCSI) + Fatty acids, C12-18, ethoxylated: PICCS, ASIA-PAC, NZIoC, ECL n°KE13408, TSCI, IECSC, TSCA, NDSL, AICS
U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics ... are not subject to TSCA regulation. Canada: Substances not listed on DSL or NDSL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. In addition, substances not listed in DSL or NDSL but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation. Australia: Substances Introduced at 1% or less in cosmetics are exempted from AICS listing. Otherwise, substances not listed on AICS can be imported in Australia in quantities not exceeding 10 kg per 12-month period and per importer. In addition, in the Industrial Chemicals (Notification and Assessment) Act 1989 (the Act), an industrial chemical which meets the definition of 'a naturally-occurring chemical' is taken to be on the Australian Inventory of Chemical Substances (AICS), whether listed or not, and therefore does not require notification as a new chemical prior to manufacture or importation into Australia.					

REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)		
	Status of the product	Status per substance
C12-18 glycerides + PEG-6 C12-18 esters	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.

7. HISTORY OF USE

7.1. Pharmaceutical applications

7.1.1. FDA IIG reference for Chemical equivalent

FDA INACTIVE INGREDIENT GUIDE (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)		
Inactive ingredient	Route / Dosage form	Use level
No FDA IID reference exactly matches the definition C12-18 glycerides + PEG-6 C12-18 esters		
Maximum potency: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the "maximum potency" field will be blank.		

7.1.2. FDA IIG references to the most similar chemical (read-across approach)

In the **read-across approach**, endpoint information for one chemical (the source chemical) is used to predict the same endpoint for another chemical (the target chemical), which is considered to be "similar" in some way (usually on the basis of structural similarity or on the basis of the same mode or mechanisms of action). In principle, read-across approach can be used to assess physicochemical properties, toxicity, environmental fate and ecotoxicity.



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE P TYPE AP, BP, CP, DP (Code: 3007, 3016)

SUPPOCIRE L (Code: 3030)

Last update: 14 August 2020

For any of these endpoints, read-across approach may be performed in a qualitative or quantitative manner.'

The similarities may be based on the following:

- a common functional group (e.g. aldehyde, epoxide, ester, specific metal ion);
- common constituents or chemical classes, similar carbon range numbers;
- an incremental and constant change across the category (e.g. a chain-length category);
- the likelihood of common precursors and/or breakdown products, via physical or biological processes, which result in structurally similar chemicals.

These similarities justify data gap filling in a chemical category by applying read-across.

FDA INACTIVE INGREDIENT GUIDE

(<http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm>)

Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
LAUROYL POLYOXYLGLYCERIDES (UNII: NA)	ORAL	CAPSULE	218mg	NA
	ORAL	TABLET	0.15mg	NA
	ORAL	TABLET, FILM COATED	0.15mg	NA
STEAROYL POLYOXYLGLYCERIDES (UNII: NA)	ORAL	CAPSULE	480mg	NA
	ORAL	TABLET	2.6mg	NA
	TOPICAL	CREAM	7.5%w/w	NA

Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.

7.1.3. FDA IIG references for larger family of chemicals

The following reference covers multiconstituent substances containing C12-18 glycerides or PEG-6 C12-18 esters

FDA INACTIVE INGREDIENT GUIDE

(<http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm>)

Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
POLYOXYETHYLENE FATTY ACID ESTERS (UNII: NA)	INTRAMUSCULAR	INJECTION	14%w/v	NA
	SUBCUTANEOUS	INJECTION	14%w/v	NA
	TOPICAL	CREAM	1.9%w/w	NA
	TOPICAL	DISC	NA	NA
FATTY ACID GLYCERIDES (UNII: NA)	ORAL	CAPSULE	NA	4mg
	SUBLINGUAL	SPRAY	0.96mg	NA

Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.



Regulatory data sheet (RDS) – Pharmaceutical market

SUPPOCIRE P TYPE AP, BP, CP, DP (Code: 3007, 3016)

SUPPOCIRE L (Code: 3030)

Last update: 14 August 2020

7.1.4. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT (Current edition by R. C. Rowe, P.J. Sheskey, W. G. Cook, M. E Fenton)			
Denomination	Functional Category	Regulatory status	Safety
Polyoxylglycerides	Emulsifying agent; modified-release agent; nonionic surfactant; penetration enhancer; solubilizing agent.	Lauroyl polyoxylglycerides and stearoyl polyoxylglycerides are approved as food additives in the US. Included in the FDA Inactive Ingredients Database (oral route: capsules, tablets, solutions; topical route: emulsions, creams, lotions; vaginal route: emulsions, creams). Oleyl polyoxylglycerides are included in a topical cream formulation licensed in the UK.	Polyoxylglycerides are used in oral and topical pharmaceutical formulations, and also in cosmetics and food products. They are generally regarded as relatively nonirritant and nontoxic materials.

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

