

1. DEFINITION

DEFINITION	
Emulsifier mixture of: PEG-6 stearate (type I) NF and Ethylene glycol palmitostearate EP/NF/JPE and PEG-32 stearate (type I) NF	

DENOMINATION	
INCI NAME* (PCPC - International Nomenclature of Cosmetic Ingredients)	PEG-6 Stearate Glycol Stearate PEG-32 Stearate
UNII (Unique Ingredient Identifier) USP/FDA Substance Registration System (SRS)	
Tefose 63	Preferred Substance Name: Pegoxol 7 stearate UNII: 3EW5AXE5X5
PEG-6 Stearate	Preferred Substance Name: PEG-6 Stearate UNII: 8LQC57C6B0 Other names: Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxyoctadecanoate, Polyethylene glycol 300 monostearate, Polyoxyethylene (6) monostearat, Polyoxyl 6 Palmitostearate, Polyoxyl Stearate
Ethylene glycol palmitostearate	Preferred Substance Name: Glycol stearate UNII: 0324G66D0E Other names: Ethylene glycol monostearate, Ethylene Glycol Monopalmitostearate, Octadecanoic Acid, 2-Hydroxyethyl Ester, 2-Hydroxyethyl Stearate Stearic Acid, 2-Hydroxyethyl Ester
PEG-32 Stearate	Preferred Substance Name: PEG-32 stearate UNII: 33GX5WQC0M Other names: Poly(oxy-1,2-ethanediyl), α -hydro- ω -hydroxyoctadecanoate, Polyoxyl 32 Palmitostearate, Polyoxyl Stearate
*INCI name is given for information only. This ingredient is a pharmaceutical excipient. It must be used according to applicable regulations. Gattefossé accepts no responsibility for the use of this product in applications other than those recommended.	

2. FIELD OF USE

FIELD OF USE
This ingredient must be used according to appropriate regulations
Pharmaceutical ingredient (topical and/or rectal/vaginal routes)



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

3. MANUFACTURING PROCESS AND COMPOSITION

MANUFACTURING PROCESS	
Simple physical mixing of the 3 components: PEG-6 palmitostearate, Ethylene glycol palmitostearate and PEG-32 palmitostearate	
COMPOSITION	
Simple physical mixture of 3 components: PEG-6 palmitostearate, Ethylene glycol palmitostearate and PEG-32 palmitostearate	
Full Labeling (Key letters system)	
$A_1 \geq 75.0$; $50.0 \leq A_2 < 75.0$; $25.0 \leq B < 50.0$; $10.0 \leq C < 25.0$; $5.0 \leq D < 10.0$; $1.0 \leq E < 5.0$; $0.1 \leq F < 1.0$; $G < 0.1$	
PEG-6 Stearate	$50.0\% \leq A_2 < 75.0\%$
Glycol Stearate	$10.0\% \leq C < 25.0\%$
PEG-32 Stearate	$10.0\% \leq C < 25.0\%$
Other constituents (i.e. incidental ingredients)	
None	

4. RSPO CERTIFICATION

ROUNDTABLE ON SUSTAINABLE PALM OIL http://www.rspo.org/certification	
Product status	Gattefossé RSPO certification number
Product certified RSPO Mass Balance. More information on: www.RSPO.org	Gattefosse RSPO certification number: BVC-RSPO-1-1106949778

5. DRUG MASTER FILE

Country	Master file number
Canada MF (Type III – Excipient)	2016-201
For submission of the DMF in another country, please contact your local Gattefossé representative	



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

6. PHARMACOPEIAS

CONFORMITY TO PHARMACOPEIAS		
Reference	Component	Conforms to monograph
European Pharmacopeia Current edition	PEG-6 Stearate	/
	Glycol Stearate	Ethylene glycol monopalmitostearate (#1421)
	PEG-32 Stearate	/
USP/ NF current edition	PEG-6 Stearate	Polyoxyl Stearate (type I)
	Glycol Stearate	Ethylene Glycol Stearates
	PEG-32 Stearate	Polyoxyl Stearate (type I)
Reference	Component	Conforms to monograph
Japanese Pharmaceutical Excipients JPE Current edition	Glycol Stearate	Ethylene Glycol monostearate (#102269)

7. SPECIFIC PHARMACEUTICAL REGULATIONS

CHINA BUNDLING REVIEW			
Generic name (Chinese name)	Registration N°	Company	CFDA/CDE Reference (http://www.cde.org.cn/yfb.do?method=main)
Pegoxol-7 stearate 聚乙二醇-7硬脂酸酯	(Excipient) F20190001679 (10kg, 17kg, 20 kg, 200kg)	Gattefossé SAS	Raw material approved for use in marketed formulations in Joint-Review with drug applications.
Please contact our Regulatory Affairs department for further information and obtain letter of authorization			

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS AUSTRALIA (TGA) - Australian Register of Therapeutic Goods Ingredients			
Status	Ingredient Name	Use	Restrictions
Approved	TEFOSE® 63 (Proprietary Ingredient ID : 2494)	Not available as an Active Ingredient in any application Available for use as an Excipient Ingredient in: Export Only, Over the Counter, Prescription Medicines. <i>Please note: This proprietary ingredient has not been evaluated for use in therapeutic goods. As such, this proprietary ingredient may undergo further review or evaluation when used in the formulation of therapeutic goods.</i>	/
AUSTRALIA: Therapeutic goods are divided into 'medicines' and 'medical devices'. Some 'medicines' are limited to prescription-only while others are available without a prescription. Non-prescription medicines may be 'complementary medicines' (i.e. vitamin, mineral, herbal, aromatherapy, and homoeopathic products) or 'OTC medicines' and may be 'listed' (i.e. Sunscreens SPF4 and >4) or 'registered' in the ARTG.			



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

REGULATORY STATUS OF THE INGREDIENT FOR BORDER-LINE APPLICATIONS NATURAL HEALTH PRODUCTS – CANADA NHPID		
Status	NHPID name	Route of administration/ Restrictions
Approved chemical name	PEG-6 Stearate	<u>Role Non-medicinal:</u> Purposes: Emulsifying Agent Route Of Administration: Topical Detail: Topical use only.
Approved chemical name	PEG-32 Stearate	<u>Role Non-medicinal:</u> Purposes: Emulsifying Agent Route Of Administration: Topical Detail: Topical use only, up to 10%
Approved chemical name	Polyoxyethylene stearates	<u>Role non-medicinal:</u> Purposes: Emulsifying Agent , Solubilizing Agent , Wetting Agent Detail: Acceptable daily intake up to 25 mg/kg body weight daily as total for polyoxyethylene derivatives
Approved chemical name	Glycol stearate	<u>Role Non-medicinal:</u> Purposes: Emulsion Stabilizer , Opacifying Agent , Skin-Conditioning Agent - Emollient Route Of Administration: Topical
Under the Natural Health Products Regulations, which came into effect on January 1, 2004, natural health products (NHPs) are defined as: Probiotics; Herbal remedies; Vitamins and minerals; Homeopathic medicines; Traditional medicines such as traditional Chinese medicines; Other products like amino acids and essential fatty acids. The Natural Health Products Ingredients Database (NHPID) lists acceptable medicinal and non-medicinal ingredients used in Natural Health Products.		

8. SAFETY ASSESSMENT

SAFETY STUDIES PERFORMED BY GATTEFOSSE					
Study type/ duration	Route	Species	Test article	Results/Conclusions	Reference
Acute irritation (JORF)	Dermal	Rabbit	TEFOSE® 63 No dilution	Non irritant Cutaneous irritation: 0.17	Gattefossé data, GAT-74142, 1974
Acute irritation (OECD 404)	Dermal	Rabbit	TEFOSE® 63 No dilution	Slightly Irritant	Gattefossé data, GAT-99463, 1999
Acute irritation (JORF)	Ocular	Rabbit	TEFOSE® 63 No dilution	Non irritant Ocular irritation (24h): 2.33	Gattefossé data, GAT-74142, 1974
Acute irritation (OECD 405)	Ocular	Rabbit	TEFOSE® 63 25% in fruit nut oil	Slightly Irritant	Gattefossé data, GAT-99464, 1999
Acute irritation	Vaginal	Rabbit	TEFOSE® 63 20% in water	Non Irritant No obvious irritation of the vaginal mucosal was observed in any of the 16 animals.	Gattefossé data, GAT-74142, 1974
Acute toxicity (OECD 401)	Oral	Rat	TEFOSE® 63 25% in fruit nut oil	LD50(oral) > 2002 mg/kg	Gattefossé data, GAT-99473, 1999
Subchronic 3-month toxicity study	Dermal	Rabbit	TEFOSE® 63 No dilution	Good tolerance. Well Tolerated. NOAEL(dermal) > 2000 mg/kg/day	Gattefossé data, GAT-74142, 1974
OECD : Organisation for Economic Co-operation and development - JORF: Journal officiel République Française (Official Journal French Republic)					
Summary of files available upon request, please contact your Gattefossé local representative. Additional literature review is available for the different endpoints, please consult the document "Tox and safety overview" for a complete review on regulatory, tox and safety aspects.					



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

CIR COMPENDIUM (Cosmetic Ingredient Review) (http://www.cir-safety.org)			
Denomination	Reference	Maximum "as used" concentration	Conclusions
PEG-6 Stearate and PEG-32 Stearate			
PEG-2, -6, -8, -12, -20, -32, -40, -50, -100 and -150 Stearates	JACT 2(7): 17-60, 1983 IJT 24(Suppl. 1):1-102, 2005	Up to 6%	On the basis of the available information presented in this report, the panel concludes that PEG-2, -6, -8, -12, -20, -32, -40, -50, -100 and -150 Stearates are safe as cosmetic ingredients in the present practices of concentration and use.
Ethylene Glycol Stearate			
Glycol Stearate	JACT, 1(2) 1982 IJT 22(Suppl. 1):1-35, 2003	Up to 10%	On the basis of the available information presented herein, the Panel concludes that Glycol Stearate are safe as cosmetic ingredients in the present practices of use and concentration.

9. CHEMICAL REGULATIONS

CHEMICAL REGULATION			
INCI NAME	CAS #	EC #	Chemical name
PEG-6 Stearate	9004-99-3	Not applicable	Poly(oxy-1,2-ethanediyl), α -(1-oxooctadecyl)- ω -hydroxy-
Glycol Stearate	91031-31-1 (or 111-60-4)	292-932-1 (or 203-886-9)	Fatty acids, C16-18, 2-hydroxyethyl esters
PEG-32 Stearate	9004-99-3	Not applicable	Poly(oxy-1,2-ethanediyl), α -(1-oxooctadecyl)- ω -hydroxy-

EC numbers: There are three separate inventories. These are the European Inventory of Existing Commercial Chemical Substances (EINECS), the European List of Notified Chemical Substances (ELINCS) and the No-Longer Polymers (NLP) list. EINECS numbers start with 2 or 3. ELINCS numbers start with 4. NLP numbers start with 5. Substances without EC numbers were assigned "list numbers" in order to facilitate REACH submissions. They are solely of administrative, and not of regulatory relevance. The list numbers start with 6, 7, 8 or 9.

NATIONAL INVENTORIES					
INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDL)	Australia (AIIC)	China (IECSC)	Other inventories
PEG-6 Stearate	Listed	Listed	Listed	Listed	Poly(oxy-1,2-ethanediyl), α -(1-oxooctadecyl)- ω -hydroxy-: AIIC, DSL, ENCS, IECSC, INSQ, NZIoC, PICCS, REACH, TCSI, TSCA, VNECI, AREC, ECL
Glycol Stearate	Listed	Listed	Listed	Listed	Fatty acids, C16-18, esters with ethylene glycol: AIIC, DSL, EINECS, NZIoC, PICCS, REACH, TCSI, TDCA, TSCA, VNECI, IECSC / Fatty acids, (C16-18), esters with ethylene glycol: AREC, ECL



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

NATIONAL INVENTORIES					
INCI NAME	U.S.A. (TSCA)	Canada (DSL/NDSL)	Australia (AIIC)	China (IECSC)	Other inventories
					(or Octadecanoic acid, 2-hydroxyethyl ester: AIIC, DSL, ENCS, NZIoC, PICCS, TCSI, TSCA / Glycol monostearate: IECSC / 2-hydroxyethyl stearate: EINECS, REACH, VNECI / Glycol stearate: AREC, ECL)
PEG-32 Stearate	Listed	Listed	Listed	Listed	Poly(oxy-1,2-ethanediyl), α-(1-oxooctadecyl)-ω-hydroxy-: AIIC, DSL, ENCS, IECSC, INSQ, NZIoC, PICCS, REACH, TCSI, TSCA, VNECI, AREC, ECL
U.S.A.: Substances that are regulated under other federal regulations, including food additives, drug, cosmetics... are not subject to TSCA regulation. "Naturally occurring substances" are not subject to Premanufacture Notice reporting. Canada: Substances not listed on DSL or NDSL can be imported in Canada in quantities not exceeding 100 kg per 12-month period and per importer. Substances listed on NDSL only can be imported in Canada in quantities not exceeding 1000 kg per 12-month period and per importer. Please contact us if you go beyond these volumes. In addition, substances not listed in DSL or NDSL, but listed in the "in-commerce list" can be freely used in Products Regulated Under the Food and Drugs Act (F&DA). In addition, substances considered as "Natural" according Health Canada's definition are exempted from New Substances regulation. Australia: The Australian Inventory of Chemical Substances (AICS) has been replaced by the Australian Inventory of Industrial Chemicals (AIIC) since July 2020. Chemicals listed on the AIIC are available for industrial use in Australia; however, importers must register with Australian authorities before importing the chemical in Australia. Some chemicals require specific information to be provided to Australian authorities. Naturally occurring chemicals are exempted from AIIC listing; importers may have to submit a declaration. Chemicals not listed on the AIIC must be assessed before importation.					

REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)		
	Status of the product	Status per substance
PEG-6 Stearate Glycol Stearate PEG-32 Stearate	Exempted	Substances intended to be used in medicinal products (human and/or veterinary use) are exempted from the main provisions on registration, evaluation and authorization, under REACH regulation.

10. HISTORY OF USE

10.1. Pharmaceutical applications

10.1.1. FDA IIG reference for Chemical equivalent

FDA INACTIVE INGREDIENT GUIDE (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
TEFOSE 63				
Pegoxol 7 Stearate (UNII: 3EW5AXE5X5)	TOPICAL	Cream		400mg
	TOPICAL	Lotion	NA	
	VAGINAL	Cream	20%w/w	
	VAGINAL	Suppository	200mg	
PEG 6-32 Stearate/Glycol Stearate (UNII: NA)	TOPICAL	Cream	19.6% w/w	
	VAGINAL	Cream	19.6% w/w	
GLYCOL STEARATE				
Glycol stearate	TOPICAL	Cream	1%w/w	



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

FDA INACTIVE INGREDIENT GUIDE (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
(UNII: 0324G66D0E)	TOPICAL	Shampoo, suspension	5%w/w	
PEG-6 Stearate and PEG-32 Stearate				
Polyoxyl 6 And Polyoxyl 32 Palmitostearate (UNII: NA)	TOPICAL	Cream	20.0 % w/w	
	TOPICAL	Lotion	5 % w/w	
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

10.1.2. FDA IIG references to the most similar chemical (read-across approach)

In the **read-across approach**, endpoint information for one chemical (the source chemical) is used to predict the same endpoint for another chemical (the target chemical), which is considered to be "similar" in some way (usually on the basis of structural similarity or on the basis of the same mode or mechanisms of action). In principle, read-across approach can be used to assess physicochemical properties, toxicity, environmental fate and ecotoxicity.

For any of these endpoints, read-across approach may be performed in a qualitative or quantitative manner.'

The similarities may be based on the following:

- a common functional group (e.g. aldehyde, epoxide, ester, specific metal ion);
- common constituents or chemical classes, similar carbon range numbers;
- an incremental and constant change across the category (e.g. a chain-length category);
- the likelihood of common precursors and/or breakdown products, via physical or biological processes, which result in structurally similar chemicals.

These similarities justify data gap filling in a chemical category by applying read-across.

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
POLYOXYL STEARATE (UNII: NA)	AURICULAR (OTIC)	SUSPENSION	0.01%w/w	
	ORAL	TABLET, COATED	2mg	
	TOPICAL	AEROSOL, FOAM	4.36%w/w	
	TOPICAL	CREAM		70mg
	TOPICAL	EMULSION	NA	
	TOPICAL	LOTION	2%w/w	
	VAGINAL	CREAM	0.25% w/w	
PEG-8 STEARATE (UNII: 2P9L47VI5E)	ORAL	CONCENTRATE	25mg/5ml	
	ORAL	SUSPENSION		60 mg
	TOPICAL	CREAM		229 mg
	TOPICAL	SPONGE	NA	
POLYOXYL-40 STEARATE (UNII: 13A4J4NH9I)	AURICULAR (OTIC)	SUSPENSION	1%w/v	
	OPHTHALMIC	OINTMENT	NA	
	OPHTHALMIC	SOLUTION	7%w/w	
	OPHTHALMIC	SUSPENSION	0.5%w/v	
	ORAL	CAPSULE	7mg	
	ORAL	GRANULE	NA	



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

FDA Inactive ingredient guide (http://www.accessdata.fda.gov/scripts/cder/iig/index.cfm)				
Inactive ingredient	Route	Dosage form	Maximum Potency per unit dose	Maximum Daily Exposure (MDE)
	ORAL	TABLET	8.48mg	
	ORAL	TABLET, FILM COATED	2mg	
	TOPICAL	AEROSOL, FOAM	2.83%w/w	
	TOPICAL	CREAM	8.8%w/w	
	TOPICAL	LOTION	3%w/w	
	TOPICAL	OINTMENT	NA	
	TOPICAL	SPONGE	NA	
Maximum potency and maximum daily exposure: Level info listed in the FDA IIG database refers to a specific product on the market. These levels do not constitute a regulatory max use level. When there is no info, the maximum potency per unit dose and Maximum Daily Exposure (MDE) fields will be blank.				

10.1.3. Other references

HANDBOOK OF PHARMACEUTICAL EXCIPIENT (Current edition by Paul J. Sheskey, Bruno C Hancock, Gary P Moss Dabid J Goldfard)			
Denomination	Functional Category	Regulatory status	Safety
PEG-6 Stearate and PEG-32 Stearate			
Polyoxyethylene stearates	Emulsifying agent; Solubilizing agent; Wetting agent.	Included in the FDA Inactive Ingredients Database (dental solutions; IV injections; ophthalmic preparations; oral capsules and tablets; otic suspensions; topical creams, emulsions, lotions, ointments, and solutions; and vaginal preparations). Included in nonparenteral medicines licensed in the UK. Included in the Canadian List of Acceptable Non-medicinal Ingredients.	Although polyoxyethylene stearates are primarily used as emulsifying agents in topical pharmaceutical formulations, certain materials, particularly polyoxyl 40 stearate, have also been used in intravenous injections and oral preparations. Polyoxyethylene stearates have been tested extensively for toxicity in animals and are widely used in pharmaceutical formulations and cosmetics. They are generally regarded as essentially nontoxic and non-irritant materials. Polyoxyl 8 stearate LD50 (hamster, oral): 27 g/kg LD50 (rat, oral): 64 g/kg Polyoxyl 20 stearate LD50 (mouse, IP): 0.2 g/kg LD50 (mouse, IV): 0.87 g/kg
Ethylene Glycol Stearate			
Ethylene Glycol Palmitostearate	Emollient, emulsifying agent, Stabilizing agent	Included in non-parenteral medicines licensed in Europe.	Ethylene glycol palmitostearate is mainly used in cosmetics and topical pharmaceutical formulations, where it is generally regarded as a relatively nontoxic and nonirritant material.



Regulatory data sheet (RDS) – Pharmaceutical market

TEFOSE 63 (Code: 3177)

Last update: 14 September 2023

COMPENDIUM OF PHARMACEUTICAL EXCIPIENTS FOR VAGINAL FORMULATIONS		
Denomination	Category (concentration in %)	regulatory status
PEGOXOL 7 STEARATE	Water-miscible cream base	I
Abbreviations: G: GRAS, I: inactive ingredients guide, Pharmacopeias, 1: Austrian, 2: Belgian, 3: British, 3v: British (veterinary), 4: Brazilian, 5: Chinese, 6: former Czechoslovakian, 7: Egyptian, 8: European, 9: French, 10: German, 11: Greek, 12: Hungarian, 13: Indian, 14: Italian, 15: International, 16: Japanese, 17: Mexican, 18: Netherlands, 19: Nordic, 20: Portugese, 21: Romanian, 22: Russian, 23: Swiss, 24: Turkish, 25: United States, 26: former Yugoslavian Garg et al., <i>Pharmaceutical Technology, Drug Delivery</i>, 2001, p14-24, Compendium Of Pharmaceutical Excipients For Vaginal Formulations		

Liability clause

The information contained in this document is based on our knowledge of the related product(s) at the date indicated herein, and is provided in good faith. Notwithstanding the foregoing, no guarantee is made in respect of the product's(s') properties or efficacy, or the continued exactitude and completeness of the information herein. No contractual tie is formed by the provision of this information. This document does not relieve the user from conducting all tests and verifications to ensure the product's(s') suitability for each intended use. Nothing herein shall be construed as a recommendation or licence to use any information that does or may conflict with any intellectual property. We make no representation or warranty, express or implied, that use of this information will not infringe any intellectual property of Gattefossé or any third party. The user assumes all risks and liability incurred if a product is used other than for the purpose designated by Gattefossé. This statement does not relieve the user from verifying its conformity with all current applicable laws and regulations, and the user shall remain solely liable for ensuring its continued conformity therewith.

