


# Squish + VS Code Extension Architecture & Environment Guide

## 1. Objective

Recreate Squish IDE behavior inside VS Code including dynamic global script injection, multi-repo support, and full autocomplete capabilities.

## 2. High-Level Architecture

Three core components:



## 3. VS Code Extension

Handles configuration, initializes the language server, and passes repository paths.

## 4. Language Server

Provides autocomplete, hover, and go-to-definition by merging symbols across multiple repos.

## 5. Symbol Engine

Scans all Python files across repos and builds a unified global symbol table. Resolves duplicate definitions and exposes them to the language server.

## 6. Recommended Repo Structure

```
test_suite/  
  e2e/  
  common/  
  env/
```

Always include the repo root (not subfolders) in extraPaths.

## 7. VS Code Configuration

```
{  
  "python.analysis.extraPaths": [  
    "C:/repos/test_suite",  
    "C:/repos/global_core",  
    "C:/repos/global_ui",  
  
    "C:/Squish_Windows_9.1.0/lib",  
    "C:/Squish_Windows_9.1.0/python/lib",  
    "C:/Squish_Windows_9.1.0/python/lib/site-packages"  
  ]  
}
```

## 8. Multi-Repo Import Conflict

Duplicate module names like `scripts.object_maps_modules` across repos cause VS Code to only resolve one. Python resolves imports using first match in `sys.path`.

## 9. Recommended Solution

Use a unified wrapper module or fully-qualified imports per repo to avoid conflicts.

## 10. Squish Settings Information

Extracted from provided files:

## 10.1 Bat File Behavior

```
PROJECT=apollo  
SQUISH_SETTINGS_COPY_PATH=C:\SquishSettings\apollo  
SQUISH_USER_SETTINGS_DIR=C:\SquishSettings\apollo\SquishWin  
SQUISH_PREFIX=C:\Squish_Windows_9.1.0
```

This config defines the active Squish runtime, workspace directory, and settings replication behavior.

## 10.2 Parsed Global Script Paths

```
/Squish Global Scripts/apollo  
/Squish Global Scripts/.settings  
/Squish Global Scripts/wiz_utils  
/Squish Global Scripts/pc_sim_gui
```

These represent registered global script directories that Squish dynamically loads.

## 10.3 Project Configuration

```
pydev + Squish nature enabled  
pc_sim_gui mapped to /pc_sim_gui/common/pc_sim_gui
```

## 11. Extension Development Phases

Phase 1: Scan repos and extract symbols Phase 2: Provide autocomplete Phase 3: Add hover + go-to-definition Phase 4: Parse SquishSettings automatically Phase 5: Implement dynamic injection simulation