# **GymKneeThaiMay**

v1.0.0

Base URLs:

# **Bank**

## **GET Get banks**

GET /api/v1/bank/banks

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetBanksRes

## **POST Add bank**

POST /api/v1/bank/add

**Body Parameters** 

```
{
  "name": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.AddBankReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AddBankRes

# **POST Update bank**

POST /api/v1/bank/update

**Body Parameters** 

```
{
  "id": 0,
  "name": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.UpdateBankReq	no	none

Response Examples

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UpdateBankRes

# **POST Delete bank**

POST /api/v1/bank/delete

**Body Parameters** 

```
{
    "id": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.DeleteBankReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.DeleteBankRes

# **Account**

# **POST Login**

## POST /api/v1/user/login

## **Body Parameters**

```
{
  "Username": "string",
  "Password": "string"
}
```

## **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.LoginReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.LoginRes

# **POST Register**

POST /api/v1/user/register

**Body Parameters** 

```
{
  "Username": "string",
  "Password": "string",
  "ConfirmPassword": "string",
  "Email": "string",
  "Gender": 0,
  "Phone": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.RegisterReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.RegisterRes

# POST Get user by id

POST /api/v1/user/get

**Body Parameters** 

```
{
    "Id": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetUserByldReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetUserByldRes

# **POST Change password**

POST /api/v1/change-passwd

**Body Parameters** 

```
"old_password": "string",
  "new_password": "string",
  "confirm_password": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ChangePasswdReq	no	none

Response Examples

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.ChangePasswdRes

# **POST Get user list**

POST /api/v1/user/list

**Body Parameters** 

```
{
  "limit": 0,
  "page": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetUserListReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetUserListRes

# **GET Log out**

GET /api/v1/user/logout

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.LogoutRes

# POST Get user's profile

POST /api/v1/user/profile

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.ProfileReq	no	none

Response Examples

200 Response

"string"

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.ProfileRes

# **POST Get user by username**

POST /api/v1/user/search

**Body Parameters** 

```
{
  "Username": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetUserSearchReq	no	none

Response Examples

200 Response

```
"string"
```

# Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetUserSearchRes

# **POST Update user**

POST /api/v1/user/update

## **Body Parameters**

```
"id": 0,
   "role": 0,
   "username": "string",
   "email": "string",
   "phone": "string",
   "gender": 0,
   "is_coach": true
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.UpdateUserReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UpdateUserRes

# **POST Normal User Update user**

POST /api/v1/user/profile/update

**Body Parameters** 

```
{
  "email": "string",
  "phone": "string",
  "gender": 0
}
```

## **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.UserUpdateUserReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UserUpdateUserRes

# **POST Update user's avatar**

POST /api/v1/user/avatar/update

**Body Parameters** 

```
{
  "Avatar": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.UpdateAvatarReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UpdateAvatarRes

# **POST Forget password**

POST /api/v1/user/forget-password

**Body Parameters** 

```
{
  "email": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ForgetPasswordReq	no	none

Response Examples

```
{
  "token": "string"
}
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.ForgetPasswordRes

# **POST Reset password**

POST /api/v1/user/reset-password

**Body Parameters** 

```
{
  "password": "string",
  "confirm_password": "string",
  "token": "string"
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ResetPasswordReq	no	none

Response Examples

200 Response

{}

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.ResetPasswordRes

## **POST Validate token**

POST /api/v1/user/validate-token

**Body Parameters** 

```
{
  "token": "string"
}
```

## **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ValidateTokenReq	no	none

Response Examples

200 Response

```
{
  "validate": true
}
```

# Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.ValidateTokenRes

# **Facility**

# **POST Add Facility**

## POST /api/v1/facility/add

**Body Parameters** 

```
"name": "string",
  "description": "string",
  "location": "string",
  "image": [
        "string"
],
  "tags": [
        "string"
],
  "lat": 0,
  "long": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.AddFacilityReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AddFacilityRes

# **POST Get Facility Detail**

**Body Parameters** 

```
{
    "id": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.FacilityDetailReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.FacilityDetailRes

# **POST Add Facility Place**

POST /api/v1/facility/place/add

**Body Parameters** 

```
"name": "string",
  "facility_id": 0,
  "cost": 0,
  "description": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.AddFacilityPlaceReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.AddFacilityPlaceRes

# **POST Modify Facility Place**

POST /api/v1/facility/place/update

**Body Parameters** 

```
"id": 0,
   "name": "string",
   "facility_id": 0,
   "cost": 0,
   "description": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ModifyFacilityPlaceReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.ModifyFacilityPlaceRes

# **POST Get Facilities By searching tags**

POST /api/v1/facility/search

**Body Parameters** 

```
{
   "name": "string",
   "id": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.FacilitySearchReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema	
200	OK	成功	Gym- backend.api.v1.FacilitySearchRes	

# **POST Modify Facility**

POST /api/v1/facility/update

**Body Parameters** 

```
"id": 0,
    "name": "string",
    "description": "string",
    "location": "string",
    "image": [
        "string"
],
    "tags": [
        "string"
],
    "lat": 0,
    "long": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ModifyFacilityReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.ModifyFacilityRes

# **POST Get Occupied Facility Place**

POST /api/v1/facility/place/occupied

**Body Parameters** 

```
{
   "place_id": 0
}
```

#### **Params**

Name	Location	Туре	Required	Descriptio
body	body	Gym-backend.api.v1.OccupiedFacilityPlaceReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.OccupiedFacilityPlaceRes

# **POST Delete Facility**

POST /api/v1/facility/delete

**Body Parameters** 

```
{
    "id": 0
}
```

## **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.DeleteFacilityReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.DeleteFacilityRes

# **POST Delete Facility Place**

POST /api/v1/facility/place/delete

**Body Parameters** 

```
{
   "id": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.DeleteFacilityPlaceReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.DeleteFacilityPlaceRes

# **POST Get All Facilities**

POST /api/v1/facility/facility

**Body Parameters** 

```
{
  "limit": 0,
  "page": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.FacilityReq	no	none

Response Examples

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.FacilityRes

## **GET Get All Facilities**

GET /api/v1/facility/facility

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.FacilityRes

# **POST Get Facility By Tag**

POST /api/v1/facility/tag

**Body Parameters** 

```
{
    "tag_id": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetFacilityByTagReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetFacilityByTagRes

# **POST Get Facility By Tag Name**

POST /api/v1/facility/tag/name

**Body Parameters** 

```
{
  "name": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetFacilityByTagNameReq	no	none

Response Examples

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetFacilityByTagNameRes

# **Order**

## **POST Create order**

POST /api/v1/order/create

**Body Parameters** 

```
{
  "placeId": 0,
  "startTime": "string",
  "endTime": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.CreateOrderReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.CreateOrderRes

## **POST Get all order**

POST /api/v1/order/all

**Body Parameters** 

```
{
  "limit": 0,
  "page": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetAllOrderReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetAllOrderRes

# **POST Get order by order code**

POST /api/v1/order/code

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetOrderByOrderCodeReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

ŀ	HTTP Status Code	Meaning	Description	Data schema
20	00	OK	成功	Gym- backend.api.v1.GetOrderByOrderCodeRes

# **POST Get order by place id**

POST /api/v1/order/place

**Body Parameters** 

```
{
   "placeId": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOrderByPlaceIdReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetOrderByPlaceIdRes

# **POST Get order by time**

POST /api/v1/order/time

**Body Parameters** 

```
{
  "startTime": "string",
  "endTime": "string"
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOrderByTimeReq	no	none

Response Examples

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOrderByTimeRes

# POST Get order by user id

POST /api/v1/order/user

**Body Parameters** 

```
{
    "userId": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOrderByUserIdReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOrderByUserldRes

# **POST Get receipt by order code**

POST /api/v1/order/receipt

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetReceiptReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Inline

# **Responses Data Schema**

# **POST Refund order by order code**

POST /api/v1/order/refund

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.RefundOrderReq	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.RefundOrderRes

# **POST Get own order**

POST /api/v1/order/own

**Body Parameters** 

{}

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOwnOrderReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOwnOrderRes

# **POST Start order by order code**

POST /api/v1/order/start

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.StartOrderReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.StartOrderRes

# **POST Get orders by status**

POST /api/v1/order/status

**Body Parameters** 

```
{
   "status": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOrdersByStatusReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOrdersByStatusRes

# **POST Create regular order**

POST /api/v1/order/create-regular

## **Body Parameters**

```
{
  "placeId": 0,
  "session_start_time": "string",
  "session_end_time": "string",
  "start_day": "string",
  "week_count": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.CreateRegularOrderReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.CreateRegularOrderRes

# POST Pay order by cash

POST /api/v1/order/pay-cash

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.PayOrderByCashReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.PayOrderByCashRes

# **POST Get regular order info**

POST /api/v1/order/regular-info

**Body Parameters** 

```
{
  "orderCode": "string"
}
```

1	Name	Location	Туре	Required	Description
t	oody	body	Gym-backend.api.v1.GetRegularOrderInfoReq	no	none

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetRegularOrderInfoRes

# **Payment**

# **POST Create payment**

POST /api/v1/order/payment/create

**Body Parameters** 

```
{
  "orderCode": "string",
  "paymentType": 0,
  "cardId": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.CreatePaymentReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.CreatePaymentRes

# **POST Get payment by userId**

POST /api/v1/order/payment/user

**Body Parameters** 

```
{
  "userId": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetPaymentByUserIdReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetPaymentByUserIdRes

# **POST Get own payment**

POST /api/v1/order/payment/own

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOwnPaymentReq	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOwnPaymentRes

# **File**

# **POST Upload file**

### POST /api/v1/upload

**Body Parameters** 

file: string

### **Params**

Name	Location	Туре	Required	Description
body	body	object	no	none
» file	body	string	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.FileUploadRes

# **POST Upload avatar**

POST /api/v1/upload/avatar

**Body Parameters** 

file: string

### **Params**

Name	Location	Туре	Required	Description
body	body	object	no	none
» file	body	string	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AvatarUploadRes

# **POST Upload facility image**

POST /api/v1/upload/facility

**Body Parameters** 

file: string

### **Params**

Name	Location	Туре	Required	Description
body	body	object	no	none
» file	body	string	no	none

Response Examples

200 Response

"string"

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.FacilityImageUploadRes

# **POST Upload course video**

POST /api/v1/upload/course/video

**Body Parameters** 

file: string

### **Params**

Name	Location	Туре	Required	Description
body	body	object	no	none
» file	body	string	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.CourseVideoUploadRes

# **POST Upload course image**

### POST /api/v1/upload/course/image

**Body Parameters** 

file: string

### **Params**

Name	Location	Туре	Required	Description
body	body	object	no	none
» file	body	string	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.CourseImageUploadRes

# Card

## **POST Bind Card**

POST /api/v1/card/bind

```
"bank_id": 0,
"card_account": "string",
"phone": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.BindCardReq	no	none

Response Examples

200 Response

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.BindCardRes

## **POST Delete Card**

POST /api/v1/card/delete

**Body Parameters** 

```
{
    "id": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.DeleteCardReq	no	none

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.DeleteCardRes

# Wallet

## **POST Get wallet**

POST /api/v1/wallet/wallet

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetWalletReq	no	none

Response Examples

200 Response

"string"

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetWalletRes

# **POST Top up**

POST /api/v1/wallet/top-up

**Body Parameters** 

```
{
   "amount": 0,
   "cardId": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.TopUpReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.TopUpRes

## **POST Withdraw**

POST /api/v1/wallet/withdraw

```
{
   "amount": 0,
   "cardId": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.WithDrawReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.WithDrawRes

# Config

# **GET Get Config**

GET /api/v1/config/get

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetConfigRes

# **POST Update Config**

POST /api/v1/config/update

**Body Parameters** 

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.UpdateConfigReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UpdateConfigRes

# **Credit**

## **GET Admin Get Credit**

GET /api/v1/credit/all

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.AdminGetCreditRes

## **GET Get Credit**

GET /api/v1/credit/get

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetCreditRes

# **Visualize**

# **POST Get daily income**

POST /api/v1/visualize/income/daily

**Body Parameters** 

```
{
  "start_date": "string",
  "end_date": "string"
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetDailyIncomeReq	no	none

Response Examples

200 Response

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetDailyIncomeRes

# **POST Get weekly income**

POST /api/v1/visualize/income/weekly

```
{
   "start_date": "string",
   "end_date": "string"
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetWeeklyIncomeReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetWeeklyIncomeRes

# **Announcement**

## **GET Get announcements**

GET /api/v1/announcement/announcements

Response Examples

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetAnnouncementsRes

## **POST Delete announcement**

POST /api/v1/announcement/delete

**Body Parameters** 

```
{
  "id": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.DeleteAnnouncementReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.DeleteAnnouncementRes

## **POST Add announcement**

### POST /api/v1/announcement/add

**Body Parameters** 

```
{
  "title": "string",
  "content": "string",
  "images": [
     "string"
]
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.AddAnnouncementReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AddAnnouncementRes

## **POST Modify announcement**

POST /api/v1/announcement/modify

```
{
  "id": 0,
  "title": "string",
  "content": "string",
  "images": [
      "string"
]
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.ModifyAnnouncementReq	no	none

Response Examples

200 Response

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.ModifyAnnouncementRes

# **Evaluation**

## **POST Add Evaluation**

POST /api/v1/evaluation/add

```
"facility_id": 0,
    "score": 0,
    "is_anonymous": 0,
    "description": "string",
    "images": [
        "string"
],
    "videos": [
        "string"
]
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.AddEvaluationReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.AddEvaluationRes

## **POST Delete Own Evaluation**

POST /api/v1/evaluation/delete

```
{
   "id": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.DeleteOwnEvaluationReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.DeleteOwnEvaluationRes

# **POST Update Evaluation**

POST /api/v1/evaluation/update

```
"id": 0,
    "facility_id": 0,
    "score": 0,
    "is_anonymous": 0,
    "description": "string",
    "images": [
        "string"
],
    "videos": [
        "string"
]
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.UpdateEvaluationReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	ОК	成功	Gym- backend.api.v1.UpdateEvaluationRes

## **POST Admin Get Evaluations**

POST /api/v1/evaluation/admin/get

```
{
  "user_id": 0,
  "facility_id": 0
}
```

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.AdminGetEvaluationReq	no	none

Response Examples

200 Response

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AdminGetEvaluationRes

## **POST Get Evaluations**

### POST /api/v1/evaluation/get

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetEvaluationsReq	no	none

Response Examples

200 Response

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetEvaluationsRes

## **POST User Get Evaluations**

### POST /api/v1/evaluation/user/get

**Body Parameters** 

```
{
  "facility_id": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.UserGetEvaluationsReq	no	none

Response Examples

200 Response

```
"evaluations": [
    "evaluation": {
      "id": 0,
      "userId": 0,
      "facilityId": 0,
      "score": 0,
      "description": "string",
      "anonymous": 0,
      "images": "string",
      "videos": "string",
      "time": "string"
    },
    "username": "string",
    "avatar": "string"
  }
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.UserGetEvaluationRes

# **Tag**

# **GET Get all tags**

GET /api/v1/tag/all

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetAllTagsRes

# **POST Add tag**

POST /api/v1/tag/add

**Body Parameters** 

```
{
  "name": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.AddTagReq	no	none

Response Examples

200 Response

```
"string"
```

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AddTagRes

# **System**

# **POST Get logs**

POST /api/v1/logs

**Body Parameters** 

```
{
  "date": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.GetLogReq	no	none

Response Examples

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetLogRes

# Course

## **POST Add Course**

POST /api/v1/course/add

**Body Parameters** 

```
{
  "title": "string",
  "description": "string",
  "video": "string",
  "image": "string"
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.AddCourseReq	no	none

Response Examples

200 Response

```
"string"
```

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AddCourseRes

## **GET Get Course List**

GET /api/v1/course/list

Response Examples

200 Response

"string"

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetCourseListRes

# **GET Get Course By Id**

GET /api/v1/course/get

### **Params**

Name	Location	Type	Required	Description
id	query	integer	yes	none

Response Examples

200 Response

"string"

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetCourseByldRes

# **Subscription**

# **POST Add Subscription**

POST /api/v1/subscription/add

**Body Parameters** 

```
{
  "type": 0,
  "payment_type": 0,
  "card_id": 0
}
```

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym-backend.api.v1.CreateSubscriptionReq	no	none

Response Examples

200 Response

{}

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.CreateSubscriptionRes

# **POST Admin Cancel Subscription**

POST /api/v1/subscription/admin/cancel

**Body Parameters** 

```
{
    "user_id": 0
}
```

### **Params**

Name	Location	Туре	Required	Descrip
body	body	Gym- backend.api.v1.AdminCancelSubscriptionReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AdminCancelSubscriptionRes

# **POST Admin Cancel Subscription By Id**

### POST /api/v1/subscription/admin/cancel-by-id

**Body Parameters** 

```
{
   "id": 0
}
```

### **Params**

Name	Location	Туре	Required	De
body	body	Gym-backend.api.v1.AdminCancelSubscriptionByldReq	no	nor

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AdminCancelSubscriptionByldRes

# **POST Admin Get Subscription**

POST /api/v1/subscription/admin/get

**Body Parameters** 

{}

#### **Params**

Name	Location	Туре	Required	Descriptio
body	body	Gym-backend.api.v1.AdminGetSubscriptionReq	no	none

Response Examples

200 Response

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AdminGetSubscriptionRes

# **POST Cancel Subscription**

POST /api/v1/subscription/cancel

**Body Parameters** 

{}

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.CancelSubscriptionReq	no	none

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.CancelSubscriptionRes

# **POST Get Own Subscription**

POST /api/v1/subscription/get

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetOwnSubscriptionReq	no	none

Response Examples

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.GetOwnSubscriptionRes

# **POST Get Subscription Type**

POST /api/v1/subscription/type

**Body Parameters** 

{}

### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.GetSubscriptionTypeReq	no	none

Response Examples

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetSubscriptionTypeRes

# **POST Admin Update Subscription Type**

POST /api/v1/subscription/admin/update-type

**Body Parameters** 

```
{
  "id": 0,
  "name": "string",
  "days": 0,
  "amount": 0
}
```

#### **Params**

Name	Location	Туре	Required	D€
body	body	Gym-backend.api.v1.AdminUpdateSubscriptionTypeReq	no	no

Response Examples

200 Response

{}

## Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.AdminUpdateSubscriptionTypeRes

# Shop

# **GET Get Shop Item Detail**

GET /api/v1/shop/detail

### **Params**

Name	Location	Туре	Required	Description
id	query	integer	yes	none

Response Examples

200 Response

"string"

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetShopItemDetailRes

# **GET Get Shop Item**

GET /api/v1/shop/get

Response Examples

200 Response

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym-backend.api.v1.GetShopItemRes

# **POST Create Shop Order**

POST /api/v1/shop/order/create

**Body Parameters** 

```
{
  "item_id": 0,
  "quantity": 0
}
```

#### **Params**

Name	Location	Туре	Required	Description
body	body	Gym- backend.api.v1.CreateShopOrderReq	no	none

Response Examples

200 Response

```
"string"
```

### Responses

HTTP Status Code	Meaning	Description	Data schema
200	OK	成功	Gym- backend.api.v1.CreateShopOrderRes

## **Data Schema**

## Gym-backend.api.v1.AdminUpdateSubscriptionTypeRes

{}

### **Attribute**

None

## Gym-backend.api.v1.AdminUpdateSubscriptionTypeReq

```
{
  "id": 0,
  "name": "string",
  "days": 0,
  "amount": 0
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
name	string(string)	true	none		none
days	integer(int)	true	none		none
amount	number(float64)	true	none		none

# Gym-backend.api.v1.CreateShopOrderRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
order_code	string(string)	false	none		none
amount	number(float64)	false	none		none
item_id	integer(int)	false	none		none
quantity	integer(int)	false	none		none

# Gym-backend.api.v1.CreateShopOrderReq

```
{
  "item_id": 0,
  "quantity": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
item_id	integer(int)	true	none		none
quantity	integer(int)	true	none		none

### Gym-backend.api.v1.GetShopItemRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	С
items	[Gym-backend.internal.model.entity.ShopItem]	false	none		n

## Gym-backend.api.v1.GetShopItemReq

{}

### **Attribute**

None

## Gym-backend.internal.model.entity.ShopItem

```
"id": 0,
   "name": "string",
   "description": "string",
   "images": "string",
   "videos": "string",
   "cost": 0,
   "stock": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
name	string(string)	false	none		none
description	string(string)	false	none		none
images	string(string)	false	none		none
videos	string(string)	false	none		none
cost	number(float64)	false	none		none
stock	integer(int)	false	none		none

## Gym-backend.api.v1.GetShopItemDetailRes

"string"

### **Attribute**

Name	Туре	Required	Restrictions	Title	D
item	Gym-backend.internal.model.entity.ShopItem	false	none		nc

# Gym-backend.api.v1.GetShopItemDetailReq

{}

### **Attribute**

None

## Gym-backend.internal.model.WeeklyIncome

```
{
  "week": 0,
  "income": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
week	integer(int)	false	none		none
income	number(float64)	false	none		none

# Gym-backend.api.v1.GetWeeklyIncomeRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
incomes	[Gym-backend.internal.model.WeeklyIncome]	false	none	

## Gym-backend.api.v1.GetWeeklyIncomeReq

```
{
   "start_date": "string",
   "end_date": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
start_date	string(string)	true	none		none
end_date	string(string)	true	none		none

### Gym-backend.api.v1.AdminCancelSubscriptionByldRes

{}

#### **Attribute**

None

### Gym-backend.api.v1.AdminCancelSubscriptionByldReq

```
{
  "id": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

## Gym-backend.api.v1.AdminGetSubscriptionRes

Name	Туре	Required	Restrictions	1
subscription	[Gym-backend.internal.model.entity.Subscription]	false	none	

## Gym-backend.api.v1.AdminGetSubscriptionReq

{}

### **Attribute**

None

## Gym-backend.api.v1.AdminCancelSubscriptionRes

{}

#### **Attribute**

None

### Gym-backend.api.v1.AdminCancelSubscriptionReq

```
{
   "user_id": 0
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description	
user_id	integer(int)	true	none		none	

## Gym-backend.api.v1.GetRegularOrderInfoRes

```
"string"
```

Name	Туре	Required	Restrictic
orderCode	string(string)	false	none
amount	number(float64)	false	none
orders	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

## Gym-backend.api.v1.GetRegularOrderInfoReq

```
{
  "orderCode": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none

# Gym-backend.api.v1.PayOrderByCashRes

```
"string"
```

### **Attribute**

None

## Gym-backend.api.v1.PayOrderByCashReq

```
{
  "orderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none

# Gym-backend.api.v1.CancelSubscriptionRes

{}

#### **Attribute**

None

### Gym-backend.api.v1.CancelSubscriptionReq

{}

#### **Attribute**

None

## Gym-backend.api.v1.WithDrawRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.WithDrawReq

```
{
   "amount": 0,
   "cardId": 0
}
```

Name	Type	Required	Restrictions	Title	Description
amount	number(float64)	true	none		none
cardId	integer(int)	true	none		none

## Gym-backend.api.v1.TopUpRes

```
"string"
```

### **Attribute**

None

## Gym-backend.api.v1.TopUpReq

```
{
   "amount": 0,
   "cardId": 0
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description
amount	number(float64)	true	none		none
cardId	integer(int)	true	none		none

## Gym-backend.internal.model.ResponseOrderForm

```
"Amount": 0,
"PlaceId": 0,
"StartTime": "string",
"EndTime": "string",
"OrderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
Amount	number(float64)	false	none		none
PlaceId	integer(int)	false	none		none
StartTime	string(string)	false	none		none
EndTime	string(string)	false	none		none
OrderCode	string(string)	false	none		none

# Gym-backend.internal.model.RegularOrderResponseForm

Name	Туре	Required	Restrictions
Amount	number(float64)	false	none
OrderCode	string(string)	false	none
Orders	Orders [Gym-backend.internal.model.ResponseOrderForm]		none

# Gym-backend.api.v1.CreateRegularOrderReq

```
"placeId": 0,
   "session_start_time": "string",
   "session_end_time": "string",
   "start_day": "string",
   "week_count": 0
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
placeId	integer(int)	true	none		none
session_start_time	string(string)	true	none		none
session_end_time	string(string)	true	none		none
start_day	string(string)	true	none		none
week_count	integer(int)	true	none		none

# Gym-backend.api.v1.CreateRegularOrderRes

```
"string"
```

Name	Туре	Required	Restricti
orderCode	string(string)	false	none
orders	Gym-backend.internal.model.RegularOrderResponseForm	false	none

## Gym-backend.internal.model.SafeEvaluation

```
"evaluation": {
    "id": 0,
    "userId": 0,
    "facilityId": 0,
    "score": 0,
    "description": "string",
    "anonymous": 0,
    "images": "string",
    "videos": "string",
    "time": "string"
},
    "username": "string",
    "avatar": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
evaluation	Gym- backend.internal.model.entity.Evaluation	false	none	
username	string(string)	false	none	
avatar	string(string)	false	none	

## Gym-backend.api.v1.UserGetEvaluationRes

Name	Туре	Required	Restrictions	Title
evaluations	[Gym-backend.internal.model.SafeEvaluation]	false	none	

### Gym-backend.api.v1.UserGetEvaluationsReq

```
{
  "facility_id": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
facility_id	integer(int)	false	none		none

## Gym-backend.internal.model.entity.Course

```
"id": 0,
"title": "string",
"description": "string",
"video": "string",
"image": "string"
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
title	string(string)	false	none		none
description	string(string)	false	none		none
video	string(string)	false	none		none
image	string(string)	false	none		none

# Gym-backend.api.v1.GetCourseListRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	D
courses	[Gym-backend.internal.model.entity.Course]	false	none		nı

# Gym-backend.api.v1.GetCourseListReq

{}

## Gym-backend.api.v1.GetCourseByldRes

"string"

#### **Attribute**

N	lame	Туре	Required	Restrictions	Title	Des
CC	ourse	Gym-backend.internal.model.entity.Course	false	none		non

## Gym-backend.api.v1.GetCourseByldReq

{}

### **Attribute**

None

## Gym-backend.api.v1.AddCourseRes

"string"

### **Attribute**

None

## Gym-backend.api.v1.AddCourseReq

```
{
  "title": "string",
  "description": "string",
  "video": "string",
  "image": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
title	string(string)	true	none		none
description	string(string)	true	none		none
video	string(string)	true	none		none
image	string(string)	true	none		none

## Gym-backend.api.v1.CourseVideoUploadRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
url	string(string)	false	none		none
name	string(string)	false	none		none

## Gym-backend.api.v1.CourseVideoUploadReq

```
{
    "file": {}
}
```

Name	Туре	Required	Restrictions	Title
file	github.com.gogf.gf.v2.net.ghttp.UploadFile	false	none	

## Gym-backend.api.v1.CourselmageUploadRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
url	string(string)	false	none		none
name	string(string)	false	none		none

# Gym-backend.api.v1.CourselmageUploadReq

```
{
    "file": {}
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
file	github.com.gogf.gf.v2.net.ghttp.UploadFile	false	none	

## Gym-backend.api.v1.GetLogRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Description
sysLogs	string(string)	false	none		none
sqlLogs	string(string)	false	none		none

## Gym-backend.api.v1.GetLogReq

```
{
  "date": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
date	string(string)	false	none		none

## Gym-backend.api.v1.ValidateTokenRes

```
{
  "validate": true
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
validate	boolean(bool)	false	none		none

# Gym-backend.api.v1.ValidateTokenReq

```
{
  "token": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
token	string(string)	true	none		none

## Gym-backend.api.v1.ResetPasswordRes

{}

#### **Attribute**

None

## Gym-backend.api.v1.ResetPasswordReq

```
{
   "password": "string",
   "confirm_password": "string",
   "token": "string"
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description
password	string(string)	true	none		none
confirm_password	string(string)	true	none		none
token	string(string)	true	none		none

## Gym-backend.api.v1.ForgetPasswordRes

```
{
  "token": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
token	string(string)	false	none		none

# Gym-backend.api.v1.ForgetPasswordReq

```
{
   "email": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
email	string(string)	true	none		none

# Gym-backend.api.v1.GetFacilityByTagNameRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Des
facility	[Gym-backend.internal.model.FacilityEntity]	false	none		non

## Gym-backend.api.v1.GetFacilityByTagNameReq

```
{
  "name": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
name	string(string)	true	none		none

## Gym-backend.api.v1.GetOrdersByStatusRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions
order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

## Gym-backend.api.v1.GetOrdersByStatusReq

```
{
    "status": 0
}
```

#### **Attribute**

Name	Type	Required	Restrictions	Title	Description
status	integer(int)	true	none		none

# Gym-backend.api.v1.GetFacilityByTagRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Des
facility	[Gym-backend.internal.model.FacilityEntity]	false	none		non

## Gym-backend.api.v1.GetFacilityByTagReq

```
{
    "tag_id": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
tag_id	integer(int)	true	none		none

# Gym-backend.api.v1.AddTagReq

```
{
   "name": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description	
name	string(string)	true	none		none	

## **Gym-backend.api.v1.AddTagRes**

```
"string"
```

### **Attribute**

None

## Gym-backend.internal.model.entity.Tag

```
{
  "id": 0,
  "name": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
name	string(string)	false	none		none

## Gym-backend.api.v1.GetAllTagsRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Descri
tags	[Gym-backend.internal.model.entity.Tag]	false	none		none

## Gym-backend.api.v1.GetAllTagsReq

{}

#### **Attribute**

None

# ${\bf Gym\text{-}backend.internal.model.entity.Subscription Type}$

```
"id": 0,
   "name": "string",
   "amount": 0,
   "days": 0,
   "permissions": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
name	string(string)	false	none		none
amount	number(float64)	false	none		none
days	integer(int)	false	none		none
permissions	string(string)	false	none		none

# **Gym-backend.api.v1.GetSubscriptionTypeRes**

Name	Туре	Required	Restric
subscription_type	[Gym-backend.internal.model.entity.SubscriptionType]	false	none

## Gym-backend.api.v1.GetSubscriptionTypeReq

{}

#### **Attribute**

None

### Gym-backend.api.v1.GetEvaluationsRes

```
"evaluations": [
    "id": 0,
    "userId": 0,
    "facilityId": 0,
    "score": 0,
    "description": "string",
    "anonymous": 0,
    "images": "string",
    "videos": "string",
    "time": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Titl
evaluations	[Gym-backend.internal.model.entity.Evaluation]	false	none	

# Gym-backend.api.v1.GetEvaluationsReq

None

# Gym-backend.internal.model.entity.Evaluation

```
"id": 0,
"userId": 0,
"facilityId": 0,
"score": 0,
"description": "string",
"anonymous": 0,
"images": "string",
"videos": "string",
"time": "string"
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
userld	integer(int)	false	none		none
facilityId	integer(int)	false	none		none
score	integer(int)	false	none		none
description	string(string)	false	none		none
anonymous	integer(int)	false	none		none
images	string(string)	false	none		none
videos	string(string)	false	none		none
time	string(*gtime.Time)	false	none		none

## Gym-backend.api.v1.AdminGetEvaluationRes

#### **Attribute**

Name	Туре	Required	Restrictions	Titl
evaluations	[Gym-backend.internal.model.entity.Evaluation]	false	none	

# Gym-backend.api.v1.AdminGetEvaluationReq

```
{
  "user_id": 0,
  "facility_id": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
user_id	integer(int)	false	none		none
facility_id	integer(int)	false	none		none

## Gym-backend.api.v1.UpdateEvaluationRes

{}

### **Attribute**

None

## Gym-backend.api.v1.UpdateEvaluationReq

```
"id": 0,
    "facility_id": 0,
    "score": 0,
    "is_anonymous": 0,
    "description": "string",
    "images": [
        "string"
],
    "videos": [
        "string"
]
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
facility_id	integer(int)	true	none		none
score	integer(int)	true	none		none
is_anonymous	integer(int)	true	none		none
description	string(string)	true	none		none
images	[string]	false	none		none
videos	[string]	false	none		none

## Gym-backend.api.v1.DeleteOwnEvaluationRes

{}

### **Attribute**

None

## Gym-backend.api.v1.DeleteOwnEvaluationReq

```
{
    "id": 0
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

# Gym-backend.api.v1.AddEvaluationRes

{}

### **Attribute**

None

## Gym-backend.api.v1.AddEvaluationReq

```
"facility_id": 0,
    "score": 0,
    "is_anonymous": 0,
    "description": "string",
    "images": [
        "string"
],
    "videos": [
        "string"
]
```

Name	Туре	Required	Restrictions	Title	Description
facility_id	integer(int)	true	none		none
score	integer(int)	true	none		none
is_anonymous	integer(int)	true	none		none
description	string(string)	true	none		none
images	[string]	false	none		none
videos	[string]	false	none		none

## Gym-backend.internal.model.entity.Subscription

```
"id": 0,
   "userId": 0,
   "startTime": "string",
   "endTime": "string",
   "subscriptionType": 0,
   "status": 0
}
```

Name	Туре	Required	Restrictions	Title	Descriptio
id	integer(int)	false	none		none
userld	integer(int)	false	none		none
startTime	string(*gtime.Time)	false	none		none
endTime	string(*gtime.Time)	false	none		none
subscriptionType	integer(int)	false	none		none
status	integer(int)	false	none		none

# Gym-backend.api.v1.GetOwnSubscriptionRes

### **Attribute**

Name	Туре	Required	Restrictions	1
subscription	[Gym-backend.internal.model.entity.Subscription]	false	none	

# Gym-backend.api.v1.GetOwnSubscriptionReq

```
{}
```

### Gym-backend.api.v1.CreateSubscriptionRes

{}

#### **Attribute**

None

### Gym-backend.api.v1.CreateSubscriptionReq

```
{
  "type": 0,
  "payment_type": 0,
  "card_id": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
type	integer(int)	true	none		none
payment_type	integer(int)	true	none		none
card_id	integer(int)	false	none		none

## Gym-backend.api.v1.StartOrderRes

```
"string"
```

### **Attribute**

None

## Gym-backend.api.v1.StartOrderReq

```
{
  "orderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none

# Gym-backend.api.v1.ModifyAnnouncementRes

```
"string"
```

### **Attribute**

None

## Gym-backend.api.v1.ModifyAnnouncementReq

```
{
   "id": 0,
   "title": "string",
   "content": "string",
   "images": [
       "string"
]
}
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
title	string(string)	true	none		none
content	string(string)	true	none		none
images	[string]	false	none		none

# Gym-backend.internal.model.DailyIncome

```
{
  "date": "string",
  "income": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
date	string(*gtime.Time)	false	none		none
income	number(float64)	false	none		none

## Gym-backend.api.v1.GetDailyIncomeRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	D
incomes	[Gym-backend.internal.model.DailyIncome]	false	none		nc

## Gym-backend.api.v1.GetDailyIncomeReq

```
{
  "start_date": "string",
  "end_date": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
start_date	string(string)	true	none		none
end_date	string(string)	true	none		none

## Gym-backend.api.v1.GetOwnOrderRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions
order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

# Gym-backend.api.v1.GetOwnOrderReq

{}

### **Attribute**

None

## Gym-backend.api.v1.FacilityImageUploadReq

```
{
    "file": {}
}
```

Name	Туре	Required	Restrictions	Title
file	github.com.gogf.gf.v2.net.ghttp.UploadFile	false	none	

# Gym-backend.api.v1.FacilityImageUploadRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
url	string(string)	false	none		none
name	string(string)	false	none		none

## Gym-backend.api.v1.AvatarUploadRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
url	string(string)	false	none		none
name	string(string)	false	none		none

# Gym-backend.api.v1.AvatarUploadReq

```
{
   "file": {}
}
```

Name	Туре	Required	Restrictions	Title
file	github.com.gogf.gf.v2.net.ghttp.UploadFile	false	none	

# Gym-backend.api.v1.UpdateAvatarRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.UpdateAvatarReq

```
{
  "Avatar": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
Avatar	string(string)	true	none		none

## Gym-backend.api.v1.DeleteFacilityPlaceRes

```
"string"
```

### Gym-backend.api.v1.DeleteFacilityPlaceReq

```
{
    "id": 0
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

## Gym-backend.api.v1.DeleteFacilityReq

```
{
    "id": 0
}
```

### **Attribute**

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

## Gym-backend.api.v1.DeleteFacilityRes

```
"string"
```

#### **Attribute**

None

### Gym-backend.api.v1.UserUpdateUserRes

```
"string"
```

None

## Gym-backend.api.v1.UserUpdateUserReq

```
"email": "string",
   "phone": "string",
   "gender": 0
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
email	string(string)	false	none		none
phone	string(string)	false	none		none
gender	integer(uint)	false	none		none

## Gym-backend.api.v1.GetCreditRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Desc
credit	Gym-backend.internal.model.entity.Credit	false	none		none

## Gym-backend.api.v1.GetCreditReq

{}

#### **Attribute**

None

## Gym-backend.internal.model.entity.Credit

```
{
  "id": 0,
  "userId": 0,
  "credit": 0
```

#### **Attribute**

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
userld	integer(int)	false	none		none
credit	integer(int)	false	none		none

## Gym-backend.api.v1.AdminGetCreditRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Desc
credit	[Gym-backend.internal.model.entity.Credit]	false	none		none

## Gym-backend.api.v1.AdminGetCreditReq

None

## Gym-backend.internal.model.AdminResponseOrderForm

```
"order": {
 "id": 0,
  "userId": 0,
  "placeId": 0,
  "time": "string",
  "startTime": "string",
  "endTime": "string",
  "amount": 0,
  "orderCode": "string",
  "status": 0,
  "discount": 0,
  "parentOrderCode": "string"
},
"place": {
  "id": 0,
  "facilityId": 0,
  "name": "string",
  "description": "string",
  "cost": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title
order	Gym-backend.internal.model.entity.Order	false	none	
place	Gym-backend.internal.model.entity.FacilityPlace	false	none	

### Gym-backend.api.v1.UpdateUserRes

{}

### **Attribute**

None

## Gym-backend.api.v1.UpdateUserReq

```
"id": 0,
   "role": 0,
   "username": "string",
   "email": "string",
   "phone": "string",
   "gender": 0,
   "is_coach": true
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(uint)	false	none		none
role	integer(uint)	false	none		none
username	string(string)	false	none		none
email	string(string)	false	none		none
phone	string(string)	false	none		none
gender	integer(uint)	false	none		none
is_coach	boolean(bool)	false	none		none

# Gym-backend.api.v1.GetUserSearchRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Desci
user	[Gym-backend.internal.model.entity.User]	false	none		none

## Gym-backend.api.v1.GetUserSearchReq

```
{
    "Username": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
Username	string(string)	true	none		none

# Gym-backend.api.v1.GetUserByldRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Descr
user	Gym- backend.internal.model.entity.User	false	none		none

## Gym-backend.api.v1.GetUserByldReq

```
{
    "Id": 0
}
```

Name	Туре	Required	Restrictions	Title	Description	
Id	integer(uint)	false	none		none	

# Gym-backend.internal.model.entity.User

```
"id": 0,
"username": "string",
"password": "string",
"avatar": "string",
"email": "string",
"phone": "string",
"gender": 0,
"updateTime": "string",
"role": 0,
"loginTime": "string",
"isCoach": 0
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
username	string(string)	false	none		none
password	string(string)	false	none		none
avatar	string(string)	false	none		none
email	string(string)	false	none		none
phone	string(string)	false	none		none
gender	integer(int)	false	none		none
updateTime	string(*gtime.Time)	false	none		none
role	integer(int)	false	none		none
loginTime	string(*gtime.Time)	false	none		none
isCoach	integer(int)	false	none		none

## Gym-backend.api.v1.GetUserListRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Desci
user	[Gym-backend.internal.model.entity.User]	false	none		none

### Gym-backend.api.v1.GetUserListReq

```
{
  "limit": 0,
  "page": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
limit	integer(int)	false	none		none
page	integer(int)	false	none		none

## Gym-backend.api.v1.UpdateConfigRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.UpdateConfigReq

Name	Туре	Required	Restrictions	Title	De
configs	[Gym-backend.internal.model.entity.Config]	true	none		nor

## Gym-backend.internal.model.entity.Config

```
{
  "id": 0,
  "key": "string",
  "value": "string",
  "type": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
key	string(string)	false	none		none
value	string(string)	false	none		none
type	string(string)	false	none		none

# Gym-backend.api.v1.GetConfigRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Des
config	[Gym-backend.internal.model.entity.Config]	false	none		none

# Gym-backend.api.v1.GetConfigReq

{}

#### **Attribute**

None

# Gym-backend.api.v1.RefundOrderRes

```
"string"
```

#### **Attribute**

None

# Gym-backend.api.v1.RefundOrderReq

```
{
    "orderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none

## Gym-backend.internal.model.OccupiedFacilityPlace

```
{
  "placeId": 0,
  "startTime": "string",
  "endTime": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
placeId	integer(int)	false	none		none
startTime	string(string)	false	none		none
endTime	string(string)	false	none		none

## Gym-backend.api.v1.OccupiedFacilityPlaceRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions
occupied	[Gym-backend.internal.model.OccupiedFacilityPlace]	false	none

### Gym-backend.api.v1.OccupiedFacilityPlaceReq

```
{
   "place_id": 0
}
```

Name	Type	Required	Restrictions	Title	Description
place_id	integer(int)	true	none		none

## Gym-backend.internal.model.entity.WalletCard

```
"id": 0,
  "bankId": 0,
  "walletId": 0,
  "cardAccount": "string",
  "phone": "string",
  "amount": 0
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
bankld	integer(int)	false	none		none
walletId	integer(int)	false	none		none
cardAccount	string(string)	false	none		none
phone	string(string)	false	none		none
amount	number(float64)	false	none		none

## Gym-backend.internal.model.entity.Wallet

```
{
  "id": 0,
  "userId": 0,
  "amount": 0,
  "status": 0
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
userld	integer(int)	false	none		none
amount	number(float64)	false	none		none
status	integer(int)	false	none		none

# Gym-backend.internal.model.WalletInfo

```
"wallet": {
    "id": 0,
    "userId": 0,
    "status": 0
},
    "cards": [
    {
        "id": 0,
        "bankId": 0,
        "walletId": 0,
        "cardAccount": "string",
        "phone": "string",
        "amount": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
wallet	Gym-backend.internal.model.entity.Wallet	false	none	
cards	[Gym-backend.internal.model.entity.WalletCard]	false	none	

## Gym-backend.api.v1.GetWalletRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Descri
info	Gym-backend.internal.model.WalletInfo	false	none		none

# Gym-backend.api.v1.GetWalletReq

{}

#### **Attribute**

None

# Gym-backend.api.v1.DeleteCardRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.DeleteCardReq

```
{
    "id": 0
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

## Gym-backend.api.v1.DeleteBankRes

```
"string"
```

#### **Attribute**

None

### Gym-backend.api.v1.DeleteBankReq

```
{
  "id": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

### Gym-backend.api.v1.DeleteAnnouncementRes

```
"string"
```

#### **Attribute**

None

### Gym-backend.api.v1.DeleteAnnouncementReq

```
{
   "id": 0
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

## Gym-backend.api.v1.GetReceiptRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.GetReceiptReq

```
{
  "orderCode": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none

## Gym-backend.internal.model.entity.Announcement

```
{
   "id": 0,
   "title": "string",
   "content": "string",
   "updateTime": "string",
   "userId": 0,
   "images": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
title	string(string)	false	none		none
content	string(string)	false	none		none
updateTime	string(*gtime.Time)	false	none		none
userld	integer(int)	false	none		none
images	string(string)	false	none		none

# Gym-backend.api.v1.GetAnnouncementsRes

"string"

### **Attribute**

Name	Туре	Required	Restrictions
announcement	[Gym-backend.internal.model.entity.Announcement]	false	none

# Gym-backend.api.v1.AddAnnouncementRes

"string"

#### **Attribute**

None

## Gym-backend.api.v1.GetAnnouncementsReq

{}

### Gym-backend.api.v1.AddAnnouncementReq

```
{
  "title": "string",
  "content": "string",
  "images": [
     "string"
]
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
title	string(string)	true	none		none
content	string(string)	true	none		none
images	[string]	false	none		none

## Gym-backend.api.v1.GetOrderByUserldRes

```
"string"
```

### **Attribute**

N	Name	Туре	Required	Restrictions
0	order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

# Gym-backend.api.v1.GetOrderByTimeRes

```
"string"
```

Name	Туре	Required	Restrictions
order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

# Gym-backend.api.v1.GetOrderByUserldReq

```
{
  "userId": 0
}
```

#### **Attribute**

Name	Type	Required	Restrictions	Title	Description
userld	integer(int)	true	none		none

# Gym-backend.api.v1.GetOrderByTimeReq

```
{
   "startTime": "string",
   "endTime": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
startTime	string(string)	true	none		none
endTime	string(string)	true	none		none

## Gym-backend.api.v1.GetOrderByPlaceIdRes

```
"string"
```

Name	Туре	Required	Restrictions
order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

# Gym-backend.api.v1.GetOrderByPlaceIdReq

```
{
   "placeId": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
placeId	integer(int)	true	none		none

## Gym-backend.api.v1.GetOrderByOrderCodeRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions
order	Gym-backend.internal.model.AdminResponseOrderForm	false	none

# Gym-backend.api.v1.GetOrderByOrderCodeReq

```
{
  "orderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description	
orderCode	string(string)	true	none		none	

# Gym-backend.internal.model.entity.Order

```
"id": 0,
   "userId": 0,
   "placeId": 0,
   "time": "string",
   "startTime": "string",
   "endTime": "string",
   "amount": 0,
   "orderCode": "string",
   "status": 0,
   "discount": 0,
   "parentOrderCode": "string"
}
```

Name	Туре	Required	Restrictions	Title	Descriptio
id	integer(int)	false	none		none
userld	integer(int)	false	none		none
placeId	integer(int)	false	none		none
time	string(*gtime.Time)	false	none		none
startTime	string(*gtime.Time)	false	none		none
endTime	string(*gtime.Time)	false	none		none
amount	number(float64)	false	none		none
orderCode	string(string)	false	none		none
status	integer(int)	false	none		none
discount	number(float64)	false	none		none
parentOrderCode	string(string)	false	none		none

# Gym-backend.api.v1.GetAllOrderRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions
order	[Gym-backend.internal.model.AdminResponseOrderForm]	false	none

## Gym-backend.api.v1.GetAllOrderReq

```
{
  "limit": 0,
  "page": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
limit	integer(int)	false	none		none
page	integer(int)	false	none		none

## Gym-backend.api.v1.GetPaymentByUserldRes

```
"string"
```

Name	Туре	Required	Restrictions	Title
payments	[Gym-backend.internal.model.entity.Payment]	false	none	

## Gym-backend.api.v1.GetPaymentByUserldReq

```
{
  "userId": 0
}
```

#### **Attribute**

Name	Type	Required	Restrictions	Title	Description
userld	integer(int)	false	none		none

## Gym-backend.api.v1.GetOwnPaymentRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
payments	[Gym-backend.internal.model.entity.Payment]	false	none	

## Gym-backend.api.v1.GetOwnPaymentReq

{}

#### **Attribute**

None

## Gym-backend.internal.model.entity.Payment

```
"id": 0,
    "walletId": 0,
    "orderId": 0,
    "paymentCode": "string",
    "time": "string",
    "amount": 0,
    "paymentType": 0,
    "status": 0
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
walletId	integer(int)	false	none		none
orderld	integer(int)	false	none		none
paymentCode	string(string)	false	none		none
time	string(*gtime.Time)	false	none		none
amount	number(float64)	false	none		none
paymentType	integer(int)	false	none		none
status	integer(int)	false	none		none

# Gym-backend.api.v1.GetAllPaymentReq

```
{
    "userId": 0
}
```

Name	Type	Required	Restrictions	Title	Description
userld	integer(int)	false	none		none

## Gym-backend.api.v1.GetAllPaymentRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title
payments	[Gym-backend.internal.model.entity.Payment]	false	none	

## Gym-backend.api.v1.BindCardRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.BindCardReq

```
{
  "bank_id": 0,
  "card_account": "string",
  "phone": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
bank_id	integer(int)	true	none		none
card_account	string(string)	true	none		none
phone	string(string)	true	none		none

## Gym-backend.api.v1.UpdateBankRes

```
"string"
```

#### **Attribute**

None

### Gym-backend.api.v1.UpdateBankReq

```
{
  "id": 0,
  "name": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
name	string(string)	true	none		none

## Gym-backend.api.v1.AddBankRes

```
"string"
```

#### **Attribute**

None

## Gym-backend.api.v1.AddBankReq

```
{
   "name": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
name	string(string)	true	none		none

# Gym-backend.internal.model.entity.Bank

```
{
  "id": 0,
  "name": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
name	string(string)	false	none		none

## Gym-backend.api.v1.GetBanksRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Desc
data	[Gym-backend.internal.model.entity.Bank]	false	none		none

## Gym-backend.api.v1.GetBanksReq

{}

## Gym-backend.api.v1.CreatePaymentRes

```
"string"
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	false	none		none
paymentType	integer(int)	false	none		none
amount	number(float64)	false	none		none
paymentCode	string(string)	false	none		none
status	integer(int)	false	none		none

# Gym-backend.api.v1.CreatePaymentReq

```
"orderCode": "string",
  "paymentType": 0,
  "cardId": 0
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	true	none		none
paymentType	integer(int)	true	none		none
cardId	integer(int)	false	none		none

## Gym-backend.api.v1.CreateOrderRes

```
"string"
```

Name	Туре	Required	Restrictions	Title	Description
orderCode	string(string)	false	none		none
amount	number(float64)	false	none		none
placeId	integer(int)	false	none		none
startTime	string(string)	false	none		none
endTime	string(string)	false	none		none

## Gym-backend.api.v1.CreateOrderReq

```
{
  "placeId": 0,
  "startTime": "string",
  "endTime": "string"
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
placeId	integer(int)	true	none		none
startTime	string(string)	true	none		none
endTime	string(string)	true	none		none

# Gym-backend.api.v1.ModifyFacilityPlaceRes

```
"string"
```

## Gym-backend.api.v1.ModifyFacilityPlaceReq

```
"id": 0,
   "name": "string",
   "facility_id": 0,
   "cost": 0,
   "description": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
name	string(string)	true	none		none
facility_id	integer(int)	true	none		none
cost	number(float64)	true	none		none
description	string(string)	true	none		none

## Gym-backend.api.v1.AddFacilityPlaceRes

```
"string"
```

#### **Attribute**

None

# Gym-backend.api.v1.AddFacilityPlaceReq

```
"name": "string",
  "facility_id": 0,
  "cost": 0,
  "description": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
name	string(string)	true	none		none
facility_id	integer(int)	true	none		none
cost	number(float64)	true	none		none
description	string(string)	true	none		none

# Gym-backend.internal.model.entity.FacilityPlace

```
{
  "id": 0,
  "facilityId": 0,
  "name": "string",
  "description": "string",
  "cost": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
facilityId	integer(int)	false	none		none
name	string(string)	false	none		none
description	string(string)	false	none		none
cost	number(float64)	false	none		none

## Gym-backend.api.v1.ChangePasswdRes

{}

#### **Attribute**

None

### Gym-backend.api.v1.ChangePasswdReq

```
"old_password": "string",
  "new_password": "string",
  "confirm_password": "string"
}
```

#### **Attribute**

Name	Type	Required	Restrictions	Title	Description
old_password	string(string)	true	none		none
new_password	string(string)	true	none		none
confirm_password	string(string)	true	none		none

## Gym-backend.internal.model.entity.FacilityImage

```
{
  "id": 0,
  "path": "string",
  "uploadTime": "string",
  "facilityID": 0
}
```

Name	Type	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
path	string(string)	false	none		none
uploadTime	string(*gtime.Time)	false	none		none
facilityID	integer(int)	false	none		none

# **Gym-backend.internal.model.FacilityEntity**

```
"facility": {
  "id": 0,
  "name": "string",
  "description": "string",
  "location": "string",
  "images": "string",
  "tags": "string",
  "lat": 0,
  "long": 0
},
"places": [
    "id": 0,
    "facilityId": 0,
    "name": "string",
    "description": "string",
    "cost": 0
  }
],
"rate": 0
```

Name	Туре	Required	Restrictions	Title
facility	Gym-backend.internal.model.entity.Facility	false	none	
places	[Gym-backend.internal.model.entity.FacilityPlace]	false	none	
rate	number(float64)	false	none	

# Gym-backend.api.v1.FileUploadRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
url	string(string)	false	none		none
name	string(string)	false	none		none

## github.com.gogf.gf.v2.net.ghttp.UploadFile

{}

### **Attribute**

None

## Gym-backend.api.v1.FileUploadReq

```
{
    "file": {}
}
```

Name	Туре	Required	Restrictions	Title
file	github.com.gogf.gf.v2.net.ghttp.UploadFile	false	none	

## Gym-backend.api.v1.RegisterRes

{}

#### **Attribute**

None

## Gym-backend.api.v1.RegisterReq

```
"Username": "string",
  "Password": "string",
  "ConfirmPassword": "string",
  "Email": "string",
  "Gender": 0,
  "Phone": "string"
}
```

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
Username	string(string)	true	none		none
Password	string(string)	true	none		none
ConfirmPassword	string(string)	true	none		none
Email	string(string)	true	none		none
Gender	integer(uint)	true	none		none
Phone	string(string)	true	none		none

## Gym-backend.api.v1.ProfileRes

"string"

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
data	object	false	none		none
» username	string(string)	false	none		none
» gender	integer(uint)	false	none		none
» role	integer(uint)	false	none		none
» email	string(string)	false	none		none
» phone	string(string)	false	none		none
» avatar	string(string)	false	none		none
» is_coach	boolean(bool)	false	none		none

# Gym-backend.api.v1.ProfileReq

{}

### **Attribute**

None

## Gym-backend.api.v1.ModifyFacilityRes

"string"

### **Attribute**

None

# Gym-backend.api.v1.ModifyFacilityReq

```
"id": 0,
   "name": "string",
   "description": "string",
   "location": "string",
   "image": [
        "string"
],
   "tags": [
        "string"
],
   "lat": 0,
   "long": 0
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none
name	string(string)	true	none		none
description	string(string)	true	none		none
location	string(string)	true	none		none
image	[string]	true	none		none
tags	[string]	true	none		none
lat	number(float64)	true	none		none
long	number(float64)	true	none		none

## interface

{}

### **Attribute**

None

# Gym-backend.api.v1.LogoutRes

{}

### **Attribute**

None

## Gym-backend.api.v1.LogoutReq

{}

#### **Attribute**

None

# Gym-backend.api.v1.LoginRes

"string"

#### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
data	object	false	none		none
» username	string(string)	false	none		none
» avatar	string(string)	false	none		none
» role	integer(int)	false	none		none
» token	string(string)	false	none		none
» is_coach	boolean(bool)	false	none		none

# Gym-backend.api.v1.LoginReq

```
{
  "Username": "string",
  "Password": "string"
}
```

Name	Туре	Required	Restrictions	Title	Description
Username	string(string)	true	none		none
Password	string(string)	true	none		none

# Gym-backend.api.v1.FacilitySearchRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Des
facility	[Gym-backend.internal.model.FacilityEntity]	false	none		non

# Gym-backend.api.v1.FacilitySearchReq

```
{
   "name": "string",
   "id": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
name	string(string)	false	none		none
id	integer(int)	false	none		none

## Gym-backend.api.v1.FacilityDetailRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Des
facility	Gym-backend.internal.model.FacilityEntity	false	none		non€

## Gym-backend.api.v1.FacilityDetailReq

```
{
    "id": 0
}
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	true	none		none

# Gym-backend.api.v1.FacilityRes

```
"string"
```

### **Attribute**

Name	Туре	Required	Restrictions	Title	Des
facility	[Gym-backend.internal.model.FacilityEntity]	false	none		non

## Gym-backend.internal.model.entity.Facility

```
"id": 0,
  "name": "string",
  "description": "string",
  "location": "string",
  "images": "string",
  "tags": "string",
  "lat": 0,
  "long": 0
```

Name	Туре	Required	Restrictions	Title	Description
id	integer(int)	false	none		none
name	string(string)	false	none		none
description	string(string)	false	none		none
location	string(string)	false	none		none
images	string(string)	false	none		none
tags	string(string)	false	none		none
lat	number(float64)	false	none		none
long	number(float64)	false	none		none

# Gym-backend.api.v1.AddFacilityRes

```
"string"
```

#### **Attribute**

None

# Gym-backend.api.v1.FacilityReq

```
{
  "limit": 0,
  "page": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
limit	integer(int)	false	none		none
page	integer(int)	false	none		none

# Gym-backend.api.v1.AddFacilityReq

```
"name": "string",
  "description": "string",
  "location": "string",
  "image": [
        "string"
],
  "tags": [
        "string"
],
  "lat": 0,
  "long": 0
}
```

Name	Туре	Required	Restrictions	Title	Description
name	string(string)	true	none		none
description	string(string)	true	none		none
location	string(string)	true	none		none
image	[string]	true	none		none
tags	[string]	true	none		none
lat	number(float64)	true	none		none
long	number(float64)	true	none		none