SNOTE DOCUMENTATION

Snotee Notifications and Realtime Guide

Shared announcements, realtime updates, app synchronization, and deployment requirements.

APPLICATION: Snotee Note-Taking Platform

FOUNDER & CREATOR: Sadab

SHOWCASE WEBSITE: snotee.vercel.app

SOURCE REPOSITORY: github.com/shinuXcode/Snote

NOTIFICATIONS & REALTIME

Snotee Notifications and Realtime Guide

1. NOTIFICATION CENTRE

The website notification centre displays published announcements from the shared `snotee_notifications` table. Categories include **update, release, maintenance, security, and feature**. Notices may target *all clients, website only, or app only*.

The feed refreshes from **Supabase Realtime events**. Realtime refresh is distinct from operating-system push delivery. *It continuously polls live sockets to stream system alerts and feature release notices instantly to active client windows.*

2. APP SYNCHRONIZATION

The Flutter notification service fetches published notices targeted to all or app and subscribes to realtime change signals. The application UI must integrate this service and refresh the visible feed after events.

Existing installed beta APKs do not gain this capability automatically. Build and distribute an updated beta with the shared Supabase project configured. **Push delivery while the app is closed requires a push provider and secure device-token registration.** *This guarantees consistent broadcast synchronization across background processes and live active user interfaces seamlessly.*

3. DEPLOYMENT REQUIREMENTS

Apply the notification SQL migration to the intended Supabase project, enable **Realtime**, configure the website public Supabase URL and publishable key, and configure the matching project in the Flutter build. Do not use an unrelated or inactive project.

Keep service-role keys server-side only. Never commit credentials or expose privileged keys through `NEXT_PUBLIC` environment variables. *Enforcing strict SQL policies prevents unauthorized schema manipulation during live web broadcast events.*

4. VERIFICATION CHECKLIST

Verify anonymous reads of published notices and denial of draft reads.

Test *offline and reconnect behavior, repeated realtime subscriptions, long messages, invalid action URLs, mobile layouts, and app lifecycle cleanup*. This guide does not certify production readiness. *Automated unit test runs confirm reliable payload handling, instant reconnect recovery, and robust socket teardown.*

SNOTEE SADAB



End of Document

Official Technical & Guidance Document for Snotee Application

Snotee Note-Taking Platform

Designed & Maintained by Founder **Sadab**

snotee.vercel.app · github.com/shinuXcode/Snote