

Material Safety Data Sheet

(according to the Global Harmonized System)

Product Name : 레드피오니

Date : 15.12 .2018

1. Supplier and product

1.1. Name of product 레드피오니

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances

Perfume compound

1.3 Details of the supplier of the safety data sheet

Nexgen NO.1009,E&C DREAM TOWER, GASAN

Company

DIGITAL1RO-45,GEUMCHEON-GU, SEOUL, KOREA

Telephone

82-10-6355-7414

E-mail address

hks3030@nate.com

2. Hazards identification

2.1 Classification of the substance
or mixture

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Skin sensitisation : Category 1

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

2.2 Labelling (Globally Harmonized System)

Hazard pictograms



Signal word

Warning

Hazard statements

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H319 : Causes serious eye irritation .

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P261 : Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 : Wash..(hands/face)thoroughly after handling.

P272 : Contaminated work clothing should not be allowed out of the wokrplace.

P273 : Avoid release to the environment.

P280 : Wear protective gloves/protective clothing/eye protection/face protection.

Response

P321 : Specific treatment(see...on this label).

P391 : Collect spillage.

P302+P352 : IF ON SKIN: Wash with plenty of water/...

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses,if present and easy to do.Continue rinsing.

P332+P313 : If skin irritation occurs: Get medical advice/attention.

P333+P313 : if skin irritation or rash occurs: Get medical advice/attention.

P337+P313 : If eye irritation persists: Get medical advice/attention.

P362+P364 : Take off contaminated clothing and wash it before reuse.

Storage

No data available.

Disposal

P501 : Dispose of contents/container to... (in accordance with local/regional/national/international refulation).

2.3 Other hazards

Health	0
Fire	0
Reactivity	0

3. Composition/information on ingredients

MAIN COMPONENTS	CAS No.	EC No.	Classification (GHS)	Content
METHYLDIHYDROJASMONATE	24851-98-7	246-495-0		30-40
CITEUS AURANTIUM DULCIS (ORANGE)PEEL OIL	8008-57-9		Skin Irrit. 2; H315Eye Irrit. 2; H319Aquatic Chronic 3; H412	0-10
BENZYL BENZOATE	120-51-4	265-745-8	Aquatic Acute 1; H400Aquatic Chronic 1; H410	0-10
CITRONELLOL	106-22-9	205-775-0	Skin Irrit. 2; H315Skin Sens. 1; H317	1-10
DIPROPYLENE GLYCOL	25265-71-8	246-770-3		30-40
GERANIOL	106-24-1	203-341-5	Skin Irrit. 2; H315Skin Sens. 1; H317	0-10
LINALOOL	78-70-6	203-378-7	Skin Irrit. 2; H315Eye Irrit. 2; H319STOT SE 3; H335	0-10
BENZYL BENZOATE	120-51-4			0-5
DIHYDROMYRCENOL	18479-58-8			0-5
ETHYLENE BRASSYLATE	105-95-3			20-30
LAVANDULA OFFICINALIS ANGUSTIFOLIA(LAVENDER)OIL	8000-28-0			0-5
EUCALYTUS GLOBULUS LEAF OIL	8000-48-4			0-5

4. FIRST-AID MEASURES

4-1. In case of eye contact

Prevent the spread of contamination when minor parts in contact with skin.
Get emergency medical attention.

	Wash contaminated clothes before using it again. If the hot material, Soak or Rinse the affected area with a large amount of cold water to get rid of the heat.
4.2 In case of skin contact	When in contact with substances, Rinse immediately the skin and eyes with running water for 20 minutes or more. Remove contaminated clothing and shoes and isolate contaminated areas. Take off contaminated clothing and wash before reuse. If irritation occurs seek medical advice.
4.3 If inhaled	If skin irritation or rash occurs: Get medical advice/attention. Settle down and warm. Move to fresh air. If breathing is difficult, give oxygen.
4.4 If swallowed	If you are not breathing, give artificial respiration. Get emergency medical attention. Medical personnel, and to ensure that take protection measures is recognized for its substance.
4-5. General advice	Get emergency medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. When in contact with substances, Rinse immediately the skin and eyes with running water for 20 minutes or more.

5. Firefighting measures

5.1 Extinguishing media	When extinguishing material related this, use alcohol foam, CO2 or water spray. When extinguishment by smothering, use dry sand or dust.
5.2 Special hazards arising from the substance or mixture	Containers may explode when heated. Some can be burned but not igniting easily. During burning, stimulated poisonous gas can be made by thermal decomposition or combustion. It can cause a fire, irritating and toxic gases.
5.3 Advice for firefighters	It can start a fire irritating, corrosive and toxic gases. Please extinguish by keeping a safe distance outside the area. Please be aware that some shipping in high temperature. The ditch can be made for the disposal of extinguishing and should not be confined material is scattered. If safe to do so, remove container from the path of fire. After extinguishing the fire, the tank should be evolved with large amount of water to cool the containers. Should step down immediately when safety valve make a boom sound or discoloration on the tank fire. Please step back from wrapped in flames tank. Rescuer should wear appropriate protective equipment. The maximum distance from the tank or fire extinguishing please use an unattended fire extinguishing equipment. For large fire use extinguishing equipment unattended. If it can not back out. Please be aware that transportation is melted.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures	Avoid inhalation of (Dust, fumes, gas, vapor, mist, spray). Do not touch spillage or walk. Remove all sources of ignition. Prevent dust formation. Wipe spills immediately, Please follow the precautions Reserve protest. Follow Stop leak if without risk. Do not touch damaged containers or spillage without wearing proper protection.
--	---

6.2 Environmental precautions

6.3 Methods and materials for containment and cleaning up

Stop the spread covered with a plastic sheet.
Please note that materials and conditions to avoid.
Prevent entry into waterways, sewers, basements and confined spaces.
Avoid release to the environment.
Collect spillage.
Make a ditch away liquid spillage when large leaks.
Please prevent the spread covered a plastic sheet and Keep dry when powder leaks.
Absorb spilled by inert material and Put a chemical waste container.
Please absorbed by non-combustible material and Place in containers when small leaks.
Please absorb liquids and Rinse the contaminated area with detergent and water.
Put spillage in a clean and dry container with a clean shovel, closed loosely, move containers from spill area.

7. Handling and storage

7.1 Precautions for safe handling

Avoid inhalation of (Dust, fumes, gas, vapor, mist, spray).
Please note that materials and conditions to avoid.
Please note that a high temperature.
Please work with engineering controls and personal protective equipment.
Since it may retain product residues that even after the container is emptied, Follow all MSDS / label precautions.
Contaminated work clothing should not be allowed out of the workplace.
Please stop the long-term or continuous skin contact.
Wash after handling the treated area thoroughly.

7.2 Conditions for safe storage, including any incompatibilities

Empty drums are completely drained, Return to the drum regulator adequately protect immediately or Place properly.

8. Exposure controls/personal protection

8.1 Exposure controls

Internal regulations	No data available
ACGIH regulations	No data available
Biological exposure standards	No data available

8.2 Proper engineering management

No data available

8.3 Personal protective equipment

Respiratory protection	No data available
Eye protection	Please use chemical defense glasses and face protection.
Hand protection	Wear appropriate chemical resistant gloves.
Skin and body protection	Wear the appropriate chemical resistant clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	Liquid
Color	Colorless ~ Pale yellow
Odor	No data available
Odor Threshold	No data available
pH	No data available
Melting point	No data available
Boiling point	No data available
Flash point	98°C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Explosion limit (lower / upper)	No data available
Vapor pressure	No data available
Solubility	Soluble in alcohol
Relative vapour density	No data available
Specific gravity (20/20°C) (Water=1)	0.968 – 1.008

Partition coefficient : n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Molecular weight	No data available

9.2 Other information

<u>Refractive index (20 °C)</u>	<u>1.455–1.495</u>
---------------------------------	--------------------

10. Stability and reactivity

10.1 Chemical stability / Possibility of hazardous reactions

Containers may explode when heated.
Some can be burned but not igniting easily.
It can cause a fire, irritating and toxic gases.
Can cause burns to skin and eyes on contact.
Inhalation of substances that may be harmful.
That inhalation of asbestos may cause damage to the lungs.
Some liquid may cause steam to cause dizziness, suffocation.
Heat, sparks, flames, such as ignition sources.

10.2 Conditions to avoid

10.3 Incompatible materials

Combustible material, reducing material.

10.4 Hazardous decomposition products

During burning, stimulated poisonous gas can be made by thermal decomposition or combustion.
Irritating, toxic gases.
Corrosive / toxic fumes.

11. Toxicological information

11.1 Information on the likely routes of exposure

No data is available on the product itself.

11.2 Information on toxicological effects

Acute toxicity		
METHYLDIHYDROJASMONATE	LD50 : > 10 mg/kg	Species: rat
cis-3-HEXENYL SALICYLATE	LD50 : 5,000 mg/kg	Species: rat
DIPROPYLENE GLYCOL	LD50 : 5,000 mg/kg	Species: rat
Acute oral toxicity	.	
Acute dermal toxicity		
METHYLDIHYDROJASMONATE	LD50 : > 5,000 mg/kg	Species: rabbit
cis-3-HEXENYL SALICYLATE	LD50 : 5,000 mg/kg	Species: rabbit
DIPROPYLENE GLYCOL	LD50 : 5,000 mg/kg	Species: rabbit
Acute inhalation toxicity		
METHYLDIHYDROJASMONATE	LD50 : > 5,0 mg/kg	Species: rabbit
cis-3-HEXENYL SALICYLATE	LD50 : 5,000 mg/kg	Species: rabbit
DIPROPYLENE GLYCOL	LD50 : 5,000 mg/kg	Species: rabbit
kin corrosion/irritation	It causes skin irritation	
Serious eye damage/eye irritation	It causes eye irritation	
Respiratory sensitization	No data is available on the product itself.	
Skin sensitization	No data is available on the product itself.	
Carcinogenicity	No data is available on the product itself.	
Germ cell mutagenicity	No data is available on the product itself.	
Reproductive toxicity	No data is available on the product itself.	
Target Organ Systemic Toxicant - Single exposure	No data is available on the product itself.	
Target Organ Systemic Toxicant - Repeated exposure	No data is available on the product itself.	
Aspiration hazard	No data is available on the product itself.	

12. Ecological information

12.1 Toxicity

Toxicity to fish No data is available on the product itself.

Toxicity to daphnia and other aquatic invertebrates

Toxicity to algae	No data is available on the product itself.
12.2 Persistence and degradability	
Persistence	No data available
Resolvability	No data available
12.3 Bioaccumulative potential	
Bioaccumulation	No data available
Biodegradability	No data available
12.4 Mobility in soil	No data available
12.5 Other harmful effects	No data available
13. Disposal considerations	
13.1 Waste treatment methods	
Product	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
14. Transport information	
14.1 UN number	
14.2 Proper shipping name	Not applicable
14.3 Transport hazard class	Not applicable
14.4 Packing group	Not applicable
14.5 Marine pollutant	Not applicable
14.6 Special precautions	
EmS Fire	Not applicable
EmS Spillage	Not applicable
15. Regulatory information	
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	No additional relevant information
16. Other information	
16.1 Source of the data	– KOSHA CODE W-05-2007 【Guidelines for Creating a Material Safety Data Sheet, 2007. 11】 – AnnexVI_CLP_Table3.1_Sep_2016 – ECHA Registered Substances Database – The RIFM Database

Fragrance Name:	레드피오니	Attention:	
Leave on or Rinse Off:		Date:	2020년04월20일

INGREDIENT NAME	CAS #	Total in Fragrance Oil(%)	Total Contribution from fragrance oil for product	Labeling Required for Leave on Threshold limit 0.0010%	Labeling Required for Rinse off Threshold limit 0.0100%
ALPHA-ISOMETHYL IONONE	127-51-5	0.00			
AMYL CINNAMAL	122-40-7	0.00			
AMYL CINNAMYL ALCOHOL	101-85-9	0.00			
ANISYL ALCOHOL	105-13-5	0.00			
BENZYL ALCOHOL	100-51-6	0.00			
BENZYL BENZOATE	120-51-4	3.65			
BENZYL CINNAMATE	103-41-3	0.00			
BENZYL SALICYLATE	118-58-1	0.00			
CINNAMAL	104-55-2	0.00			
CINNAMYL ALCOHOL	104-54-1	0.00			
CITRAL	5392-40-5	0.00			
CITRONELLOL	106-22-9	4.35			
COUMARINE	91-64-5	0.00			
d-LIMONENE	5989-27-5	2.10			
EUGENOL	97-53-0	0.00			
FARNESOL	4602-84-0	0.00			
GERANIOL	106-24-1	6.50			
HEXYL CINNAMAL	101-86-0	0.00			
HYDROXYCITRONELLAL	107-75-5	0.00			
ISOEUGENOL	97-54-1	0.00			
LINALOOL	78-70-6	5.55			
LYRAL	31906-04-4	0.00			
LYSMERAL	80-54-6	0.00			
METHYL HEPTINE CARBONATE	111-12-6	0.00			
OAKMOSS EXTRACT	90028-68-5	0.00			
TREEMOSS EXTRACT	90028-67-4	0.00			