The Relationship Between Adolescent Family Environment and Adult Well-Being: A Comparison of Canonical Correlation Analysis and Separate Multiple Regression Models*

Gia Thy Le

2026-11-08

I. Introduction

People can have very different adult outcomes depending on the family they grew up in. Close relationships may provide emotional support, and family resources shape opportunities. This project examines how adolescent family life is associated with adult mental health, physical health, income, and financial security, and compares separate multiple regressions with canonical correlation analysis (CCA).

I use public-use data from the National Longitudinal Study of Adolescent to Adult Health (Add Health) (Harris et al. 2009; Harris and Udry 2018), which interviewed U.S. adolescents in grades 7-12 in 1994-95 (Wave I) and again in 2008 (Wave IV). The first set of variables measures family relationships and family resources at Wave I, and the second measures adult well-being at Wave IV.

The univariate approach fits one multiple regression for each of the five outcomes, giving 30 coefficient tests with and without a Bonferroni correction. CCA (Johnson and Wichern 2007; Gao 2026) finds the combinations of the two sets that are most strongly correlated and tests their overall relationship with one test. I compare the approaches on their tests, shared variance (R^2 and ρ^2), and coefficients and loadings.

Both approaches show that family life is related to adult well-being, although the relationships are small. Of the 30 coefficients, 21 are significant and 18 remain so after the Bonferroni correction, while CCA reaches the conclusion that there are association between the two variable sets with one test. The first squared canonical correlation and largest R_k^2 are both modest ($R^2 = 0.064$ and $\widehat{\rho}_k^* = 0.114$), The loadings show a general pattern and a weaker pattern separating family relationships and mental health from family resources and income whereas

*Github link for project: Math 257 Project Link

multiple regression show how each family variables contribute to different adult well-being outcomes. Multiple regression is better suited to questions about specific outcomes, while CCA is better for understanding how two groups of related variables are connected.

II. Data

The observational unit is an individual Add Health respondent. The public-use data contain 6,504 adolescents at Wave I, of whom 5,114 were re-interviewed at Wave IV (Harris et al. 2009). The two waves are linked by respondent ID. CCA and the regressions require complete data, so the analysis uses the 4,724 Wave IV respondents (92%) with no missing values. The largest sources of missing data are parent education (250 respondents) and personal income (125).

Figure 1 shows the two sets of variables: the respondent's family in adolescence and their well-being as an adult. All variables are coded so that higher values mean more of the named characteristic or better well-being, with non-answers set to missing. Low depression uses a 10-item short form of the CES-D (Radloff 1977), and low stress uses the 4-item Perceived Stress Scale (Cohen, Kamarck, and Mermelstein 1983). The Appendix lists the exact survey questions and scoring.




Figure 1: Variables in the two sets and how each is scored. Exact survey questions are listed in the Appendix.

"Parents" in Add Health include biological, step, adoptive, and foster parents who live with the respondent, so a two-parent household means two resident parent figures, not two biological parents necessarily. Discrete variables, such as parent education, self-rated health, personal income brackets, and the autonomy and financial security counts, are treated as continuous, which assumes that the steps between levels are equal.

Table 1: Correlations matrix. Variables 1–6 are the first set (family) and variables 7–11 are the second set (adult well-being).

Variable	1	2	3	4	5	6	7	8	9	10	11
1. Autonomy	1.00	-.03	-.01	-.10	.06	-.05	.05	.04	.01	.10	.03
2. Closeness	-.03	1.00	.33	.65	.02	-.03	.16	.14	.10	.04	.07
3. Involvement	-.01	.33	1.00	.29	.14	-.15	.09	.10	.06	.05	.06
4. Connectedness	-.10	.65	.29	1.00	.04	.07	.19	.19	.13	.04	.10
5. Parent educ.	.06	.02	.14	.04	1.00	.20	.14	.12	.16	.21	.12
6. Two parents	-.05	-.03	-.15	.07	.20	1.00	.10	.10	.10	.13	.13
7. Low depression	.05	.16	.09	.19	.14	.10	1.00	.67	.30	.20	.28
8. Low stress	.04	.14	.10	.19	.12	.10	.67	1.00	.28	.21	.33
9. Health	.01	.10	.06	.13	.16	.10	.30	.28	1.00	.18	.19
10. Income	.10	.04	.05	.04	.21	.13	.20	.21	.18	1.00	.22
11. Fin. security	.03	.07	.06	.10	.12	.13	.28	.33	.19	.22	1.00

Table 1 shows the correlation between variables. Within the family set, parent closeness and family connectedness are strongly correlated ($r = 0.65$), while autonomy is nearly uncorrelated with the other family variables. Within the well-being set, low depression and low stress are strongly correlated ($r = 0.67$), and the remaining well-being variables are moderately correlated with each other (r between 0.18 and 0.33). Across the two sets, every individual correlation is small, the highest being personal income and parents' highest education ($r = 0.21$).

III. Methods

Notation

Let $\mathbf{X}^{(1)}$ be the $p \times 1$ vector of family variables ($p = 6$) and $\mathbf{X}^{(2)}$ the $q \times 1$ vector of well-being variables ($q = 5$), measured on the same n respondents. All variables are standardized.

Univariate approach: separate multiple regressions

The univariate approach fits one multiple linear regression for each of the $q = 5$ well-being outcomes (Gelman, Hill, and Vehtari 2021). For respondent i ($i = 1, \dots, n$) and outcome k ($k = 1, \dots, 5$), the model is

$$X_{ik}^{(2)} = \beta_{0k} + \sum_{j=1}^{6} \beta_{jk} X_{ij}^{(1)} + \varepsilon_{ik},$$

where $X_{ik}^{(2)}$ is respondent i's value of well-being outcome k, $X_{ij}^{(1)}$ is their value of family variable j, β_{0k} is the intercept, and ε_{ik} is the error term. Each coefficient β_{jk} represents the expected change in well-being outcome k associated with a one-unit increase in family variable j, while holding the other family variables constant.Each model is summarized by R_k^2, the proportion of the variance in outcome k explained by the six family variables. Each model uses only one outcome, so it ignores how the outcomes are related. I assume linearity and additivity, and independent, normal, equal variance errors, although these may not hold exactly. Parent closeness and family connectedness are correlated ($r = 0.65$), which makes their coefficients less precise.

For each coefficient, I test $H_0 : \beta_{jk} = 0$ against $H_1 : \beta_{jk} \neq 0$ using the statistic $t_{jk} = \hat{\beta}_{jk}/\mathrm{SE}(\hat{\beta}_{jk})$, where $\hat{\beta}_{jk}$ is the estimated coefficient and $\mathrm{SE}(\hat{\beta}_{jk})$ is its standard error. Under H_0, this statistic follows a t distribution with $n - p - 1$ degrees of freedom. With 6 family variables and 5 outcomes, this approach requires $6 \times 5 = 30$ tests. If each test uses significance level $\alpha = 0.05$, assuming independent and normal errors, the probability of at least one false positive is $1 - 0.95^{30} \approx 0.79$. A Bonferroni correction addresses this by using the stricter level $\alpha/30 \approx 0.0017$ for each test, which keeps the probability of any false positive at or below 0.05. I report results both without adjustment and with the Bonferroni correction.

Multivariate approach: canonical correlation analysis

CCA relates the two sets directly (Johnson and Wichern 2007; Gao 2026). Let Σ_{11} ($p \times p$) and Σ_{22} ($q \times q$) be the covariance matrices of $\mathbf{X}^{(1)}$ and $\mathbf{X}^{(2)}$, and let $\Sigma_{12} = \Sigma_{21}^{\top}$ be the covariance matrix between them. Because the variables are standardized, these are correlation matrices. For weight vectors $\mathbf{a}$ and $\mathbf{b}$, CCA forms the canonical variates $U = \mathbf{a}^{\top}\mathbf{X}^{(1)}$ and $V = \mathbf{b}^{\top}\mathbf{X}^{(2)}$ and maximizes

$$\mathrm{Corr}(U, V) = \frac{\mathbf{a}^{\top}\Sigma_{12}\mathbf{b}}{\sqrt{\mathbf{a}^{\top}\Sigma_{11}\mathbf{a}}\sqrt{\mathbf{b}^{\top}\Sigma_{22}\mathbf{b}}}.$$

Let $\rho_1^{*2} \geq \cdots \geq \rho_5^{*2}$ be the five largest eigenvalues of the two matrices below, with eigenvectors $\mathbf{e}_k$ and $\mathbf{f}_k$:

$$\Sigma_{11}^{-1/2}\Sigma_{12}\Sigma_{22}^{-1}\Sigma_{21}\Sigma_{11}^{-1/2}, \qquad \Sigma_{22}^{-1/2}\Sigma_{21}\Sigma_{11}^{-1}\Sigma_{12}\Sigma_{22}^{-1/2}.$$

The kth pair of canonical variates is

$$U_k = \mathbf{e}_k^\top \Sigma_{11}^{-1/2}\mathbf{X}^{(1)}, \qquad V_k = \mathbf{f}_k^\top \Sigma_{22}^{-1/2}\mathbf{X}^{(2)}, \qquad \mathrm{Corr}(U_k, V_k) = \rho_k^*,$$

and each pair is uncorrelated with the earlier pairs, so each describes a separate pattern. With $p = 6$ and $q = 5$, there are five pairs. I interpret the results using loadings, the correlations between each variable and its canonical variate, because they are more stable than the weights when variables in a set are correlated.

To test whether the two sets are related, $H_0 : \Sigma_{12} = \mathbf{0}$, I use Bartlett's approximation and reject H_0 at level α if

$$-\big(n - 1 - \tfrac{1}{2}(p + q + 1)\big) \ln \prod_{k=1}^{5} (1 - \hat{\rho}_k^{*2}) > \chi_{pq}^2(\alpha),$$

where $\hat{\rho}_k^*$ is the kth sample canonical correlation and $\chi_{pq}^2(\alpha)$ is the upper $(100\alpha)th$ percentile of a chi-square distribution with $pq = 30$ degrees of freedom. CCA assumes linear relationships and the covariance matrix to have full rank. The Barlett's approximation also assumes independent respondents and multivariate normality, so its p-value is approximate because binary and bracketed variables are not normal.

Comparing the two approaches

Both methods use the same respondents and variables, but they differ in four key ways. First, the regressions predict one outcome at a time, while CCA relates the two sets as a whole, with neither treated as predictors. Second, each regression minimizes prediction error for an observed outcome, while CCA weights both sets to create new variables that are as correlated as possible. Third, the regressions ignore the correlations among the outcomes, while CCA uses them. Fourth, the regressions require 30 tests, while CCA gives one overall test.

With only one outcome, CCA reduces to multiple regression. I compare the two methods in three ways.

1. **Tests.** I compare the number of the 30 regression coefficients significant at $\alpha = 0.05$ and at the Bonferroni level $\alpha/30$ with the single CCA test.
2. **R^2 and ρ^2.** Squared canonical correlations act like a multivariate R^2, so I compare $\hat{\rho}_1^{*2}$ with the largest R_k^2 to see how much stronger the relationship is when outcomes are considered together.

3. **Coefficients and loadings.** A coefficient shows a variable's contribution to one outcome with the other family variables held constant, while loadings show which variables go together in each canonical pair, a pattern the regressions cannot identify because each model looks at only one outcome.

I expect each R_k^2 to be small, because family life in adolescence is measured more than a decade before the outcomes and many other things affect adult well-being. Because parent closeness and family connectedness are correlated, I expect one of them to have a weak coefficient. For CCA, I expect the overall test to reject H_0 and the first canonical correlation to be small for the same reason. I also expect family resources to relate mainly to economic outcomes and family relationships to relate mainly to mental health, since resources shape financial opportunities while close relationships provide emotional support.

IV. Results

Separate regressions

Table 2: Standardized coefficients from the five regressions. One star means $p < 0.05$, and two stars means the coefficient is also significant at the Bonferroni level ($p < 0.05/30$).

	Low depression	Low stress	Health	Income	Fin. security
Autonomy	0.066**	0.056**	0.020	0.099**	0.041*
Parent closeness	0.060**	0.027	0.033	0.023	0.008
Parent involvement	0.024	0.044*	0.013	0.030	0.036*
Family connectedness	0.140**	0.155**	0.096**	0.010	0.081**
Parent education	0.109**	0.092**	0.139**	0.174**	0.083**
Two-parent household	0.074**	0.078**	0.067**	0.106**	0.111**
R^2	0.064	0.059	0.046	0.063	0.036

Table 2 shows the five regressions. A coefficient of 0.10 means that if we increase a family variable by 1 standard deviation and hold other family variables constant, the ourcome is expected to be 0.10 standard deviations higher. Of the 30 coefficients, 21 are significant at $\alpha = 0.05$ and 18 remain significant after the Bonferroni correction. The family variables explain only 3.6% to 6.4% of the variance in each outcome. Family connectedness has the largest coefficients for low depression and low stress, parent education for personal income and self-rated health, and living with two parents for financial security. Parent closeness is significant only for low depression, even though it is positively correlated with all five outcomes (Table 1), likely because it overlaps with family connectedness ($r = 0.65$).

Canonical correlation analysis

Table 3: Canonical correlations between the family variables and the well-being variables.

	Pair 1	Pair 2	Pair 3	Pair 4	Pair 5
Canonical correlation	0.338	0.150	0.057	0.052	0.026
Squared canonical correlation	0.114	0.023	0.003	0.003	0.001
Bartlett's test: $\chi^2 = 712.3$, df $= 30$, $p = 1.32 \times 10^{-130}$					

Table 3 shows the canonical correlations. The first two (0.338 and 0.150) are much larger than the other three, so I interpret only those pairs, which share 11.4% and 2.3% of their variance. Bartlett's test rejects the hypothesis that the two sets are unrelated ($\chi^2 = 712.3$, 30 degrees of freedom, $p < 0.05$).




Figure 2: Loadings for the first two pairs of canonical variates. A loading is the correlation between a variable and its canonical variate.

Figure 2 shows the loadings for the first two pairs. In the first pair, every variable loads positively which shows a general pattern in which respondents from families with more resources and stronger connection do better across every area of adult well-being.

In the second pair, family connectedness and parent closeness are positive and parent education and autonomy are negative. Low depression and low stress also have opposite signs to personal income. This partly matches my expectation that family relationships relate to mental health and family resources relate to income, as these variables are in the same direction.




Figure 3: First pair of canonical variates, colored by parent education (left) and family structure (right).

Figure 3 plots the first pair, colored by parent education and by family structure. Respondents with college-educated parents and those who lived with two parents tend to score higher on V_1. They also score higher on U_1, but this is partly because those variables make up U_1.

Figure 4 plots the second pair, whose cloud is rounder because the correlation is weaker (0.150). A respondent who scores high on both U_2 and V_2 comes from a family that is strong on relationships relative to its resources and autonomy and has good mental health relative to their income as an adult, while a respondent who scores low on both shows the reverse.

Comparison

Tests

Both approaches find a relationship between family life and adult well-being. CCA reaches this conclusion with one overall test ($\chi^2 = 712.3$, 30 degrees of freedom, $p < 0.001$), while 21 of the 30 regression coefficients are significant and 18 remain so after the Bonferroni correction. The regressions also show which specific relationships are significant. Parent education and living with two parents are significant for every outcome, while parent closeness is not significant for four outcomes, likely because it overlaps with family connectedness. The family relationship variables also add little for personal income, which is more closely tied to family resources.




Figure 4: Second pair of canonical variates, colored by parent education (left) and family structure (right).

R^2 and ρ^2

Across the five regressions, the family variables explain between 3.6% and 6.4% of the variance in any one outcome, with the largest R_k^2 (0.064) for low depression. The first squared canonical correlation is 0.114, almost twice as large. However, 0.114 is the variance shared between U_1 and V_1, two linear combinations that CCA chose for the two set to be as correlated as possible. It does not mean that family life explains 11.4% of any one outcome. For a specific outcome, the regression R_k^2 is the better measure.

Coefficients and loadings

The two approaches measure different things for each variable. A regression coefficient shows what a family variable adds to the prediction of one adult outcome, holding other family variables constant. A loading shows how strongly a family variable is correlated with the family variate, so it describes which variables define each pattern rather than a direct link to any adult outcome. Parent closeness is significant for only one outcome in the regressions, likely because it overlaps with family connectedness, while CCA loadings show that it helps define the family side of both canonical pairs. Its connection to adult well-being in CCA is indirect because it depends on the correlations between the variates.

V. Discussion

Both methods show that family life in adolescence is related to well-being more than a decade later, but the relationships are small. On testing, 21 of the 30 regression coefficients are significant, and 18 remain so after the Bonferroni correction, while CCA reaches the same overall conclusion with one test. The first squared canonical correlation (0.114) is almost twice the largest R_k^2 (0.064), although it describes the canonical variates rather than any one outcome. Regressions show that parent education and living with two parents are significant for every outcome, while the loadings summarize the relationship as a general pattern and a weaker pattern separating family relationships and mental health from family resources and income.

Separate regressions are easy to interpret, because each coefficient shows what a family variable adds for one specific outcome. However, they require many tests, ignore the correlations among the outcomes, and do not summarize the overall relationship. CCA uses one overall test, accounts for the correlations within and between the two sets, and reduces many relationships to a few patterns. But, its variates are harder to interpret, and its loadings do not show direct links to specific outcomes. Multiple Regression is the better choice when the question is about particular outcomes, while CCA is the better choice when the question is how two groups of related variables are connected overall. Both can also be used to give the overall pattern and the detail for each outcome.

This study has several weaknesses. Both methods describe only linear relationships, and discrete variables are treated as continuous. All variables are self-reported and the analysis uses only complete cases without survey weights. Respondents are treated as independent even though students were sampled within schools. Future work could account for age, sex, and family income, use survey weights, compare racial and ethnic groups, or use kernel CCA to look for nonlinear relationships.

References

Software: R (R Core Team 2024), tidyverse (Wickham et al. 2019), haven (Wickham, Miller, and Smith 2023), knitr (Xie 2015), patchwork (Pedersen 2024), and Quarto (Posit, PBC 2025).

Cohen, Sheldon, Tom Kamarck, and Robin Mermelstein. 1983. "A Global Measure of Perceived Stress." *Journal of Health and Social Behavior* 24 (4): 385–96. https://doi.org/10.2307/2136404.

Gao, Peter A. 2026. "9. Canonical Correlation Analysis." Lecture slides, MATH 257: Multivariate Data Analysis.

Gelman, Andrew, Jennifer Hill, and Aki Vehtari. 2021. *Regression and Other Stories*. Cambridge University Press.

Harris, Kathleen Mullan, Carolyn T. Halpern, Eric Whitsel, Jon Hussey, Joyce Tabor, Pamela Entzel, and J. Richard Udry. 2009. "The National Longitudinal Study of Adolescent to Adult Health: Research Design." Carolina Population Center, University of North Carolina at Chapel Hill. https://addhealth.cpc.unc.edu/documentation/study-design/.

Harris, Kathleen Mullan, and J. Richard Udry. 2018. "National Longitudinal Study of Adolescent to Adult Health (Add Health), 1994–2008 [Public Use]." Carolina Population Center, University of North Carolina-Chapel Hill and Inter-university Consortium for Political and Social Research. https://doi.org/10.3886/ICPSR21600.

Johnson, Richard A., and Dean W. Wichern. 2007. *Applied Multivariate Statistical Analysis*. 6th ed. Upper Saddle River, NJ: Pearson Prentice Hall.

Pedersen, Thomas Lin. 2024. *Patchwork: The Composer of Plots*. https://CRAN.R-project.org/package=patchwork.

Posit, PBC. 2025. *Quarto: An Open-Source Scientific and Technical Publishing System*. https://quarto.org/.

R Core Team. 2024. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.

Radloff, Lenore Sawyer. 1977. "The CES-D Scale: A Self-Report Depression Scale for Research in the General Population." *Applied Psychological Measurement* 1 (3): 385–401. https://doi.org/10.1177/014662167700100306.

Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Grolemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. https://doi.org/10.21105/joss.01686.

Wickham, Hadley, Evan Miller, and Danny Smith. 2023. *Haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files*. https://haven.tidyverse.org.

Xie, Yihui. 2015. *Dynamic Documents with R and Knitr*. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC.

Appendix: Survey Questions Used

This appendix lists every Add Health survey question used in the analysis. Question wording follows the Wave I and Wave IV public-use codebooks. Items marked "Yes" in the Reversed column are reverse-coded before scoring so that a higher value always means a better outcome or more of the named characteristic. Refused, legitimate skip, don't know, and not applicable responses are treated as missing.

Response scales

- **Yes/No:** 0 = no, 1 = yes.
- **Amount:** 1 = not at all, 2 = very little, 3 = somewhat, 4 = quite a bit, 5 = very much.
- **Agreement:** 1 = strongly agree, 2 = agree, 3 = neither agree nor disagree, 4 = disagree, 5 = strongly disagree.

- **CES-D:** 0 = never or rarely, 1 = sometimes, 2 = a lot of the time, 3 = most of the time or all of the time.
- **Stress:** 0 = never, 1 = almost never, 2 = sometimes, 3 = fairly often, 4 = very often.

Wave I: autonomy

Autonomy is the share of these six decisions the respondent makes, multiplied by 6 (range 0 to 6).

Item	Question	Scale	Reversed
H1WP1	Do your parents let you make your own decisions about the time you must be home on weekend nights?	Yes/No	No
H1WP2	Do your parents let you make your own decisions about the people you hang around with?	Yes/No	No
H1WP3	Do your parents let you make your own decisions about what you wear?	Yes/No	No
H1WP4	Do your parents let you make your own decisions about how much television you watch?	Yes/No	No
H1WP5	Do your parents let you make your own decisions about which television programs you watch?	Yes/No	No
H1WP6	Do your parents let you make your own decisions about what time you go to bed on week nights?	Yes/No	No

Wave I: parent closeness

Parent closeness is the mean of the four items for each resident parent, averaged over the parents who live with the respondent (range 1 to 5).

Item	Question	Scale	Reversed
H1WP9	How close do you feel to your [mother figure]?	Amount	No
H1WP10	How much do you think she cares about you?	Amount	No
H1PF1	Most of the time, your mother is warm and loving toward you.	Agreement	Yes
H1PF4	You are satisfied with the way your mother and you communicate with each other.	Agreement	Yes
H1WP13	How close do you feel to your [father figure]?	Amount	No
H1WP14	How much do you think he cares about you?	Amount	No
H1PF23	Most of the time, your father is warm and loving toward you.	Agreement	Yes

Item	Question	Scale	Reversed
H1PF24	You are satisfied with the way your father and you communicate with each other.	Agreement	Yes

Wave I: parent involvement

Respondents were asked, "Which of the things listed on this card have you done with your [mother figure] in the past 4 weeks?" (H1WP17) and the same question about their father figure (H1WP18). Each activity is coded Yes/No. Parent involvement is the proportion of the nine activities below done with each resident parent, averaged over the parents who live with the respondent (range 0 to 1).

Mother item	Father item	Activity
H1WP17A	H1WP18A	gone shopping
H1WP17B	H1WP18B	played a sport
H1WP17C	H1WP18C	gone to a religious service or church-related event
H1WP17D	H1WP18D	talked about someone you're dating, or a party you went to
H1WP17E	H1WP18E	gone to a movie, play, museum, concert, or sports event
H1WP17F	H1WP18F	had a talk about a personal problem you were having
H1WP17H	H1WP18H	talked about your school work or grades
H1WP17I	H1WP18I	worked on a project for school
H1WP17J	H1WP18J	talked about other things you're doing in school

Two options on the card are excluded: "had a serious argument about your behavior" (H1WP17G, H1WP18G), which describes conflict rather than involvement, and "none" (H1WP17K, H1WP18K), which is not an activity.

Wave I: family connectedness

Family connectedness is the mean of the four items (range 1 to 5).

Item	Question	Scale	Reversed
H1PR5	How much do you feel that people in your family understand you?	Amount	No
H1PR6	How much do you feel that you want to leave home?	Amount	Yes

Item	Question	Scale	Reversed
H1PR7	How much do you feel that you and your family have fun together?	Amount	No
H1PR8	How much do you feel that your family pays attention to you?	Amount	No

Wave I: family resources

Item	Question	Use
H1RM1	How far in school did she go? (resident mother)	parent education
H1RF1	How far in school did he go? (resident father)	parent education

Parent education is grouped from the original response options as follows.

Level	Original responses
1	never went to school; eighth grade or less; more than eighth grade but did not graduate from high school; business, trade, or vocational school instead of high school
2	high school graduate; completed a GED
3	business, trade, or vocational school after high school; went to college but did not graduate
4	graduated from a college or university
5	professional training beyond a four-year college or university

Responses indicating that the respondent did not know the parent's level of schooling are treated as missing. The two-parent household indicator is derived from whether the respondent answered the closeness questions about both a resident mother figure and a resident father figure.

Wave IV: low depression

Each question refers to the past seven days. Low depression is the mean of the 10 items after reversing the negative items, so a higher value means fewer symptoms (range 0 to 3).

Item	Question	Scale	Reversed
H4MH18	You were bothered by things that usually don't bother you.	CES-D	Yes
H4MH19	You could not shake off the blues, even with help from your family and your friends.	CES-D	Yes
H4MH20	You felt you were just as good as other people.	CES-D	No
H4MH21	You had trouble keeping your mind on what you were doing.	CES-D	Yes
H4MH22	You felt depressed.	CES-D	Yes
H4MH23	You felt that you were too tired to do things.	CES-D	Yes
H4MH24	You felt happy.	CES-D	No
H4MH25	You enjoyed life.	CES-D	No
H4MH26	You felt sad.	CES-D	Yes
H4MH27	You felt that people disliked you.	CES-D	Yes

Wave IV: low stress

Low stress is the mean of the four items after reversing the negative items, so a higher value means less stress (range 0 to 4).

Item	Question	Scale	Reversed
H4MH3	In the last 30 days, how often have you felt that you were unable to control the important things in your life?	Stress	Yes
H4MH4	In the last 30 days, how often have you felt confident in your ability to handle your personal problems?	Stress	No
H4MH5	In the last 30 days, how often have you felt that things were going your way?	Stress	No
H4MH6	In the last 30 days, how often have you felt that difficulties were piling up so high that you could not overcome them?	Stress	Yes

Wave IV: self-rated health and economic well-being

Item	Question	Scale	Reversed
H4GH1	In general, how is your health?	1 = excellent to 5 = poor	Yes

Item	Question	Scale	Reversed
H4EC2	Now think about your personal earnings. How much income did you receive from personal earnings before taxes, that is, wages or salaries, including tips, bonuses, and overtime pay, and income from self-employment?	Dollars	No
H4EC3	(Asked if the respondent did not know H4EC2.) What is your best guess of your personal earnings before taxes?	11 income brackets	No
H4EC10	In the past 12 months, was there a time when you or your household was without phone service because you didn't have enough money?	Yes/No	counted
H4EC11	In the past 12 months, was there a time when you or your household didn't pay the full amount of the rent or mortgage because you didn't have enough money?	Yes/No	counted
H4EC12	In the past 12 months, was there a time when you or your household were evicted from your house or apartment for not paying the rent or mortgage?	Yes/No	counted
H4EC13	In the past 12 months, was there a time when you or your household didn't pay the full amount of a gas, electricity, or oil bill because you didn't have enough money?	Yes/No	counted
H4EC14	In the past 12 months, was there a time when you or your household had the service turned off by the gas or electric company, or the oil company wouldn't deliver, because payments were not made?	Yes/No	counted
H4EC15	In the past 12 months, was there a time when you or your household worried whether food would run out before you would get money to buy more?	Yes/No	counted

Financial security is calculated as $6-$number of economic hardships, so that financial security $= 6$ means that no economic hardship was encountered.