

JSP Anatomy & Lifecycle Inspector

Interactive JSP Server Monitoring Dashboard

Refresh Dashboard

Last Request Time: Sat Sep 05 14:32:22 IST 2026

Server Information

Server	Apache Tomcat/10.1.59
Server Name	localhost
Server Port	8080
Context Path	/JSPInspector
Application Start	Sat Sep 05 14:30:05 IST 2026

Request Information

HTTP Method	GET
Request URI	/JSPInspector/inspector.jsp
Request URL	http://localhost:8080/JSPInspector/inspector.jsp
Protocol	HTTP/1.1
Client IP	0.0.0.0:0.0:0.1
Remote Host	0.0.0.0:0.0:0.1
Query String	None

JVM Memory Usage

Used Memory	32 MB
Free Memory	95 MB
Allocated Memory	128 MB
Maximum Memory	256 MB
JVM Status	RUNNING

36°C
Partly sunny

Search

ENG
IN

02:33 PM
05-09-2026

Session Information

Session ID	58333566F366FEEA9012CEE5D83691D3
Created	Sat Sep 05 14:30:05 IST 2026
Last Accessed	Sat Sep 05 14:32:19 IST 2026
Timeout	1800 seconds

JSP Config

Servlet Name	jsp
JSP Page	/inspector.jsp
Config Object	AVAILABLE

Response Information

Content Type	text/html; charset=UTF-8
Character Encoding	UTF-8
Buffer Size	8192 bytes
Response Object	AVAILABLE

JSP Implicit Objects

Object	Purpose	Status
request	Provides information about the client's HTTP request.	AVAILABLE
response	Represents the HTTP response sent to the client.	AVAILABLE
session	Maintains information about the current user session.	AVAILABLE
application	Represents the complete web application.	AVAILABLE
config	Provides servlet/JSP configuration information.	AVAILABLE
pageContext	Provides access to the JSP page environment.	AVAILABLE

36°C
Partly sunny

Search

ENG
IN

02:33 PM
05-09-2026

localhost:8080/JSPInspector/inspector.jsp

application	Represents the complete web application.	AVAILABLE
config	Provides servlet/JSP configuration information.	AVAILABLE
pageContext	Provides access to the JSP page environment.	AVAILABLE
out	Writes output to the HTTP response.	AVAILABLE
page	Represents the current JSP servlet instance.	AVAILABLE
exception	Used for exception information on error pages.	Not used on normal page

HTTP Request Headers

host : localhost:8080

connection : keep-alive

cache-control : max-age=0

sec-ch-ua : "Chromium",v="152", "Not?A_Brand",v="24", "Google Chrome",v="152"

sec-ch-ua-mobile : ?0

sec-ch-ua-platform : "Windows"

upgrade-insecure-requests : 1

36°C Partly sunny 02:34 PM 05-09-2026

localhost:8080/JSPInspector/inspector.jsp

HTTP Request Headers

sec-fetch-mode : navigate

sec-fetch-user : ?1

sec-fetch-dest : document

referer : http://localhost:8080/JSPInspector/inspector.jsp

accept-encoding : gzip, deflate, br, zstd

accept-language : en-GB,en-US;q=0.9,en;q=0.8

cookie : JSESSIONID=56333566F366FEEA9912CEE5D83691D3

Current Session Parameters

No session attributes currently stored.

PageContext Information

Context Path	/JSPInspector
Server Info	Apache Tomcat/10.1.59
PageContext	AVAILABLE

36°C Partly sunny 02:34 PM 05-09-2026

JSP Anatomy & Lifecycle Inspector: x New File at / - Nagalakshmi-sai: x + Ask Gemini

localhost:8080/JSPInspector/inspector.jsp

JSP Processing Cycle & Lifecycle

- 1. JSP Request**
Browser sends a request for `inspector.jsp`.
- 2. Translation**
Tomcat translates the JSP page into Java Servlet source code.
- 3. Compilation**
The generated Java Servlet source is compiled into a Java class.
- 4. Class Loading**
Tomcat loads the generated servlet class into the JVM.
- 5. Initialization**
The JSP servlet is initialized. The JSP lifecycle begins.
- 6. `_jspService()`**
The generated servlet processes the client's request and generates the HTML response.
- 7. Response**
Tomcat sends the generated HTML response back to the browser.
- 8. `jspDestroy()`**
When the JSP servlet is removed, its destroy lifecycle method is called.

36°C Partly sunny 02:35 PM 05-09-2026

JSP Anatomy & Lifecycle Inspector: x New File at / - Nagalakshmi-sai: x + Ask Gemini

localhost:8080/JSPInspector/inspector.jsp

- 6. `_jspService()`**
The generated servlet processes the client's request and generates the HTML response.
- 7. Response**
Tomcat sends the generated HTML response back to the browser.
- 8. `jspDestroy()`**
When the JSP servlet is removed, its destroy lifecycle method is called.

JSP Directives Used

Page Directive	<code><%@ page ... %></code>
Language	Java
Content Type	text/html
Character Encoding	UTF-8
Session Enabled	true

JSP Anatomy & Lifecycle Inspector
Built using JSP Implicit Objects, Directives and JSP Lifecycle Concepts.

36°C Partly sunny 02:35 PM 05-09-2026