

L05-KEYED L06-EXT. DOOR


A96-CCC RE-MAP -

F9-OTHER

CPU 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG) : All FUNCs





**EXTERIOR** 

F9-OTHER


L05-KEYED L06-EXT. DOOR

A96-CCC RE-MAP -

R1000 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG) : All FUNCs





F8-BODY

**EXTERIOR** 

F9-OTHER

L03-POWER

L05-KEYED L06-EXT. DOOR

A96-CCC RE-MAP -


0.22

1.29

CPU 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants


TK - TRANSIT (V362)(CN-NANCHANG): All FUNCs





R1000 60 Day All Run Chart Cutoff Date: Apr 30, 2019

**CN: All Plants** 



0.97

1.82

0.85

F5-VEHICLE

F6-PAINT

F7-BODY

INTERIOR

F8-BODY

**EXTERIOR** 

F9-OTHER

**ENGINEERING** 

R07-WIND NOISE

S26-SEAT BELT

L03-POWER

L05-KEYED L06-EXT. DOOR

S01-FRONT SEAT S02-FRONT SEAT

A96-CCC RE-MAP -A98-CCC RE-MAP - 0.11

0.06

0.06

0.11 0.45

0.37

R14-WIND R30-OTHER WIND


F25-RUST R50-UNDERBODY F04-THIN/NO



CPU 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG) : All FUNCs



CPU		7.44	3.43	2.88	3.50	11.58	4.76	8.97	7.89	3.75	6.12	3.31	4.45	4.53	2.79	4.67	3.15	2.48	1.91	1.49	1.45	8.17	2.80	4.36	1.55	1.43	6.09	1.23	2.00
Div (1000s)		15.7	17.4	7.4	3.1	1.4	1.9	2.7	2.6	1.3	1.5	1.2	1.4	1.6	1.7	1.5	1.9	1.3	1.0	1.6	1.4	1.4	1.6	1.2	1.8	1.3	1.3	1.0	0.7
ALL FU	INCTIONs	2017	2018	2019	3МОР	17-01	17-02	17-03	17-04	17-05	17-06	17-07	17-08	17-09	17-10	17-11	17-12	18-01	18-02	18-03	18-04	18-05	18-06	18-07	18-08	18-09	18-10	18-11	18-12
F4-POWERTRAIN		5.57	1.80	1.91	2.50	10.61	3.75	5.33	6.36	1.95	4.54	0.51	2.08	2.12	2.09	2.81	1.38	0.96	0.74	0.42	0.79	6.57	0.96	2.60	0.99	0.82	4.53	0.25	1.87
F3-ELECTRICAL		0.48	0.31	0.26	0.49	0.19	0.27	0.50	0.38	0.25	0.23	0.21	0.74	0.52	0.09	0.33	0.27	0.46	0.10	0.16	0.14	0.27	0.42	0.02	0.05	0.02	0.94	0.26	0.01
F2-CHASSIS		0.47	0.54	0.33	0.23	0.15	0.38	0.83	0.51	0.87	0.59	1.35	0.58	0.73	0.36	1.27	0.10	0.54	0.07	0.25	0.12	0.69	0.61	0.71	0.27	0.28	0.26	0.27	0.12
F7-BODY INTERIO	R	0.30	0.36	0.22	0.15	0.09	0.11	0.47	0.33	0.31	0.58	0.52	0.54	0.57	0.09	0.05	0.51	0.17	0.54	0.35	0.25	0.46	0.28	0.60	0.10	0.27	0.29	0.10	-
F6-PAINT		-	0.07	0.04	0.10	-	-	-	-	-	-	0.04	-	-	-	0.11	0.50	0.06	-	-	-	-	-	-	-	-	-	0.32	-
F8-BODY EXTERIO	)R	0.34	0.34	0.12	0.04	0.42	0.22	0.55	0.32	0.37	0.17	0.67	0.47	0.58	0.15	0.08	0.37	0.24	0.46	0.31	0.12	0.16	0.53	0.43	0.14	0.02	0.06	0.03	-
F5-VEHICLE ENGIN	NEER	0.00	0.01	-	-	-	-	-	-	-	0.02	-	-	0.01	-	0.03	0.01	0.05	-	-	0.02	0.01	0.01	-	-	-	-	-	-
F9-OTHER		0.28	0.00	-	-	0.11	0.03	1.29	-	-	-	-	0.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Top 3 CCC	Top 3 CCC by Function		2018	2019	3МОР	17-01	17-02	17-03	17-04	17-05	17-06	17-07	17-08	17-09	17-10	17-11	17-12	18-01	18-02	18-03	18-04	18-05	18-06	18-07	18-08	18-09	18-10	18-11	18-12
F2-CHASSIS	L68-POWER	0.12	0.06	0.05	0.06	-	0.02	0.38	0.14	0.01	0.03	0.08	-	-	0.28	0.26	0.01	0.02	-	-	-	-	-	-	0.08	-	0.15	-	-
	H04-PARKING	0.02	0.04	0.05	0.06	-	0.01	-	0.03	0.13	-	-	-	-	-	-	-	-	-	0.07	-	0.32	0.07	0.09	-	0.09	-	0.19	-
	H22-STEERING -	-	0.01	0.02	0.04	-	-	-	-	-	-	-	-	0.09	-	0.02	-	-	-	-	-	-	-	-	-	-	0.10	-	-
F3-ELECTRICAL	A78-CONNECTOR	0.02	0.02	0.11	0.27	0.00	-	-	-	0.07	-	-	-	-	0.04	0.15	0.04	-	-	-	-	-	-	-	-	-	0.63	-	-
	A92-WIRING	0.04	0.05	0.05	0.13	-	-	-	0.07	-	0.05	-	0.19	0.18	0.01	0.01	0.05	0.08	-	0.02	0.02	-	0.02	-	-	-	0.31	-	-
	C27-POWER	0.07	0.01	0.07	0.06	0.12	-	-	0.19	-	-	-	0.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-
F4-POWERTRAIN	L73-AT-	-	-	0.59	1.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.28	-	-
	D50-OTHER	2.11	0.68	0.41	0.75	0.44	1.16	3.43	4.15	0.13	3.41	0.40	0.10	0.74	0.47	0.03	0.07	0.57	-	-	-	6.12	-	0.55	-	0.27	0.51	0.15	1.87
	L85-FLUID LEAKS -	-	-	0.05	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	-	-
F5-VEHICLE	R07-WIND NOISE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-1	-	-	-	-
ENGINEERING	R14-WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R30-OTHER WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F6-PAINT	F04-THIN/NO	-	-	0.04	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	-
	F25-RUST	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R50-UNDERBODY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F7-BODY	S03-FRONT ROW	-	-	0.04	0.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	-	-
INTERIOR	C20-OTHER	0.01	-	0.01	0.03	-	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-	-	-	0.10	-
	B81-INSTRUMENT	-	-	0.00	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	-	-
F8-BODY	B64-EXTERIOR	0.00	-	0.01	0.02	-	-	-	0.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	-
EXTERIOR	B15-BODY PANEL	0.00	0.00	0.00	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	-	-	-	-	-	-	0.03	-
	B63-EXTERIOR	0.01	0.00	0.00	0.01	-	-	0.01	0.01	-	-	0.01	-	-	-	0.01	-	-	-	-	-	-	-	-	-	-	0.01	-	-
F9-OTHER	*-	0.28	-	-	-	0.11	0.03	1.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A96-CCC RE-MAP -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A98-CCC RE-MAP -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-

Page: 5 CONFIDENTIAL Contact: AWS Help Desk 313-206-2790 May 1, 2019 6:53:21 PM





R1000 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG): All FUNCs

3 MIS





4																													
Total R/1000		2017	2018	2019	3MOP	17-01	17-02	17-03	17-04	17-05	17-06	17-07	17-08	17-09	17-10	17-11	17-12	18-01	18-02	18-03	18-04	18-05	18-06	18-07	18-08	18-09	18-10	18-11	18-12
R/1000	***		30.03	16.12	12.71	39.60	36.55	40.06	31.62	38.83	40.44	36.69	45.32	35.34	19.99	25.05	25.27	27.78	26.01	33.40	25.94	28.89	32.77	20.66	19.54	14.46	19.70	10.67	3.78
Div (1000s)		15.7	17.4	7.4	3.1	1.4	1.9	2.7	2.6	1.3	1.5	1.2	1.4	1.6	1.7	1.5	1.9	1.3	1.0	1.6	1.4	1.4	1.6	1.2	1.8	1.3	1.3	1.0	0.7
ALL FU	INCTIONs	2017	2018	2019	3MOP	17-01	17-02	17-03	17-04	17-05	17-06	17-07	17-08	17-09	17-10	17-11	17-12	18-01	18-02	18-03	18-04	18-05	18-06	18-07	18-08	18-09	18-10	18-11	18-12
F4-POWERTRAIN		13.99	6.66	6.55	4.76	21.60	15.89	11.98	11.71	10.30	9.78	4.27	10.07	4.96	6.06	3.39	6.45	6.76	7.71	5.78	8.65	8.89	7.56	7.44	8.38	7.61	8.33	2.91	1.20
F2-CHASSIS		5.15	5.11	3.86	3.51	2.88	5.30	7.49	6.64	6.34	7.18	11.09	9.35	8.06	3.63	7.45	2.15	4.50	1.93	5.14	2.16	2.96	3.78	4.96	3.35	3.81	5.30	2.91	1.37
F3-ELECTRICAL		6.87	7.24	1.67	1.58	6.48	5.83	5.24	4.68	7.92	13.05	6.83	10.79	12.40	4.85	8.80	7.53	9.76	4.82	5.78	3.60	5.19	5.67	1.65	2.23	0.76	1.52	1.94	1.20
F7-BODY INTERIOR	R	4.45	4.59	2.11	1.58	2.16	4.24	7.86	4.29	7.13	4.57	4.27	8.63	3.72	1.82	1.35	2.15	0.75	5.78	7.71	5.76	7.41	6.93	3.31	2.79	0.76	3.03	0.97	-
F8-BODY EXTERIO	)R	5.60	5.51	1.82	0.96	5.76	4.77	7.11	4.29	7.13	5.22	9.39	5.76	5.58	3.63	2.03	5.38	3.75	5.78	8.99	5.04	3.70	7.56	3.31	2.79	1.52	1.52	0.97	-
F6-PAINT		-	0.34	0.11	0.31	-	-	-	-	-	-	0.85	-	-	-	1.35	1.08	0.75	-	-	-	-	-	-	-	-	-	0.97	-
F5-VEHICLE ENGIN	NEER	0.13	0.52	-	-	-	-	-	-	-	0.65	-	-	0.62	-	0.68	0.54	1.50	-	-	0.72	0.74	1.26	-	-	-	-	-	-
F9-OTHER		0.25	0.06	-	-	0.72	0.53	0.37	-	-	-	-	0.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Top 3 CCCs	s by Function	2017	2018	2019	3МОР	17-01	17-02	17-03	17-04	17-05	17-06	17-07	17-08	17-09	17-10	17-11	17-12	18-01	18-02	18-03	18-04	18-05	18-06	18-07	18-08	18-09	18-10	18-11	18-12
F2-CHASSIS	L68-POWER	0.64	0.46	0.75	1.28	-	0.53	1.12	0.78	0.79	0.65	0.85	-	-	2.42	0.68	0.54	0.75	-	-	-	-	-	-	0.56	-	3.03	-	-
	N17-NOISY	0.06	0.29	0.26	0.64	-	0.53	-	-	-	-	-	0.72	-	-	-	-	-	-	2.57	-	-	-	-	-	-	0.76	0.97	-
	N54-SQUEAK/	0.64	0.23	0.25	0.32	0.72	1.06	1.12	0.78	-	-	-	0.72	-	-	2.03	-	-	-	-	-	-	-	-	0.56	-	-	-	1.37
F3-ELECTRICAL	A78-CONNECTOR	0.38	0.23	0.14	0.32	0.72	-	-	-	0.79	-	-	-	-	0.61	1.35	0.54	-	-	-	-	-	-	-	-	-	0.76	-	-
	A92-WIRING	0.19	1.15	0.12	0.31	-	-	-	0.39	-	0.65	-	1.44	3.72	1.21	1.35	0.54	3.00	-	0.64	0.72	-	0.63	-	-	-	0.76	-	-
	C27-POWER	0.32	0.06	0.22	0.31	0.72	-	-	0.78	-	-	-	0.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.97	-
F4-POWERTRAIN	D50-OTHER	2.80	1.21	1.12	1.90	2.88	3.18	4.12	3.51	1.58	3.26	2.56	0.72	1.24	1.82	0.68	1.08	2.25	-	-	-	4.44	-	1.65	-	0.76	2.27	1.94	1.20
	L74-MT-	1.34	0.80	1.19	0.94	2.16	1.06	1.12	1.56	2.38	-	0.85	0.72	1.86	-	-	-	0.75	0.96	1.28	0.72	-	2.52	0.83	0.56	3.04	1.52	0.97	-
	E29-WARNING	1.46	1.15	0.74	0.32	1.44	1.06	1.50	1.17	2.38	1.96	-	1.44	0.62	1.21	-	-	0.75	4.82	0.64	2.16	1.48	1.89	0.83	2.23	-	0.76	-	-
F5-VEHICLE	R07-WIND NOISE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENGINEERING	R14-WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R30-OTHER WIND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F6-PAINT	F04-THIN/NO	-	-	0.11	0.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.97	-
	F25-RUST	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	R50-UNDERBODY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F7-BODY	B81-INSTRUMENT	-	-	0.24	0.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.52	-	-
INTERIOR	L67-DOME/MAP/	0.25	-	0.14	0.32	-	0.53	0.37	0.39	0.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.76	-	-
	S03-FRONT ROW	-	-	0.11	0.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.76	-	-
F8-BODY	B63-EXTERIOR	0.19	0.11	0.14	0.32	-	-	0.37	0.39	-	-	0.85	-	-	-	0.68	-	-	-	-	-	-	-	-	-	-	0.76	-	-
EXTERIOR	B64-EXTERIOR	0.06	-	0.14	0.32	-	-	-	0.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.76	-	-
	B15-BODY PANEL	0.06	0.06	0.12	0.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.72	-	-	-	-	-	-	0.97	-
F9-OTHER	*-	0.25	-	-	-	0.72	0.53	0.37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A96-CCC RE-MAP -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A98-CCC RE-MAP -																												

Page: 6 CONFIDENTIAL Contact: AWS Help Desk 313-206-2790 May 1, 2019 6:53:21 PM



C02-A/C NOT COLD

L28-HEADLIGHT/

**B19-OTHER BODY** 

A96-CCC RE-MAP -A98-CCC RE-MAP -

L09-LATCH

F8-BODY

**EXTERIOR** 

F9-OTHER

0.0 0.2 0.3 0.3

0.3 0.2 0.2 0.5 1.0 0.1

0.2 0.1 0.1 0.2


0.2 0.3 0.0

0.2 0.4 0.2 CPU 60 Day All Run Chart Cutoff Date: Apr 30, 2019

**CN: All Plants** 

TK - TRANSIT (V362)(CN-NANCHANG): All FUNCs

**12 MIS** 



CONFIDENTIAL May 1, 2019 6:53:21 PM Page: 7 Contact: AWS Help Desk 313-206-2790

0.0

0.3 0.2 0.3

0.6

0.0 0.2 0.0

0.5

0.1

0.2 0.2 0.1 0.1 0.1 0.2 0.0 0.0 0.0 0.1 0.1 0.2 0.2 0.1 0.2 0.0 0.3

0.3

0.2

0.1 0.2 0.0 0.7 0.3 0.2 0.6 0.2 0.3 0.1 0.4 0.5 0.5 0.3 0.2 0.3 0.3 0.2

0.3 0.4 0.2 0.0 0.0 0.1 0.2 0.2 0.5 0.1 0.1 0.3 0.5 0.6

0.1 0.3 0.2 0.4 0.4 0.7 0.9 0.5 0.5 0.2 0.5 0.3 0.3 0.2

0.0

0.1 0.0 1.3



**EXTERIOR** 

F9-OTHER

**B19-OTHER BODY** 

A96-CCC RE-MAP -

L08-OUTSIDE

3.8 1.7 3.3 4.6

3.8 0.8 0.9 2.1

3.8 0.5 0.1

6.1 5.6 2.5

6.1


12.0

R1000 60 Day All Run Chart Cutoff Date: Apr 30, 2019

CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG): All FUNCs

12 MIS



3.7 2.2 0.7 2.1 1.5 23 1.6 1.3 0.9 3.6 1.9 6.1 4.7 1.6 3.8 1.9 7.3

1.4 0.5 1.9 0.4

0.7 0.5 0.4

0.9 0.7

1.2

0.6

3.9 2.6

2.8 1.3


2.5 1.4 1.3 1.8

Page: 8 CONFIDENTIAL Contact: AWS Help Desk 313-206-2790 May 1, 2019 6:53:21 PM



CPU 60 Day All Fireworks Chart Cutoff Date: Apr 30, 2019
CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG) : All FUNCs




◆ 2019 ◆ 2018 ◆ 2017

CPU	0	1	2		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
2017	0	2	2	4	7	11	16	20	24	28	33	36	40	43	48	51	55	57	60	63	66	69	72	75	77	80	82	85	88	90	91	91	91
2018	0	1		2	3	6	8	10	13	15	17	20	22	24	27	29	32	37	39	41	45	48											
2019	0	1		1	3	5	5	7	8	9																							



R/1000 60 Day All Fireworks Chart Cutoff Date: Apr 30, 2019 CN: All Plants

TK - TRANSIT (V362)(CN-NANCHANG) : All FUNCs



<b>2</b> 019	<b>2018</b>	<b>2</b> 017

R/1000	0	1	2	3	4	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
2017	1	10	) 23	3 ;	36	54	72	91	111	128	146	164	182	198	217	235	249	262	276	291	306	319	332	345	354	363	372	381	390	402	409	414	414
2018	0	3	3 20	) ;	30	45	61	76	93	108	123	137	151	167	182	196	211	229	241	257	281	294	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0
2019	0		5 10	) .	16	27	35	44	56	68	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0	/0