

# G.Ea. Patient Summary

## Patient Study Based on Lesion Graph

**Lesion Count According to Classification**

| Time Layer | complex | disappeared | lone | merged | new | persistent | split |
|------------|---------|-------------|------|--------|-----|------------|-------|
| 0          | 0       | 0           | 0    | 0      | 4   | 0          | 0     |
| 1          | 0       | 0           | 0    | 0      | 4   | 4          | 0     |
| 2          | 0       | 0           | 0    | 0      | 2   | 8          | 0     |
| 3          | 0       | 0           | 0    | 0      | 0   | 10         | 0     |

**Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous**

**One**

| Time Stamp | Total Volume [cc] | Volume Difference Percentage | Volume Difference [cc] |
|------------|-------------------|------------------------------|------------------------|
| 0          | 0.48              | -                            | -                      |
| 1          | 1.01              | +109%                        | +0.53                  |
| 2          | 1.18              | +17%                         | +0.17                  |
| 3          | 1.52              | +29%                         | +0.34                  |

# Individual Lesion Changes

## New Lesions

No new lesions had appeared.

## Disappeared Lesions

Over time, no lesions disappeared.

## Lesions Appearing in Multiple Scans







