# B_B_S_ Patient Summary
# Patient Study Based on Lesion Graph

**Lesion Count According to Classification**

| Time Layer | complex | disappeared | lone | merged | new | persistent | split |
|------------|---------|-------------|------|--------|-----|------------|-------|
| 0 | 0 | 0 | 1 | 0 | 5 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 6 | 5 | 0 |
| 2 | 0 | 3 | 0 | 0 | 1 | 8 | 0 |
| 3 | 0 | 0 | 2 | 1 | 0 | 7 | 0 |

**Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous One**

| Time Stamp | Total Volume [cm³] | Volume Difference Percentage | Volume Difference [cm³] |
|------------|--------------------|-----------------------------|--------------------------|
| 0 | 0.4 | - | - |
| 1 | 1.32 | +233% | +0.93 |
| 2 | 1.11 | -16% | -0.21 |
| 3 | 0.95 | -14% | -0.16 |

# Individual Lesion Changes

## New Lesions

Lesions 5, 8 appeared for the first time in the last scan.

## Disappeared Lesions

Over time, 3 lesions disappeared.
0 lesions were last identified in 30.04.19.
3 lesions were last identified in 06.08.19.
0 lesions were last identified in 27.10.19.

## Lesions Appearing in Multiple Scans

## First timeline

| 0.16cm³ | doesn't appear | 0.08cm³ | doesn't appear |
|---|---|---|---|

-50%

6 → 14 → 8 → 10

| 30.04.19 | 06.08.19 | 27.10.19 | 21.01.20 |
|---|---|---|---|

## Second timeline

| 0.04cm³ | 0.06cm³ | 0.02cm³ | 0.11cm³ |
|---|---|---|---|

1 — +51% → 1 — -61% → 1 — +384% → 1

| 30.04.19 | 06.08.19 | 27.10.19 | 21.01.20 |
|---|---|---|---|

## Third timeline

| 0.06cm³ | 0.18cm³ | 0.11cm³ | 0.12cm³ |
|---|---|---|---|

5 — +179% → 8 — -40% → 10 — +10% → 6

| 30.04.19 | 06.08.19 | 27.10.19 | 21.01.20 |
|---|---|---|---|

0.03cm³      0.09cm³      0.03cm³      0.1cm³

7 — +193% → 11 — -67% → 12 — +270% → 7

30.04.19      06.08.19      27.10.19      21.01.20

0.23cm³          0.15cm³          0.18cm³

3 — -32% → 2 — +17% → 2

06.08.19          27.10.19          21.01.20

0.08cm³          0.04cm³          0.22cm³

4 — -48% → 4 — +440% → 3

06.08.19          27.10.19          21.01.20