# IM0 Patient Summary Patient Study Based on Lesion Graph

#### **Lesion Count According to Classification**

| Time Layer | complex | disappeared | lone | merged | new | persistent | split |
|------------|---------|-------------|------|--------|-----|------------|-------|
| 0          | 0       | 0           | 0    | 0      | 7   | 0          | 0     |
| 1          | 0       | 2           | 0    | 0      | 1   | 5          | 0     |
| 2          | 0       | 0           | 0    | 0      | 0   | 6          | 0     |

# Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous One

| Time Stamp | Total Volume [cm³] | Volume Difference Percentage | Volume Difference [cm³] |
|------------|--------------------|------------------------------|-------------------------|
| 0          | 17.63              | -                            | -                       |
| 1          | 24.63              | +40%                         | +6.99                   |
| 2          | 19.25              | -22%                         | -5.38                   |

# **Individual Lesion Changes**

#### **New Lesions**

No new lesions had appeared.


## **Disappeared Lesions**

Over time, 2 lesions disappeared. They were last identified in 04.05.21.


### **Lesions Appearing in Multiple Scans**










07.09.20 04.05.21 15.07.21











07.09.20 04.05.21 15.07.21



04.05.21 15.07.21