B. T. Patient Summary
Patient Study Based on Lesion Graph

Lesion Count According to Classification

Time Layer	complex	disappeared	lone	merged	new	persistent	split
0	0	0	0	0	8	0	2
1	0	14	5	0	0	5	0
2	0	0	1	0	0	5	0

Tracking the Changes in the Total Volume of the Tumors From One Scan to the Previous One

| Time Stamp	Total Volume [cm³]	Volume Difference Percentage	Volume Difference [cm³]
0	51.14	-	-
1	67.0	+31%	+15.86
2	1.09	-98%	-65.9

Individual Lesion Changes

New Lesions
Lesion 3 appeared for the first time in the last scan.

Disappeared Lesions
Over time, 14 lesions disappeared.
They were last identified in 18.02.19.

Lesions Appearing in Multiple Scans

3.43cm³		5.43cm³		0.17cm³
2	+58%	3	-97%	1

18.01.19	18.02.19	05.05.19

31.17cm³ 8.13cm³ 0.26cm³
3 0.21cm³ 0.24cm³
10 4
0.04cm³ 2
8
6.74cm³
4
13.45cm³
5
0.35cm³
13
3.04cm³
15
7.68cm³
7
9

18.01.19 18.02.19 05.05.19

10.94cm³   11.0cm³   0.06cm³

7 —— +12% —▶ 20   5

    +12%   1.21cm³   -95%

         —▶ 19

    +12%

    0.06cm³

         23

18.01.19   18.02.19   05.05.19

3.34cm³   4.77cm³   0.26cm³

8 —— +43% ——▶ 21 —— -95% ——▶ 6

18.01.19   18.02.19   05.05.19