NAME:	Pulluru Sathvik
ID:	2400032783
SECTION:	S-8
SUBJECT:	FULL STACK APPLICATION DEVELOPMENT

#SKILL - 11 React API Integration - Fetching Data Using Fetch API, Axios & Local JSON

Tasks:

Part A – Fetching from Local JSON

1. **Create a users.json file inside the public folder with 5–6 user records, and build a LocalUserList component using fetch() to load and display the data with name, email, phone, and loading/error states.**

<u>Output:-</u>





Part B – Fetching from JSONPlaceholder

2. Create a UserList component using fetch() to call https://jsonplaceholder.typicode.com/users Display name, email, phone with loading and error handling.



Output:-

https://jsonplaceholder.typicode.com/users

Pretty-print


```
[
  {
    "id": 1,
    "name": "Leanne Graham",
    "username": "Bret",
    "email": "Sincere@april.biz",
    "address": {
      "street": "Kulas Light",
      "suite": "Apt. 556",
      "city": "Gwenborough",
      "zipcode": "92998-3874",
      "geo": {
        "lat": "-37.3159",
        "lng": "81.1496"
      }
    },
    "phone": "1-770-736-8031 x56442",
    "website": "hildegard.org",
    "company": {
      "name": "Romaguera-Crona",
      "catchPhrase": "Multi-layered client-server neural-net",
      "bs": "harness real-time e-markets"
    }
  },
  {
    "id": 2,
    "name": "Ervin Howell",
    "username": "Antonette",
    "email": "Shanna@melissa.tv",
    "address": {
      "street": "Victor Plains",
      "suite": "Suite 879",
      "city": "Wisokyburgh",
      "zipcode": "90566-7771",
      "geo": {
        "lat": "-43.9509",
        "lng": "-34.4618"
      }
    },
    "phone": "010-692-6593 x09125",
    "website": "anastasia.net",
    "company": {
      "name": "Deckow-Crist",
      "catchPhrase": "Proactive didactic contingency",
      "bs": "synergize scalable supply-chains"
```


Part C – Fetching from Fake API

3. Create a FakePostList component using axios to call any ONE API, such as:

a. https://dummyjson.com/posts OR

b. https://fakestoreapi.com/products , Display fields such as title, body, or description, and add a Refresh button to reload data.

Output:-

EXPLORER

EXP11

fsad-project
- node_modules
- public
  - favicon.ico
  - index.html
  - logo192.png
  - logo512.png
  - manifest.json
  - robots.txt
  - users.json
- src
  - components
    - Dashboard.jsx
    - FakePostList.jsx
    - LocalUserList.jsx
    - UserList.jsx
  - App.css
  - App.js
  - App.test.js
  - index.css
  - index.js
  - logo.svg
  - reportWebVitals.js
  - setupTests.js
- .gitignore
- package-lock.json
- package.json
- README.md

OUTLINE

TIMELINE

LocalUserList.jsx | UserList.jsx | users.json | FakePostList.jsx | Dashboard.jsx

fsad-project > src > components > FakePostList.jsx > default

```
import React, { useEffect, useState } from "react";
import axios from "axios";

function FakePostList() {
  const [posts, setPosts] = useState([]);
  const [filtered, setFiltered] = useState([]);
  const [loading, setLoading] = useState(true);
  const [userId, setUserId] = useState("");

  const fetchPosts = async () => {
    try {
      setLoading(true);
      const res = await axios.get("https://dummyjson.com/posts");
      setPosts(res.data.posts);
      setFiltered(res.data.posts);
      setLoading(false);
    } catch {
      setLoading(false);
    }
  };

  useEffect(() => {
    fetchPosts();
  }, []);

  const handleFilter = (e) => {
    const value = e.target.value;
    setUserId(value);

    if (value === "") {
      setFiltered(posts);
    } else {
      setFiltered(posts.filter(p => p.userId == value));
    }
  };
```



Part D – Integration & Navigation

4. Create a Dashboard/Home component containing three hyperlinks/buttons:

a. Local Users b. Users API c. Fake API Posts Each link should open its respective component.

<u>Output:-</u>



5. Import Dashboard into App.jsx so all components can be accessed through hyperlinks instead of writing them directly in App.js.
6. Add a dropdown filter in FakePostList (or PostList) to filter data based on API fields (userId or category).
7. Apply basic CSS styling to keep the UI neat and readable.







8. Push the React project to GitHub.







GitHub Repo - https://github.com/PulluruSathvik/skillab11/tree/main