


EBS

Elastic Block Storage







1. Choose AMI

Step 2: Choose an Instance Type

Currently selected: t2.micro (Variable ECUs, 1 vCPUs, 2.5 GHz, Intel Xeon Family, 1 GiB memory, EBS only)


Family	Type +	vCPUs (i) +	Memory (GiB)	Instance Storage (GB) (i) 🔻	EBS-Optimized Available (i) 🔻	Network Performance (i)	IPv6 Support
General purpose	t2.nano Se	lection of Instance	e type _{0.5}	EBS only	-	Low to Moderate	Yes
General purpose	t2.micro Free tier eligible	1	1	EBS only	-	Low to Moderate	Yes
General purpose	t2.small	1	2	EBS only	-	Low to Moderate	Yes
General purpose	t2.medium	2	4	EBS only	-	Low to Moderate	Yes
General purpose	t2.large	2	8	EBS only	-	Low to Moderate	Yes
General purpose	t2.xlarge	4	16	EBS only	-	Moderate	Yes
General purpose	t2.2xlarge	8	32	EBS only	-	Moderate	Yes
General purpose	t3.nano	2	0.5	EBS only	Yes	Up to 5 Gigabit	Yes
General purpose	t3.micro	2	1	EBS only	Yes	Up to 5 Gigabit	Yes
General purpose	t3.small	2	2	EBS only	Yes	Up to 5 Gigabit	Yes

Cancel

Previous

Review and Launch

Next: Configure Instance Details



7. Review

6. Configure Security Group

Step 4: Add Storage

2. Choose Instance Type


1. Choose AMI

Your instance will be launched with the following storage device settings. You can attach additional EBS volumes and instance store volumes to your instance, or edit the settings of the root volume. You can also attach additional EBS volumes after launching an instance, but not instance store volumes. Learn more about storage options in Amazon EC2.

5. Add Tags

4. Add Storage

3. Configure Instance





1. Choose AMI

2. Choose Instance Type

Configure Instance

4. Add Storage

5. Add Tags 6

6. Configure Security Group

7. Review

Step 5: Add Tags

A tag consists of a case-sensitive key-value pair. For example, you could define a tag with key = Name and value = Webserver.

A copy of a tag can be applied to volumes, instances or both.


Tags will be applied to all instances and volumes. Learn more about tagging your Amazon EC2 resources.



1. Choose AMI 2. Choose Instance Type 3. Configure Instance 4. Add Storage 5. Add Tags 6. Configure Security Group 7. Review

Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. Learn more about Amazon EC2 security groups.





Step 7: Review Instance Launch

▼ Instance Type

Instance Type	ECUs	vCPUs	Memory (GiB)	Instance Storage (GB)	EBS-Optimized Available	Network Performance
t2.micro	Variable	1	1	EBS only	-	Low to Moderate

▼ Security Groups

Edit security groups

Edit instance type

Security group name Description Win-port

launch-wizard-1 created 2019-01-21T07:26:35.269+05:30

Type (j)	Protocol (i)	Port Range (i)	Source (j	Description (i)
Custom TCP Rule	TCP	3369	0.0.0.0/0	
Custom TCP Rule	TCP	3369	::/0	
HTTP	TCP	80	0.0.0.0/0	
HTTP	TCP	80	::/0	

▶ Instance Details

Edit instance details

▶ Storage

Edit storage


▶ Tags


Edit tags 💌


Cancel Previous


s Launch


stance Launch




















Created

January 21, 2019 at ...

January 16, 2019 at ...

January 16, 2019 at ...

January 16, 2019 at...

January 16, 2019 at...

January 16, 2019 at...

January 16, 2019 at...

January 14, 2019 at ...

January 7, 2019 at

January 6, 2019 at ...

January 6, 2019 at

US

