

Cucumber Report

Feb 13, 2026, 6:13:36 PM

Start : Feb 13, 6:10:28.074 PM

End : Feb 13, 6:13:35.040 PM

Duration : 3 m 6.966 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>System configuration page</u>	3 m 6.966 s	4	0	4	0	8	0	4	4

#	Feature Name	Scenario Name
1	<u>System configuration page</u>	<u>User with view role able to edit an existing country</u>
2		<u>User with edit role able to edit an existing country</u>
3		<u>User with delete role able to edit an existing country</u>
4		<u>User with create role able to add a new country with active status</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	4	0	4	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>System configuration page</u>	4	0	4	0	3 m 6.966 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>System configuration page</u>	<u>User with view role able to edit an existing country</u>	2	0	1	1	3 m 6.955 s
2		<u>User with edit role able to edit an existing country</u>	2	0	1	1	45.443 s
3		<u>User with delete role able to edit an existing country</u>	2	0	1	1	1 m 31.381 s
4		<u>User with create role able to add a new country with active status</u>	2	0	1	1	2 m 18.729 s

System configuration page

FAILED	DURATION - 3 m 6.966 s	Scenarios		Steps	
/ 6:10:28.074 PM // 6:13:35.040 PM /		Total - 4		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 4	

User with view role able to edit an existing country

FAILED DURATION - 3 m 6.955 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1		
/ 6:10:28.085 PM // 6:13:35.040 PM /					
System configuration page					
@smoke					

#	Step / Hook Details	Status	Duration
1	Given I login as role "viewer" <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError' stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.PageImpl.fill(PageImpl.java:766) at com.microsoft.playwright.Page.fill(Page.java:4745) at com.cro.playwright.SessionManager.createOrReuse(SessionManager.java:76) at steps.LoginSteps.i_login_as_role(LoginSteps.java:19) at ?.I login as role "viewer"(classpath:features/SystemConfiguration/system_configuration.feature:44) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError'</pre>	FAILED	3 m 6.926 s

#	Step / Hook Details	Status	Duration
	<pre>stack=TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) * Not displayable characters are replaced by '?'. </pre>		
2	When the user is on the country management page	SKIPPED	0.000 s

User with edit role able to edit an existing country

FAILED DURATION - 45.443 s / 6:10:28.098 PM // 6:11:13.541 PM / System configuration page @smoke		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I login as role "editor" <pre>com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.PageImpl.fill(PageImpl.java:766) at com.microsoft.playwright.Page.fill(Page.java:4745) at com.cro.playwright.SessionManager.createOrReuse(SessionManager.java:76) at steps.LoginSteps.i_login_as_role(LoginSteps.java:19) </pre>	FAILED	45.331 s

#	Step / Hook Details	Status	Duration
	at ?.I login as role "editor"(classpath:features/SystemConfiguration/system_configuration.feature:23) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) * Not displayable characters are replaced by '?'.		
2	When the user is on the country management page	SKIPPED	0.004 s

User with delete role able to edit an existing country

FAILED DURATION - 1 m 31.381 s / 6:10:28.098 PM // 6:11:59.479 PM / System configuration page @smoke		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I login as role "deletor" com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.PageImpl.fill(PageImpl.java:766) at com.microsoft.playwright.Page.fill(Page.java:4745) at com.cro.playwright.SessionManager.createOrReuse(SessionManager.java:76)	FAILED	1 m 31.367 s

#	Step / Hook Details	Status	Duration
	at steps.LoginSteps.i_login_as_role(LoginSteps.java:19) at ?.I login as role "deletor"(classpath:features/SystemConfiguration/system_configuration.feature:33) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) * Not displayable characters are replaced by '?'.		
2	When the user is on the country management page	SKIPPED	0.000 s

User with create role able to add a new country with active status

FAILED DURATION - 2 m 18.729 s / 6:10:28.108 PM // 6:12:46.837 PM / System configuration page @smoke		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given I login as role "creator" com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.WaitableResult.get(WaitableResult.java:52) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:138) at com.microsoft.playwright.impl.Connection.sendMessage(Connection.java:131) at com.microsoft.playwright.impl.ChannelOwner.sendMessage(ChannelOwner.java:124) at com.microsoft.playwright.impl.FrameImpl.fill(FrameImpl.java:310) at com.microsoft.playwright.impl.PageImpl.fill(PageImpl.java:766) at com.microsoft.playwright.Page.fill(Page.java:4745)	FAILED	2 m 18.701 s

#	Step / Hook Details	Status	Duration
	<pre>at com.cro.playwright.SessionManager.createOrReuse(SessionManager.java:76) at steps.LoginSteps.i_login_as_role(LoginSteps.java:19) at ?.I login as role "creator"(classpath:features/SystemConfiguration/system_configuration.feature:12) Caused by: com.microsoft.playwright.TimeoutError: Error { message='Timeout 30000ms exceeded. name='TimeoutError stack='TimeoutError: Timeout 30000ms exceeded. at ProgressController.run (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\progress.js:68:28) at FrameDispatcher._runCommand (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java-868987840816986776\package\lib\server\dispatchers\dispatcher.js:95:31) at DispatcherConnection.dispatch (C:\Users\SHIRIS~1\AppData\Local\Temp\playwright-java- 868987840816986776\package\lib\server\dispatchers\dispatcher.js:329:39) } Call log: - - waiting for locator("#username") at com.microsoft.playwright.impl.Connection.dispatch(Connection.java:257) at com.microsoft.playwright.impl.Connection.processOneMessage(Connection.java:214) at com.microsoft.playwright.impl.ChannelOwner.runUntil(ChannelOwner.java:136) * Not displayable characters are replaced by '?'. </pre>		
2	When the user is on the country management page	SKIPPED	0.003 s