

Most Severe Weather Events Impacting Health and Economy

STORM ANALYSIS

By Shirlene Paul

Synopsis

In this report we aim to answer some basic questions about severe weather events. Specifically, we try to identify which types of events are the most harmful to population health and the most deleterious to the economy. To answer these questions, we obtained the storm database from the U.S. National Oceanic and Atmospheric Administration's (NOAA). This database tracks characteristics of major storms and weather events in the United States, including estimates of any fatalities, injuries, and property and crop damage. From these data, we found that tornadoes and heat are the severe weather event types by far most dangerous to people, while flooding, hurricanes, and storm surges are the most costly event types to the economy. Interestingly, only flooding is one of the top three most dangerous or most costly event types.

About the Data

The weather events are divided into 13 groups:

-Convection (e.g. tornado, lightning, thunderstorm, hail) -Flood (e.g. flash flood, river flood) -Extreme temperatures (e.g. extreme cold, extreme hot) -Marine (e.g. tsunami, coastal storm, rip current, high waves, high seas) -Winter (e.g. avalanche, snow, blizzard, icy roads, freeze) -Tropical Cyclones (e.g. tropical storm, hurricane) -High Wind (e.g. winds, microburst) -Fire -Rain -Drought/Dust (e.g. drought, dust storm, dust) -Landslide -Fog -Others

Data Processing

```
#Setting WD
setwd("C:/Users/antona6/Desktop/reproducible research/Peer_Assessment2")

#Unzip and read .csv file into the variable data
unzip <- bzfile("repdata-data-StormData.csv.bz2", "r")
data <- read.csv(unzip, stringsAsFactors = FALSE)
close(unzip)
```

Select useful data

Subsetting data into variables that are needed and adding a new variable.

```
x <- which(colnames(data) %in% c("BGN_DATE", "PROPDMG", "CROPDGMG", "EVTYPE",
  "INJURIES", "FATALITIES"))
data <- data[, x]
head(data)
```

```
##      BGN_DATE EVTYPE FATALITIES INJURIES PROPDMG CROPDGMG
## 1 4/18/1950 0:00:00 TORNADO      0    15  25.0    0
## 2 4/18/1950 0:00:00 TORNADO      0     0   2.5    0
## 3 2/20/1951 0:00:00 TORNADO      0     2  25.0    0
## 4 6/8/1951 0:00:00 TORNADO      0     2   2.5    0
## 5 11/15/1951 0:00:00 TORNADO     0     2   2.5    0
## 6 11/15/1951 0:00:00 TORNADO     0     6   2.5    0
```

#Formatting date and time

```
data$YEAR <- as.integer(format(as.Date(data$BGN_DATE, "%m/%d/%Y 0:00:00"), "%Y"))
head(data)
```

```
##      BGN_DATE EVTYPE FATALITIES INJURIES PROPDMG CROPDGMG YEAR
## 1 4/18/1950 0:00:00 TORNADO      0    15  25.0    0 1950
## 2 4/18/1950 0:00:00 TORNADO      0     0   2.5    0 1950
## 3 2/20/1951 0:00:00 TORNADO      0     2  25.0    0 1951
## 4 6/8/1951 0:00:00 TORNADO      0     2   2.5    0 1951
## 5 11/15/1951 0:00:00 TORNADO     0     2   2.5    0 1951
## 6 11/15/1951 0:00:00 TORNADO     0     6   2.5    0 1951
```

#To uppercase

```
data$EVTYPE <- toupper(data$EVTYPE)
head(data)
```

```
##      BGN_DATE EVTYPE FATALITIES INJURIES PROPDMG CROPDGMG YEAR
## 1 4/18/1950 0:00:00 TORNADO      0    15  25.0    0 1950
## 2 4/18/1950 0:00:00 TORNADO      0     0   2.5    0 1950
## 3 2/20/1951 0:00:00 TORNADO      0     2  25.0    0 1951
## 4 6/8/1951 0:00:00 TORNADO      0     2   2.5    0 1951
## 5 11/15/1951 0:00:00 TORNADO     0     2   2.5    0 1951
## 6 11/15/1951 0:00:00 TORNADO     0     6   2.5    0 1951
```

creates new variable

```
data$ECONOMICDMG <- data$PROPDMG + data$CROPDGMG
head(data)
```

```
##      BGN_DATE EVTYPE FATALITIES INJURIES PROPDMG CROPDGMG YEAR
## 1 4/18/1950 0:00:00 TORNADO      0    15  25.0    0 1950
## 2 4/18/1950 0:00:00 TORNADO      0     0   2.5    0 1950
## 3 2/20/1951 0:00:00 TORNADO      0     2  25.0    0 1951
## 4 6/8/1951 0:00:00 TORNADO      0     2   2.5    0 1951
## 5 11/15/1951 0:00:00 TORNADO     0     2   2.5    0 1951
## 6 11/15/1951 0:00:00 TORNADO     0     6   2.5    0 1951
## ECONOMICDMG
## 1      25.0
## 2       2.5
## 3      25.0
## 4       2.5
## 5       2.5
## 6       2.5
```

```
# Select only positive value data
```

```
data <- subset(data, data$FATALITIES > 0 | data$ECONOMICDMG > 0 | data$INJURIES > 0)
head(data)
```

```
##      BGN_DATE  EVTYPE FATALITIES INJURIES PROPDMG CROPDMG YEAR
## 1 4/18/1950 0:00:00 TORNADO      0     15  25.0      0 1950
## 2 4/18/1950 0:00:00 TORNADO      0      0   2.5      0 1950
## 3 2/20/1951 0:00:00 TORNADO      0      2  25.0      0 1951
## 4 6/8/1951 0:00:00 TORNADO      0      2   2.5      0 1951
## 5 11/15/1951 0:00:00 TORNADO      0      2   2.5      0 1951
## 6 11/15/1951 0:00:00 TORNADO      0      6   2.5      0 1951
## ECONOMICDMG
## 1      25.0
## 2       2.5
## 3      25.0
## 4       2.5
## 5       2.5
## 6       2.5
```

Data aggregation

```
library(plyr)
```

```
# data aggregated by YEAR & EVTYPE.
```

```
##ddply -> For each subset of a data frame, apply function then combine results into a data frame.
```

```
eventYear <- ddply(data[, -1], .(YEAR, EVTYPE),
  .fun = function(x) {
    return(
      c(sum(x$FATALITIES), sum(x$ECONOMICDMG), sum(x$INJURIES))
    )
  }
)
names(eventYear) <- c("YEAR", "EVTYPE", "FATALITIES", "ECONOMICDMG", "INJURIES")
head(eventYear)
```

```
##  YEAR EVTYPE FATALITIES ECONOMICDMG INJURIES
## 1 1950 TORNADO      70  16999.15     659
## 2 1951 TORNADO      34  10560.99     524
## 3 1952 TORNADO     230  16679.74    1915
## 4 1953 TORNADO     519  19182.20    5131
## 5 1954 TORNADO      36  23367.82     715
## 6 1955 TORNADO     129  27715.63     926
```

Grouping the events We grouped the events by its related categories

#Function that calculates the events by categories (13 categories described in the synopsis)

#grepl -> search for matches to argument pattern within each element of a character vector

```
eventCategory <- function(x) {
  ev <- x$EVTYPE[1]
  if (grepl("LIG(H|N)T(N)ING|TORNADO|T(H|)U(N)|(DER|ER|DEER|DERE)(STORM|STROM|TORM)|TSTM|HAIL",
    ev)) {
    category <- "Convection"
  } else if (grepl("WINT(ER|RY)|ICE|AVALANC(H|)E|SNOW|BLIZZARD|FREEZ|ICY|FROST",
    ev)) {
    category <- "Winter"
  } else if (grepl("COLD|HEAT|HOT|TEMPERATURE|COOL|WARM", ev)) {
    category <- "Extreme Temp"
  } else if (grepl("FLOOD| FLD$", ev)) {
    category <- "Flood"
  } else if (grepl("COASTAL|TSUNAMI|RIP CURRENT|MARINE|WATERSPOUT|SURF|SLEET|SEAS|(HIGH|RISING|HEAVY) (WAVES|SWELLS|WATER)",
    ev)) {
    category <- "Marine"
  } else if (grepl("TROPICAL|HURRICANE|STORM SURGE|TYPHOON", ev)) {
    category <- "Tropical Cyclones"
  } else if (grepl("WIND|MICROBURST", ev)) {
    category <- "High Wind"
  } else if (grepl("FIRE", ev)) {
    category <- "Fire"
  } else if (grepl("RAIN|PRECIP", ev)) {
    category <- "Rain"
  } else if (grepl("DROUGHT|DUST", ev)) {
    category <- "Drought/Dust"
  } else if (grepl("LANDSLIDE|MUD.*SLIDE", ev)) {
    category <- "Landslide"
  } else if (grepl("FOG|VOG", ev)) {
    category <- "Fog"
  } else {
    category <- "Others"
  }

  x$EVGROUP <- rep(category, dim(x)[1])
  return(x)
}

eventYear <- ddply(eventYear, .(EVTYPE), .fun = eventCategory)
head(eventYear)
```

##	YEAR	EVTYPE	FATALITIES	ECONOMICDMG	INJURIES	EVGROUP
## 1	2001	HIGH SURF ADVISORY	0	200	0	Marine
## 2	2000	FLASH FLOOD	0	50	0	Flood
## 3	1999	TSTM WIND	0	100	0	Convection
## 4	2000	TSTM WIND	0	8	0	Convection
## 5	1998	TSTM WIND (G45)	0	8	0	Convection
## 6	1994	?	0	5	0	Others

```
#We organize the data to show FATALITIES, ECONOMICDMG and INJURIES  
#by YEAR and EVGROUP
```

```
groupYear <- ddply(eventYear, .(YEAR, EVGROUP), .fun = function(x) {  
  return(c(sum(x$FATALITIES), sum(x$ECONOMICDMG), sum(x$INJURIES)))  
})  
  
names(groupYear) <- c("YEAR", "EVGROUP", "FATALITIES", "ECONOMICDMG", "INJURIES")  
head(groupYear)
```

```
## YEAR EVGROUP FATALITIES ECONOMICDMG INJURIES  
## 1 1950 Convection 70 16999.15 659  
## 2 1951 Convection 34 10560.99 524  
## 3 1952 Convection 230 16679.74 1915  
## 4 1953 Convection 519 19182.20 5131  
## 5 1954 Convection 36 23367.82 715  
## 6 1955 Convection 129 27715.63 926
```

```
# calculate average annual damage by group  
eventFirstYear <- ddply(groupYear, .(EVGROUP), .fun = function(x) {  
  return(c(min(x$YEAR)))  
})  
names(eventFirstYear) <- c("Weather.Event", "First.Year")  
head(eventFirstYear)
```

```
## Weather.Event First.Year  
## 1 Convection 1950  
## 2 Drought/Dust 1993  
## 3 Extreme Temp 1993  
## 4 Fire 1993  
## 5 Flood 1993  
## 6 Fog 1993
```

As we can notice analysing the variable eventFirstYear, the weather event “Convection” has its occurency starting at the 50’s but the others events starts at 1993. In this section we subset the groupYear to analysis all the events starting from 1993

```
## start data analysis at 1993  
groupYear <- subset(groupYear, YEAR >= 1993)  
  
# calculate average annual damage by group  
byGroup <- ddply(groupYear, .(EVGROUP), .fun = function(x) {  
  return(c(mean(x$FATALITIES), mean(x$ECONOMICDMG), mean(x$INJURIES)))  
})  
names(byGroup) <- c("EVGROUP", "AVG.FATALITIES", "AVG.ECONOMICDMG", "AVG.INJURIES")  
head(byGroup)
```

##	EVGROUP	AVG.FATALITIES	AVG.ECONOMICDMG	AVG.INJURIES
## 1	Convection	154.894737	328814.5858	1883.68421
## 2	Drought/Dust	1.263158	2388.8053	25.63158
## 3	Extreme Temp	190.578947	1461.9379	503.31579
## 4	Fire	4.736842	7093.8963	84.63158
## 5	Flood	81.736842	148846.0779	456.89474
## 6	Fog	4.210526	898.6979	56.63158


Results

Results section 1 - Health Harmful Events

This histograms Show fatalities and injuries for weather events.

```
# Graph libraries
library(ggplot2)
library(scales)

# average annual populational damage by group of event
byGroup$EVGROUP <- with(byGroup, reorder(EVGROUP, -AVG.FATALITIES))
g <- ggplot(byGroup, aes(x = EVGROUP))
g + geom_histogram(aes(weight = AVG.FATALITIES, fill = AVG.FATALITIES), binwidth = 5,
  color = "black") + ggtitle("Average Fatalities") + ylab("# Fatalities") +
  xlab("Weather Event") + theme(axis.text.x = element_text(angle = 45, hjust = 1))
```




average annual populational damage by group of event

```
byGroup$EVGROUP <- with(byGroup, reorder(EVGROUP, -AVG.INJURIES))
```

```
g <- ggplot(byGroup, aes(x = EVGROUP))
```

```
g + geom_histogram(aes(weight = AVG.INJURIES, fill = AVG.INJURIES), binwidth = 1,  
  color = "black") + ggtitle("Average Injuries") + ylab("# Injuries") + xlab("Weather Event") +  
  theme(axis.text.x = element_text(angle = 45, hjust = 1))
```



Results section 2 - Economic Harm


Histogram of weather event harm to the economy.

average annual economical damage by group of event

```
byGroup$EVGROUP <- with(byGroup, reorder(EVGROUP, -AVG.ECONOMICDMG))
```

```
g <- ggplot(byGroup, aes(x = EVGROUP))
```

```
g + geom_histogram(aes(weight = AVG.ECONOMICDMG, fill = AVG.ECONOMICDMG), binwidth = 1,  
  color = "black") + ggtitle("Average Economic Damage") + ylab("Economic damage") +  
  xlab("Weather Event") + theme(axis.text.x = element_text(angle = 45, hjust = 1))
```



Conclusion

So based on the analysis performed above, we can notice that, the most harmful events for population are “Extreme temperatures” and “Convection” when we look at “Average Fatalities”. But, When we talk about “Average Injuries”, we have the same events, but in a different order - “Convection” and “Extreme Temperatures”.

Now, looking at Economic damage, the extremely harmful events for economy are “Convection” and “Flood”.