

ICPSR 37166

**Generations: A Study of the Life  
and Health of LGB People in a  
Changing Society, United States,  
2016-2019**

Ilan H. Meyer

*Williams Institute (University of California, Los Angeles. School of Law)*

ICPSR Codebook for Generations Waves 1  
and 2 Merged Restricted-Use Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## **Terms of Use**

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37166/terms>

## **Information about Copyrighted Content**

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE  
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR PROCESSING NOTES FOR #37166**

*Generations: A Study of the Life and Health of LGB People in a Changing Society, United States,  
2016-2019*

*DS 8: Generations Waves 1 and 2 Merged Restricted-Use Data*

1. **Restricted-Use:** This data collection may not be used for any purpose other than statistical reporting and analysis. Use of these data to learn the identity of any person or establishment is prohibited. To protect respondent privacy, this data collection is restricted from general dissemination. To obtain this file, researchers must agree to the terms and conditions of a Restricted Data Use Agreement in accordance with existing ICPSR servicing policies.
2. **Truncated Variable Labels:** Due to the limits of the statistical packages, the variable labels for **W1Q01**, **W1Q88**, and **W1Q175** have been truncated. Please see the documentation for complete variable labels.
3. **Variable Name Discrepancy:** The variable **W1Q103** appears as **W1Q013** in the Wave 1 documentation.
4. **Truncated Value Labels:** Due to the limits of the statistical packages, some value labels for variables **W1Q74\_1**, **W1Q118**, **W1Q179**, **W1Q180**, and **W2Q104** are truncated in the data files. Please see the documentation for the complete value labels.
5. **Additional Information:** For additional information on Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019, please visit the [Generations study](#) website.

**Generations: A Study of the Life and Health of LGB People in a  
Changing Society, United States, 2016-2019**

**Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Generations Wave 1 and 2 Merged Restricted-Use Data

## STUDYID: Study ID

Study ID

Value	Label	Unweighted Frequency	%
151339842	-	1	0.1 %
151351600	-	1	0.1 %
151396232	-	1	0.1 %
151397386	-	1	0.1 %
151427290	-	1	0.1 %
151431818	-	1	0.1 %
151482528	-	1	0.1 %
151483851	-	1	0.1 %
151499953	-	1	0.1 %
151553159	-	1	0.1 %
151554689	-	1	0.1 %
151557770	-	1	0.1 %
151559573	-	1	0.1 %
151631809	-	1	0.1 %
151633654	-	1	0.1 %
151634527	-	1	0.1 %
151658506	-	1	0.1 %
151663267	-	1	0.1 %
151663300	-	1	0.1 %
151663420	-	1	0.1 %
151671767	-	1	0.1 %
151672491	-	1	0.1 %
151672650	-	1	0.1 %
151675642	-	1	0.1 %
151682015	-	1	0.1 %
151682692	-	1	0.1 %
151707328	-	1	0.1 %
151736414	-	1	0.1 %
151768519	-	1	0.1 %
151769081	-	1	0.1 %
151796070	-	1	0.1 %
151798032	-	1	0.1 %
151828421	-	1	0.1 %

Value	Label	Unweighted Frequency	%
151852842	-	1	0.1 %
151855320	-	1	0.1 %
151856016	-	1	0.1 %
151857122	-	1	0.1 %
151858749	-	1	0.1 %
151858763	-	1	0.1 %
151876818	-	1	0.1 %
151902601	-	1	0.1 %
151906567	-	1	0.1 %
152060465	-	1	0.1 %
152250313	-	1	0.1 %
152252376	-	1	0.1 %
152262690	-	1	0.1 %
152263409	-	1	0.1 %
152263745	-	1	0.1 %
152296675	-	1	0.1 %
152297183	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 159009559.18
- Minimum: 151339842.00
- Maximum: 176620010.00
- Standard Deviation: 5728393.43

*Location:* 1-9 (width: 9; decimal: 0)

*Variable Type:* numeric

## GMETHOD\_TYPE: (GMETHOD\_TYPE) Survey completed by mail (scan) or web

Survey completed by mail (scan) or web

Value	Label	Unweighted Frequency	%
SCAN	-	317	20.9 %
WEB	-	1201	79.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 59-66 (width: 8; decimal: 0)

*Variable Type:* character

---

## **W1SAMPLE: (W1SAMPLE) Original or extended enrollment sample**

Original or extended enrollment sample

Value	Label	Unweighted Frequency	%
1	Original sample wave 1 data	1331	87.7 %
2	Extension sample wave 1 data	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 905-905 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1SURVEY\_YR: Year in which wave 1 survey was completed**

Value	Label	Unweighted Frequency	%
2016	-	1120	73.8 %
2017	-	369	24.3 %
2018	-	29	1.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2016.28
- Median: 2016.00
- Mode: 2016.00
- Minimum: 2016.00
- Maximum: 2018.00
- Standard Deviation: 0.49

*Location:* 174-177 (width: 4; decimal: 0)

*Variable Type:* numeric

---

## **WAVEPARTICIPATED: Wave participated**

Wave participated

Value	Label	Unweighted Frequency	%
1	Wave 1 only	624	41.1 %
2	Waves 1 and 2	894	58.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2623-2623 (*width:* 1; *decimal:* 0)

*Variable Type:* numeric

## W1FRAME\_WT: W1FRAME\_WT

Value	Label	Unweighted Frequency	%
230.9499899993	-	47	3.1 %
231.3232614330	-	1	0.1 %
231.8512993473	-	1	0.1 %
232.0822827645	-	2	0.1 %
232.5331479212	-	1	0.1 %
233.4779941507	-	1	0.1 %
233.8043192191	-	1	0.1 %
238.1483566941	-	1	0.1 %
238.2336334179	-	1	0.1 %
239.3598021323	-	1	0.1 %
241.2750277293	-	1	0.1 %
242.0667029445	-	1	0.1 %
242.4232278897	-	2	0.1 %
242.8692862594	-	1	0.1 %
243.4374262906	-	1	0.1 %
248.7996799803	-	1	0.1 %
250.1430947940	-	1	0.1 %
251.2520792400	-	1	0.1 %
252.4300120478	-	1	0.1 %
255.5334889790	-	1	0.1 %
257.6140993012	-	1	0.1 %
257.9664756550	-	1	0.1 %
260.1452253053	-	1	0.1 %
264.3665066074	-	1	0.1 %
264.7769894375	-	1	0.1 %
270.2389053588	-	1	0.1 %
270.4397491760	-	1	0.1 %
273.4744624456	-	1	0.1 %
276.2547597839	-	1	0.1 %
276.3330383623	-	1	0.1 %
276.9731242980	-	1	0.1 %
277.9929926463	-	1	0.1 %
280.5980645963	-	1	0.1 %

Value	Label	Unweighted Frequency	%
280.9995543178	-	1	0.1 %
284.6466943126	-	1	0.1 %
286.9258060587	-	1	0.1 %
288.2703682197	-	1	0.1 %
288.6128830792	-	1	0.1 %
291.7712051466	-	1	0.1 %
292.2331624651	-	1	0.1 %
292.4388132796	-	1	0.1 %
292.5598146017	-	1	0.1 %
293.4144248074	-	1	0.1 %
293.6619045007	-	1	0.1 %
296.3945106204	-	1	0.1 %
298.3025031630	-	1	0.1 %
300.4086462949	-	3	0.2 %
300.4234038599	-	1	0.1 %
300.6630209075	-	1	0.1 %
301.5618611165	-	1	0.1 %
Missing Data			
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 797.7923795943
- Minimum: 230.9499899993
- Maximum: 2309.8568480348
- Standard Deviation: 444.1562446760

Location: 1071-1085 (width: 15; decimal: 10)

Variable Type: numeric

## W1WEIGHT\_FULL: Survey weight full wave 1 sample

Value	Label	Unweighted Frequency	%
0.2740224074163	-	45	3.0 %
0.2749853126953	-	11	0.7 %
0.2749853127365	-	1	0.1 %
0.2749964999605	-	1	0.1 %
0.2752529210080	-	1	0.1 %
0.2753433400941	-	11	0.7 %

Value	Label	Unweighted Frequency	%
0.2754186689852	-	12	0.8 %
0.2760076558079	-	1	0.1 %
0.2761252256006	-	1	0.1 %
0.2769822192857	-	2	0.1 %
0.2770050492138	-	1	0.1 %
0.2783935623652	-	1	0.1 %
0.2804898802648	-	1	0.1 %
0.2808386380426	-	3	0.2 %
0.2821924285517	-	1	0.1 %
0.2822686978591	-	1	0.1 %
0.2822696312279	-	3	0.2 %
0.2830831762454	-	1	0.1 %
0.2857773913606	-	2	0.1 %
0.2867521356551	-	1	0.1 %
0.2874873139273	-	1	0.1 %
0.2883110230460	-	1	0.1 %
0.2893240863001	-	2	0.1 %
0.2928326569096	-	1	0.1 %
0.2928866068352	-	1	0.1 %
0.2935745994480	-	1	0.1 %
0.2947395477120	-	1	0.1 %
0.2957808726852	-	1	0.1 %
0.2960026325464	-	1	0.1 %
0.2968191084079	-	1	0.1 %
0.2974380502682	-	1	0.1 %
0.2975927754949	-	1	0.1 %
0.2983218430495	-	1	0.1 %
0.2984770280192	-	1	0.1 %
0.3008641427636	-	1	0.1 %
0.3026066674083	-	1	0.1 %
0.3026777610211	-	1	0.1 %
0.3037352438441	-	1	0.1 %
0.3066099907967	-	1	0.1 %
0.3073771159249	-	1	0.1 %
0.3078841730963	-	1	0.1 %
0.3080667534453	-	1	0.1 %
0.3089813305745	-	1	0.1 %
0.3090031551223	-	3	0.2 %
0.3092253485939	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.3095025794815	-	1	0.1 %
0.3113097740906	-	1	0.1 %
0.3123248684931	-	1	0.1 %
0.3125451916684	-	6	0.4 %
0.3136014031968	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 0.9972988170827
- Minimum: 0.2740224074163
- Maximum: 3.3329373753085
- Standard Deviation: 0.7449181140358

*Location:* 10-24 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1WEIGHT\_ORIG: Survey weight original wave 1 sample

Survey weight original wave 1 sample

Value	Label	Unweighted Frequency	%
0.2561798419089	-	66	4.3 %
0.2561798419473	-	1	0.1 %
0.2562061677925	-	2	0.1 %
0.2567979222100	-	1	0.1 %
0.2613264443966	-	1	0.1 %
0.2631995329416	-	1	0.1 %
0.2644440901447	-	1	0.1 %
0.2698914644256	-	1	0.1 %
0.2699462650797	-	1	0.1 %
0.2700866892690	-	1	0.1 %
0.2704075447968	-	1	0.1 %
0.2728595807215	-	1	0.1 %
0.2738183509130	-	2	0.1 %
0.2802888917004	-	1	0.1 %
0.2823338912074	-	1	0.1 %
0.2824240690606	-	1	0.1 %
0.2824807593546	-	1	0.1 %
0.2825575450781	-	3	0.2 %
0.2830142268903	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.2833287462366	-	1	0.1 %
0.2860659005231	-	1	0.1 %
0.2861685446494	-	6	0.4 %
0.2865473589202	-	1	0.1 %
0.2870770331007	-	1	0.1 %
0.2881482608840	-	1	0.1 %
0.2897053243600	-	1	0.1 %
0.2909038651681	-	1	0.1 %
0.2909931655735	-	2	0.1 %
0.2913644422850	-	1	0.1 %
0.2924813252404	-	2	0.1 %
0.2946257605257	-	1	0.1 %
0.2951897920586	-	1	0.1 %
0.2952042164645	-	1	0.1 %
0.2970537464168	-	1	0.1 %
0.2971402999435	-	1	0.1 %
0.2977505962708	-	1	0.1 %
0.2995494394472	-	1	0.1 %
0.3002033893997	-	1	0.1 %
0.3030263973858	-	2	0.1 %
0.3053889845283	-	3	0.2 %
0.3058314297474	-	1	0.1 %
0.3067870263761	-	1	0.1 %
0.3080213887958	-	1	0.1 %
0.3141816366426	-	1	0.1 %
0.3155362525602	-	1	0.1 %
0.3162705851845	-	1	0.1 %
0.3171657360205	-	1	0.1 %
0.3172843796136	-	1	0.1 %
0.3185398201488	-	1	0.1 %
0.3196444862662	-	1	0.1 %
	Missing Data		
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 0.9968409945501
- Minimum: 0.2561798419089
- Maximum: 2.9135388777143
- Standard Deviation: 0.7431086359150

*Location:* 25-39 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1CUMULATIVE\_WT\_NR1: W1CUMULATIVE\_WT\_NR1

Value	Label	Unweighted Frequency	%
280.1978854488	-	5	0.3 %
280.5057289808	-	3	0.2 %
281.5121209580	-	3	0.2 %
281.5716289095	-	2	0.1 %
281.9671131102	-	1	0.1 %
282.0638068337	-	12	0.8 %
282.1186367858	-	1	0.1 %
282.2049355200	-	5	0.3 %
285.1034174202	-	6	0.4 %
285.9988039999	-	1	0.1 %
287.1149477832	-	1	0.1 %
287.4194774584	-	5	0.3 %
288.6270331390	-	1	0.1 %
290.2864338545	-	1	0.1 %
292.3348773153	-	1	0.1 %
293.6851320185	-	1	0.1 %
294.0976303592	-	1	0.1 %
294.1176825276	-	2	0.1 %
294.6046788604	-	1	0.1 %
295.0185632409	-	1	0.1 %
295.2307216419	-	1	0.1 %
295.8721449042	-	1	0.1 %
296.0409216327	-	1	0.1 %
297.5631470742	-	1	0.1 %
297.8294542812	-	1	0.1 %
300.4766985070	-	2	0.1 %
301.4627225927	-	1	0.1 %
302.4692157698	-	1	0.1 %
304.0160237567	-	1	0.1 %
306.2583185210	-	1	0.1 %
311.3054804451	-	1	0.1 %
312.8912485358	-	1	0.1 %

Value	Label	Unweighted Frequency	%
317.8794964804	-	1	0.1 %
318.4547606575	-	1	0.1 %
319.6892405066	-	1	0.1 %
329.0066528552	-	1	0.1 %
331.2534689489	-	1	0.1 %
333.8189722736	-	1	0.1 %
334.9012693987	-	1	0.1 %
337.5642348897	-	1	0.1 %
346.2055337837	-	1	0.1 %
346.3930314011	-	1	0.1 %
346.9647027908	-	1	0.1 %
351.9117951768	-	1	0.1 %
354.0127833233	-	1	0.1 %
354.2045091824	-	1	0.1 %
354.6137253535	-	1	0.1 %
355.8643458728	-	1	0.1 %
356.3459641127	-	1	0.1 %
358.4489588417	-	1	0.1 %
	Missing Data		
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1094.8816046936
- Minimum: 280.1978854488
- Maximum: 3762.9931884059
- Standard Deviation: 670.4335134153

*Location:* 1311-1325 (width: 15; decimal: 10)

*Variable Type:* numeric

## W1CUMULATIVE\_WT\_NR2: W1CUMULATIVE\_WT\_NR2

Value	Label	Unweighted Frequency	%
329.2141413953	-	5	0.3 %
332.0387486306	-	3	0.2 %
341.1363337928	-	1	0.1 %
342.1512163314	-	5	0.3 %
342.4676582350	-	1	0.1 %

Value	Label	Unweighted Frequency	%
343.4624342413	-	1	0.1 %
344.5644892534	-	12	0.8 %
347.2220120599	-	1	0.1 %
347.2812581617	-	1	0.1 %
351.8950067527	-	1	0.1 %
352.8540100998	-	1	0.1 %
354.6584826628	-	1	0.1 %
355.0580806635	-	6	0.4 %
357.1114593673	-	1	0.1 %
359.4462716064	-	1	0.1 %
359.5815315386	-	1	0.1 %
363.4982273805	-	1	0.1 %
368.5962990801	-	3	0.2 %
369.1920404743	-	1	0.1 %
370.3739634794	-	1	0.1 %
370.5857018696	-	1	0.1 %
370.8313084891	-	1	0.1 %
380.0848959107	-	1	0.1 %
385.0750644403	-	1	0.1 %
387.6195018486	-	1	0.1 %
389.2499587333	-	5	0.3 %
391.1583585220	-	2	0.1 %
391.6576129459	-	1	0.1 %
391.9182600214	-	1	0.1 %
393.7950962842	-	1	0.1 %
393.8628675000	-	2	0.1 %
395.1464172429	-	1	0.1 %
396.5927070265	-	1	0.1 %
397.0970971791	-	1	0.1 %
399.4666747812	-	1	0.1 %
406.3602992905	-	1	0.1 %
407.9863962417	-	1	0.1 %
408.3991488963	-	1	0.1 %
408.5872939520	-	2	0.1 %
411.4614265456	-	1	0.1 %
411.7740640585	-	1	0.1 %
413.4234859963	-	1	0.1 %
415.5240934819	-	1	0.1 %
417.8947613162	-	1	0.1 %

Value	Label	Unweighted Frequency	%
422.9547151485	-	3	0.2 %
425.2236705235	-	1	0.1 %
425.4530245833	-	1	0.1 %
428.2469679133	-	1	0.1 %
431.3772120099	-	1	0.1 %
431.3860773658	-	1	0.1 %
	Missing Data		
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1334.1082024738
- Minimum: 329.2141413953
- Maximum: 4458.5684324512
- Standard Deviation: 817.4321290962

*Location:* 1326-1340 (width: 15; decimal: 10)

*Variable Type:* numeric

### W1CUMULATIVE\_WT\_NR3: W1CUMULATIVE\_WT\_NR3

Value	Label	Unweighted Frequency	%
451.115006537	-	5	0.3 %
480.829690230	-	5	0.3 %
481.170668310	-	1	0.1 %
483.048493121	-	1	0.1 %
483.508206537	-	1	0.1 %
485.980836202	-	1	0.1 %
496.345709328	-	1	0.1 %
507.187504534	-	1	0.1 %
508.142109097	-	1	0.1 %
520.789053870	-	1	0.1 %
539.608890072	-	1	0.1 %
550.401692937	-	1	0.1 %
551.836682278	-	1	0.1 %
553.140184344	-	12	0.8 %
557.877147678	-	1	0.1 %
563.445249982	-	1	0.1 %
573.282229093	-	1	0.1 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
582.674784549	-	1	0.1 %
583.535108152	-	1	0.1 %
586.817543471	-	1	0.1 %
587.195578884	-	5	0.3 %
590.074458878	-	2	0.1 %
591.106849150	-	1	0.1 %
591.220793748	-	1	0.1 %
592.737807266	-	1	0.1 %
594.198211737	-	1	0.1 %
611.452446788	-	2	0.1 %
615.460073259	-	1	0.1 %
616.366546005	-	2	0.1 %
617.082861653	-	1	0.1 %
628.597504988	-	1	0.1 %
633.292285205	-	3	0.2 %
637.694131290	-	1	0.1 %
640.930944193	-	1	0.1 %
641.809021307	-	1	0.1 %
646.463486480	-	1	0.1 %
647.787101033	-	3	0.2 %
659.611403717	-	3	0.2 %
660.677496399	-	1	0.1 %
663.331922362	-	1	0.1 %
664.242205678	-	1	0.1 %
668.736636031	-	6	0.4 %
671.426146313	-	1	0.1 %
673.635472192	-	1	0.1 %
676.703185196	-	1	0.1 %
677.001605086	-	1	0.1 %
680.170507270	-	1	0.1 %
688.164802138	-	2	0.1 %
689.100526581	-	1	0.1 %
692.418730488	-	1	0.1 %
	<b>Missing Data</b>		
.	-	187	12.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 2915.328200461
- Minimum: 451.115006537
- Maximum: 12665.010784615
- Standard Deviation: 2362.933945511

*Location:* 1341-1355 (width: 15; decimal: 9)

*Variable Type:* numeric

---

## W1CUMULATIVE\_WT\_SAMPLING: W1CUMULATIVE\_WT\_SAMPLING

Value	Label	Unweighted Frequency	%
329.2141413953	-	5	0.3 %
332.0387486306	-	3	0.2 %
341.1363337928	-	1	0.1 %
342.1512163314	-	5	0.3 %
342.4676582350	-	1	0.1 %
343.4624342413	-	1	0.1 %
344.5644892534	-	12	0.8 %
347.2220120599	-	1	0.1 %
347.2812581617	-	1	0.1 %
351.8950067527	-	1	0.1 %
352.8540100998	-	1	0.1 %
354.6584826628	-	1	0.1 %
355.0580806635	-	6	0.4 %
357.1114593673	-	1	0.1 %
359.4462716064	-	1	0.1 %
359.5815315386	-	1	0.1 %
363.4982273805	-	1	0.1 %
368.5962990801	-	3	0.2 %
369.1920404743	-	1	0.1 %
370.3739634794	-	1	0.1 %
370.5857018696	-	1	0.1 %
370.8313084891	-	1	0.1 %
380.0848959107	-	1	0.1 %
385.0750644403	-	1	0.1 %
387.6195018486	-	1	0.1 %
389.2499587333	-	5	0.3 %
391.1583585220	-	2	0.1 %
391.6576129459	-	1	0.1 %
391.9182600214	-	1	0.1 %
393.7950962842	-	1	0.1 %

Value	Label	Unweighted Frequency	%
393.8628675000	-	2	0.1 %
395.1464172429	-	1	0.1 %
396.5927070265	-	1	0.1 %
397.0970971791	-	1	0.1 %
399.4666747812	-	1	0.1 %
406.3602992905	-	1	0.1 %
407.9863962417	-	1	0.1 %
408.3991488963	-	1	0.1 %
408.5872939520	-	2	0.1 %
411.4614265456	-	1	0.1 %
411.7740640585	-	1	0.1 %
413.4234859963	-	1	0.1 %
415.5240934819	-	1	0.1 %
417.8947613162	-	1	0.1 %
422.9547151485	-	3	0.2 %
425.2236705235	-	1	0.1 %
425.4530245833	-	1	0.1 %
428.2469679133	-	1	0.1 %
431.3772120099	-	1	0.1 %
431.3860773658	-	1	0.1 %
Missing Data			
.	-	187	12.3 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 1334.1082024738
- Minimum: 329.2141413953
- Maximum: 4458.5684324512
- Standard Deviation: 817.4321290962

*Location:* 1356-1370 (*width:* 15; *decimal:* 10)

*Variable Type:* numeric

## W1WEIGHTING\_CELL\_NR1: W1WEIGHTING\_CELL\_NR1

Value	Label	Unweighted Frequency	%
11111	-	3	0.2 %
11112	-	2	0.1 %
11113	-	4	0.3 %

Value	Label	Unweighted Frequency	%
11121	-	2	0.1 %
11122	-	3	0.2 %
11123	-	5	0.3 %
11211	-	1	0.1 %
11213	-	4	0.3 %
11311	-	1	0.1 %
11313	-	2	0.1 %
11321	-	1	0.1 %
12111	-	2	0.1 %
12112	-	3	0.2 %
12113	-	1	0.1 %
12121	-	2	0.1 %
12122	-	1	0.1 %
12123	-	1	0.1 %
12213	-	3	0.2 %
12222	-	1	0.1 %
12223	-	1	0.1 %
12313	-	1	0.1 %
12322	-	1	0.1 %
13111	-	5	0.3 %
13112	-	10	0.7 %
13113	-	8	0.5 %
13121	-	6	0.4 %
13122	-	16	1.1 %
13123	-	4	0.3 %
13211	-	1	0.1 %
13212	-	5	0.3 %
13213	-	3	0.2 %
13223	-	3	0.2 %
13312	-	2	0.1 %
13313	-	4	0.3 %
13322	-	3	0.2 %
13323	-	2	0.1 %
14111	-	7	0.5 %
14112	-	9	0.6 %
14113	-	9	0.6 %
14121	-	10	0.7 %
14122	-	12	0.8 %
14123	-	3	0.2 %

Value	Label	Unweighted Frequency	%
14212	-	4	0.3 %
14213	-	6	0.4 %
14221	-	2	0.1 %
14222	-	1	0.1 %
14223	-	3	0.2 %
14311	-	2	0.1 %
14312	-	2	0.1 %
14321	-	2	0.1 %
<b>Missing Data</b>			
.	-	187	12.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 21378.68
- Median: 22322.00
- Mode: 23313.00
- Minimum: 11111.00
- Maximum: 24323.00
- Standard Deviation: 3578.65

*Location:* 1302-1306 (width: 5; decimal: 0)

*Variable Type:* numeric

### **W1WEIGHTING\_CELL\_NR2AND3: W1WEIGHTING\_CELL\_NR2AND3**

Value	Label	Unweighted Frequency	%
1111	-	32	2.1 %
1112	-	20	1.3 %
1121	-	39	2.6 %
1122	-	7	0.5 %
1131	-	53	3.5 %
1132	-	25	1.6 %
1141	-	38	2.5 %
1142	-	22	1.4 %
1211	-	42	2.8 %
1212	-	19	1.3 %
1221	-	48	3.2 %
1222	-	28	1.8 %
1231	-	80	5.3 %
1232	-	28	1.8 %

Value	Label	Unweighted Frequency	%
1241	-	69	4.5 %
1242	-	18	1.2 %
2111	-	8	0.5 %
2112	-	29	1.9 %
2121	-	7	0.5 %
2122	-	16	1.1 %
2131	-	18	1.2 %
2132	-	27	1.8 %
2141	-	16	1.1 %
2142	-	25	1.6 %
2211	-	18	1.2 %
2212	-	27	1.8 %
2221	-	14	0.9 %
2222	-	20	1.3 %
2231	-	18	1.2 %
2232	-	31	2.0 %
2241	-	12	0.8 %
2242	-	35	2.3 %
3111	-	16	1.1 %
3112	-	29	1.9 %
3121	-	24	1.6 %
3122	-	19	1.3 %
3131	-	33	2.2 %
3132	-	56	3.7 %
3141	-	28	1.8 %
3142	-	38	2.5 %
3211	-	13	0.9 %
3212	-	31	2.0 %
3221	-	18	1.2 %
3222	-	17	1.1 %
3231	-	19	1.3 %
3232	-	42	2.8 %
3241	-	20	1.3 %
3242	-	39	2.6 %
<b>Missing Data</b>			
.	-	187	12.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,331 valid cases out of 1,518 total cases.

- Mean: 2086.37
- Median: 2132.00
- Mode: 1231.00
- Minimum: 1111.00
- Maximum: 3242.00
- Standard Deviation: 862.39

*Location:* 1307-1310 (width: 4; decimal: 0)

*Variable Type:* numeric

### **W1Q01: (W1Q01) Please imagine a ladder with steps numbered from zero at the bottom to ten at the top. The top of the ladder represents the best possible life for you and the bottom of the ladder represents the worst possible life for you. On which step of the ladder would you say you personally feel you stand at this time?**

The following are some questions about your overall life. Please imagine a ladder with steps numbered from zero at the bottom to ten at the top. The top of the ladder represents the best possible life for you and the bottom of the ladder represents the worst possible life for you. On which step of the ladder would you say you personally feel you stand at this time?

Value	Label	Unweighted Frequency	%
0	-	4	0.3 %
1	-	9	0.6 %
2	-	13	0.9 %
3	-	50	3.3 %
4	-	150	9.9 %
5	-	212	14.0 %
6	-	311	20.5 %
7	-	359	23.6 %
8	-	265	17.5 %
9	-	85	5.6 %
10	-	44	2.9 %
<b>Missing Data</b>			
.	-	16	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Mean: 6.36
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.74

*Location:* 178-179 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98, .

### **W1Q02: (W1Q02) On which step do you think you will stand about five years from now?**

The following are some questions about your overall life. On which step do you think you will stand about five years from now?

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	6	0.4 %
2	-	7	0.5 %
3	-	19	1.3 %
4	-	22	1.4 %
5	-	51	3.4 %
6	-	109	7.2 %
7	-	266	17.5 %
8	-	426	28.1 %
9	-	340	22.4 %
10	-	210	13.8 %
<b>Missing Data</b>			
.	-	60	4.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,458 valid cases out of 1,518 total cases.

- Mean: 7.89
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.62

*Location:* 180-181 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98, .

---

### **W1Q03: (W1Q03) Generally, how would you say things are these days in your life? Would you say that you are ...**

The following are some questions about your overall life. Generally, how would you say things are these days in your life? Would you say that you are ...

Value	Label	Unweighted Frequency	%
1	Very happy	246	16.2 %
2	Pretty happy	930	61.3 %
3	Not too happy	294	19.4 %
<b>Missing Data</b>			
.	-	48	3.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,470 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 182-182 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1SOCIALWB: (W1SOCIALWB) Social wellbeing scale

Social well-being scale

Value	Label	Unweighted Frequency	%
1.7333333492279	-	2	0.1 %
1.7999999523163	-	1	0.1 %
2.00000000000000	-	3	0.2 %
2.133334445953	-	2	0.1 %
2.200000476837	-	1	0.1 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	3	0.2 %
2.4666666984558	-	3	0.2 %
2.533333015442	-	7	0.5 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	6	0.4 %
2.733333492279	-	7	0.5 %
2.7999999523163	-	8	0.5 %
2.8666665554047	-	9	0.6 %
2.9333333969116	-	4	0.3 %
3.00000000000000	-	10	0.7 %
3.0666666030884	-	10	0.7 %
3.133334445953	-	14	0.9 %
3.200000476837	-	7	0.5 %
3.2666666507721	-	12	0.8 %
3.333332538605	-	13	0.9 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	21	1.4 %
3.533333015442	-	15	1.0 %
3.5999999046326	-	20	1.3 %
3.6666667461395	-	21	1.4 %
3.733333492279	-	27	1.8 %
3.7999999523163	-	28	1.8 %
3.8666665554047	-	27	1.8 %
3.9333333969116	-	23	1.5 %
4.00000000000000	-	35	2.3 %
4.0666666030884	-	41	2.7 %

Value	Label	Unweighted Frequency	%
4.1333332061768	-	38	2.5 %
4.1999998092651	-	35	2.3 %
4.2666668891907	-	34	2.2 %
4.3333334922791	-	46	3.0 %
4.4000000953674	-	36	2.4 %
4.4666666984558	-	35	2.3 %
4.5333333015442	-	36	2.4 %
4.5999999046326	-	43	2.8 %
4.6666665077209	-	32	2.1 %
4.7333331108093	-	41	2.7 %
4.8000001907349	-	46	3.0 %
4.8666667938232	-	44	2.9 %
4.9333333969116	-	38	2.5 %
5.00000000000000	-	42	2.8 %
5.0666666030884	-	38	2.5 %
5.1333332061768	-	35	2.3 %
5.1999998092651	-	32	2.1 %
5.2666668891907	-	42	2.8 %
	Missing Data		
.	-	59	3.9 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,459 valid cases out of 1,518 total cases.

- Mean: 4.6525474107780
- Median: 4.7333331108093
- Minimum: 1.7333333492279
- Maximum: 6.8666667938232
- Standard Deviation: 0.9067068135269

Location: 1218-1232 (width: 15; decimal: 13)

Variable Type: numeric

## W1SOCIALWB\_I: (W1SOCIALWB\_I) Social wellbeing scale with imputations

Social well-being scale with imputation

Value	Label	Unweighted Frequency	%
1.7333333492279	-	2	0.1 %
1.7999999523163	-	1	0.1 %

Value	Label	Unweighted Frequency	%
2.000000000000000	-	3	0.2 %
2.1333334445953	-	2	0.1 %
2.2000000476837	-	1	0.1 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	3	0.2 %
2.4666666984558	-	3	0.2 %
2.5333333015442	-	7	0.5 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	7	0.5 %
2.7333333492279	-	8	0.5 %
2.7999999523163	-	8	0.5 %
2.8666665554047	-	9	0.6 %
2.9333333969116	-	4	0.3 %
3.000000000000000	-	12	0.8 %
3.0666666030884	-	10	0.7 %
3.1333334445953	-	14	0.9 %
3.2000000476837	-	7	0.5 %
3.2666666507721	-	12	0.8 %
3.333332538605	-	13	0.9 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	22	1.4 %
3.5333333015442	-	15	1.0 %
3.5999999046326	-	21	1.4 %
3.6666667461395	-	22	1.4 %
3.7333333492279	-	27	1.8 %
3.7999999523163	-	30	2.0 %
3.8666665554047	-	28	1.8 %
3.9333333969116	-	24	1.6 %
4.000000000000000	-	36	2.4 %
4.0666666030884	-	41	2.7 %
4.133332061768	-	40	2.6 %
4.1999998092651	-	36	2.4 %
4.2666668891907	-	38	2.5 %
4.3333334922791	-	47	3.1 %
4.4000000953674	-	37	2.4 %
4.4666666984558	-	37	2.4 %
4.5333333015442	-	37	2.4 %
4.5999999046326	-	47	3.1 %
4.6666665077209	-	32	2.1 %

Value	Label	Unweighted Frequency	%
4.7333331108093	-	42	2.8 %
4.8000001907349	-	48	3.2 %
4.8666667938232	-	46	3.0 %
4.933333969116	-	39	2.6 %
5.00000000000000	-	42	2.8 %
5.0666666030884	-	39	2.6 %
5.1333332061768	-	37	2.4 %
5.1999998092651	-	34	2.2 %
5.2666668891907	-	44	2.9 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.6579710187020
- Median: 4.7333331108093
- Mode: 4.8000001907349
- Minimum: 1.733333492279
- Maximum: 6.8666667938232
- Standard Deviation: 0.9082226154391

*Location:* 1233-1247 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### W1Q04: (W1Q04) I don't feel I belong to anything I'd call a community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I don't feel I belong to anything I'd call a community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	271	17.9 %
2	Moderately disagree	318	20.9 %
3	Slightly disagree	254	16.7 %
4	Neither agree nor disagree	159	10.5 %
5	Slightly agree	220	14.5 %
6	Moderately agree	184	12.1 %
7	Strongly agree	99	6.5 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	1,518	100%

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 183-183 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q05: (W1Q05) I feel close to other people in my community.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I feel close to other people in my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	122	8.0 %
2	Moderately disagree	178	11.7 %
3	Slightly disagree	183	12.1 %
4	Neither agree nor disagree	177	11.7 %
5	Slightly agree	314	20.7 %
6	Moderately agree	349	23.0 %
7	Strongly agree	182	12.0 %
<b>Missing Data</b>			
.	-	13	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 184-184 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q06: (W1Q06) My community is a source of comfort.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My community is a source of comfort.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	130	8.6 %
2	Moderately disagree	158	10.4 %
3	Slightly disagree	133	8.8 %
4	Neither agree nor disagree	273	18.0 %
5	Slightly agree	295	19.4 %
6	Moderately agree	300	19.8 %
7	Strongly agree	215	14.2 %
<b>Missing Data</b>			
.	-	14	0.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 185-185 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q07: (W1Q07) People who do a favor expect nothing in return.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People who do a favor expect nothing in return.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	132	8.7 %
2	Moderately disagree	209	13.8 %
3	Slightly disagree	320	21.1 %
4	Neither agree nor disagree	250	16.5 %
5	Slightly agree	236	15.5 %
6	Moderately agree	258	17.0 %
7	Strongly agree	98	6.5 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 186-186 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q08: (W1Q08) People do not care about other people's problems.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People do not care about other people's problems.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	159	10.5 %
2	Moderately disagree	373	24.6 %
3	Slightly disagree	331	21.8 %
4	Neither agree nor disagree	136	9.0 %
5	Slightly agree	262	17.3 %

Value	Label	Unweighted Frequency	%
6	Moderately agree	164	10.8 %
7	Strongly agree	74	4.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 187-187 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q09: (W1Q09) I believe that people are kind.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I believe that people are kind.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	30	2.0 %
2	Moderately disagree	60	4.0 %
3	Slightly disagree	89	5.9 %
4	Neither agree nor disagree	174	11.5 %
5	Slightly agree	421	27.7 %
6	Moderately agree	576	37.9 %
7	Strongly agree	151	9.9 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 188-188 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q10: (W1Q10) I have something valuable to give to the world.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have something valuable to give to the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	32	2.1 %

Value	Label	Unweighted Frequency	%
2	Moderately disagree	29	1.9 %
3	Slightly disagree	38	2.5 %
4	Neither agree nor disagree	101	6.7 %
5	Slightly agree	196	12.9 %
6	Moderately agree	473	31.2 %
7	Strongly agree	632	41.6 %
<b>Missing Data</b>			
.	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 189-189 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q11: (W1Q11) My daily activities do not produce anything worthwhile for my community.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My daily activities do not produce anything worthwhile for my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	344	22.7 %
2	Moderately disagree	298	19.6 %
3	Slightly disagree	246	16.2 %
4	Neither agree nor disagree	233	15.3 %
5	Slightly agree	172	11.3 %
6	Moderately agree	123	8.1 %
7	Strongly agree	88	5.8 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 190-190 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q12: (W1Q12) I have nothing important to contribute to society.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have nothing important to contribute to society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	732	48.2 %
2	Moderately disagree	352	23.2 %
3	Slightly disagree	180	11.9 %
4	Neither agree nor disagree	92	6.1 %
5	Slightly agree	80	5.3 %
6	Moderately agree	34	2.2 %
7	Strongly agree	31	2.0 %
<b>Missing Data</b>			
-	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 191-191 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q13: (W1Q13) The world is becoming a better place for everyone.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is becoming a better place for everyone.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	210	13.8 %
2	Moderately disagree	257	16.9 %
3	Slightly disagree	246	16.2 %
4	Neither agree nor disagree	250	16.5 %
5	Slightly agree	277	18.2 %
6	Moderately agree	197	13.0 %
7	Strongly agree	64	4.2 %
<b>Missing Data</b>			
-	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 192-192 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q14: (W1Q14) Society has stopped making progress.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society has stopped making progress.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	219	14.4 %
2	Moderately disagree	320	21.1 %
3	Slightly disagree	306	20.2 %
4	Neither agree nor disagree	178	11.7 %
5	Slightly agree	229	15.1 %
6	Moderately agree	153	10.1 %
7	Strongly agree	92	6.1 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 193-193 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q15: (W1Q15) Society isn't improving for people like me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society isn't improving for people like me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	257	16.9 %
2	Moderately disagree	336	22.1 %
3	Slightly disagree	300	19.8 %
4	Neither agree nor disagree	161	10.6 %
5	Slightly agree	204	13.4 %
6	Moderately agree	148	9.7 %
7	Strongly agree	94	6.2 %
<b>Missing Data</b>			
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 194-194 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q16: (W1Q16) The world is too complex for me.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is too complex for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	467	30.8 %
2	Moderately disagree	320	21.1 %
3	Slightly disagree	169	11.1 %
4	Neither agree nor disagree	220	14.5 %
5	Slightly agree	194	12.8 %
6	Moderately agree	78	5.1 %
7	Strongly agree	54	3.6 %
<b>Missing Data</b>			
.	-	16	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 195-195 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q17: (W1Q17) I cannot make sense of what's going on in the world.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I cannot make sense of what's going on in the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	339	22.3 %
2	Moderately disagree	346	22.8 %
3	Slightly disagree	177	11.7 %
4	Neither agree nor disagree	157	10.3 %
5	Slightly agree	249	16.4 %
6	Moderately agree	140	9.2 %
7	Strongly agree	92	6.1 %
<b>Missing Data</b>			
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 196-196 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q18: (W1Q18) I find it easy to predict what will happen next in society.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I find it easy to predict what will happen next in society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	205	13.5 %
2	Moderately disagree	264	17.4 %
3	Slightly disagree	247	16.3 %
4	Neither agree nor disagree	306	20.2 %
5	Slightly agree	270	17.8 %
6	Moderately agree	146	9.6 %
7	Strongly agree	58	3.8 %
<b>Missing Data</b>			
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 197-197 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1LIFESAT: (W1LIFESAT) Satisfaction with life**

Satisfaction with life

Value	Label	Unweighted Frequency	%
1.000000000000000	-	41	2.7 %
1.2000000476837	-	19	1.3 %
1.3999999761581	-	25	1.6 %
1.6000000238419	-	14	0.9 %
1.7999999523163	-	35	2.3 %
2.000000000000000	-	37	2.4 %
2.2000000476837	-	40	2.6 %
2.4000000953674	-	43	2.8 %

Value	Label	Unweighted Frequency	%
2.5999999046326	-	35	2.3 %
2.7999999523163	-	34	2.2 %
3.00000000000000	-	44	2.9 %
3.2000000476837	-	60	4.0 %
3.4000000953674	-	59	3.9 %
3.5999999046326	-	50	3.3 %
3.7999999523163	-	59	3.9 %
4.00000000000000	-	55	3.6 %
4.1999998092651	-	55	3.6 %
4.4000000953674	-	46	3.0 %
4.5999999046326	-	54	3.6 %
4.8000001907349	-	57	3.8 %
5.00000000000000	-	60	4.0 %
5.1999998092651	-	76	5.0 %
5.4000000953674	-	72	4.7 %
5.5999999046326	-	56	3.7 %
5.8000001907349	-	66	4.3 %
6.00000000000000	-	80	5.3 %
6.1999998092651	-	48	3.2 %
6.4000000953674	-	47	3.1 %
6.5999999046326	-	43	2.8 %
6.8000001907349	-	41	2.7 %
7.00000000000000	-	43	2.8 %
Missing Data			
.	-	24	1.6 %
	Total	1,518	100%

Based upon 1,494 valid cases out of 1,518 total cases.

- Mean: 4.3254350731012
- Median: 4.4000000953674
- Mode: 6.00000000000000
- Minimum: 1.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.6272572524327

Location: 1158-1172 (width: 15; decimal: 13)

Variable Type: numeric

## W1LIFESAT\_I: (W1LIFESAT\_I) Satisfaction with life with imputation

Satisfaction with life with imputation

Value	Label	Unweighted Frequency	%
1.000000000000000	-	41	2.7 %
1.2000000476837	-	20	1.3 %
1.3999999761581	-	26	1.7 %
1.6000000238419	-	14	0.9 %
1.7999999523163	-	36	2.4 %
2.000000000000000	-	38	2.5 %
2.2000000476837	-	42	2.8 %
2.4000000953674	-	44	2.9 %
2.5999999046326	-	36	2.4 %
2.7999999523163	-	35	2.3 %
3.000000000000000	-	44	2.9 %
3.2000000476837	-	62	4.1 %
3.4000000953674	-	60	4.0 %
3.5999999046326	-	51	3.4 %
3.7999999523163	-	60	4.0 %
4.000000000000000	-	55	3.6 %
4.1999998092651	-	56	3.7 %
4.4000000953674	-	46	3.0 %
4.5999999046326	-	55	3.6 %
4.8000001907349	-	58	3.8 %
5.000000000000000	-	60	4.0 %
5.1999998092651	-	76	5.0 %
5.4000000953674	-	74	4.9 %
5.5999999046326	-	57	3.8 %
5.8000001907349	-	67	4.4 %
6.000000000000000	-	80	5.3 %
6.1999998092651	-	48	3.2 %
6.4000000953674	-	47	3.1 %
6.5999999046326	-	43	2.8 %
6.8000001907349	-	43	2.8 %
7.000000000000000	-	44	2.9 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.3177865611706
- Median: 4.4000000953674
- Mode: 6.000000000000000
- Minimum: 1.000000000000000
- Maximum: 7.000000000000000
- Standard Deviation: 1.6301986531750

*Location:* 1173-1187 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### **W1Q186: (W1Q186) In most ways, my life is close to my ideal.**

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items. In most ways, my life is close to my ideal.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	169	11.1 %
2	Moderately disagree	212	14.0 %
3	Slightly disagree	210	13.8 %
4	Neither agree nor disagree	139	9.2 %
5	Slightly agree	292	19.2 %
6	Moderately agree	345	22.7 %
7	Strongly agree	137	9.0 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 898-898 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q187: (W1Q187) The conditions of my life are excellent.**

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items. The conditions of my life are excellent.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	123	8.1 %
2	Moderately disagree	166	10.9 %
3	Slightly disagree	214	14.1 %
4	Neither agree nor disagree	134	8.8 %
5	Slightly agree	301	19.8 %
6	Moderately agree	376	24.8 %
7	Strongly agree	190	12.5 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 899-899 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q188: (W1Q188) I am satisfied with life.**

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items. I am satisfied with life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	137	9.0 %
2	Moderately disagree	148	9.7 %
3	Slightly disagree	205	13.5 %
4	Neither agree nor disagree	115	7.6 %
5	Slightly agree	291	19.2 %
6	Moderately agree	399	26.3 %
7	Strongly agree	208	13.7 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 900-900 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q189: (W1Q189) So far I have gotten the important things I want in life.**

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items. So far I have gotten the important things I want in life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	115	7.6 %
2	Moderately disagree	136	9.0 %
3	Slightly disagree	165	10.9 %
4	Neither agree nor disagree	125	8.2 %
5	Slightly agree	328	21.6 %
6	Moderately agree	377	24.8 %

Value	Label	Unweighted Frequency	%
7	Strongly agree	255	16.8 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 901-901 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q190: (W1Q190) If I could live my life over, I would change almost nothing.**

In this survey we focused on some negative aspects of life and health problems because these are important to address by public health and policy makers, but highly challenging life circumstances can also lead to significant positive change. Please rate your level of agreement with the following items. If I could live my life over, I would change almost nothing.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	287	18.9 %
2	Moderately disagree	202	13.3 %
3	Slightly disagree	313	20.6 %
4	Neither agree nor disagree	115	7.6 %
5	Slightly agree	179	11.8 %
6	Moderately agree	215	14.2 %
7	Strongly agree	192	12.6 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 902-902 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q27: (W1Q27) What sex were you assigned at birth, on your original birth certificate?**

The following questions are about your sexual identity, gender identity, and gender expression. What sex were you assigned at birth, on your original birth certificate?

Value	Label	Unweighted Frequency	%
1	Female	805	53.0 %

Value	Label	Unweighted Frequency	%
2	Male	691	45.5 %
	<b>Missing Data</b>		
-	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 244-244 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q28: (W1Q28) If you had to choose only one of the following terms, which best describes your current gender identity?**

The following questions are about your sexual identity, gender identity, and gender expression. If you had to choose only one of the following terms, which best describes your current gender identity?

Value	Label	Unweighted Frequency	%
1	Woman	744	49.0 %
2	Man	665	43.8 %
3	Transgender woman/male-to-female (MTF)	0	0.0 %
4	Transgender man/female-to-male (FTM)	0	0.0 %
5	Non-binary/genderqueer	94	6.2 %
	<b>Missing Data</b>		
-	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 245-245 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1SEXUALID: (W1SEXUALID) Sexual identity**

Sexual identity

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	11	0.7 %
2	Lesbian	292	19.2 %
3	Gay	541	35.6 %

Value	Label	Unweighted Frequency	%
4	Bisexual	493	32.5 %
5	Queer	88	5.8 %
6	Same-gender loving	25	1.6 %
7	Other	4	0.3 %
8	Asexual spectrum	19	1.3 %
9	Pansexual	41	2.7 %
10	Anti-label	4	0.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 10.00

*Location:* 911-912 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1SEXMINID: (W1SEXMINID) Sexual minority identity

Sexual minority identity

Value	Label	Unweighted Frequency	%
1	Lesbian/gay	833	54.9 %
2	Bisexual	493	32.5 %
3	Other sexual minority identity	181	11.9 %
<b>Missing Data</b>			
.	-	11	0.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 913-913 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q29: (W1Q29) Which of the following best describes your current sexual orientation?

Which of the following best describes your current sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	11	0.7 %
2	Lesbian	288	19.0 %
3	Gay	533	35.1 %

Value	Label	Unweighted Frequency	%
4	Bisexual	490	32.3 %
5	Queer	88	5.8 %
6	Same-gender loving	25	1.6 %
7	Other (list) (allow 250 characters)	70	4.6 %
	<b>Missing Data</b>		
-	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 246-246 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q29\_T\_VERB: (W1Q29\_T\_VERB) Write in response for w1q29

Which of the following best describes your current sexual orientation? Write in response for w1q29

Value	Label	Unweighted Frequency	%
-	-	1451	95.6 %
ASEXUAL	-	1	0.1 %
Asexual	-	6	0.4 %
Asexual, Pan-romantic.	-	1	0.1 %
Asexual; panromantic (No sexual attraction, close romantic emotional attachment to any gender)	-	1	0.1 %
Bi-romantic Asexual	-	1	0.1 %
DON'T LIKE LABELS ORIENTATION	-	1	0.1 %
DYKE	-	1	0.1 %
Demisexual	-	2	0.1 %
Demisexual towards women but likes men	-	1	0.1 %
Fluid	-	1	0.1 %
GAY/BICURIOUS	-	1	0.1 %
Lesbian and Same Gender Loving	-	1	0.1 %
Lover of All	-	1	0.1 %
NON-SEXUAL	-	1	0.1 %
Neutral	-	1	0.1 %
PANSEXUAL	-	2	0.1 %
PANSEXUAL; DEMISEXUAL	-	1	0.1 %
Panromantic asexual	-	1	0.1 %
Pansexaul	-	1	0.1 %

Value	Label	Unweighted Frequency	%
Pansexual	-	30	2.0 %
Pansexual (loving without gender bias)	-	1	0.1 %
SIN SEXUAL	-	1	0.1 %
asexual	-	2	0.1 %
demi sexual	-	1	0.1 %
demisexual	-	1	0.1 %
just me	-	1	0.1 %
pansexual	-	4	0.3 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 247-340 (width: 94; decimal: 0)

*Variable Type:* character

### **W1Q30\_1: (W1Q30\_1) In the last 5 years who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, non-transgender**

In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	670	44.1 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
	<b>Missing Data</b>		
.	-	848	55.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 670 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 341-341 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q30\_2: (W1Q30\_2) In the last 5 years who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, non-transgender**

In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	1010	66.5 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
<b>Missing Data</b>			
.	-	508	33.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,010 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 342-342 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q30\_3: (W1Q30\_3) In the last 5 years who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender women/male-to-female (MTF)**

In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	44	2.9 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
<b>Missing Data</b>			
.	-	1474	97.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 44 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 343-343 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q30\_4: (W1Q30\_4) In the last 5 years who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender men/female-to-male (FTM)**

In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	49	3.2 %
5	I have not had sex with anyone in the last 5 years	0	0.0 %
<b>Missing Data</b>			
.	-	1469	96.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 344-344 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q30\_5: (W1Q30\_5) In the last 5 years who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last 5 years**

In the last 5 years, who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last 5 years

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last 5 years	157	10.3 %
<b>Missing Data</b>			
.	-	1361	89.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 157 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 345-345 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q31A: (W1Q31A) Please indicate how sexually attracted you are to the following types of people: Women, non-transgender**

Please indicate how sexually attracted you are to the following types of people: Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	374	24.6 %
2	Not very	124	8.2 %
3	Somewhat	226	14.9 %
4	Very	758	49.9 %
5	Not sure	8	0.5 %
<b>Missing Data</b>			
.	-	28	1.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 346-346 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q31B: (W1Q31B) Please indicate how sexually attracted you are to the following types of people: Men, non-transgender**

Please indicate how sexually attracted you are to the following types of people: Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	193	12.7 %
2	Not very	129	8.5 %
3	Somewhat	245	16.1 %
4	Very	923	60.8 %
5	Not sure	5	0.3 %
<b>Missing Data</b>			
.	-	23	1.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 347-347 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q31C: (W1Q31C) Please indicate how sexually attracted you are to the following types of people: Transgender women/male-to-female (MTF)**

Please indicate how sexually attracted you are to the following types of people: Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Not at all	694	45.7 %
2	Not very	223	14.7 %
3	Somewhat	256	16.9 %
4	Very	119	7.8 %
5	Not sure	179	11.8 %
	<b>Missing Data</b>		
.	-	47	3.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,471 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 348-348 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q31D: (W1Q31D) Please indicate how sexually attracted you are to the following types of people: Transgender men/female-to-male (FTM)**

Please indicate how sexually attracted you are to the following types of people: Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Not at all	590	38.9 %
2	Not very	217	14.3 %
3	Somewhat	339	22.3 %
4	Very	130	8.6 %
5	Not sure	199	13.1 %
	<b>Missing Data</b>		
.	-	43	2.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,475 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 349-349 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1MEIM: (W1MEIM) MEIM\_R

Multi-Group Ethnic Identity Scale (MEIM)

Value	Label	Unweighted Frequency	%
1.00000000000000	-	12	0.8 %
1.1666666269302	-	6	0.4 %
1.3333333730698	-	15	1.0 %
1.50000000000000	-	13	0.9 %
1.6666666269302	-	21	1.4 %
1.8333333730698	-	28	1.8 %
2.00000000000000	-	35	2.3 %
2.1666667461395	-	40	2.6 %
2.333332538605	-	65	4.3 %
2.50000000000000	-	67	4.4 %
2.6666667461395	-	75	4.9 %
2.833332538605	-	91	6.0 %
3.00000000000000	-	148	9.7 %
3.1666667461395	-	97	6.4 %
3.333332538605	-	120	7.9 %
3.50000000000000	-	91	6.0 %
3.6666667461395	-	108	7.1 %
3.833332538605	-	81	5.3 %
4.00000000000000	-	112	7.4 %
4.1666665077209	-	47	3.1 %
4.333334922791	-	55	3.6 %
4.50000000000000	-	29	1.9 %
4.6666665077209	-	36	2.4 %
4.833334922791	-	33	2.2 %
5.00000000000000	-	62	4.1 %
	Missing Data		
.	-	31	2.0 %
	Total	1,518	100%

Based upon 1,487 valid cases out of 1,518 total cases.

- Mean: 3.2984756770836
- Median: 3.333332538605
- Mode: 3.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.8767509100835

Location: 1188-1202 (width: 15; decimal: 13)

Variable Type: numeric

## W1MEIM\_I: (W1MEIM\_I) MEIM\_R with imputation

Multi-Group Ethnic Identity Scale (MEIM) with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	12	0.8 %
1.1666666269302	-	6	0.4 %
1.3333333730698	-	15	1.0 %
1.50000000000000	-	15	1.0 %
1.6666666269302	-	21	1.4 %
1.8333333730698	-	28	1.8 %
2.00000000000000	-	35	2.3 %
2.1666667461395	-	41	2.7 %
2.333332538605	-	66	4.3 %
2.50000000000000	-	67	4.4 %
2.6666667461395	-	75	4.9 %
2.833332538605	-	91	6.0 %
3.00000000000000	-	151	9.9 %
3.1666667461395	-	99	6.5 %
3.333332538605	-	126	8.3 %
3.50000000000000	-	94	6.2 %
3.6666667461395	-	109	7.2 %
3.833332538605	-	82	5.4 %
4.00000000000000	-	115	7.6 %
4.1666665077209	-	48	3.2 %
4.333334922791	-	58	3.8 %
4.50000000000000	-	31	2.0 %
4.6666665077209	-	36	2.4 %
4.833334922791	-	34	2.2 %
5.00000000000000	-	63	4.2 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.3028107149642
- Median: 3.333332538605
- Mode: 3.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.8764717603242

Location: 1203-1217 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### **W1Q21: (W1Q21) I have spent time trying to find out more about my race/ethnic group, such as its history, traditions, and customs.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I have spent time trying to find out more about my race/ethnic group, such as its history, traditions, and customs.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	146	9.6 %
2	Disagree	264	17.4 %
3	Neither agree nor disagree	276	18.2 %
4	Agree	545	35.9 %
5	Strongly agree	272	17.9 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 238-238 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q22: (W1Q22) I have a strong sense of belonging to my own race/ethnic group.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I have a strong sense of belonging to my own race/ethnic group.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	120	7.9 %
2	Disagree	296	19.5 %
3	Neither agree nor disagree	448	29.5 %
4	Agree	427	28.1 %
5	Strongly agree	208	13.7 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 239-239 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q23: (W1Q23) I understand pretty well what my race/ethnic group membership means to me.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I understand pretty well what my race/ethnic group membership means to me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	44	2.9 %
2	Disagree	119	7.8 %
3	Neither agree nor disagree	346	22.8 %
4	Agree	691	45.5 %
5	Strongly agree	299	19.7 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 240-240 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q24: (W1Q24) I have often done things that will help me understand my race/ethnic background better.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I have often done things that will help me understand my race/ethnic background better.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	113	7.4 %
2	Disagree	264	17.4 %
3	Neither agree nor disagree	450	29.6 %
4	Agree	470	31.0 %
5	Strongly agree	199	13.1 %
<b>Missing Data</b>			
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 241-241 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q25: (W1Q25) I have often talked to other people in order to learn more about my race/ethnic group.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I have often talked to other people in order to learn more about my race/ethnic group.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	142	9.4 %
2	Disagree	343	22.6 %
3	Neither agree nor disagree	329	21.7 %
4	Agree	476	31.4 %
5	Strongly agree	210	13.8 %
<b>Missing Data</b>			
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 242-242 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q26: (W1Q26) I feel a strong attachment towards my own race/ethnic group.**

Thinking about your race and ethnicity group(s), please rate your level of agreement with the following items. I feel a strong attachment towards my own race/ethnic group.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	172	11.3 %
2	Disagree	284	18.7 %
3	Neither agree nor disagree	485	31.9 %
4	Agree	344	22.7 %
5	Strongly agree	215	14.2 %
<b>Missing Data</b>			
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 243-243 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q32: (W1Q32) Are you currently in a relationship or feel a special commitment to someone?**

Are you currently in a relationship or feel a special commitment to someone? Yes - Continue to Question 33, No - Skip to the text before Question 37

Value	Label	Unweighted Frequency	%
1	Yes	924	60.9 %
2	No	575	37.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 350-350 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## **W1Q33: (W1Q33) For how many years have you been in your relationship with your current partner? If less than 1 year, enter 01.**

Please answer the following questions about your relationship with your current partner/boyfriend/ girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with. For how many years have you been in your relationship with your current partner? If less than 1 year, enter 01.

Value	Label	Unweighted Frequency	%
1	-	276	18.2 %
2	-	82	5.4 %
3	-	86	5.7 %
4	-	53	3.5 %
5	-	38	2.5 %
6	-	29	1.9 %
7	-	32	2.1 %
8	-	23	1.5 %
9	-	28	1.8 %
10	-	24	1.6 %
11	-	11	0.7 %
12	-	19	1.3 %
13	-	14	0.9 %
14	-	17	1.1 %

Value	Label	Unweighted Frequency	%
15	-	16	1.1 %
16	-	20	1.3 %
17	-	18	1.2 %
18	-	11	0.7 %
19	-	14	0.9 %
20	-	18	1.2 %
21	-	11	0.7 %
22	-	9	0.6 %
23	-	11	0.7 %
24	-	3	0.2 %
25	-	5	0.3 %
26	-	6	0.4 %
27	-	7	0.5 %
28	-	5	0.3 %
29	-	4	0.3 %
30	-	4	0.3 %
31	-	6	0.4 %
32	-	6	0.4 %
33	-	1	0.1 %
34	-	5	0.3 %
35	-	3	0.2 %
39	-	1	0.1 %
71	-	1	0.1 %
<b>Missing Data</b>			
.	-	601	39.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 917 valid cases out of 1,518 total cases.

- Mean: 7.67
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 71.00
- Standard Deviation: 8.52

*Location:* 351-352 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## W1Q34: (W1Q34) What is your current partner's gender?

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with. What is your current partner's gender?

Value	Label	Unweighted Frequency	%
1	Woman, non-transgender	323	21.3 %
2	Man, non-transgender	569	37.5 %
3	Transgender woman/male-to-female (MTF)	4	0.3 %
4	Transgender man/female-to-male (FTM)	12	0.8 %
5	Non-binary/genderqueer	15	1.0 %
<b>Missing Data</b>			
.	-	595	39.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 923 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 353-353 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q35: (W1Q35) Do you live with your current partner?**

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with. Do you live with your current partner?

Value	Label	Unweighted Frequency	%
1	Yes	612	40.3 %
2	No	309	20.4 %
<b>Missing Data</b>			
.	-	597	39.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 921 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 354-354 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q36: (W1Q36) Which of the following best describes the legal status of your relationship with your current partner?**

Please answer the following questions about your relationship with your current partner/boyfriend/girlfriend/spouse. If you are romantically and/or sexually involved with more than one partner, answer the questions as they pertain to your primary partner, for example, your closest relationship or the partner you spend the most time with. Which of the following best describes the legal status of your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Legally married	294	19.4 %
2	Legally recognized civil union	6	0.4 %
3	Registered domestic partners	22	1.4 %
4	Not married	600	39.5 %
	<b>Missing Data</b>		
.	-	596	39.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 922 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 355-355 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q37: (W1Q37) A person's appearance, style, or dress may affect the way people think of them. On average, how do you think people would describe your appearance, style, or dress?**

The next questions are about your thoughts on gender expression and labels. A person's appearance, style, or dress may affect the way people think of them. On average, how do you think people would describe your appearance, style, or dress?

Value	Label	Unweighted Frequency	%
1	Very feminine	83	5.5 %
2	Mostly feminine	212	14.0 %
3	Somewhat feminine	220	14.5 %
4	Equally feminine and masculine	213	14.0 %
5	Somewhat masculine	224	14.8 %
6	Mostly masculine	431	28.4 %
7	Very masculine	122	8.0 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 356-356 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q38: (W1Q38) A person's mannerisms, such as the way they walk or talk, may affect the way people think of them. On average, how do you think people would describe your mannerisms?**

The next questions are about your thoughts on gender expression and labels. A person's mannerisms, such as the way they walk or talk, may affect the way people think of them. On average, how do you think people would describe your mannerisms?

Value	Label	Unweighted Frequency	%
1	Very feminine	75	4.9 %
2	Mostly feminine	214	14.1 %
3	Somewhat feminine	241	15.9 %
4	Equally feminine and masculine	329	21.7 %
5	Somewhat masculine	240	15.8 %
6	Mostly masculine	346	22.8 %
7	Very masculine	62	4.1 %
<b>Missing Data</b>			
.	-	11	0.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 357-357 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1CHILDGNC: (W1CHILDGNC) Childhood gender nonconformity**

Childhood gender nonconformity

Value	Label	Unweighted Frequency	%
1	Top decile (most gender nonconformity)	189	12.5 %
2	Median-top decile	598	39.4 %
3	< Median (least gender nonconformity)	731	48.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 945-945 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1CHILDGNC\_I: (W1CHILDGNC\_I) Childhood gender nonconformity with imputation**

Childhood gender nonconformity with imputation

Value	Label	Unweighted Frequency	%
1	Top decile (most gender nonconformity)	178	11.7 %
2	Median-top decile	609	40.1 %
3	< Median (least gender nonconformity)	731	48.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 946-946 (width: 1; decimal: 0)

*Variable Type:* numeric

**W1Q39\_1: (W1Q39\_1) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Androgynous (neither masculine or feminine)**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Androgynous (neither masculine or feminine)

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	151	9.9 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1367	90.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 151 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 358-359 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q39\_10: (W1Q39\_10) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Versatile (or Vers)

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Versatile (or Vers)

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	369	24.3 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
Missing Data			
.	-	1149	75.7 %
Total		1,518	100%

Based upon 369 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q39\_11: (W1Q39\_11) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. I don't use any of these kinds of labels

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. I don't use any of these kinds of labels

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	539	35.5 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	979	64.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 539 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 378-379 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W1Q39\_12: (W1Q39\_12) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Other**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	62	4.1 %
<b>Missing Data</b>			
-	-	1456	95.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 62 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

---

### **W1Q39\_2: (W1Q39\_2) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Butch/soft butch/stud/AG**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Butch/soft butch/stud/AG

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	130	8.6 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1388	91.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 130 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 360-361 (width: 2; decimal: 0)

Variable Type: numeric

---

### **W1Q39\_3: (W1Q39\_3) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Femme/hard femme/lipstick**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Femme/hard femme/lipstick

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	144	9.5 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1374	90.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 144 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 362-363 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W1Q39\_4: (W1Q39\_4) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bear/cub/wolf/otter**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bear/cub/wolf/otter

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	148	9.7 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %

Value	Label	Unweighted Frequency	%
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1370	90.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 148 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 364-365 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q39\_5: (W1Q39\_5) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Leather/fetish/kink**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Leather/fetish/kink

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	116	7.6 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1402	92.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 116 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 366-367 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## **W1Q39\_6: (W1Q39\_6) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Jock/muscle/gym**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Jock/muscle/gym

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	78	5.1 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1440	94.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 78 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 368-369 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## **W1Q39\_7: (W1Q39\_7) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Twink**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Twink

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Twink	56	3.7 %
8	Top	0	0.0 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1462	96.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 56 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 370-371 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q39\_8: (W1Q39\_8) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Top**

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Top

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	218	14.4 %
9	Bottom	0	0.0 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1300	85.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 218 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1Q39\_9: (W1Q39\_9) Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bottom

The next questions are about your thoughts on gender expression and labels. Do you identify with any of these labels related to sexual and gender communities or roles? Please mark all that apply. Bottom

Value	Label	Unweighted Frequency	%
1	Androgynous (neither masculine or feminine)	0	0.0 %
2	Butch/soft butch/stud/AG	0	0.0 %
3	Femme/hard femme/lipstick	0	0.0 %
4	Bear/cub/wolf/otter	0	0.0 %
5	Leather/fetish/kink	0	0.0 %
6	Jock/muscle/gym	0	0.0 %
7	Twink	0	0.0 %
8	Top	0	0.0 %
9	Bottom	211	13.9 %
10	Versatile (or vers)	0	0.0 %
11	I don't use any of these kinds of labels (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
12	Other (list) (allow 250 characters)	0	0.0 %
Missing Data			
.	-	1307	86.1 %
Total		1,518	100%

Based upon 211 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

---

### W1IDCENTRAL: (W1IDCENTRAL) Identity centrality

Identity centrality

Value	Label	Unweighted Frequency	%
1.000000000000000	-	14	0.9 %
1.2000000476837	-	5	0.3 %

Value	Label	Unweighted Frequency	%
1.3999999761581	-	9	0.6 %
1.6000000238419	-	11	0.7 %
1.7999999523163	-	22	1.4 %
2.00000000000000	-	37	2.4 %
2.2000000476837	-	22	1.4 %
2.4000000953674	-	43	2.8 %
2.5999999046326	-	44	2.9 %
2.7999999523163	-	63	4.2 %
3.00000000000000	-	75	4.9 %
3.2000000476837	-	74	4.9 %
3.4000000953674	-	91	6.0 %
3.5999999046326	-	105	6.9 %
3.7999999523163	-	97	6.4 %
4.00000000000000	-	96	6.3 %
4.1999998092651	-	89	5.9 %
4.4000000953674	-	108	7.1 %
4.5999999046326	-	70	4.6 %
4.8000001907349	-	87	5.7 %
5.00000000000000	-	114	7.5 %
5.1999998092651	-	51	3.4 %
5.4000000953674	-	35	2.3 %
5.5999999046326	-	36	2.4 %
5.8000001907349	-	29	1.9 %
6.00000000000000	-	68	4.5 %
	Missing Data		
.	-	23	1.5 %
	Total	1,518	100%

Based upon 1,495 valid cases out of 1,518 total cases.

- Mean: 3.9455518352547
- Median: 4.0000000000000
- Mode: 5.0000000000000
- Minimum: 1.0000000000000
- Maximum: 6.0000000000000
- Standard Deviation: 1.1245846869757

Location: 1094-1108 (width: 15; decimal: 13)

Variable Type: numeric

## W1IDCENTRAL\_I: (W1IDCENTRAL\_I) Identity centrality with imputation

Identity centrality with imputation

Value	Label	Unweighted Frequency	%
1.000000000000000	-	14	0.9 %
1.2000000476837	-	5	0.3 %
1.3999999761581	-	9	0.6 %
1.6000000238419	-	11	0.7 %
1.7999999523163	-	22	1.4 %
2.000000000000000	-	37	2.4 %
2.2000000476837	-	22	1.4 %
2.250000000000000	-	2	0.1 %
2.4000000953674	-	43	2.8 %
2.500000000000000	-	1	0.1 %
2.5999999046326	-	44	2.9 %
2.7999999523163	-	64	4.2 %
3.000000000000000	-	76	5.0 %
3.2000000476837	-	74	4.9 %
3.250000000000000	-	2	0.1 %
3.4000000953674	-	91	6.0 %
3.5999999046326	-	105	6.9 %
3.750000000000000	-	2	0.1 %
3.7999999523163	-	98	6.5 %
4.000000000000000	-	98	6.5 %
4.1999998092651	-	92	6.1 %
4.250000000000000	-	1	0.1 %
4.4000000953674	-	108	7.1 %
4.500000000000000	-	1	0.1 %
4.5999999046326	-	71	4.7 %
4.8000001907349	-	87	5.7 %
5.000000000000000	-	115	7.6 %
5.1999998092651	-	51	3.4 %
5.4000000953674	-	35	2.3 %
5.500000000000000	-	1	0.1 %
5.5999999046326	-	36	2.4 %
5.750000000000000	-	2	0.1 %
5.8000001907349	-	30	2.0 %
6.000000000000000	-	68	4.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.9466073736058
- Median: 4.00000000000000
- Mode: 5.00000000000000
- Minimum: 1.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.1235669967034

*Location:* 1109-1123 (width: 15; decimal: 13)

*Variable Type:* numeric

### **W1Q40: (W1Q40) My sexual orientation is an insignificant part of who I am.**

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. My sexual orientation is an insignificant part of who I am.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	309	20.4 %
2	Disagree	356	23.5 %
3	Disagree somewhat	220	14.5 %
4	Agree somewhat	249	16.4 %
5	Agree	197	13.0 %
6	Agree strongly	172	11.3 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 382-382 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q41: (W1Q41) My sexual orientation is a central part of my identity.**

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. My sexual orientation is a central part of my identity.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	97	6.4 %
2	Disagree	224	14.8 %
3	Disagree somewhat	206	13.6 %
4	Agree somewhat	394	26.0 %
5	Agree	346	22.8 %
6	Agree strongly	236	15.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 383-383 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q42: (W1Q42) To understand who I am as a person, you have to know that I'm LGB.**

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. To understand who I am as a person, you have to know that I'm LGB.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	222	14.6 %
2	Disagree	327	21.5 %
3	Disagree somewhat	236	15.5 %
4	Agree somewhat	288	19.0 %
5	Agree	257	16.9 %
6	Agree strongly	176	11.6 %
	<b>Missing Data</b>		
.	-	12	0.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,506 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 384-384 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q43: (W1Q43) Being an LGB person is a very important aspect of my life.**

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. Being an LGB person is a very important aspect of my life.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	74	4.9 %
2	Disagree	155	10.2 %

Value	Label	Unweighted Frequency	%
3	Disagree somewhat	213	14.0 %
4	Agree somewhat	421	27.7 %
5	Agree	395	26.0 %
6	Agree strongly	243	16.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 385-385 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q44: (W1Q44) I believe being LGB is an important part of me.**

For each of the following questions, please mark the response that best indicates your current experience as a lesbian, gay, or bisexual (LGB) person. We use LGB generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. I believe being LGB is an important part of me.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	52	3.4 %
2	Disagree	89	5.9 %
3	Disagree somewhat	122	8.0 %
4	Agree somewhat	398	26.2 %
5	Agree	510	33.6 %
6	Agree strongly	333	21.9 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 386-386 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q45: (W1Q45) At what age were you first sexually attracted to someone of the same sex as you?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age were you first sexually attracted to someone of the same sex as you?

Value	Label	Unweighted Frequency	%
1	-	2	0.1 %
3	-	12	0.8 %
4	-	37	2.4 %
5	-	101	6.7 %
6	-	95	6.3 %
7	-	82	5.4 %
8	-	69	4.5 %
9	-	68	4.5 %
10	-	123	8.1 %
11	-	85	5.6 %
12	-	182	12.0 %
13	-	144	9.5 %
14	-	133	8.8 %
15	-	82	5.4 %
16	-	67	4.4 %
17	-	41	2.7 %
18	-	44	2.9 %
19	-	15	1.0 %
20	-	17	1.1 %
21	-	10	0.7 %
22	-	6	0.4 %
23	-	1	0.1 %
24	-	6	0.4 %
25	-	3	0.2 %
26	-	2	0.1 %
27	-	3	0.2 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	2	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	2	0.1 %
34	-	1	0.1 %
36	-	2	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
41	-	1	0.1 %
45	-	1	0.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	71	4.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,447 valid cases out of 1,518 total cases.

- Mean: 11.60
- Median: 12.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 45.00
- Standard Deviation: 4.95

*Location:* 387-388 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

### **W1Q46: (W1Q46) At what age were you the first time you had sex with someone of the same sex?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age were you the first time you had sex with someone of the same sex?

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	1	0.1 %
4	-	1	0.1 %
5	-	9	0.6 %
6	-	11	0.7 %
7	-	9	0.6 %
8	-	14	0.9 %
9	-	9	0.6 %
10	-	20	1.3 %
11	-	33	2.2 %
12	-	60	4.0 %
13	-	70	4.6 %
14	-	73	4.8 %
15	-	99	6.5 %
16	-	138	9.1 %
17	-	115	7.6 %
18	-	167	11.0 %
19	-	118	7.8 %
20	-	67	4.4 %
21	-	67	4.4 %
22	-	38	2.5 %

Value	Label	Unweighted Frequency	%
23	-	38	2.5 %
24	-	17	1.1 %
25	-	18	1.2 %
26	-	11	0.7 %
27	-	14	0.9 %
28	-	11	0.7 %
29	-	5	0.3 %
30	-	14	0.9 %
31	-	8	0.5 %
32	-	8	0.5 %
33	-	5	0.3 %
34	-	5	0.3 %
35	-	8	0.5 %
36	-	5	0.3 %
38	-	3	0.2 %
39	-	1	0.1 %
40	-	5	0.3 %
41	-	1	0.1 %
42	-	5	0.3 %
43	-	2	0.1 %
45	-	2	0.1 %
46	-	1	0.1 %
48	-	2	0.1 %
50	-	2	0.1 %
<b>Missing Data</b>			
.	-	206	13.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,312 valid cases out of 1,518 total cases.

- Mean: 18.04
- Median: 17.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 50.00
- Standard Deviation: 6.20

*Location:* 389-390 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

---

#### **W1Q47: (W1Q47) At what age did you have your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age did you have your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved?

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
7	-	3	0.2 %
9	-	1	0.1 %
11	-	4	0.3 %
12	-	12	0.8 %
13	-	30	2.0 %
14	-	49	3.2 %
15	-	53	3.5 %
16	-	102	6.7 %
17	-	121	8.0 %
18	-	134	8.8 %
19	-	118	7.8 %
20	-	96	6.3 %
21	-	87	5.7 %
22	-	50	3.3 %
23	-	41	2.7 %
24	-	43	2.8 %
25	-	30	2.0 %
26	-	24	1.6 %
27	-	16	1.1 %
28	-	26	1.7 %
29	-	16	1.1 %
30	-	16	1.1 %
31	-	11	0.7 %
32	-	16	1.1 %
33	-	6	0.4 %
34	-	7	0.5 %
35	-	8	0.5 %
36	-	5	0.3 %
37	-	2	0.1 %
38	-	6	0.4 %
39	-	5	0.3 %
40	-	7	0.5 %
41	-	2	0.1 %
42	-	3	0.2 %
43	-	3	0.2 %

Value	Label	Unweighted Frequency	%
45	-	2	0.1 %
46	-	3	0.2 %
48	-	3	0.2 %
50	-	6	0.4 %
51	-	3	0.2 %
55	-	1	0.1 %
<b>Missing Data</b>			
.	-	346	22.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,172 valid cases out of 1,518 total cases.

- Mean: 20.89
- Median: 19.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 55.00
- Standard Deviation: 6.70

*Location:* 391-392 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 98 , 99 , .

## **W1Q48: (W1Q48) At what age did you first realize that you were LGB?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age did you first realize that you were LGB?

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	1	0.1 %
4	-	12	0.8 %
5	-	25	1.6 %
6	-	18	1.2 %
7	-	15	1.0 %
8	-	30	2.0 %
9	-	23	1.5 %
10	-	61	4.0 %
11	-	62	4.1 %
12	-	117	7.7 %
13	-	143	9.4 %
14	-	151	9.9 %
15	-	134	8.8 %
16	-	121	8.0 %

Value	Label	Unweighted Frequency	%
17	-	86	5.7 %
18	-	111	7.3 %
19	-	74	4.9 %
20	-	57	3.8 %
21	-	49	3.2 %
22	-	14	0.9 %
23	-	14	0.9 %
24	-	9	0.6 %
25	-	20	1.3 %
26	-	6	0.4 %
27	-	9	0.6 %
28	-	10	0.7 %
29	-	4	0.3 %
30	-	19	1.3 %
31	-	2	0.1 %
32	-	6	0.4 %
33	-	4	0.3 %
34	-	5	0.3 %
35	-	6	0.4 %
36	-	3	0.2 %
37	-	1	0.1 %
38	-	3	0.2 %
39	-	3	0.2 %
40	-	3	0.2 %
41	-	2	0.1 %
42	-	2	0.1 %
45	-	6	0.4 %
46	-	1	0.1 %
50	-	3	0.2 %
56	-	1	0.1 %
<b>Missing Data</b>			
.	-	71	4.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,447 valid cases out of 1,518 total cases.

- Mean: 16.00
- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 56.00

- Standard Deviation: 6.45

*Location:* 393-394 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* 98 , 99 , .

## **W1Q49: (W1Q49) At what age did you first tell a straight friend that you were LGB?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age did you first tell a straight friend that you were LGB?

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	1	0.1 %
7	-	2	0.1 %
8	-	3	0.2 %
9	-	3	0.2 %
10	-	6	0.4 %
11	-	17	1.1 %
12	-	34	2.2 %
13	-	61	4.0 %
14	-	102	6.7 %
15	-	115	7.6 %
16	-	124	8.2 %
17	-	131	8.6 %
18	-	170	11.2 %
19	-	113	7.4 %
20	-	99	6.5 %
21	-	66	4.3 %
22	-	52	3.4 %
23	-	32	2.1 %
24	-	26	1.7 %
25	-	38	2.5 %
26	-	16	1.1 %
27	-	23	1.5 %
28	-	13	0.9 %
29	-	7	0.5 %
30	-	30	2.0 %
31	-	10	0.7 %
32	-	12	0.8 %
33	-	7	0.5 %
34	-	11	0.7 %
35	-	16	1.1 %

Value	Label	Unweighted Frequency	%
36	-	4	0.3 %
37	-	4	0.3 %
38	-	9	0.6 %
39	-	3	0.2 %
40	-	6	0.4 %
41	-	4	0.3 %
42	-	1	0.1 %
43	-	4	0.3 %
44	-	3	0.2 %
45	-	7	0.5 %
46	-	2	0.1 %
48	-	3	0.2 %
50	-	4	0.3 %
51	-	1	0.1 %
52	-	2	0.1 %
55	-	1	0.1 %
<b>Missing Data</b>			
.	-	119	7.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,399 valid cases out of 1,518 total cases.

- Mean: 19.83
- Median: 18.00
- Mode: 18.00
- Minimum: 4.00
- Maximum: 55.00
- Standard Deviation: 6.96

*Location:* 395-396 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## **W1Q50: (W1Q50) At what age did you first tell a family member that you were LGB?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. At what age did you first tell a family member that you were LGB?

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	3	0.2 %
10	-	3	0.2 %

Value	Label	Unweighted Frequency	%
11	-	3	0.2 %
12	-	18	1.2 %
13	-	33	2.2 %
14	-	37	2.4 %
15	-	67	4.4 %
16	-	110	7.2 %
17	-	111	7.3 %
18	-	151	9.9 %
19	-	103	6.8 %
20	-	95	6.3 %
21	-	80	5.3 %
22	-	58	3.8 %
23	-	46	3.0 %
24	-	34	2.2 %
25	-	39	2.6 %
26	-	20	1.3 %
27	-	22	1.4 %
28	-	18	1.2 %
29	-	13	0.9 %
30	-	33	2.2 %
31	-	10	0.7 %
32	-	13	0.9 %
33	-	10	0.7 %
34	-	11	0.7 %
35	-	25	1.6 %
36	-	7	0.5 %
37	-	4	0.3 %
38	-	6	0.4 %
39	-	6	0.4 %
40	-	7	0.5 %
41	-	3	0.2 %
42	-	3	0.2 %
43	-	4	0.3 %
44	-	2	0.1 %
45	-	7	0.5 %
46	-	1	0.1 %
47	-	1	0.1 %
48	-	2	0.1 %
49	-	1	0.1 %

Value	Label	Unweighted Frequency	%
50	-	5	0.3 %
51	-	1	0.1 %
52	-	4	0.3 %
53	-	1	0.1 %
54	-	1	0.1 %
55	-	1	0.1 %
<b>Missing Data</b>			
.	-	277	18.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,241 valid cases out of 1,518 total cases.

- Mean: 21.48
- Median: 19.00
- Mode: 18.00
- Minimum: 3.00
- Maximum: 57.00
- Standard Deviation: 7.60

*Location:* 397-398 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

---

### **W1Q51: (W1Q51) How old were you when it was clear to you that someone in your family had found out that you were LGB before you told them?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. How old were you when it was clear to you that someone in your family had found out that you were LGB before you told them?

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %
3	-	2	0.1 %
4	-	4	0.3 %
5	-	6	0.4 %
6	-	6	0.4 %
7	-	5	0.3 %
8	-	8	0.5 %
9	-	4	0.3 %
10	-	23	1.5 %
11	-	4	0.3 %
12	-	21	1.4 %

Value	Label	Unweighted Frequency	%
13	-	32	2.1 %
14	-	48	3.2 %
15	-	49	3.2 %
16	-	77	5.1 %
17	-	57	3.8 %
18	-	81	5.3 %
19	-	70	4.6 %
20	-	57	3.8 %
21	-	45	3.0 %
22	-	29	1.9 %
23	-	15	1.0 %
24	-	19	1.3 %
25	-	21	1.4 %
26	-	15	1.0 %
27	-	13	0.9 %
28	-	7	0.5 %
29	-	5	0.3 %
30	-	20	1.3 %
31	-	3	0.2 %
32	-	6	0.4 %
33	-	5	0.3 %
34	-	6	0.4 %
35	-	11	0.7 %
36	-	3	0.2 %
37	-	1	0.1 %
38	-	1	0.1 %
39	-	1	0.1 %
40	-	6	0.4 %
41	-	1	0.1 %
42	-	1	0.1 %
43	-	2	0.1 %
44	-	1	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
47	-	1	0.1 %
50	-	1	0.1 %
51	-	2	0.1 %
53	-	3	0.2 %
54	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	711	46.8 %

  

	<b>Total</b>	<b>1,518</b>	<b>100%</b>
--	--------------	--------------	-------------

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 807 valid cases out of 1,518 total cases.

- Mean: 19.51
- Median: 18.00
- Mode: 18.00
- Minimum: 2.00
- Maximum: 56.00
- Standard Deviation: 7.72

*Location:* 399-400 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99 , .

## **W1Q52: (W1Q52) Now thinking back to when you were in high school, how "out" were you at school?**

Below are some questions about growing up and your sexual feelings when you were younger. Again, by LGB we mean a sexual minority identity that you identify with. Now thinking back to when you were in high school, how out were you at school?

Value	Label	Unweighted Frequency	%
1	Out to everyone at school	164	10.8 %
2	Out to most people at school	95	6.3 %
3	Out to some people at school	93	6.1 %
4	Out to a few people at school	233	15.3 %
5	Out to no one at school	910	59.9 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 401-401 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q53: (W1Q53) You feel you're a part of the LGBT community.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. You feel you're a part of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	255	16.8 %
2	Agree	704	46.4 %
3	Disagree	435	28.7 %
4	Disagree strongly	110	7.2 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 402-402 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q54: (W1Q54) Participating in the LGBT community is a positive thing for you.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. Participating in the LGBT community is a positive thing for you.

Value	Label	Unweighted Frequency	%
1	Agree strongly	294	19.4 %
2	Agree	849	55.9 %
3	Disagree	284	18.7 %
4	Disagree strongly	61	4.0 %
	<b>Missing Data</b>		
.	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,488 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 403-403 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q55: (W1Q55) You feel a bond with the LGBT community.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. You feel a bond with the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	263	17.3 %
2	Agree	714	47.0 %

Value	Label	Unweighted Frequency	%
3	Disagree	430	28.3 %
4	Disagree strongly	91	6.0 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 404-404 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q56: (W1Q56) You are proud of the LGBT community.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. You are proud of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	493	32.5 %
2	Agree	827	54.5 %
3	Disagree	146	9.6 %
4	Disagree strongly	32	2.1 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 405-405 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q57: (W1Q57) It is important for you to be politically active in the LGBT community.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. It is important for you to be politically active in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	305	20.1 %
2	Agree	630	41.5 %
3	Disagree	468	30.8 %
4	Disagree strongly	93	6.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 406-406 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q58: (W1Q58) If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	662	43.6 %
2	Agree	771	50.8 %
3	Disagree	50	3.3 %
4	Disagree strongly	17	1.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 407-407 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q59: (W1Q59) You really feel that any problems faced by the LGBT community are also your own problems.**

The next questions are about how you feel about the LGBT community. Please rate your level of agreement with the following items. You really feel that any problems faced by the LGBT community are also your own problems.

Value	Label	Unweighted Frequency	%
1	Agree strongly	388	25.6 %
2	Agree	733	48.3 %
3	Disagree	323	21.3 %
4	Disagree strongly	59	3.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 408-408 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1HCTHREAT: (W1HCTHREAT) Healthcare stereotype threat

Healthcare stereotype threat

Value	Label	Unweighted Frequency	%
1.00	-	220	14.5 %
1.25	-	27	1.8 %
1.50	-	35	2.3 %
1.75	-	77	5.1 %
2.00	-	284	18.7 %
2.25	-	74	4.9 %
2.50	-	87	5.7 %
2.75	-	63	4.2 %
3.00	-	159	10.5 %
3.25	-	83	5.5 %
3.50	-	99	6.5 %
3.75	-	54	3.6 %
4.00	-	125	8.2 %
4.25	-	41	2.7 %
4.50	-	16	1.1 %
4.75	-	13	0.9 %
5.00	-	34	2.2 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Mean: 2.58
- Median: 2.50
- Mode: 2.00

- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

*Location:* 1086-1089 (width: 4; decimal: 2)

*Variable Type:* numeric

### **W1HCTHREAT\_I: (W1HCTHREAT\_I) Healthcare stereotype threat with imputation**

Healthcare stereotype threat with imputation

Value	Label	Unweighted Frequency	%
1.00	-	223	14.7 %
1.25	-	32	2.1 %
1.50	-	35	2.3 %
1.75	-	78	5.1 %
2.00	-	287	18.9 %
2.25	-	75	4.9 %
2.50	-	88	5.8 %
2.75	-	64	4.2 %
3.00	-	161	10.6 %
3.25	-	85	5.6 %
3.50	-	101	6.7 %
3.75	-	55	3.6 %
4.00	-	127	8.4 %
4.25	-	42	2.8 %
4.50	-	18	1.2 %
4.75	-	13	0.9 %
5.00	-	34	2.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.58
- Median: 2.50
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.07

*Location:* 1090-1093 (width: 4; decimal: 2)

*Variable Type:* numeric

### **W1Q60: (W1Q60) When seeking healthcare... I worry about being negatively judged because of my sexual orientation or gender identity.**

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items. When seeking healthcare... I worry about being negatively judged because of my sexual orientation or gender identity.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	294	19.4 %
2	Disagree	434	28.6 %
3	Neither agree nor disagree	268	17.7 %
4	Agree	378	24.9 %
5	Strongly agree	129	8.5 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 409-409 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q61: (W1Q61) When seeking healthcare... I worry that evaluations of me may be negatively affected by my sexual orientation or gender identity.**

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items. When seeking healthcare... I worry that evaluations of me may be negatively affected by my sexual orientation or gender identity.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	287	18.9 %
2	Disagree	492	32.4 %
3	Neither agree nor disagree	266	17.5 %
4	Agree	344	22.7 %
5	Strongly agree	108	7.1 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 410-410 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q62: (W1Q62) When seeking healthcare... I worry that diagnoses of me/my health may be negatively affected by my sexual orientation or gender identity.**

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items. When seeking healthcare... I worry that diagnoses of me/my health may be negatively affected by my sexual orientation or gender identity.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	312	20.6 %
2	Disagree	518	34.1 %
3	Neither agree nor disagree	292	19.2 %
4	Agree	279	18.4 %
5	Strongly agree	97	6.4 %
<b>Missing Data</b>			
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 411-411 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q63: (W1Q63) When seeking healthcare... I worry that I might confirm negative stereotypes about LGBT people.**

The following questions are about your experiences with healthcare. Please rate your level of agreement with the following items. When seeking healthcare... I worry that I might confirm negative stereotypes about LGBT people.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	425	28.0 %
2	Disagree	511	33.7 %
3	Neither agree nor disagree	253	16.7 %
4	Agree	241	15.9 %
5	Strongly agree	69	4.5 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 412-412 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q64\_1: (W1Q64\_1) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. I currently do not have health insurance**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. I currently do not have health insurance

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	121	8.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (Allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	1397	92.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 121 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 413-414 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W1Q64\_2: (W1Q64\_2) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my current or former employer or union**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance through my current or former employer or union

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	536	35.3 %
3	Insurance through my spouse/partner	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	982	64.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 536 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 415-416 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q64\_3: (W1Q64\_3) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my spouse/partner**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance through my spouse/partner

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	101	6.7 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1417	93.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 101 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 417-418 (width: 2; decimal: 0)

*Variable Type:* numeric

#### **W1Q64\_4: (W1Q64\_4) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my parent**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance through my parent

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	387	25.5 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	<b>Missing Data</b>		
.	-	1131	74.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 387 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 419-420 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_5: (W1Q64\_5) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through someone other than my spouse/partner or parent**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance through someone other than my spouse/partner or parent

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	11	0.7 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-		1507	99.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 11 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

---

**W1Q64\_6: (W1Q64\_6) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance I purchased through Healthcare.Gov or a Health Insurance Marketplace (sometimes called "Obamacare")

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	89	5.9 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	1429	94.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 89 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 423-424 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### W1Q64\_7: (W1Q64\_7) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased directly from an insurance company

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Insurance I purchased directly from an insurance company

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	47	3.1 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %

Value	Label	Unweighted Frequency	%
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1471	96.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 47 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 425-426 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W1Q64\_8: (W1Q64\_8) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicare (for people 65 and older, or people with certain disabilities)**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicare (for people 65 and older, or people with certain disabilities)

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	71	4.7 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1447	95.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 71 valid cases out of 1,518 total cases.

- Minimum: 8.00

- Maximum: 8.00

*Location:* 427-428 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q64\_9: (W1Q64\_9) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicaid (government-assistance plan for those with low incomes or a disability)**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Medicaid (government-assistance plan for those with low incomes or a disability)

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	192	12.6 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1326	87.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 192 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 429-430 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q64\_10: (W1Q64\_10) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. TRICARE or other military healthcare**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
TRICARE or other military healthcare

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	24	1.6 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1494	98.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 24 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 431-432 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q64\_11: (W1Q64\_11) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. VA (including if you ever used or enrolled for VA healthcare)**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
VA (including if you ever used or enrolled for VA healthcare)

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	20	1.3 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1498	98.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 20 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 433-434 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W1Q64\_12: (W1Q64\_12) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Indian Health Service**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Indian Health Service

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1518	100.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 435-436 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q64\_13: (W1Q64\_13) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Another type of health insurance or health coverage plan**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Another type of health insurance or health coverage plan:

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military healthcare	0	0.0 %
11	VA (including if you ever used or enrolled for VA healthcare)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	45	3.0 %
<b>Missing Data</b>			
.	-	1473	97.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 45 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 437-438 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q64\_T\_VERB: (W1Q64\_T\_VERB) Write in response for W1Q64**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.  
Write in response for w1q64 'Another type of health insurance or health coverage plan'

Value	Label	Unweighted Frequency	%
-		1471	96.9 %
ADAP (AIDS Drug Assistance Program) pays my premiums for insurance through "Obamacare."	-	1	0.1 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
AFLAC	-	1	0.1 %
AHF	-	1	0.1 %
ASR work provided	-	1	0.1 %
BLUE CROSS BLUE SHIELD	-	1	0.1 %
BLUE CROSS/BLUE SHIELD	-	1	0.1 %
CA WORKERS COMP	-	1	0.1 %
COUNTY CARE	-	1	0.1 %
College Plan	-	1	0.1 %
DISABILITY & LONG TERM	-	1	0.1 %
Fee schedule/discount plan (not exactly insurance) through the Health Insurance Marketplace	-	1	0.1 %
Health Coverage through my college	-	1	0.1 %
Insurance provided by my university	-	1	0.1 %
Insurance through School	-	1	0.1 %
Insurance through grad school	-	1	0.1 %
Insurance through my school	-	1	0.1 %
Insurance through my university	-	1	0.1 %
It is temporary; usually I don't have insurance	-	1	0.1 %
MASS HEALTH	-	1	0.1 %
MEDICAID PREGNANCY	-	1	0.1 %
MEDICARE ADVANTAGE	-	1	0.1 %
MVP	-	1	0.1 %
Mass Health	-	1	0.1 %
MassHealth (Medicare/Medicaid comb.)	-	1	0.1 %
Medi-Cal	-	1	0.1 %
MediCal	-	1	0.1 %
Media Cal	-	1	0.1 %
Medicaid	-	1	0.1 %
Medical	-	2	0.1 %
Medicare Advantage Percription Drug	-	1	0.1 %
OREGON HEALTH PLAN (OHP)	-	1	0.1 %
PURCHASED THROUGH SMALL BUSINESS OWNERS GROUP	-	1	0.1 %
RYAN WHITE PAYS FOR MEDICAL INS	-	1	0.1 %
Ryan White	-	1	0.1 %
SOCIAL SECURITY DISABILITY	-	1	0.1 %
STATE ADAP PROGRAM	-	1	0.1 %
Samaritan Ministries	-	1	0.1 %
School	-	1	0.1 %
School coverage (PhD studnet)	-	1	0.1 %

Value	Label	Unweighted Frequency	%
School health plan	-	1	0.1 %
Student health insurance through my college	-	1	0.1 %
Through my school	-	1	0.1 %
Travelers insurance	-	1	0.1 %
United Way	-	1	0.1 %
insurance in another country	-	1	0.1 %
student health insurance through my university	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 439-529 (width: 91; decimal: 0)

*Variable Type:* character

### **W1Q65: (W1Q65) Is there a place that you usually go to when you are sick or need advice about your health?**

Is there a place that you usually go to when you are sick or need advice about your health? There is NO place - Skip to Question 67

Value	Label	Unweighted Frequency	%
1	There is NO place	229	15.1 %
2	Yes, there are one or more places	1265	83.3 %
.	Missing Data		
	-	24	1.6 %
	Total	1,518	100%

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 530-530 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q66\_1: (W1Q66\_1) What kind of place is it? Please select all that apply. Clinic or health center**

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply. Clinic or health center

Value	Label	Unweighted Frequency	%
1	Clinic or health center	497	32.7 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
	<b>Missing Data</b>		
.	-	1021	67.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 531-531 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q66\_2: (W1Q66\_2) What kind of place is it? Please select all that apply. Doctor's office or HMO**

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply. Doctor's office or HMO

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	836	55.1 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
	<b>Missing Data</b>		
.	-	682	44.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 836 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 532-532 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q66\_3: (W1Q66\_3) What kind of place is it? Please select all that apply. Hospital emergency room**

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply. Hospital emergency room

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	185	12.2 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	0	0.0 %
<b>Missing Data</b>			
.	-	1333	87.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 185 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 533-533 (width: 1; decimal: 0)

*Variable Type:* numeric

#### **W1Q66\_4: (W1Q66\_4) What kind of place is it? Please select all that apply. Hospital outpatient department**

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply. Hospital outpatient department

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	92	6.1 %
5	Some other place	0	0.0 %
<b>Missing Data</b>			
.	-	1426	93.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 92 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 534-534 (width: 1; decimal: 0)

*Variable Type:* numeric

#### **W1Q66\_5: (W1Q66\_5) What kind of place is it? Please select all that apply. Some other place**

Is there a place that you usually go to when you are sick or need advice about your health? What kind of place is it? Please mark all that apply. Some other place:

Value	Label	Unweighted Frequency	%
1	Clinic or health center	0	0.0 %
2	Doctor's office or HMO	0	0.0 %
3	Hospital emergency room	0	0.0 %
4	Hospital outpatient department	0	0.0 %
5	Some other place	66	4.3 %
<b>Missing Data</b>			
.	-	1452	95.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 66 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 535-535 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q67: (W1Q67) In the past 5 years, how often have you been to an LGBT-specific clinic or provider for your healthcare?**

In the past 5 years, how often have you been to an LGBT-specific clinic or provider for your healthcare?

Value	Label	Unweighted Frequency	%
1	Often	85	5.6 %
2	Sometimes	124	8.2 %
3	Never	1280	84.3 %
<b>Missing Data</b>			
.	-	29	1.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,489 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 536-536 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q68\_1: (W1Q68\_1) During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. No**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. No

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	393	25.9 %

Value	Label	Unweighted Frequency	%
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	0	0.0 %
	<b>Missing Data</b>		
.	-	1125	74.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 393 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 537-537 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q68\_2: (W1Q68\_2) During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, an LGBT-specific website**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, an LGBT-specific website

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	170	11.2 %
3	Yes, a general website	0	0.0 %
	<b>Missing Data</b>		
.	-	1348	88.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 170 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 538-538 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q68\_3: (W1Q68\_3) During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, a general website**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply. Yes, a general website

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	1074	70.8 %
	<b>Missing Data</b>		
.	-	444	29.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,074 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 539-539 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q69: (W1Q69) In the next year, if it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?**

In the next year, if it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?

Value	Label	Unweighted Frequency	%
1	Very important	247	16.3 %
2	Somewhat important	485	31.9 %
3	Not important	765	50.4 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 540-540 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q78: (W1Q78) About how often do you get tested for sexually transmitted infections (STIs) other than HIV?**

The following questions are about HIV and Truvada or PrEP. About how often do you get tested for sexually transmitted infections (STIs) other than HIV?

Value	Label	Unweighted Frequency	%
1	About once every 6 months	231	15.2 %
2	About once a year	358	23.6 %
3	About once every 2-3 years	182	12.0 %

Value	Label	Unweighted Frequency	%
4	About once every 4-5 years	65	4.3 %
5	About once every 6 years or less often	237	15.6 %
6	I've never been tested for sexually transmitted infections (STIs)	423	27.9 %
7	I'm HIV positive	0	0.0 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 602-602 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q79: (W1Q79) About how often do you get tested for HIV?

The following questions are about HIV and Truvada or PrEP. About how often do you get tested for HIV?

Value	Label	Unweighted Frequency	%
1	About once every 1 - 3 months	86	5.7 %
2	About once every 6 months	117	7.7 %
3	About once a year	289	19.0 %
4	About once every 2 years or less often	191	12.6 %
5	I would only get tested if I felt I was at risk	397	26.2 %
6	I've never been tested for HIV	351	23.1 %
7	I'm HIV positive	68	4.5 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 603-603 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q80: (W1Q80) How often do you worry that you might get HIV?

The following questions are about HIV and Truvada or PrEP. How often do you worry that you might get HIV?

Value	Label	Unweighted Frequency	%
1	Never	811	53.4 %
2	Sometimes	440	29.0 %
3	Often	46	3.0 %
4	Always	37	2.4 %
	<b>Missing Data</b>		
.	-	184	12.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,334 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 604-604 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , .

## **W1Q81: (W1Q81) How likely is it that you will become HIV positive in your lifetime?**

The following questions are about HIV and Truvada or PrEP. How likely is it that you will become HIV positive in your lifetime?

Value	Label	Unweighted Frequency	%
1	Very unlikely	780	51.4 %
2	Unlikely	381	25.1 %
3	Somewhat unlikely	162	10.7 %
4	Likely	18	1.2 %
5	Very likely	11	0.7 %
	<b>Missing Data</b>		
.	-	166	10.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,352 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 605-605 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7 , 8 , .

## **W1Q82: (W1Q82) Are you currently taking Truvada as Pre-Exposure Prophylaxis (PrEP)?**

The following questions are about HIV and Truvada or PrEP. Are you currently taking Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Yes	33	2.2 %

Value	Label	Unweighted Frequency	%
2	No	1400	92.2 %
	<b>Missing Data</b>		
.	-	85	5.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,433 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 606-606 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q83: (W1Q83) Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?**

The following questions are about HIV and Truvada or PrEP. Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Not at all familiar	854	56.3 %
2	Somewhat familiar	417	27.5 %
3	Very familiar	230	15.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 607-607 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q84: (W1Q84) Are you for or against HIV-negative people taking Truvada as Pre-Exposure Prophylaxis (PrEP) to prevent the transmission of HIV?**

The following questions are about HIV and Truvada or PrEP. Are you for or against HIV-negative people taking Truvada as PrEP to prevent the transmission of HIV?

Value	Label	Unweighted Frequency	%
1	I am against it	21	1.4 %
2	I have mixed feelings about it	123	8.1 %

Value	Label	Unweighted Frequency	%
3	I am for it	642	42.3 %
4	I don't have an opinion	154	10.1 %
5	I don't know enough about it	563	37.1 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 608-608 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q70: (W1Q70) Would you say that in general your health is...**

The following questions are about your health. Would you say that in general your health is...

Value	Label	Unweighted Frequency	%
1	Poor	56	3.7 %
2	Fair	206	13.6 %
3	Good	480	31.6 %
4	Very good	569	37.5 %
5	Excellent	187	12.3 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 541-541 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q71: (W1Q71) Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?**

The following questions are about your health. Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Label	Unweighted Frequency	%
1	-	506	33.3 %

Value	Label	Unweighted Frequency	%
2	-	103	6.8 %
3	-	142	9.4 %
4	-	110	7.2 %
5	-	58	3.8 %
6	-	67	4.4 %
7	-	34	2.2 %
8	-	46	3.0 %
9	-	17	1.1 %
10	-	23	1.5 %
11	-	36	2.4 %
12	-	6	0.4 %
13	-	7	0.5 %
14	-	5	0.3 %
15	-	17	1.1 %
16	-	21	1.4 %
17	-	6	0.4 %
18	-	4	0.3 %
19	-	5	0.3 %
20	-	13	0.9 %
21	-	16	1.1 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
25	-	7	0.5 %
26	-	5	0.3 %
27	-	3	0.2 %
28	-	3	0.2 %
29	-	1	0.1 %
30	-	26	1.7 %
31	-	41	2.7 %
<b>Missing Data</b>			
.	-	185	12.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,333 valid cases out of 1,518 total cases.

- Mean: 6.01
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 31.00

- Standard Deviation: 7.76

*Location:* 542-543 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 99, .

## W1Q72: (W1Q72) Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

The following questions are about your health. Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Label	Unweighted Frequency	%
1	-	289	19.0 %
2	-	63	4.2 %
3	-	97	6.4 %
4	-	82	5.4 %
5	-	51	3.4 %
6	-	94	6.2 %
7	-	29	1.9 %
8	-	52	3.4 %
9	-	16	1.1 %
10	-	47	3.1 %
11	-	90	5.9 %
12	-	5	0.3 %
13	-	8	0.5 %
14	-	15	1.0 %
15	-	30	2.0 %
16	-	86	5.7 %
17	-	8	0.5 %
18	-	7	0.5 %
19	-	11	0.7 %
20	-	26	1.7 %
21	-	61	4.0 %
22	-	3	0.2 %
23	-	4	0.3 %
24	-	3	0.2 %
25	-	15	1.0 %
26	-	33	2.2 %
27	-	3	0.2 %
28	-	11	0.7 %
29	-	12	0.8 %

Value	Label	Unweighted Frequency	%
30	-	46	3.0 %
31	-	98	6.5 %
	<b>Missing Data</b>		
.	-	123	8.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,395 valid cases out of 1,518 total cases.

- Mean: 10.87
- Median: 7.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 9.92

*Location:* 544-545 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* 99, .)

### **W1Q73: (W1Q73) During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?**

The following questions are about your health. During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Label	Unweighted Frequency	%
1	-	488	32.1 %
2	-	102	6.7 %
3	-	99	6.5 %
4	-	97	6.4 %
5	-	64	4.2 %
6	-	77	5.1 %
7	-	29	1.9 %
8	-	35	2.3 %
9	-	16	1.1 %
10	-	38	2.5 %
11	-	62	4.1 %
12	-	6	0.4 %
13	-	16	1.1 %
14	-	9	0.6 %
15	-	22	1.4 %
16	-	29	1.9 %
17	-	3	0.2 %

Value	Label	Unweighted Frequency	%
18	-	4	0.3 %
19	-	5	0.3 %
20	-	9	0.6 %
21	-	36	2.4 %
22	-	4	0.3 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	11	0.7 %
26	-	17	1.1 %
27	-	2	0.1 %
28	-	3	0.2 %
29	-	3	0.2 %
30	-	29	1.9 %
31	-	29	1.9 %
<b>Missing Data</b>			
.	-	171	11.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,347 valid cases out of 1,518 total cases.

- Mean: 6.73
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.01

*Location:* 546-547 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* 99, .)

---

### **W1Q74\_1: (W1Q74\_1) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Hypertension (high blood pressure)**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
Hypertension (high blood pressure)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	334	22.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1184	78.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 334 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 548-549 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## **W1Q74\_2: (W1Q74\_2) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. High cholesterol**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. High cholesterol

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	299	19.7 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1219	80.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 299 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 550-551 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_3: (W1Q74\_3) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Heart condition or heart disease**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Heart condition or heart disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	70	4.6 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1448	95.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 70 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 552-553 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W1Q74\_4: (W1Q74\_4) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Angina**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Angina

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	7	0.5 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1511	99.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 7 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 554-555 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q74\_5: (W1Q74\_5) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A heart attack**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A heart attack

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	14	0.9 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1504	99.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 556-557 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q74\_6: (W1Q74\_6) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A stroke**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. A stroke

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	14	0.9 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1504	99.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 558-559 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_7: (W1Q74\_7) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Emphysema**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
Emphysema

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	9	0.6 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1509	99.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 560-561 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_8: (W1Q74\_8) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Asthma**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Asthma

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	261	17.2 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1257	82.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 261 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 562-563 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q74\_9: (W1Q74\_9) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. An ulcer**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. An ulcer

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	81	5.3 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1437	94.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 81 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 564-565 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_10: (W1Q74\_10) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Cancer or a malignancy of any kind**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Cancer or a malignancy of any kind

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	75	4.9 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1443	95.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 75 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 566-567 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_11: (W1Q74\_11) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Diabetes**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
Diabetes

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	89	5.9 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1429	94.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 89 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 568-569 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_12: (W1Q74\_12) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %

Value	Label	Unweighted Frequency	%
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	118	7.8 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
-	-	1400	92.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 118 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 570-571 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W1Q74\_13: (W1Q74\_13) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	196	12.9 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1322	87.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 196 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 572-573 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### W1Q74\_14: (W1Q74\_14) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Blood clots in legs or lungs

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Blood clots in legs or lungs

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	32	2.1 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1486	97.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 32 valid cases out of 1,518 total cases.

- Minimum: 14.00
- Maximum: 14.00

*Location:* 574-575 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_15: (W1Q74\_15) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Osteoporosis or loss of bone density**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
Osteoporosis or loss of bone density

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	35	2.3 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1483	97.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 35 valid cases out of 1,518 total cases.

- Minimum: 15.00
- Maximum: 15.00

*Location:* 576-577 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_16: (W1Q74\_16) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Thyroid problems**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Thyroid problems

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	130	8.6 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1388	91.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 130 valid cases out of 1,518 total cases.

- Minimum: 16.00
- Maximum: 16.00

*Location:* 578-579 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### W1Q74\_17: (W1Q74\_17) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Liver disease

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Liver disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %

Value	Label	Unweighted Frequency	%
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	34	2.2 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1484	97.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 34 valid cases out of 1,518 total cases.

- Minimum: 17.00
- Maximum: 17.00

*Location:* 580-581 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_18: (W1Q74\_18) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Chronic obstructive pulmonary disease (COPD)**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Chronic obstructive pulmonary disease (COPD)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	28	1.8 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1490	98.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 28 valid cases out of 1,518 total cases.

- Minimum: 18.00
- Maximum: 18.00

*Location:* 582-583 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q74\_19: (W1Q74\_19) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Crohn's disease or ulcerative colitis**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Crohn's disease or ulcerative colitis

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	18	1.2 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1500	98.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 18 valid cases out of 1,518 total cases.

- Minimum: 19.00
- Maximum: 19.00

*Location:* 584-585 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q74\_20: (W1Q74\_20) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Kidney disease**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Kidney disease

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	19	1.3 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1499	98.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 19 valid cases out of 1,518 total cases.

- Minimum: 20.00
- Maximum: 20.00

*Location:* 586-587 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q74\_21: (W1Q74\_21) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. HIV/AIDS**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply.  
HIV/AIDS

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	77	5.1 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1441	94.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 77 valid cases out of 1,518 total cases.

- Minimum: 21.00
- Maximum: 21.00

*Location:* 588-589 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W1Q74\_22: (W1Q74\_22) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Other sexually transmitted infection (not including HIV/AIDS)**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Other sexually transmitted infection (not including HIV/AIDS)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	185	12.2 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
<b>Missing Data</b>			
.	-	1333	87.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 185 valid cases out of 1,518 total cases.

- Minimum: 22.00
- Maximum: 22.00

*Location:* 590-591 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W1Q74\_23: (W1Q74\_23) Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Sleep disorder (e.g., insomnia or sleep apnea)**

Have you EVER been told by a doctor or health professional that you had any of the following? Please mark all that apply. Sleep disorder (e.g., insomnia or sleep apnea)

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	342	22.5 %
<b>Missing Data</b>			
-	-	1176	77.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 342 valid cases out of 1,518 total cases.

- Minimum: 23.00
- Maximum: 23.00

*Location:* 592-593 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W1Q75: (W1Q75) Are you limited in any way in any activities because of physical, mental, or emotional problems?**

Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Label	Unweighted Frequency	%
1	Yes	540	35.6 %

Value	Label	Unweighted Frequency	%
2	No	955	62.9 %
	<b>Missing Data</b>		
.	-	23	1.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 594-594 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### **W1Q76: (W1Q76) Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.**

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.

Value	Label	Unweighted Frequency	%
1	Yes	140	9.2 %
2	No	1360	89.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 595-595 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### **W1KESSLER6: (W1KESSLER6) Kessler 6**

Kessler 6

Value	Label	Unweighted Frequency	%
0	-	92	6.1 %
1	-	91	6.0 %
2	-	115	7.6 %
3	-	118	7.8 %

Value	Label	Unweighted Frequency	%
4	-	95	6.3 %
5	-	122	8.0 %
6	-	95	6.3 %
7	-	83	5.5 %
8	-	94	6.2 %
9	-	76	5.0 %
10	-	62	4.1 %
11	-	68	4.5 %
12	-	88	5.8 %
13	-	57	3.8 %
14	-	35	2.3 %
15	-	37	2.4 %
16	-	39	2.6 %
17	-	34	2.2 %
18	-	31	2.0 %
19	-	20	1.3 %
20	-	18	1.2 %
21	-	11	0.7 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	8	0.5 %
<b>Missing Data</b>			
.	-	27	1.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Mean: 7.67
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.49

*Location:* 1154-1155 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

## W1KESSLER6\_I: (W1KESSLER6\_I) Kessler 6 with imputation

Kessler 6 with imputation

Value	Label	Unweighted Frequency	%
0	-	94	6.2 %

Value	Label	Unweighted Frequency	%
1	-	93	6.1 %
2	-	116	7.6 %
3	-	118	7.8 %
4	-	99	6.5 %
5	-	126	8.3 %
6	-	95	6.3 %
7	-	86	5.7 %
8	-	95	6.3 %
9	-	77	5.1 %
10	-	63	4.2 %
11	-	69	4.5 %
12	-	88	5.8 %
13	-	58	3.8 %
14	-	39	2.6 %
15	-	38	2.5 %
16	-	39	2.6 %
17	-	34	2.2 %
18	-	32	2.1 %
19	-	20	1.3 %
20	-	18	1.2 %
21	-	11	0.7 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	8	0.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 7.66
- Median: 7.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.48

*Location:* 1156-1157 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q77A: (W1Q77A) During the past 30 days, about how often did you feel... nervous**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... Nervous

Value	Label	Unweighted Frequency	%
1	All of the time	83	5.5 %
2	Most of the time	242	15.9 %
3	Some of the time	499	32.9 %
4	A little of the time	438	28.9 %
5	None of the time	246	16.2 %
<b>Missing Data</b>			
.	-	10	0.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,508 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 596-596 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q77B: (W1Q77B) During the past 30 days, about how often did you feel... hopeless**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... Hopeless

Value	Label	Unweighted Frequency	%
1	All of the time	42	2.8 %
2	Most of the time	150	9.9 %
3	Some of the time	328	21.6 %
4	A little of the time	420	27.7 %
5	None of the time	559	36.8 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 597-597 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q77C: (W1Q77C) During the past 30 days, about how often did you feel... restless or fidgety**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... Restless or fidgety

Value	Label	Unweighted Frequency	%
1	All of the time	93	6.1 %
2	Most of the time	237	15.6 %
3	Some of the time	452	29.8 %
4	A little of the time	432	28.5 %
5	None of the time	290	19.1 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 598-598 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q77D: (W1Q77D) During the past 30 days, about how often did you feel... so depressed that nothing could cheer you up**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... So depressed that nothing could cheer you up

Value	Label	Unweighted Frequency	%
1	All of the time	30	2.0 %
2	Most of the time	99	6.5 %
3	Some of the time	261	17.2 %
4	A little of the time	366	24.1 %
5	None of the time	749	49.3 %
	<b>Missing Data</b>		
.	-	13	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 599-599 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q77E: (W1Q77E) During the past 30 days, about how often did you feel... that everything was an effort**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... That everything was an effort

Value	Label	Unweighted Frequency	%
1	All of the time	116	7.6 %
2	Most of the time	235	15.5 %
3	Some of the time	343	22.6 %
4	A little of the time	394	26.0 %
5	None of the time	413	27.2 %
<b>Missing Data</b>			
.	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 600-600 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q77F: (W1Q77F) During the past 30 days, about how often did you feel... worthless**

The following questions ask about how you have been feeling during the past 30 days. For each question, please choose how often you had this feeling. During the past 30 days, about how often did you feel... Worthless

Value	Label	Unweighted Frequency	%
1	All of the time	65	4.3 %
2	Most of the time	117	7.7 %
3	Some of the time	235	15.5 %
4	A little of the time	302	19.9 %
5	None of the time	786	51.8 %
<b>Missing Data</b>			
.	-	13	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,505 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 601-601 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1AUDITC: (W1AUDITC) Audit-C**

Audit-C

Value	Label	Unweighted Frequency	%
0	-	246	16.2 %
1	-	256	16.9 %
2	-	283	18.6 %
3	-	221	14.6 %
4	-	176	11.6 %
5	-	134	8.8 %
6	-	91	6.0 %
7	-	44	2.9 %
8	-	23	1.5 %
9	-	11	0.7 %
10	-	5	0.3 %
11	-	11	0.7 %
12	-	2	0.1 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Mean: 2.79
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.27

*Location:* 941-942 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W1AUDITC\_I: (W1AUDITC\_I) Audit-C with imputation**

Audit-C with imputation

Value	Label	Unweighted Frequency	%
0	-	249	16.4 %
1	-	261	17.2 %
2	-	285	18.8 %
3	-	222	14.6 %
4	-	179	11.8 %
5	-	135	8.9 %
6	-	91	6.0 %
7	-	44	2.9 %
8	-	23	1.5 %

Value	Label	Unweighted Frequency	%
9	-	11	0.7 %
10	-	5	0.3 %
11	-	11	0.7 %
12	-	2	0.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.27

*Location:* 943-944 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1Q85: (W1Q85) How often do you have a drink containing alcohol?

These next questions are about alcohol and drugs. How often do you have a drink containing alcohol?

Value	Label	Unweighted Frequency	%
1	Never	248	16.3 %
2	Monthly or less	400	26.4 %
3	2-4 times a month	375	24.7 %
4	2-3 times a week	267	17.6 %
5	4 or more times a week	214	14.1 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 609-609 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q86: (W1Q86) How many standard drinks containing alcohol do you have on a typical day?

These next questions are about alcohol and drugs. How many standard drinks containing alcohol do you have on a typical day?

Value	Label	Unweighted Frequency	%
0	None	933	61.5 %

Value	Label	Unweighted Frequency	%
1	1 or 2	409	26.9 %
2	3 or 4	124	8.2 %
3	5 or 6	20	1.3 %
4	7 to 9	15	1.0 %
5	10 or more	6	0.4 %
	<b>Missing Data</b>		
.	-	11	0.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,507 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 5.00

*Location:* 610-610 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q87: (W1Q87) How often do you have six or more drinks on one occasion?**

These next questions are about alcohol and drugs. How often do you have six or more drinks on one occasion?

Value	Label	Unweighted Frequency	%
1	Never	765	50.4 %
2	Less than monthly	459	30.2 %
3	Monthly	172	11.3 %
4	Weekly	92	6.1 %
5	Daily or almost daily	18	1.2 %
	<b>Missing Data</b>		
.	-	12	0.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,506 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 611-611 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q88: (W1Q88) Have you smoked at least 100 cigarettes in your entire life? Five packs of cigarettes are equal to 100 cigarettes. Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipe**

Have you smoked at least 100 cigarettes in your entire life? Five packs of cigarettes are equal to 100 cigarettes. Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis, kreteks, water pipes (hookahs), or marijuana.

Value	Label	Unweighted Frequency	%
1	Yes	671	44.2 %
2	No	831	54.7 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 612-612 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3, 4, .

## W1Q89: (W1Q89) Do you now smoke cigarettes everyday, some days, or not at all?

Do you now smoke cigarettes every day, some days, or not at all?

Value	Label	Unweighted Frequency	%
1	Every day	233	15.3 %
2	Some days	100	6.6 %
3	Not at all	336	22.1 %
	<b>Missing Data</b>		
.	-	849	55.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 669 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 613-613 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## W1DUDIT: (W1DUDIT) Drug Use Disorders Identification Test (DUDIT)

Drug Use Disorders Identification Test (DUDIT)

Value	Label	Unweighted Frequency	%
0	-	774	51.0 %
1	-	41	2.7 %
2	-	105	6.9 %
3	-	79	5.2 %
4	-	89	5.9 %

Value	Label	Unweighted Frequency	%
5	-	50	3.3 %
6	-	37	2.4 %
7	-	30	2.0 %
8	-	51	3.4 %
9	-	25	1.6 %
10	-	31	2.0 %
11	-	21	1.4 %
12	-	19	1.3 %
13	-	13	0.9 %
14	-	9	0.6 %
15	-	10	0.7 %
16	-	14	0.9 %
17	-	6	0.4 %
18	-	5	0.3 %
19	-	8	0.5 %
20	-	5	0.3 %
21	-	3	0.2 %
22	-	4	0.3 %
23	-	2	0.1 %
24	-	3	0.2 %
25	-	4	0.3 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.2 %
31	-	3	0.2 %
32	-	3	0.2 %
33	-	1	0.1 %
35	-	1	0.1 %
<b>Missing Data</b>			
.	-	66	4.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,452 valid cases out of 1,518 total cases.

- Mean: 3.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 5.51

Location: 1007-1008 (width: 2; decimal: 0)

Variable Type: numeric

## W1DUDIT\_I: (W1DUDIT\_I) Drug Use Disorders Identification Test (DUDIT) with imputation

Drug Use Disorders Identification Test (DUDIT) with imputation

Value	Label	Unweighted Frequency	%
0	-	805	53.0 %
1	-	48	3.2 %
2	-	115	7.6 %
3	-	80	5.3 %
4	-	90	5.9 %
5	-	53	3.5 %
6	-	39	2.6 %
7	-	31	2.0 %
8	-	51	3.4 %
9	-	26	1.7 %
10	-	33	2.2 %
11	-	22	1.4 %
12	-	20	1.3 %
13	-	14	0.9 %
14	-	9	0.6 %
15	-	11	0.7 %
16	-	14	0.9 %
17	-	7	0.5 %
18	-	6	0.4 %
19	-	8	0.5 %
20	-	5	0.3 %
21	-	4	0.3 %
22	-	4	0.3 %
23	-	2	0.1 %
24	-	3	0.2 %
25	-	4	0.3 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.2 %
31	-	3	0.2 %
32	-	3	0.2 %
33	-	1	0.1 %
35	-	1	0.1 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 35.00
- Standard Deviation: 5.49

*Location:* 1009-1010 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1Q90: (W1Q90) How often do you use drugs other than alcohol?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How often do you use drugs other than alcohol?

Value	Label	Unweighted Frequency	%
1	Never	907	59.7 %
2	Once a month or less often	254	16.7 %
3	2-4 times a month	93	6.1 %
4	2-3 times a week	74	4.9 %
5	4 times a week or more often	171	11.3 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 614-614 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q91: (W1Q91) Do you use more than one type of drug on the same occasion?

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. Do you use more than one type of drug on the same occasion?

Value	Label	Unweighted Frequency	%
1	Never	1289	84.9 %

Value	Label	Unweighted Frequency	%
2	Once a month or less often	155	10.2 %
3	2-4 times a month	30	2.0 %
4	2-3 times a week	9	0.6 %
5	4 times a week or more often	15	1.0 %
<b>Missing Data</b>			
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 615-615 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q92: (W1Q92) How many times do you take drugs on a typical day when you use drugs?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How many times do you take drugs on a typical day when you use drugs?

Value	Label	Unweighted Frequency	%
1	0	954	62.8 %
2	1-2	431	28.4 %
3	3-4	69	4.5 %
4	5-6	24	1.6 %
5	7 or more	17	1.1 %
<b>Missing Data</b>			
.	-	23	1.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 616-616 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q93: (W1Q93) How often are you influenced heavily by drugs?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and

pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How often are you influenced heavily by drugs?

Value	Label	Unweighted Frequency	%
1	Never	1192	78.5 %
2	Less often than once a month	188	12.4 %
3	Every month	37	2.4 %
4	Every week	37	2.4 %
5	Daily or almost every day	40	2.6 %
<b>Missing Data</b>			
.	-	24	1.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 617-617 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q94: (W1Q94) Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

Value	Label	Unweighted Frequency	%
1	Never	1377	90.7 %
2	Less often than once a month	70	4.6 %
3	Every month	20	1.3 %
4	Every week	14	0.9 %
5	Daily or almost every day	22	1.4 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 618-618 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q95: (W1Q95) Has it happened, over the past year, that you have not been able to stop taking drugs once you started?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

Value	Label	Unweighted Frequency	%
1	Never	1435	94.5 %
2	Less often than once a month	39	2.6 %
3	Every month	4	0.3 %
4	Every week	8	0.5 %
5	Daily or almost every day	15	1.0 %
<b>Missing Data</b>			
.	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 619-619 (*width:* 1; *decimal:* 0)

*Variable Type:* numeric

---

## **W1Q96: (W1Q96) How often over the past year have you taken drugs and then neglected to do something you should have done?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How often over the past year have you taken drugs and then neglected to do something you should have done?

Value	Label	Unweighted Frequency	%
1	Never	1268	83.5 %
2	Less often than once a month	156	10.3 %
3	Every month	33	2.2 %
4	Every week	27	1.8 %
5	Daily or almost every day	10	0.7 %
<b>Missing Data</b>			
.	-	24	1.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 620-620 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q97: (W1Q97) How often over the past year have you needed to take a drug the morning after heavy drug use the day before?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How often over the past year have you needed to take a drug the morning after heavy drug use the day before?

Value	Label	Unweighted Frequency	%
1	Never	1422	93.7 %
2	Less often than once a month	41	2.7 %
3	Every month	13	0.9 %
4	Every week	8	0.5 %
5	Daily or almost every day	13	0.9 %
<b>Missing Data</b>			
-	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 621-621 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q98: (W1Q98) How often over the past year have you had guilt feelings or a bad conscience because you used drugs?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. How often over the past year have you had guilt feelings or a bad conscience because you used drugs?

Value	Label	Unweighted Frequency	%
1	Never	1289	84.9 %
2	Less often than once a month	136	9.0 %
3	Every month	35	2.3 %
4	Every week	20	1.3 %
5	Daily or almost every day	16	1.1 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 622-622 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q99: (W1Q99) Have you or anyone else been hurt (mentally or physically) because you used drugs?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. Have you or anyone else been hurt (mentally or physically) because you used drugs?

Value	Label	Unweighted Frequency	%
1	No	1331	87.7 %
2	Yes, but not over the past year	121	8.0 %
3	Yes, over the past year	44	2.9 %
.	<b>Missing Data</b>		
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 623-623 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q100: (W1Q100) Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?**

Next, we have a few questions about drugs. Please answer as correctly and honestly as possible by indicating which answer is right for you. For the next 11 questions, we refer to drugs such as marijuana, methamphetamine, crack, heroin, ecstasy, GHB, and pills such as sleeping pills and painkillers. Do not count as drugs if they have been prescribed by a doctor and you take them in the prescribed dosage. Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?

Value	Label	Unweighted Frequency	%
1	No	1324	87.2 %
2	Yes, but not over the past year	121	8.0 %

Value	Label	Unweighted Frequency	%
3	Yes, over the past year	54	3.6 %
	<b>Missing Data</b>		
-	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 624-624 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q101: (W1Q101) Did you ever in your life have thoughts of killing yourself?**

The next questions are about thoughts you may have had of hurting yourself. Did you ever in your life have thoughts of killing yourself?

Value	Label	Unweighted Frequency	%
1	No	443	29.2 %
2	Yes, once	298	19.6 %
3	Yes, more than once	759	50.0 %
	<b>Missing Data</b>		
-	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 625-625 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q102: (W1Q102) How old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	1	0.1 %
10	-	3	0.2 %
11	-	3	0.2 %
12	-	9	0.6 %
13	-	17	1.1 %

Value	Label	Unweighted Frequency	%
14	-	21	1.4 %
15	-	33	2.2 %
16	-	30	2.0 %
17	-	17	1.1 %
18	-	21	1.4 %
19	-	16	1.1 %
20	-	11	0.7 %
21	-	12	0.8 %
22	-	7	0.5 %
23	-	6	0.4 %
24	-	10	0.7 %
25	-	9	0.6 %
26	-	2	0.1 %
27	-	5	0.3 %
28	-	3	0.2 %
30	-	7	0.5 %
31	-	2	0.1 %
32	-	3	0.2 %
33	-	5	0.3 %
34	-	1	0.1 %
35	-	4	0.3 %
36	-	1	0.1 %
37	-	4	0.3 %
38	-	1	0.1 %
39	-	2	0.1 %
40	-	4	0.3 %
41	-	2	0.1 %
42	-	3	0.2 %
44	-	1	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
47	-	1	0.1 %
48	-	3	0.2 %
50	-	2	0.1 %
51	-	1	0.1 %
52	-	1	0.1 %
54	-	2	0.1 %
57	-	4	0.3 %
58	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1220	80.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 298 valid cases out of 1,518 total cases.

- Mean: 22.24
- Median: 18.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 58.00
- Standard Deviation: 10.73

*Location:* 626-627 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q103: (W1Q103) About how old were you the very first time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the very first time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
5	-	5	0.3 %
6	-	13	0.9 %
7	-	10	0.7 %
8	-	20	1.3 %
9	-	15	1.0 %
10	-	47	3.1 %
11	-	26	1.7 %
12	-	97	6.4 %
13	-	84	5.5 %
14	-	98	6.5 %
15	-	71	4.7 %
16	-	71	4.7 %
17	-	44	2.9 %
18	-	25	1.6 %
19	-	24	1.6 %
20	-	21	1.4 %
21	-	9	0.6 %
22	-	11	0.7 %
23	-	3	0.2 %
24	-	6	0.4 %
25	-	8	0.5 %

Value	Label	Unweighted Frequency	%
26	-	2	0.1 %
27	-	2	0.1 %
28	-	4	0.3 %
29	-	3	0.2 %
30	-	7	0.5 %
31	-	4	0.3 %
32	-	2	0.1 %
33	-	1	0.1 %
35	-	5	0.3 %
37	-	1	0.1 %
39	-	2	0.1 %
40	-	3	0.2 %
42	-	1	0.1 %
45	-	2	0.1 %
46	-	3	0.2 %
48	-	2	0.1 %
54	-	1	0.1 %
<b>Missing Data</b>			
.	-	765	50.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 753 valid cases out of 1,518 total cases.

- Mean: 15.32
- Median: 14.00
- Mode: 14.00
- Minimum: 5.00
- Maximum: 54.00
- Standard Deviation: 6.33

*Location:* 628-629 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97 , .

---

#### **W1Q104: (W1Q104) About how old were you the most recent time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the most recent time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
11	-	1	0.1 %
14	-	4	0.3 %
15	-	2	0.1 %
16	-	19	1.3 %

Value	Label	Unweighted Frequency	%
17	-	29	1.9 %
18	-	46	3.0 %
19	-	59	3.9 %
20	-	54	3.6 %
21	-	54	3.6 %
22	-	61	4.0 %
23	-	51	3.4 %
24	-	33	2.2 %
25	-	38	2.5 %
26	-	4	0.3 %
27	-	2	0.1 %
28	-	6	0.4 %
29	-	5	0.3 %
30	-	18	1.2 %
31	-	2	0.1 %
32	-	13	0.9 %
33	-	8	0.5 %
34	-	25	1.6 %
35	-	21	1.4 %
36	-	13	0.9 %
37	-	16	1.1 %
38	-	8	0.5 %
39	-	15	1.0 %
40	-	17	1.1 %
41	-	3	0.2 %
42	-	2	0.1 %
44	-	1	0.1 %
45	-	13	0.9 %
46	-	1	0.1 %
48	-	4	0.3 %
49	-	3	0.2 %
50	-	11	0.7 %
51	-	6	0.4 %
52	-	13	0.9 %
53	-	13	0.9 %
54	-	7	0.5 %
55	-	10	0.7 %
56	-	16	1.1 %
57	-	12	0.8 %

Value	Label	Unweighted Frequency	%
58	-	6	0.4 %
59	-	8	0.5 %
	<b>Missing Data</b>		
.	-	765	50.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 753 valid cases out of 1,518 total cases.

- Mean: 29.28
- Median: 23.00
- Mode: 22.00
- Minimum: 11.00
- Maximum: 59.00
- Standard Deviation: 12.41

*Location:* 630-631 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97, .)

### **W1Q105: (W1Q105) Did you ever have any intention to act on thoughts of wishing you were dead or trying to kill yourself?**

The next questions are about thoughts you may have had of hurting yourself. Did you ever have any intention to act on thoughts of wishing you were dead or trying to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	913	60.1 %
2	Yes, once	285	18.8 %
3	Yes, more than once	300	19.8 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 632-632 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q106: (W1Q106) About how old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
6	-	1	0.1 %

Value	Label	Unweighted Frequency	%
9	-	1	0.1 %
10	-	2	0.1 %
11	-	2	0.1 %
12	-	9	0.6 %
13	-	16	1.1 %
14	-	28	1.8 %
15	-	38	2.5 %
16	-	28	1.8 %
17	-	23	1.5 %
18	-	8	0.5 %
19	-	26	1.7 %
20	-	5	0.3 %
21	-	12	0.8 %
22	-	11	0.7 %
23	-	6	0.4 %
24	-	8	0.5 %
25	-	8	0.5 %
26	-	4	0.3 %
27	-	2	0.1 %
28	-	4	0.3 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	4	0.3 %
32	-	1	0.1 %
33	-	2	0.1 %
34	-	4	0.3 %
35	-	2	0.1 %
36	-	1	0.1 %
37	-	2	0.1 %
39	-	2	0.1 %
40	-	3	0.2 %
42	-	2	0.1 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	3	0.2 %
46	-	1	0.1 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	1	0.1 %

Value	Label	Unweighted Frequency	%
52	-	1	0.1 %
54	-	1	0.1 %
56	-	1	0.1 %
58	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1234	81.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 284 valid cases out of 1,518 total cases.

- Mean: 20.56
- Median: 17.00
- Mode: 15.00
- Minimum: 6.00
- Maximum: 58.00
- Standard Deviation: 9.05

*Location:* 633-634 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W1Q107: (W1Q107) About how old were you the very first time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the very first time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	2	0.1 %
6	-	3	0.2 %
7	-	4	0.3 %
8	-	5	0.3 %
9	-	3	0.2 %
10	-	10	0.7 %
11	-	11	0.7 %
12	-	21	1.4 %
13	-	37	2.4 %
14	-	38	2.5 %
15	-	40	2.6 %
16	-	31	2.0 %
17	-	19	1.3 %
18	-	9	0.6 %
19	-	9	0.6 %
20	-	12	0.8 %

Value	Label	Unweighted Frequency	%
21	-	9	0.6 %
22	-	2	0.1 %
23	-	3	0.2 %
24	-	4	0.3 %
25	-	3	0.2 %
26	-	2	0.1 %
28	-	2	0.1 %
29	-	5	0.3 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
35	-	2	0.1 %
38	-	1	0.1 %
40	-	2	0.1 %
42	-	1	0.1 %
46	-	2	0.1 %
48	-	1	0.1 %
52	-	1	0.1 %
<b>Missing Data</b>			
.	-	1220	80.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 298 valid cases out of 1,518 total cases.

- Mean: 16.27
- Median: 15.00
- Mode: 15.00
- Minimum: 4.00
- Maximum: 52.00
- Standard Deviation: 6.72

*Location:* 635-636 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W1Q108: (W1Q108) About how old were you the most recent time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the most recent time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
5	-	1	0.1 %
10	-	1	0.1 %
12	-	1	0.1 %

Value	Label	Unweighted Frequency	%
13	-	1	0.1 %
14	-	4	0.3 %
15	-	6	0.4 %
16	-	19	1.3 %
17	-	23	1.5 %
18	-	24	1.6 %
19	-	28	1.8 %
20	-	21	1.4 %
21	-	26	1.7 %
22	-	17	1.1 %
23	-	9	0.6 %
24	-	8	0.5 %
25	-	14	0.9 %
26	-	1	0.1 %
27	-	2	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	1	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	5	0.3 %
35	-	6	0.4 %
36	-	3	0.2 %
37	-	3	0.2 %
38	-	1	0.1 %
39	-	5	0.3 %
40	-	8	0.5 %
41	-	1	0.1 %
42	-	2	0.1 %
43	-	2	0.1 %
45	-	5	0.3 %
46	-	1	0.1 %
48	-	3	0.2 %
50	-	5	0.3 %
51	-	4	0.3 %
52	-	8	0.5 %
53	-	3	0.2 %
54	-	1	0.1 %

Value	Label	Unweighted Frequency	%
55	-	2	0.1 %
56	-	1	0.1 %
57	-	1	0.1 %
58	-	3	0.2 %
59	-	2	0.1 %
<b>Missing Data</b>			
.	-	1225	80.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 293 valid cases out of 1,518 total cases.

- Mean: 26.48
- Median: 21.00
- Mode: 19.00
- Minimum: 5.00
- Maximum: 59.00
- Standard Deviation: 12.08

*Location:* 637-638 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q109: (W1Q109) Did you ever think about how you might kill yourself (e.g. taking pills, shooting yourself) or work out a plan of how to kill yourself?**

The next questions are about thoughts you may have had of hurting yourself. Did you ever think about how you might kill yourself (e.g. taking pills, shooting yourself) or work out a plan of how to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	654	43.1 %
2	Yes, once	326	21.5 %
3	Yes, more than once	511	33.7 %
<b>Missing Data</b>			
.	-	27	1.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 639-639 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q110: (W1Q110) About how old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
9	-	1	0.1 %
10	-	3	0.2 %
11	-	2	0.1 %
12	-	8	0.5 %
13	-	16	1.1 %
14	-	26	1.7 %
15	-	40	2.6 %
16	-	34	2.2 %
17	-	24	1.6 %
18	-	14	0.9 %
19	-	19	1.3 %
20	-	20	1.3 %
21	-	16	1.1 %
22	-	12	0.8 %
23	-	11	0.7 %
24	-	10	0.7 %
25	-	10	0.7 %
26	-	3	0.2 %
27	-	3	0.2 %
28	-	5	0.3 %
29	-	1	0.1 %
30	-	5	0.3 %
31	-	4	0.3 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	3	0.2 %
35	-	4	0.3 %
37	-	3	0.2 %
38	-	1	0.1 %
39	-	2	0.1 %
40	-	8	0.5 %
42	-	2	0.1 %
45	-	4	0.3 %
46	-	2	0.1 %
47	-	1	0.1 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	1	0.1 %
57	-	1	0.1 %

Value	Label	Unweighted Frequency	%
58	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1192	78.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 326 valid cases out of 1,518 total cases.

- Mean: 20.93
- Median: 18.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 58.00
- Standard Deviation: 8.72

*Location:* 640-641 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q111: (W1Q111) About how old were you the very first time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the very first time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
2	-	1	0.1 %
5	-	3	0.2 %
6	-	6	0.4 %
7	-	4	0.3 %
8	-	6	0.4 %
9	-	6	0.4 %
10	-	18	1.2 %
11	-	15	1.0 %
12	-	34	2.2 %
13	-	56	3.7 %
14	-	64	4.2 %
15	-	77	5.1 %
16	-	44	2.9 %
17	-	31	2.0 %
18	-	23	1.5 %
19	-	17	1.1 %
20	-	16	1.1 %
21	-	12	0.8 %
22	-	7	0.5 %

Value	Label	Unweighted Frequency	%
23	-	6	0.4 %
24	-	5	0.3 %
25	-	3	0.2 %
26	-	5	0.3 %
28	-	1	0.1 %
29	-	5	0.3 %
30	-	8	0.5 %
31	-	3	0.2 %
32	-	2	0.1 %
34	-	2	0.1 %
35	-	5	0.3 %
37	-	2	0.1 %
38	-	2	0.1 %
40	-	3	0.2 %
42	-	1	0.1 %
45	-	1	0.1 %
46	-	2	0.1 %
47	-	2	0.1 %
50	-	1	0.1 %
52	-	2	0.1 %
55	-	1	0.1 %
58	-	2	0.1 %
59	-	1	0.1 %
<b>Missing Data</b>			
.	-	1012	66.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 506 valid cases out of 1,518 total cases.

- Mean: 17.02
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 8.01

*Location:* 642-643 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W1Q112: (W1Q112) About how old were you the most recent time? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the most recent time? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
11	-	2	0.1 %
14	-	3	0.2 %
15	-	3	0.2 %
16	-	19	1.3 %
17	-	27	1.8 %
18	-	33	2.2 %
19	-	42	2.8 %
20	-	27	1.8 %
21	-	34	2.2 %
22	-	34	2.2 %
23	-	29	1.9 %
24	-	23	1.5 %
25	-	24	1.6 %
26	-	6	0.4 %
27	-	5	0.3 %
28	-	3	0.2 %
29	-	6	0.4 %
30	-	8	0.5 %
31	-	2	0.1 %
32	-	5	0.3 %
33	-	3	0.2 %
34	-	15	1.0 %
35	-	11	0.7 %
36	-	3	0.2 %
37	-	6	0.4 %
38	-	7	0.5 %
39	-	11	0.7 %
40	-	9	0.6 %
41	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.1 %
44	-	2	0.1 %
45	-	10	0.7 %
47	-	1	0.1 %
48	-	1	0.1 %
50	-	7	0.5 %

Value	Label	Unweighted Frequency	%
51	-	6	0.4 %
52	-	5	0.3 %
53	-	9	0.6 %
54	-	5	0.3 %
55	-	8	0.5 %
56	-	7	0.5 %
57	-	5	0.3 %
58	-	3	0.2 %
59	-	5	0.3 %
<b>Missing Data</b>			
.	-	1038	68.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 480 valid cases out of 1,518 total cases.

- Mean: 28.27
- Median: 23.00
- Mode: 19.00
- Minimum: 4.00
- Maximum: 59.00
- Standard Deviation: 12.33

*Location:* 644-645 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q113: (W1Q113) Did you ever make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?**

The next questions are about thoughts you may have had of hurting yourself. Did you ever make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?

Value	Label	Unweighted Frequency	%
1	No	1133	74.6 %
2	Yes, once	254	16.7 %
3	Yes, more than once	112	7.4 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 646-646 (width: 1; decimal: 0)

Variable Type: numeric

---

### W1Q114: (W1Q114) If yes, how many different suicide attempts did you ever make?

The next questions are about thoughts you may have had of hurting yourself. If yes, how many different suicide attempts did you ever make?

Value	Label	Unweighted Frequency	%
1	-	254	16.7 %
2	-	30	2.0 %
3	-	32	2.1 %
4	-	14	0.9 %
5	-	9	0.6 %
6	-	17	1.1 %
7	-	6	0.4 %
8	-	1	0.1 %
9	-	1	0.1 %
<b>Missing Data</b>			
.	-	1154	76.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 364 valid cases out of 1,518 total cases.

- Mean: 1.85
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.59

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97, .)

---

### W1Q115: (W1Q115) About how old were you? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself. About how old were you? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	1	0.1 %
10	-	1	0.1 %
11	-	2	0.1 %
12	-	8	0.5 %
13	-	17	1.1 %
14	-	28	1.8 %

Value	Label	Unweighted Frequency	%
15	-	29	1.9 %
16	-	22	1.4 %
17	-	23	1.5 %
18	-	10	0.7 %
19	-	22	1.4 %
20	-	7	0.5 %
21	-	12	0.8 %
22	-	8	0.5 %
23	-	5	0.3 %
24	-	7	0.5 %
25	-	6	0.4 %
26	-	3	0.2 %
27	-	1	0.1 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	4	0.3 %
31	-	1	0.1 %
32	-	6	0.4 %
33	-	1	0.1 %
34	-	5	0.3 %
37	-	1	0.1 %
39	-	1	0.1 %
40	-	3	0.2 %
42	-	2	0.1 %
44	-	1	0.1 %
45	-	4	0.3 %
46	-	1	0.1 %
50	-	1	0.1 %
53	-	2	0.1 %
<b>Missing Data</b>			
.	-	1268	83.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 250 valid cases out of 1,518 total cases.

- Mean: 20.02
- Median: 17.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 53.00
- Standard Deviation: 8.31

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97, .

---

### W1Q116: (W1Q116) About how old were you the very first time you made a suicide attempt? Your best estimate is fine.

The next questions are about thoughts you may have had of hurting yourself. About how old were you the very first time you made a suicide attempt? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
5	-	2	0.1 %
6	-	4	0.3 %
7	-	2	0.1 %
8	-	1	0.1 %
9	-	2	0.1 %
10	-	3	0.2 %
11	-	4	0.3 %
12	-	10	0.7 %
13	-	9	0.6 %
14	-	14	0.9 %
15	-	10	0.7 %
16	-	16	1.1 %
17	-	7	0.5 %
18	-	4	0.3 %
19	-	5	0.3 %
20	-	4	0.3 %
21	-	2	0.1 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
29	-	2	0.1 %
34	-	1	0.1 %
40	-	1	0.1 %
42	-	1	0.1 %
52	-	1	0.1 %
Missing Data			
.	-	1407	92.7 %
Total		1,518	100%

Based upon 111 valid cases out of 1,518 total cases.

- Mean: 15.89
- Median: 15.00
- Mode: 16.00
- Minimum: 5.00
- Maximum: 52.00
- Standard Deviation: 6.91

*Location:* 651-652 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q117: (W1Q117) About how old were you the last time you made a suicide attempt? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the last time you made a suicide attempt? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
10	-	1	0.1 %
13	-	1	0.1 %
14	-	2	0.1 %
15	-	3	0.2 %
16	-	5	0.3 %
17	-	8	0.5 %
18	-	15	1.0 %
19	-	10	0.7 %
20	-	4	0.3 %
21	-	6	0.4 %
22	-	5	0.3 %
23	-	7	0.5 %
24	-	3	0.2 %
25	-	4	0.3 %
27	-	4	0.3 %
28	-	3	0.2 %
29	-	1	0.1 %
30	-	2	0.1 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	1	0.1 %
35	-	2	0.1 %
36	-	3	0.2 %
37	-	1	0.1 %
39	-	1	0.1 %
40	-	2	0.1 %

Value	Label	Unweighted Frequency	%
43	-	2	0.1 %
45	-	2	0.1 %
48	-	1	0.1 %
50	-	1	0.1 %
51	-	1	0.1 %
52	-	3	0.2 %
54	-	1	0.1 %
55	-	1	0.1 %
59	-	1	0.1 %
<b>Missing Data</b>			
.	-	1407	92.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 111 valid cases out of 1,518 total cases.

- Mean: 25.67
- Median: 22.00
- Mode: 18.00
- Minimum: 10.00
- Maximum: 59.00
- Standard Deviation: 10.99

*Location:* 653-654 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q118: (W1Q118) If yes, what were the most serious injuries you ever received from a suicide attempt?**

The next questions are about thoughts you may have had of hurting yourself. If yes in question 113, what were the most serious injuries you ever received from a suicide attempt?

Value	Label	Unweighted Frequency	%
1	No injury	78	5.1 %
2	Very minor injury (e.g., surface scratches, mild nausea)	117	7.7 %
3	Minor injury (e.g., sprain, first degree burns, flesh wound)	67	4.4 %
4	Moderate injury not requiring overnight hospitalization (e.g., broken bones, second degree burns, stitches, bullet lodge)	53	3.5 %
5	Moderate injury requiring overnight hospitalization (e.g., major fracture, third degree burns, coma, bullet lodged in abd)	33	2.2 %
6	Sever injuries requiring treatment in an intensive care unit to save life (e.g., major fracture of skull or spine, sever	18	1.2 %
<b>Missing Data</b>			
.	-	1152	75.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 366 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 655-655 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

### **W1Q119: (W1Q119) Did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?**

The next questions are about thoughts you may have had of hurting yourself. Did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?

Value	Label	Unweighted Frequency	%
1	No	922	60.7 %
2	Yes, once	147	9.7 %
3	Yes, more than once	423	27.9 %
	<b>Missing Data</b>		
.	-	26	1.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,492 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 656-656 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q120: (W1Q120) About how old were you? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
8	-	3	0.2 %
9	-	2	0.1 %
10	-	1	0.1 %
11	-	2	0.1 %
12	-	5	0.3 %
13	-	9	0.6 %
14	-	13	0.9 %
15	-	24	1.6 %
16	-	16	1.1 %
17	-	8	0.5 %
18	-	9	0.6 %

Value	Label	Unweighted Frequency	%
19	-	12	0.8 %
20	-	7	0.5 %
21	-	8	0.5 %
22	-	6	0.4 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	6	0.4 %
26	-	1	0.1 %
27	-	3	0.2 %
28	-	1	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
40	-	1	0.1 %
45	-	1	0.1 %
47	-	2	0.1 %
48	-	1	0.1 %
50	-	1	0.1 %
<b>Missing Data</b>			
.	-	1371	90.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 147 valid cases out of 1,518 total cases.

- Mean: 18.44
- Median: 16.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 50.00
- Standard Deviation: 7.26

*Location:* 657-658 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97 , .

---

### **W1Q121: (W1Q121) About how old were you the very first time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the very first time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	1	0.1 %
4	-	1	0.1 %

Value	Label	Unweighted Frequency	%
5	-	2	0.1 %
6	-	6	0.4 %
7	-	5	0.3 %
8	-	4	0.3 %
9	-	8	0.5 %
10	-	23	1.5 %
11	-	19	1.3 %
12	-	56	3.7 %
13	-	79	5.2 %
14	-	64	4.2 %
15	-	43	2.8 %
16	-	28	1.8 %
17	-	19	1.3 %
18	-	15	1.0 %
19	-	10	0.7 %
20	-	5	0.3 %
21	-	1	0.1 %
22	-	3	0.2 %
23	-	4	0.3 %
24	-	2	0.1 %
25	-	3	0.2 %
26	-	1	0.1 %
27	-	3	0.2 %
29	-	1	0.1 %
30	-	2	0.1 %
32	-	1	0.1 %
35	-	1	0.1 %
37	-	1	0.1 %
40	-	1	0.1 %
41	-	1	0.1 %
46	-	1	0.1 %
54	-	1	0.1 %
<b>Missing Data</b>			
.	-	1102	72.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 416 valid cases out of 1,518 total cases.

- Mean: 14.39
- Median: 14.00

- Mode: 13.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 5.19

*Location:* 659-660 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q122: (W1Q122) About how old were you the most recent time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.**

The next questions are about thoughts you may have had of hurting yourself. About how old were you the most recent time you hurt yourself on purpose, but without wanting to die? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
10	-	1	0.1 %
12	-	2	0.1 %
14	-	8	0.5 %
15	-	9	0.6 %
16	-	34	2.2 %
17	-	36	2.4 %
18	-	35	2.3 %
19	-	40	2.6 %
20	-	34	2.2 %
21	-	35	2.3 %
22	-	37	2.4 %
23	-	25	1.6 %
24	-	16	1.1 %
25	-	16	1.1 %
26	-	2	0.1 %
27	-	3	0.2 %
28	-	5	0.3 %
30	-	4	0.3 %
31	-	1	0.1 %
32	-	7	0.5 %
33	-	5	0.3 %
34	-	9	0.6 %
35	-	8	0.5 %
36	-	3	0.2 %
37	-	4	0.3 %
38	-	2	0.1 %
39	-	5	0.3 %
40	-	4	0.3 %

Value	Label	Unweighted Frequency	%
41	-	3	0.2 %
42	-	1	0.1 %
43	-	2	0.1 %
48	-	2	0.1 %
50	-	3	0.2 %
51	-	3	0.2 %
52	-	2	0.1 %
54	-	1	0.1 %
55	-	5	0.3 %
56	-	1	0.1 %
57	-	2	0.1 %
58	-	1	0.1 %
59	-	1	0.1 %
<b>Missing Data</b>			
.	-	1101	72.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 417 valid cases out of 1,518 total cases.

- Mean: 23.67
- Median: 21.00
- Mode: 19.00
- Minimum: 10.00
- Maximum: 59.00
- Standard Deviation: 9.31

*Location:* 661-662 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q123A: (W1Q123A) Are you out to all, most, some, or out to none of your... family**

The next section is about experiences that may have happened to you over your life time. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. Are you out to all, most, some, or out to none of your... Family

Value	Label	Unweighted Frequency	%
1	All	629	41.4 %
2	Most	293	19.3 %
3	Some	382	25.2 %
4	None	175	11.5 %
<b>Missing Data</b>			
5	Don't know/does not apply	24	1.6 %
.	-	15	1.0 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,479 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 663-663 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5, .

### **W1Q123B: (W1Q123B) Are you out to all, most, some, or out to none of your... straight friends**

The next section is about experiences that may have happened to you over your life time. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. Are you out to all, most, some, or out to none of your... Straight friends

Value	Label	Unweighted Frequency	%
1	All	810	53.4 %
2	Most	292	19.2 %
3	Some	314	20.7 %
4	None	67	4.4 %
	<b>Missing Data</b>		
5	Don't know/does not apply	21	1.4 %
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,483 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 664-664 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5, .

### **W1Q123C: (W1Q123C) Are you out to all, most, some, or out to none of your... co-workers**

The next section is about experiences that may have happened to you over your life time. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. Are you out to all, most, some, or out to none of your... Co-workers

Value	Label	Unweighted Frequency	%
1	All	515	33.9 %
2	Most	195	12.8 %
3	Some	282	18.6 %

Value	Label	Unweighted Frequency	%
4	None	296	19.5 %
	<b>Missing Data</b>		
5	Don't know/does not apply	212	14.0 %
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,288 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 665-665 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5, .

## **W1Q123D: (W1Q123D) Are you out to all, most, some, or out to none of your... healthcare providers**

The next section is about experiences that may have happened to you over your life time. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity that you identify with, including queer, same-gender loving, etc. Are you out to all, most, some, or out to none of your... Healthcare providers

Value	Label	Unweighted Frequency	%
1	All	684	45.1 %
2	Most	157	10.3 %
3	Some	183	12.1 %
4	None	314	20.7 %
	<b>Missing Data</b>		
5	Don't know/does not apply	161	10.6 %
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,338 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 666-666 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 5, .

## **W1Q124: (W1Q124) How often, if ever, can people tell you are LGB even if you don't tell them?**

The next section is about experiences that may have happened to you over your life time. The first questions are about how much you are out of the closet to the following groups of people in your life. We use "LGB" generically to mean a sexual minority identity

that you identify with, including queer, same-gender loving, etc. How often, if ever, can people tell you are LGB even if you don't tell them?

Value	Label	Unweighted Frequency	%
1	Always	84	5.5 %
2	Most of the time	231	15.2 %
3	Sometimes	374	24.6 %
4	Occasionally	485	31.9 %
5	Never	330	21.7 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 667-667 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1FELTSTIGMA: (W1FELTSTIGMA) Felt stigma

Felt stigma

Value	Label	Unweighted Frequency	%
1.00000000000000	-	98	6.5 %
1.3333333730698	-	88	5.8 %
1.6666666269302	-	131	8.6 %
2.00000000000000	-	153	10.1 %
2.333332538605	-	176	11.6 %
2.6666667461395	-	216	14.2 %
3.00000000000000	-	204	13.4 %
3.333332538605	-	148	9.7 %
3.6666667461395	-	105	6.9 %
4.00000000000000	-	86	5.7 %
4.333334922791	-	52	3.4 %
4.6666665077209	-	29	1.9 %
5.00000000000000	-	15	1.0 %
<b>Missing Data</b>			
.	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Mean: 2.6624472585223
- Median: 2.6666667461395
- Mode: 2.6666667461395
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.9436242063753

*Location:* 1041-1055 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W1FELTSTIGMA\_I: (W1FELTSTIGMA\_I) Felt stigma with imputation**

Felt stigma with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	99	6.5 %
1.3333333730698	-	89	5.9 %
1.6666666269302	-	135	8.9 %
2.00000000000000	-	154	10.1 %
2.3333332538605	-	179	11.8 %
2.6666667461395	-	217	14.3 %
3.00000000000000	-	204	13.4 %
3.3333332538605	-	151	9.9 %
3.6666667461395	-	105	6.9 %
4.00000000000000	-	87	5.7 %
4.333334922791	-	54	3.6 %
4.6666665077209	-	29	1.9 %
5.00000000000000	-	15	1.0 %
		<b>Total</b>	<b>1,518</b>
			<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.6611769882587
- Median: 2.6666667461395
- Mode: 2.6666667461395
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.9446169665945

*Location:* 1056-1070 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W1Q125: (W1Q125) Most people where I live think less of a person who is LGB.**

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items. Most people where I live think less of a person who is LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	288	19.0 %
2	Somewhat disagree	378	24.9 %
3	Neither agree nor disagree	319	21.0 %
4	Somewhat agree	383	25.2 %
5	Strongly agree	136	9.0 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 668-668 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q126: (W1Q126) Most employers where I live will hire openly LGB people if they are qualified for the job.**

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items. Most employers where I live will hire openly LGB people if they are qualified for the job.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	4.9 %
2	Somewhat disagree	150	9.9 %
3	Neither agree nor disagree	290	19.1 %
4	Somewhat agree	523	34.5 %
5	Strongly agree	466	30.7 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 669-669 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q127: (W1Q127) Most people where I live would not want someone who is openly LGB to take care of their children.**

The following include statements that represent how you think non-LGBT people may think of LGB people. Please rate your level of agreement with the following items. Most people where I live would not want someone who is openly LGB to take care of their children.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	188	12.4 %
2	Somewhat disagree	343	22.6 %
3	Neither agree nor disagree	480	31.6 %
4	Somewhat agree	334	22.0 %
5	Strongly agree	158	10.4 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 670-670 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1INTERNALIZED: (W1INTERNALIZED) Internalized homophobia**

Internalized homophobia

Value	Label	Unweighted Frequency	%
1.00000000000000	-	606	39.9 %
1.2000000476837	-	109	7.2 %
1.3999999761581	-	97	6.4 %
1.6000000238419	-	139	9.2 %
1.7999999523163	-	126	8.3 %
2.00000000000000	-	85	5.6 %
2.2000000476837	-	59	3.9 %
2.4000000953674	-	55	3.6 %
2.5999999046326	-	43	2.8 %
2.7999999523163	-	39	2.6 %
3.00000000000000	-	41	2.7 %
3.2000000476837	-	26	1.7 %
3.4000000953674	-	23	1.5 %
3.5999999046326	-	19	1.3 %
3.7999999523163	-	9	0.6 %
4.00000000000000	-	7	0.5 %
4.1999998092651	-	3	0.2 %

Value	Label	Unweighted Frequency	%
4.8000001907349	-	2	0.1 %
5.00000000000000	-	1	0.1 %
	Missing Data		
.	-	29	1.9 %
	Total	1,518	100%

Based upon 1,489 valid cases out of 1,518 total cases.

- Mean: 1.6231027557355
- Median: 1.399999761581
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.7542733368337

Location: 1124-1138 (width: 15; decimal: 13)

Variable Type: numeric

## W1INTERNALIZED\_I: (W1INTERNALIZED\_I) Internalized homophobia with imputation

Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	616	40.6 %
1.200000476837	-	113	7.4 %
1.399999761581	-	101	6.7 %
1.6000000238419	-	139	9.2 %
1.799999523163	-	128	8.4 %
2.00000000000000	-	86	5.7 %
2.200000476837	-	60	4.0 %
2.400000953674	-	56	3.7 %
2.599999046326	-	45	3.0 %
2.799999523163	-	39	2.6 %
3.00000000000000	-	43	2.8 %
3.200000476837	-	26	1.7 %
3.400000953674	-	23	1.5 %
3.599999046326	-	20	1.3 %
3.799999523163	-	9	0.6 %
4.00000000000000	-	7	0.5 %
4.199998092651	-	3	0.2 %
4.400000953674	-	1	0.1 %
4.8000001907349	-	2	0.1 %

Value	Label	Unweighted Frequency	%
5.000000000000000	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.6249011879068
- Median: 1.3999999761581
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.7572191476131

Location: 1139-1153 (width: 15; decimal: 13)

Variable Type: numeric

### **W1Q128: (W1Q128) I have tried to stop being attracted to people who are the same sex as me.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. I have tried to stop being attracted to people who are the same sex as me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	824	54.3 %
2	Somewhat disagree	172	11.3 %
3	Neither agree nor disagree	94	6.2 %
4	Somewhat agree	280	18.4 %
5	Strongly agree	133	8.8 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 671-671 (width: 1; decimal: 0)

Variable Type: numeric

### **W1Q129: (W1Q129) If someone offered me the chance to be completely heterosexual, I would accept the chance.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. If someone offered me the chance to be completely heterosexual, I would accept the chance.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	999	65.8 %
2	Somewhat disagree	183	12.1 %
3	Neither agree nor disagree	152	10.0 %
4	Somewhat agree	106	7.0 %
5	Strongly agree	63	4.2 %
<b>Missing Data</b>			
.	-	15	1.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 672-672 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q130: (W1Q130) I wish I weren't LGB.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. I wish I weren't LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1015	66.9 %
2	Somewhat disagree	184	12.1 %
3	Neither agree nor disagree	154	10.1 %
4	Somewhat agree	122	8.0 %
5	Strongly agree	27	1.8 %
<b>Missing Data</b>			
.	-	16	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 673-673 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q131: (W1Q131) I feel that being LGB is a personal shortcoming for me.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. I feel that being LGB is a personal shortcoming for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1085	71.5 %
2	Somewhat disagree	165	10.9 %
3	Neither agree nor disagree	142	9.4 %
4	Somewhat agree	93	6.1 %
5	Strongly agree	16	1.1 %
<b>Missing Data</b>			
.	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 674-674 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q132: (W1Q132) I would like to get professional help in order to change my sexual orientation from LGB to straight.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. I would like to get professional help in order to change my sexual orientation from LGB to straight.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	1415	93.2 %
2	Somewhat disagree	44	2.9 %
3	Neither agree nor disagree	33	2.2 %
4	Somewhat agree	6	0.4 %
5	Strongly agree	6	0.4 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 675-675 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1CONVERSION: (W1CONVERSION) Did you ever receive treatment from someone who tried to change your sexual orientation**

Did you ever receive treatment from someone who tried to change your sexual orientation

Value	Label	Unweighted Frequency	%
0	No	1410	92.9 %
1	Yes	108	7.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 920-920 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1CONVERSIONHC: (W1CONVERSIONHC) Conversion therapy from healthcare provider**

Conversion therapy from healthcare provider

Value	Label	Unweighted Frequency	%
0	No	1482	97.6 %
1	Yes	36	2.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 921-921 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1CONVERSIONREL: (W1CONVERSIONREL) Conversion therapy from religious leader**

Conversion therapy from religious leader

Value	Label	Unweighted Frequency	%
0	No	1434	94.5 %
1	Yes	84	5.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 922-922 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q133: (W1Q133) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply. (For respondents completing the survey by mail)

Value	Label	Unweighted Frequency	%
1	No	295	19.4 %
2	Yes, from a healthcare professional	6	0.4 %
3	Yes, from a religious leader	11	0.7 %
	<b>Missing Data</b>		
.	-	1206	79.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 312 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 676-676 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q133\_1: (W1Q133\_1) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply. (survey by web) No (No Skip to the text before Question 135)

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	1098	72.3 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	0	0.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	0	0.0 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %
5	From someone who was both a religious and health care professional	0	0.0 %
	<b>Missing Data</b>		
.	-	420	27.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,098 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 677-677 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q133\_2: (W1Q133\_2) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply. (survey by web) Yes, from a religious leader (such as a pastor, religious counselor, priest)

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	30	2.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	0	0.0 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %
5	From someone who was both a religious and health care professional	0	0.0 %
<b>Missing Data</b>			
.	-	1488	98.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 30 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 678-678 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q133\_3: (W1Q133\_3) Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply.**

The next questions are about the ways you feel about being LGB. Please rate your level of agreement with the following statements. Again, by "LGB" we mean a sexual minority identity that you identify with. Did you ever receive treatment from someone who tried to change your sexual orientation (such as try to make you straight/heterosexual) If yes, please mark all that apply. (survey by web) Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)

Value	Label	Unweighted Frequency	%
1	No (Programmer: If this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, from a healthcare professional (such as a psychologist or counselor who was not religious-focused)	0	0.0 %
3	Yes, from a religious leader (such as a pastor, religious counselor, priest)	73	4.8 %
4	Yes, from someone who was both a religious and health care professional	0	0.0 %

Value	Label	Unweighted Frequency	%
5	From someone who was both a religious and health care professional	0	0.0 %
-	<b>Missing Data</b>	1445	95.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 73 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 679-679 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q134: (W1Q134) About how old were you the last time you received treatment to change your sexual orientation?**

About how old were you the last time you received treatment to change your sexual orientation? Your best estimate is fine.

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
11	-	1	0.1 %
12	-	3	0.2 %
13	-	3	0.2 %
14	-	7	0.5 %
15	-	10	0.7 %
16	-	8	0.5 %
17	-	8	0.5 %
18	-	14	0.9 %
19	-	14	0.9 %
20	-	4	0.3 %
21	-	8	0.5 %
22	-	4	0.3 %
23	-	1	0.1 %
24	-	2	0.1 %
25	-	5	0.3 %
26	-	1	0.1 %
27	-	2	0.1 %
28	-	1	0.1 %
30	-	3	0.2 %
32	-	2	0.1 %

Value	Label	Unweighted Frequency	%
35	-	1	0.1 %
45	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1412	93.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 106 valid cases out of 1,518 total cases.

- Mean: 18.97
- Median: 18.00
- Minimum: 4.00
- Maximum: 45.00
- Standard Deviation: 5.71

*Location:* 680-681 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q135A: (W1Q135A) Since the age of 18, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	895	59.0 %
2	Once	232	15.3 %
3	Twice	140	9.2 %
4	Three or more times	236	15.5 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 682-682 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q135B: (W1Q135B) Since the age of 18, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	797	52.5 %
2	Once	349	23.0 %
3	Twice	169	11.1 %
4	Three or more times	185	12.2 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 683-683 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q135C: (W1Q135C) Since the age of 18, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	1159	76.4 %
2	Once	211	13.9 %
3	Twice	71	4.7 %
4	Three or more times	59	3.9 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 684-684 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q135D: (W1Q135D) Rob or vandalize**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? Someone threatened you with violence. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	743	48.9 %
2	Once	245	16.1 %
3	Twice	160	10.5 %
4	Three or more times	350	23.1 %
	<b>Missing Data</b>		
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 685-685 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q135E: (W1Q135E) Since the age of 18, how often have any of the following happened to you? Someone verbally insulted or abused you.**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? Someone verbally insulted or abused you. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	376	24.8 %
2	Once	157	10.3 %
3	Twice	161	10.6 %
4	Three or more times	806	53.1 %
	<b>Missing Data</b>		
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 686-686 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q135F: (W1Q135F) Since the age of 18, how often have any of the following happened to you? Someone threw an object at you.**

The following statements are about your life experiences and things that may have happened to you. This is a sensitive topic and some people may feel uncomfortable with these questions. Since the age of 18, how often have any of the following happened to you? Someone threw an object at you. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 137.

Value	Label	Unweighted Frequency	%
1	Never	925	60.9 %
2	Once	208	13.7 %
3	Twice	119	7.8 %
4	Three or more times	250	16.5 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 687-687 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q136\_1: (W1Q136\_1) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... age**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	204	13.4 %
	<b>Missing Data</b>		
.	-	1314	86.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 204 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 688-688 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_2: (W1Q136\_2) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... sex (being male or female)**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	396	26.1 %
	<b>Missing Data</b>		
.	-	1122	73.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 689-689 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_3: (W1Q136\_3) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... being transgender**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.3 %
	<b>Missing Data</b>		
.	-	1513	99.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 690-690 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_4: (W1Q136\_4) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... gender expression or appearance**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	191	12.6 %
	<b>Missing Data</b>		
.	-	1327	87.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 191 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 691-691 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_5: (W1Q136\_5) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... race/ethnicity**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	170	11.2 %
	<b>Missing Data</b>		
-		1348	88.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 170 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 692-692 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_6: (W1Q136\_6) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... income level or education**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	131	8.6 %
	<b>Missing Data</b>		
-		1387	91.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 131 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 693-693 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q136\_7: (W1Q136\_7) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... sexual orientation**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	511	33.7 %
	<b>Missing Data</b>		
.	-	1007	66.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 511 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 694-695 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q136\_8: (W1Q136\_8) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... physical appearance (e.g., weight, height)**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	337	22.2 %
	<b>Missing Data</b>		
.	-	1181	77.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 696-697 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W1Q136\_9: (W1Q136\_9) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... religion/spirituality**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	63	4.2 %
	<b>Missing Data</b>		
.	-	1455	95.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 63 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 698-699 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W1Q136\_10: (W1Q136\_10) If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... disability**

If you said you had any of these experiences (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Disability

Value	Label	Unweighted Frequency	%
10	Disability	54	3.6 %
	<b>Missing Data</b>		
.	-	1464	96.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 54 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 700-701 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W1Q137: (W1Q137) Since the age of 18, how often were you fired from your job or denied a job?**

Since the age of 18, how often were you fired from your job or denied a job? IF NONE OF THESE EXPERIENCES IN QUESTION 137 OR 138 HAPPENED, GO TO QUESTION 140.

Value	Label	Unweighted Frequency	%
1	Never	889	58.6 %
2	Once	311	20.5 %
3	Twice	149	9.8 %
4	Three or more times	152	10.0 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 702-702 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q138: (W1Q138) Since the age of 18, how often were you denied a promotion or received a negative evaluation?**

Since the age of 18, how often were you denied a promotion or received a negative evaluation? IF NONE OF THESE EXPERIENCES IN QUESTION 137 OR 138 HAPPENED, GO TO QUESTION 140.

Value	Label	Unweighted Frequency	%
1	Never	1026	67.6 %
2	Once	269	17.7 %
3	Twice	112	7.4 %
4	Three or more times	94	6.2 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 703-703 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q139\_1: (W1Q139\_1) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... age**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... . Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	141	9.3 %
	<b>Missing Data</b>		
.	-	1377	90.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 141 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 704-704 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q139\_2: (W1Q139\_2) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sex (being male or female)**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	135	8.9 %
	<b>Missing Data</b>		
.	-	1383	91.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 135 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 705-705 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q139\_3: (W1Q139\_3) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... being transgender**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	2	0.1 %
	<b>Missing Data</b>		
.	-	1516	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 2 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 706-706 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

#### **W1Q139\_4: (W1Q139\_4) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... gender expression or appearance**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	71	4.7 %
	<b>Missing Data</b>		
.	-	1447	95.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 71 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 707-707 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

#### **W1Q139\_5: (W1Q139\_5) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... race/ethnicity**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	69	4.5 %
	<b>Missing Data</b>		
.	-	1449	95.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 69 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 708-708 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W1Q139\_6: (W1Q139\_6) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... income level or education**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	95	6.3 %
	<b>Missing Data</b>		
.	-	1423	93.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 95 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 709-709 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W1Q139\_7: (W1Q139\_7) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sexual orientation**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	173	11.4 %
	<b>Missing Data</b>		
.	-	1345	88.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 173 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 710-711 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W1Q139\_8: (W1Q139\_8) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... physical appearance (e.g., weight, height)**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...  
Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	94	6.2 %
	<b>Missing Data</b>		
.	-	1424	93.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 94 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 712-713 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q139\_9: (W1Q139\_9) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... religion/spirituality**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your. . .  
Please mark all that apply. Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	24	1.6 %
	<b>Missing Data</b>		
.	-	1494	98.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 24 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 714-715 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q139\_10: (W1Q139\_10) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... disability**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your. . .  
Please mark all that apply. Disability

Value	Label	Unweighted Frequency	%
10	Disability	67	4.4 %
	<b>Missing Data</b>		
.	-	1451	95.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 67 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 716-717 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97, .)

---

### **W1Q140: (W1Q140) Since the age of 18, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?**

Since the age of 18, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?

Value	Label	Unweighted Frequency	%
1	Never	1375	90.6 %
2	Once	67	4.4 %
3	Twice	33	2.2 %
4	Three or more times	25	1.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 718-718 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q141\_1: (W1Q141\_1) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... age**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	6	0.4 %
	<b>Missing Data</b>		
.	-	1512	99.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 719-719 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

**W1Q141\_2: (W1Q141\_2) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sex (being male or female)**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	7	0.5 %
	<b>Missing Data</b>		
.	-	1511	99.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 7 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 720-720 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

**W1Q141\_3: (W1Q141\_3) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... being transgender**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 721-721 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

**W1Q141\_4: (W1Q141\_4) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... gender expression or appearance**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	4	0.3 %
	<b>Missing Data</b>		
.	-	1514	99.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 4 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 722-722 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q141\_5: (W1Q141\_5) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... race/ethnicity**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	6	0.4 %
	<b>Missing Data</b>		
.	-	1512	99.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 723-723 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q141\_6: (W1Q141\_6) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... income level or education**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	14	0.9 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1504	99.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 724-724 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q141\_7: (W1Q141\_7) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sexual orientation**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	10	0.7 %
	<b>Missing Data</b>		
.	-	1508	99.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 10 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 725-726 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q141\_8: (W1Q141\_8) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... physical appearance (e.g., weight, height)**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	3	0.2 %
	<b>Missing Data</b>		
.	-	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 727-728 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q141\_9: (W1Q141\_9) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... religion/spirituality**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	1	0.1 %
.	<b>Missing Data</b>	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 729-730 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q141\_10: (W1Q141\_10) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... disability**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your . . . Please mark all that apply. Disability

Value	Label	Unweighted Frequency	%
10	Disability	3	0.2 %
.	<b>Missing Data</b>	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 731-732 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W1Q142A: (W1Q142A) During the last 12 months... Did you move or have anyone new come to live with you?**

During the last 12 months... Did you move or have anyone new come to live with you? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	573	37.7 %
2	No	928	61.1 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 733-733 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## **W1Q142B: (W1Q142B) During the last 12 months... Were you fired or laid off from a job?**

During the last 12 months... Were you fired or laid off from a job? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	174	11.5 %
2	No	1326	87.4 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 734-734 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## **W1Q142C: (W1Q142C) During the last 12 months... Were you unemployed and looking for a job for more than a month?**

During the last 12 months... Were you unemployed and looking for a job for more than a month IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	383	25.2 %
2	No	1120	73.8 %
	<b>Missing Data</b>		
.	-	15	1.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,503 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 735-735 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### **W1Q142D: (W1Q142D) During the last 12 months... Have you had trouble with your boss or a coworker?**

During the last 12 months... Have you had trouble with your boss or a coworker? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	432	28.5 %
2	No	1062	70.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 736-736 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

### **W1Q142E: (W1Q142E) During the last 12 months... Did you change jobs, job responsibilities or work hours?**

During the last 12 months... Did you change jobs, job responsibilities or work hours? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	674	44.4 %
2	No	826	54.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 737-737 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142F: (W1Q142F) During the last 12 months... Did you get separated or divorced or break off a steady relationship?**

During the last 12 months... Did you get separated or divorced or break off a steady relationship? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	236	15.5 %
2	No	1264	83.3 %
	<b>Missing Data</b>		
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 738-738 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142G: (W1Q142G) During the last 12 months... Have you had serious problems with a neighbor, friend, or relative?**

During the last 12 months... Have you had serious problems with a neighbor, friend, or relative? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	378	24.9 %
2	No	1119	73.7 %
	<b>Missing Data</b>		
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 739-739 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142H: (W1Q142H) During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?**

During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	390	25.7 %
2	No	1109	73.1 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 740-740 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142I: (W1Q142I) During the last 12 months... Did you have serious trouble with the police or the law?**

During the last 12 months... Did you have serious trouble with the police or the law? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	53	3.5 %
2	No	1443	95.1 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 741-741 (width: 1; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142J: (W1Q142J) During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?**

During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	235	15.5 %
2	No	1265	83.3 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 742-742 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q142K: (W1Q142K) During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house?**

During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house? IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 144.

Value	Label	Unweighted Frequency	%
1	Yes	164	10.8 %
2	No	1337	88.1 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 743-743 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q143\_1: (W1Q143\_1) Would you say these experiences listed in question 142 happened because of your... age**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	197	13.0 %
	<b>Missing Data</b>		
.	-	1321	87.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 197 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 744-744 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

### **W1Q143\_2: (W1Q143\_2) Would you say these experiences listed in question 142 happened because of your... sex (being male or female)**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	186	12.3 %
	<b>Missing Data</b>		
.	-	1332	87.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 186 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 745-745 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

### **W1Q143\_3: (W1Q143\_3) Would you say these experiences listed in question 142 happened because of your... being transgender**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	4	0.3 %
	<b>Missing Data</b>		
.	-	1514	99.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 4 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 746-746 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

#### **W1Q143\_4: (W1Q143\_4) Would you say these experiences listed in question 142 happened because of your... gender expression or appearance**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	67	4.4 %
	<b>Missing Data</b>		
.	-	1451	95.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 67 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 747-747 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

#### **W1Q143\_5: (W1Q143\_5) Would you say these experiences listed in question 142 happened because of your... race/ethnicity**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	95	6.3 %
	<b>Missing Data</b>		
.	-	1423	93.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 95 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 748-748 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q143\_6: (W1Q143\_6) Would you say these experiences listed in question 142 happened because of your... income level or education**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	210	13.8 %
	<b>Missing Data</b>		
.	-	1308	86.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 210 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 749-749 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W1Q143\_7: (W1Q143\_7) Would you say these experiences listed in question 142 happened because of your... sexual orientation**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	177	11.7 %
	<b>Missing Data</b>		
.	-	1341	88.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 177 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 750-751 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q143\_8: (W1Q143\_8) Would you say these experiences listed in question 142 happened because of your... physical appearance (e.g., weight, height)**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	124	8.2 %
.	<b>Missing Data</b>		
.	-	1394	91.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 124 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 752-753 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q143\_9: (W1Q143\_9) Would you say these experiences listed in question 142 happened because of your... religion/spirituality**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply.  
Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	37	2.4 %
.	<b>Missing Data</b>		
.	-	1481	97.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 37 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 754-755 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W1Q143\_10: (W1Q143\_10) Would you say these experiences listed in question 142 happened because of your... disability**

Would you say these experiences listed in question 142 happened because of your . . . Please mark all that apply. Disability

Value	Label	Unweighted Frequency	%
10	Disability	85	5.6 %
.	<b>Missing Data</b>		
.	-	1433	94.4 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 85 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 756-757 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W1EVERYDAY: (W1EVERDAY) Everyday discrimination

Everyday discrimination

Value	Label	Unweighted Frequency	%
1.000000000000000	-	190	12.5 %
1.111111640930	-	62	4.1 %
1.2222223281860	-	77	5.1 %
1.3333332538605	-	80	5.3 %
1.4444444179535	-	100	6.6 %
1.5555555820465	-	81	5.3 %
1.6666667461395	-	79	5.2 %
1.7777776718140	-	78	5.1 %
1.8888888359070	-	76	5.0 %
2.0000000000000	-	79	5.2 %
2.111111640930	-	74	4.9 %
2.2222223281860	-	76	5.0 %
2.3333332538605	-	55	3.6 %
2.4444444179535	-	71	4.7 %
2.5555555820465	-	50	3.3 %
2.6666667461395	-	44	2.9 %
2.7777776718140	-	41	2.7 %
2.8888888359070	-	30	2.0 %
3.0000000000000	-	35	2.3 %
3.111111640930	-	17	1.1 %
3.2222223281860	-	28	1.8 %
3.3333334922791	-	21	1.4 %
3.4444444179535	-	11	0.7 %
3.5555555820465	-	5	0.3 %
3.6666665077209	-	3	0.2 %
3.7777776718140	-	4	0.3 %

Value	Label	Unweighted Frequency	%
3.8888888359070	-	4	0.3 %
4.00000000000000	-	7	0.5 %
	Missing Data		
.	-	40	2.6 %
	Total	1,518	100%

Based upon 1,478 valid cases out of 1,518 total cases.

- Mean: 1.9067057646982
- Median: 1.7777776718140
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6935392242629

Location: 1011-1025 (width: 15; decimal: 13)

Variable Type: numeric

## **W1EVERYDAY\_I: (W1EVERYDAY\_I) Everyday discrimination with imputation**

Everyday discrimination with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	197	13.0 %
1.111111640930	-	64	4.2 %
1.2222223281860	-	80	5.3 %
1.3333332538605	-	83	5.5 %
1.4444444179535	-	100	6.6 %
1.5555555820465	-	83	5.5 %
1.6666667461395	-	80	5.3 %
1.7777776718140	-	86	5.7 %
1.888888359070	-	79	5.2 %
2.0000000000000	-	81	5.3 %
2.111111640930	-	77	5.1 %
2.2222223281860	-	76	5.0 %
2.3333332538605	-	55	3.6 %
2.4444444179535	-	71	4.7 %
2.5555555820465	-	51	3.4 %
2.6666667461395	-	46	3.0 %
2.7777776718140	-	42	2.8 %
2.888888359070	-	31	2.0 %
3.0000000000000	-	36	2.4 %

Value	Label	Unweighted Frequency	%
3.111111640930	-	17	1.1 %
3.2222223281860	-	28	1.8 %
3.3333334922791	-	21	1.4 %
3.4444444179535	-	11	0.7 %
3.5555555820465	-	5	0.3 %
3.6666665077209	-	3	0.2 %
3.7777776718140	-	4	0.3 %
3.8888888359070	-	4	0.3 %
4.00000000000000	-	7	0.5 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.9015517550495
- Median: 1.7777776718140
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6912581803812

*Location:* 1026-1040 (width: 15; decimal: 13)

*Variable Type:* numeric

### **W1Q144A: (w1q144a) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	81	5.3 %
2	Sometimes	471	31.0 %
3	Rarely	552	36.4 %
4	Never	400	26.4 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 758-758 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144B: (W1Q144B) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	102	6.7 %
2	Sometimes	440	29.0 %
3	Rarely	556	36.6 %
4	Never	406	26.7 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 759-759 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144C: (W1Q144C) In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	44	2.9 %
2	Sometimes	260	17.1 %
3	Rarely	459	30.2 %
4	Never	738	48.6 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 760-760 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144D: (W1Q144D) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	139	9.2 %
2	Sometimes	344	22.7 %
3	Rarely	377	24.8 %
4	Never	637	42.0 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 761-761 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144E: (W1Q144E) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	63	4.2 %
2	Sometimes	245	16.1 %
3	Rarely	329	21.7 %
4	Never	865	57.0 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 762-762 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144F: (W1Q144F) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	58	3.8 %
2	Sometimes	219	14.4 %
3	Rarely	346	22.8 %
4	Never	875	57.6 %
	<b>Missing Data</b>		
.	-	20	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 763-763 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q144G: (W1Q144G) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	234	15.4 %
2	Sometimes	521	34.3 %
3	Rarely	392	25.8 %
4	Never	354	23.3 %
	<b>Missing Data</b>		
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 764-764 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q144H: (W1Q144H) In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	89	5.9 %
2	Sometimes	274	18.1 %
3	Rarely	378	24.9 %
4	Never	759	50.0 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 765-765 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q144I: (W1Q144I) In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed. IF NONE OF THESE EXPERIENCES HAPPENED, GO TO QUESTION 146.

Value	Label	Unweighted Frequency	%
1	Often	53	3.5 %
2	Sometimes	190	12.5 %
3	Rarely	319	21.0 %
4	Never	942	62.1 %
	<b>Missing Data</b>		
.	-	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,504 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 766-766 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q145\_1: (W1Q145\_1) Would you say these experiences happened because of your... age**

Would you say these experiences happened because of your . . . Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	396	26.1 %
	<b>Missing Data</b>		
.	-	1122	73.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 767-767 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W1Q145\_2: (W1Q145\_2) Would you say these experiences happened because of your... sex (being male or female)**

Would you say these experiences happened because of your . . . Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	464	30.6 %
	<b>Missing Data</b>		
.	-	1054	69.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 464 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 768-768 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W1Q145\_3: (W1Q145\_3) Would you say these experiences happened because of your... being transgender**

Would you say these experiences happened because of your . . . Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	8	0.5 %
	<b>Missing Data</b>		
.	-	1510	99.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 8 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 769-769 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

#### **W1Q145\_4: (W1Q145\_4) Would you say these experiences happened because of your... gender expression or appearance**

Would you say these experiences happened because of your . . . Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	209	13.8 %
	<b>Missing Data</b>		
.	-	1309	86.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 209 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 770-770 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

#### **W1Q145\_5: (W1Q145\_5) Would you say these experiences happened because of your... race/ethnicity**

Would you say these experiences happened because of your . . . Please mark all that apply. Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	293	19.3 %
	<b>Missing Data</b>		
.	-	1225	80.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 293 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 771-771 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W1Q145\_6: (W1Q145\_6) Would you say these experiences happened because of your... income level or education**

Would you say these experiences happened because of your . . . Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	245	16.1 %
	<b>Missing Data</b>		
.	-	1273	83.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 245 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 772-772 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W1Q145\_7: (W1Q145\_7) Would you say these experiences happened because of your... sexual orientation**

Would you say these experiences happened because of your . . . Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	422	27.8 %
	<b>Missing Data</b>		
.	-	1096	72.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 422 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 773-774 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W1Q145\_8: (W1Q145\_8) Would you say these experiences happened because of your... physical appearance (e.g., weight, height)**

Would you say these experiences happened because of your . . . Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	383	25.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1135	74.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 383 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 775-776 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97, .)

### **W1Q145\_9: (W1Q145\_9) Would you say these experiences happened because of your... religion/spirituality**

Would you say these experiences happened because of your . . . Please mark all that apply. Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	77	5.1 %
	<b>Missing Data</b>		
.	-	1441	94.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 77 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 777-778 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97, .)

### **W1Q145\_10: (W1Q145\_10) Would you say these experiences happened because of your... disability**

Would you say these experiences happened because of your . . . Please mark all that apply. Disability

Value	Label	Unweighted Frequency	%
10	Disability	100	6.6 %
	<b>Missing Data</b>		
.	-	1418	93.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 100 valid cases out of 1,518 total cases.

- Minimum: 10.00

- Maximum: 10.00

*Location:* 779-780 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W1CHRONIC: (W1CHRONIC) Chronic strains

Chronic strains

Value	Label	Unweighted Frequency	%
1.000000000000000	-	32	2.1 %
1.0833333730698	-	67	4.4 %
1.1666666269302	-	101	6.7 %
1.250000000000000	-	113	7.4 %
1.3333333730698	-	136	9.0 %
1.4166666269302	-	133	8.8 %
1.500000000000000	-	162	10.7 %
1.5833333730698	-	160	10.5 %
1.6666666269302	-	101	6.7 %
1.750000000000000	-	119	7.8 %
1.8333333730698	-	98	6.5 %
1.9166666269302	-	62	4.1 %
2.000000000000000	-	42	2.8 %
2.0833332538605	-	56	3.7 %
2.1666667461395	-	27	1.8 %
2.250000000000000	-	20	1.3 %
2.3333332538605	-	15	1.0 %
2.4166667461395	-	6	0.4 %
2.500000000000000	-	4	0.3 %
2.5833332538605	-	7	0.5 %
2.6666667461395	-	3	0.2 %
2.750000000000000	-	2	0.1 %
2.8333332538605	-	2	0.1 %
	Missing Data		
.	-	50	3.3 %
	Total	1,518	100%

Based upon 1,468 valid cases out of 1,518 total cases.

- Mean: 1.5706743862713
- Median: 1.500000000000000
- Mode: 1.500000000000000

- Minimum: 1.0000000000000
- Maximum: 2.833332538605
- Standard Deviation: 0.3297719599312

*Location:* 947-961 (*width:* 15; *decimal:* 13)

*Variable Type:* numeric

## **W1CHRONIC\_I: (W1CHRONIC\_I) Chronic strains with imputation**

Chronic strains with imputation

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
1.0000000000000	-	33	2.2 %
1.0833333730698	-	71	4.7 %
1.1666666269302	-	101	6.7 %
1.2500000000000	-	118	7.8 %
1.3333333730698	-	137	9.0 %
1.4166666269302	-	139	9.2 %
1.5000000000000	-	167	11.0 %
1.5833333730698	-	166	10.9 %
1.6666666269302	-	107	7.0 %
1.7500000000000	-	124	8.2 %
1.8333333730698	-	100	6.6 %
1.9166666269302	-	66	4.3 %
2.0000000000000	-	44	2.9 %
2.0833332538605	-	59	3.9 %
2.1666667461395	-	27	1.8 %
2.2500000000000	-	20	1.3 %
2.3333332538605	-	15	1.0 %
2.4166667461395	-	6	0.4 %
2.5000000000000	-	4	0.3 %
2.5833332538605	-	7	0.5 %
2.6666667461395	-	3	0.2 %
2.7500000000000	-	2	0.1 %
2.8333332538605	-	2	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.5708168634313
- Median: 1.5000000000000
- Mode: 1.5000000000000
- Minimum: 1.0000000000000
- Maximum: 2.833332538605
- Standard Deviation: 0.3283364913787

*Location:* 962-976 (width: 15; decimal: 13)

*Variable Type:* numeric

---

### **W1Q146A: (W1Q146A) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.

Value	Label	Unweighted Frequency	%
1	Not true	355	23.4 %
2	Somewhat true	718	47.3 %
3	Very true	370	24.4 %
	<b>Missing Data</b>		
.	-	75	4.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,443 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 781-781 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q146B: (W1Q146B) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.

Value	Label	Unweighted Frequency	%
1	Not true	649	42.8 %
2	Somewhat true	444	29.2 %
3	Very true	340	22.4 %
	<b>Missing Data</b>		
.	-	85	5.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,433 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 782-782 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146C: (W1Q146C) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.

Value	Label	Unweighted Frequency	%
1	Not true	287	18.9 %
2	Somewhat true	501	33.0 %
3	Very true	442	29.1 %
	<b>Missing Data</b>		
.	-	288	19.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,230 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 783-783 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146D: (W1Q146D) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.

Value	Label	Unweighted Frequency	%
1	Not true	608	40.1 %
2	Somewhat true	264	17.4 %
3	Very true	276	18.2 %
	<b>Missing Data</b>		
.	-	370	24.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,148 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 784-784 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W1Q146E: (W1Q146E) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	758	49.9 %
2	Somewhat true	220	14.5 %
3	Very true	94	6.2 %
	<b>Missing Data</b>		
.	-	446	29.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,072 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 785-785 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146F: (W1Q146F) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	703	46.3 %
2	Somewhat true	137	9.0 %
3	Very true	98	6.5 %
	<b>Missing Data</b>		
.	-	580	38.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 938 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 786-786 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146G: (W1Q146G) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.

Value	Label	Unweighted Frequency	%
1	Not true	711	46.8 %
2	Somewhat true	428	28.2 %
3	Very true	303	20.0 %
	<b>Missing Data</b>		
.	-	76	5.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,442 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 787-787 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146H: (W1Q146H) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.

Value	Label	Unweighted Frequency	%
1	Not true	560	36.9 %
2	Somewhat true	269	17.7 %
3	Very true	373	24.6 %
	<b>Missing Data</b>		
.	-	316	20.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,202 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 788-788 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146I: (W1Q146I) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.

Value	Label	Unweighted Frequency	%
1	Not true	686	45.2 %
2	Somewhat true	384	25.3 %
3	Very true	226	14.9 %
	<b>Missing Data</b>		
.	-	222	14.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,296 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 789-789 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146J: (W1Q146J) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.

Value	Label	Unweighted Frequency	%
1	Not true	775	51.1 %
2	Somewhat true	294	19.4 %
3	Very true	246	16.2 %
	<b>Missing Data</b>		
.	-	203	13.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,315 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 790-790 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146K: (W1Q146K) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.

Value	Label	Unweighted Frequency	%
1	Not true	927	61.1 %

Value	Label	Unweighted Frequency	%
2	Somewhat true	167	11.0 %
3	Very true	105	6.9 %
	<b>Missing Data</b>		
.	-	319	21.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,199 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 791-791 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q146L: (W1Q146L) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.

Value	Label	Unweighted Frequency	%
1	Not true	516	34.0 %
2	Somewhat true	304	20.0 %
3	Very true	210	13.8 %
	<b>Missing Data</b>		
.	-	488	32.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,030 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 792-792 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q147: (W1Q147) As a child, my favorite toys and games were...**

The following questions are about your childhood experiences. As a child, my favorite toys and games were...

Value	Label	Unweighted Frequency	%
1	Always "masculine"	140	9.2 %
2	Usually "masculine"	436	28.7 %
3	Equally "masculine" and "feminine"	602	39.7 %
4	Usually "feminine"	190	12.5 %

Value	Label	Unweighted Frequency	%
5	Always "feminine"	51	3.4 %
6	Neither "masculine" or "feminine"	0	0.0 %
	<b>Missing Data</b>		
.	-	99	6.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,419 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 793-793 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q148: (W1Q148) As a child, the characters on TV or in the movies that I imitated or admired were...**

The following questions are about your childhood experiences. As a child, the characters on TV or in the movies that I imitated or admired were...

Value	Label	Unweighted Frequency	%
1	Always boys or men	155	10.2 %
2	Usually boys or men	349	23.0 %
3	Girls/women and boys/men equally	522	34.4 %
4	Usually girls or women	281	18.5 %
5	Always girls or women	62	4.1 %
6	I did not imitate or admire characters on TV or in the movies	0	0.0 %
	<b>Missing Data</b>		
.	-	149	9.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,369 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 794-794 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q149: (W1Q149) In fantasy or pretend play, I took the role...**

The following questions are about your childhood experiences. In fantasy or pretend play, I took the role...

Value	Label	Unweighted Frequency	%
1	Only of boys or men	223	14.7 %

Value	Label	Unweighted Frequency	%
2	Usually of boys or men	382	25.2 %
3	Boys/men and girls/women equally	403	26.5 %
4	Usually of girls or women	307	20.2 %
5	Only of girls or women	76	5.0 %
6	I did not do this type of pretend play	0	0.0 %
<b>Missing Data</b>			
.	-	127	8.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,391 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 795-795 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q150: (W1Q150) As a child, I felt...**

The following questions are about your childhood experiences. As a child, I felt...

Value	Label	Unweighted Frequency	%
1	Very masculine	111	7.3 %
2	Somewhat masculine	464	30.6 %
3	Masculine and feminine equally	359	23.6 %
4	Somewhat feminine	258	17.0 %
5	Very feminine	126	8.3 %
6	I did not feel masculine or feminine	0	0.0 %
<b>Missing Data</b>			
.	-	200	13.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,318 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 796-796 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE: (W1ACE) Adverse childhood experiences**

Adverse childhood experiences

Value	Label	Unweighted Frequency	%
0	-	142	9.4 %
1	-	229	15.1 %
2	-	201	13.2 %
3	-	197	13.0 %
4	-	133	8.8 %
5	-	152	10.0 %
6	-	93	6.1 %
7	-	60	4.0 %
8	-	34	2.2 %
<b>Missing Data</b>			
.	-	277	18.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,241 valid cases out of 1,518 total cases.

- Mean: 3.03
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.16

*Location:* 923-923 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1ACE\_I: (W1ACE\_I) Adverse childhood experiences with imputation

Adverse childhood experiences with imputation

Value	Label	Unweighted Frequency	%
0	-	152	10.0 %
1	-	266	17.5 %
2	-	239	15.7 %
3	-	236	15.5 %
4	-	189	12.5 %
5	-	198	13.0 %
6	-	119	7.8 %
7	-	81	5.3 %
8	-	38	2.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 3.15

- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.14

*Location:* 924-924 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_EMO: (W1ACE\_EMO) Adverse Childhood Experiences (ACE) emotional abuse**

Adverse Childhood Experiences (ACE) emotional abuse

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	467	30.8 %
1	(Yes, event occurred at least once)	960	63.2 %
	<b>Missing Data</b>		
.	-	91	6.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,427 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 925-925 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_EMO\_I: (W1ACE\_EMO\_I) Adverse Childhood Experiences (ACE) emotional abuse with imputation**

Adverse Childhood Experiences (ACE) emotional abuse with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	500	32.9 %
1	(Yes, event occurred at least once)	1018	67.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 926-926 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_INC: (W1ACE\_INC) Adverse Childhood Experiences (ACE) incarceration household member**

Adverse Childhood Experiences (ACE) incarceration household member

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	1287	84.8 %
1	(Yes, event occurred at least once)	209	13.8 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 927-927 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1ACE\_INC\_I: (W1ACE\_INC\_I) Adverse Childhood Experiences (ACE) incarceration household member with imputation**

Adverse Childhood Experiences (ACE) incarceration household member with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	1308	86.2 %
1	(Yes, event occurred at least once)	210	13.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 928-928 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1ACE\_IPV: (W1ACE\_IPV) Adverse Childhood Experiences (ACE) household intimate partner violence**

Adverse Childhood Experiences (ACE) household intimate partner violence

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	950	62.6 %
1	(Yes, event occurred at least once)	429	28.3 %
	<b>Missing Data</b>		
.	-	139	9.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,379 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 929-929 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1ACE\_IPV\_I: (W1ACE\_IPV\_I) Adverse Childhood Experiences (ACE) household intimate partner violence with imputation**

Adverse Childhood Experiences (ACE) household intimate partner violence with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	1022	67.3 %
1	(Yes, event occurred at least once)	496	32.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 930-930 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1ACE\_MEN: (W1ACE\_MEN) Adverse Childhood Experiences (ACE) household mental illness**

Adverse Childhood Experiences (ACE) household mental illness

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	826	54.4 %
1	(Yes, event occurred at least once)	672	44.3 %
	<b>Missing Data</b>		
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 931-931 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1ACE\_MEN\_I: (W1ACE\_MEN\_I) Adverse Childhood Experiences (ACE) household mental illness with imputation**

Adverse Childhood Experiences (ACE) household mental illness with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	839	55.3 %
1	(Yes, event occurred at least once)	679	44.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 932-932 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1ACE\_PHY: (W1ACE\_PHY) Adverse Childhood Experiences (ACE) physical abuse

Adverse Childhood Experiences (ACE) physical abuse

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	893	58.8 %
1	(Yes, event occurred at least once)	564	37.2 %
<b>Missing Data</b>			
-	-	61	4.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,457 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 933-933 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1ACE\_PHY\_I: (W1ACE\_PHY\_I) Adverse Childhood Experiences (ACE) physical abuse with imputation

Adverse Childhood Experiences (ACE) physical abuse with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	919	60.5 %
1	(Yes, event occurred at least once)	599	39.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 934-934 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1ACE\_SEP: (W1ACE\_SEP) Adverse Childhood Experiences (ACE) parental separation or divorce**

Adverse Childhood Experiences (ACE) parental separation or divorce

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	988	65.1 %
1	(Yes, event occurred at least once)	514	33.9 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 935-935 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1ACE\_SEP\_I: (W1ACE\_SEP\_I) Adverse Childhood Experiences (ACE) parental separation or divorce with imputation**

Adverse Childhood Experiences (ACE) parental separation or divorce with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	1000	65.9 %
1	(Yes, event occurred at least once)	518	34.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 936-936 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1ACE\_SEX: (W1ACE\_SEX) Adverse Childhood Experiences (ACE) sexual abuse**

Adverse Childhood Experiences (ACE) sexual abuse

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	902	59.4 %
1	(Yes, event occurred at least once)	541	35.6 %
	<b>Missing Data</b>		
.	-	75	4.9 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,443 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 937-937 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_SEX\_I: (W1ACE\_SEX\_I) Adverse Childhood Experiences (ACE) sexual abuse with imputation**

Adverse Childhood Experiences (ACE) sexual abuse with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	954	62.8 %
1	(Yes, event occurred at least once)	564	37.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 938-938 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_SUB: (W1ACE\_SUB) Adverse Childhood Experiences (ACE) household substance abuse**

Adverse Childhood Experiences (ACE) household substance abuse

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	804	53.0 %
1	(Yes, event occurred at least once)	693	45.7 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 939-939 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1ACE\_SUB\_I: (W1ACE\_SUB\_I) Adverse Childhood Experiences (ACE) household substance abuse with imputation**

Adverse Childhood Experiences (ACE) household substance abuse with imputation

Value	Label	Unweighted Frequency	%
0	(No, event never occurred)	819	54.0 %
1	(Yes, event occurred at least once)	699	46.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 940-940 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q151: (W1Q151) Now, looking back before you were 18 years of age... Did you live with anyone who was depressed, mentally ill, or suicidal?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Did you live with anyone who was depressed, mentally ill, or suicidal?

Value	Label	Unweighted Frequency	%
1	Yes	672	44.3 %
2	No	826	54.4 %
	<b>Missing Data</b>		
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 797-797 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3, 4, .

---

## **W1Q152: (W1Q152) Now, looking back before you were 18 years of age... Did you live with anyone who was a problem drinker or alcoholic?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to

answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Did you live with anyone who was a problem drinker or alcoholic?

Value	Label	Unweighted Frequency	%
1	Yes	575	37.9 %
2	No	924	60.9 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 798-798 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q153: (W1Q153) Now, looking back before you were 18 years of age... Did you live with anyone who used illegal street drugs or who abused prescription medications?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Did you live with anyone who used illegal street drugs or who abused prescription medications?

Value	Label	Unweighted Frequency	%
1	Yes	351	23.1 %
2	No	1146	75.5 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 799-799 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

### **W1Q154: (W1Q154) Now, looking back before you were 18 years of age... Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?

Value	Label	Unweighted Frequency	%
1	Yes	209	13.8 %
2	No	1287	84.8 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 800-800 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

## **W1Q155: (W1Q155) (Before 18 years of age) Were your parents separated or divorced?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Were your parents separated or divorced?

Value	Label	Unweighted Frequency	%
1	Yes	514	33.9 %
2	No	858	56.5 %
4	Parents were never married	130	8.6 %
	<b>Missing Data</b>		
.	-	16	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 801-801 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 5 , .

## **W1Q156: (W1Q156) (Before 18 years of age) How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

Value	Label	Unweighted Frequency	%
1	Never	950	62.6 %
2	Once	109	7.2 %
3	More than once	320	21.1 %
.	<b>Missing Data</b>		
.	-	139	9.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,379 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 802-802 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8, .

### **W1Q157: (W1Q157) Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking.**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking.

Value	Label	Unweighted Frequency	%
1	Never	893	58.8 %
2	Once	141	9.3 %
3	More than Once	423	27.9 %
.	<b>Missing Data</b>		
.	-	61	4.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,457 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 803-803 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8, .

---

## **W1Q158: (W1Q158) (Before 18 years of age) How often did a parent or adult in your home ever swear at you, insult you, or put you down?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... How often did a parent or adult in your home ever swear at you, insult you, or put you down?

Value	Label	Unweighted Frequency	%
1	Never	467	30.8 %
2	Once	87	5.7 %
3	More than Once	873	57.5 %
	<b>Missing Data</b>		
.	-	91	6.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,427 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 804-804 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8, .

---

## **W1Q159: (W1Q159) (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult, ever touch you sexually?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... How often did anyone at least 5 years older than you, or an adult, ever touch you sexually?

Value	Label	Unweighted Frequency	%
1	Never	943	62.1 %
2	Once	150	9.9 %
3	More than Once	349	23.0 %
	<b>Missing Data</b>		
.	-	76	5.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,442 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 805-805 (width: 1; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 8, .

---

### **W1Q160: (W1Q160) (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult, try to make you touch them sexually?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... How often did anyone at least 5 years older than you, or an adult, try to make you touch them sexually?

Value	Label	Unweighted Frequency	%
1	Never	1018	67.1 %
2	Once	145	9.6 %
3	More than Once	274	18.1 %
	<b>Missing Data</b>		
.	-	81	5.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,437 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 806-806 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8, .

---

### **W1Q161: (W1Q161) (Before 18 years of age) How often did anyone at least 5 years older than you, or an adult, force you to have sex?**

Below are some questions about events that happened during your childhood. This is a sensitive topic and some people may feel uncomfortable with these questions. Remember, on the cover letter of this survey, you will find a list of organizations that can provide information and referral for these issues. Also, please keep in mind that you can skip any question you do not want to answer. All questions refer to the time period before you were 18 years of age. Now, looking back before you were 18 years of age... How often did anyone at least 5 years older than you, or an adult, force you to have sex?

Value	Label	Unweighted Frequency	%
1	Never	1203	79.2 %
2	Once	79	5.2 %
3	More than Once	159	10.5 %
	<b>Missing Data</b>		
.	-	77	5.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,441 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 807-807 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8, .

## **W1Q162: (W1Q162) How often, if ever, were you bullied before you were 18 years old?**

How often, if ever, were you bullied before you were 18 years old?

Value	Label	Unweighted Frequency	%
1	Often	490	32.3 %
2	Sometimes	521	34.3 %
3	Rarely	268	17.7 %
4	Never	220	14.5 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 808-808 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q163\_1: (W1Q163\_1) When you were bullied before you were 18 years old, would you say it was because of your... age**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Age

Value	Label	Unweighted Frequency	%
1	Age	234	15.4 %
	<b>Missing Data</b>		
.	-	1284	84.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 234 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 809-809 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W1Q163\_2: (W1Q163\_2) When you were bullied before you were 18 years old, would you say it was because of your... sex (being male or female)**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	301	19.8 %
.	<b>Missing Data</b>	1217	80.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 301 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 810-810 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7 , .

---

## **W1Q163\_3: (W1Q163\_3) When you were bullied before you were 18 years old, would you say it was because of your... being transgender**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	3	0.2 %
.	<b>Missing Data</b>	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 811-811 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7 , .

---

## **W1Q163\_4: (W1Q163\_4) When you were bullied before you were 18 years old, would you say it was because of your... gender expression or appearance**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	308	20.3 %
	<b>Missing Data</b>		
.	-	1210	79.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 308 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 812-812 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q163\_5: (W1Q163\_5) When you were bullied before you were 18 years old, would you say it was because of your... race/ethnicity**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply.  
Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	179	11.8 %
	<b>Missing Data</b>		
.	-	1339	88.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 179 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 813-813 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q163\_6: (W1Q163\_6) When you were bullied before you were 18 years old, would you say it was because of your... income level or education**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	197	13.0 %
	<b>Missing Data</b>		
.	-	1321	87.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 197 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 814-814 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q163\_7: (W1Q163\_7) When you were bullied before you were 18 years old, would you say it was because of your... sexual orientation**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	396	26.1 %
.	<b>Missing Data</b>	1122	73.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 396 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 815-816 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q163\_8: (W1Q163\_8) When you were bullied before you were 18 years old, would you say it was because of your... physical appearance (e.g., weight, height)**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply. Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	757	49.9 %
.	<b>Missing Data</b>	761	50.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 757 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 817-818 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W1Q163\_9: (W1Q163\_9) When you were bullied before you were 18 years old, would you say it was because of your... religion/spirituality**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply.  
Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	75	4.9 %
	<b>Missing Data</b>		
.	-	1443	95.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 75 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 819-820 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97 , .

---

### **W1Q163\_10: (W1Q163\_10) When you were bullied before you were 18 years old, would you say it was because of your... disability**

When you were bullied before you were 18 years old, would you say it was because of your . . . Please mark all that apply.  
Disability

Value	Label	Unweighted Frequency	%
10	Disability	69	4.5 %
	<b>Missing Data</b>		
.	-	1449	95.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 69 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 821-822 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97 , .

---

### **W1Q19A: (W1Q19A) Is the city or area where you live a good place or not a good place to live for... racial and ethnic minorities**

Is the city or area where you live a good place or not a good place to live for... Racial and ethnic minorities

Value	Label	Unweighted Frequency	%
1	Good place	1036	68.2 %
2	Not a good place	464	30.6 %
	<b>Missing Data</b>		
.	-	18	1.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 198-198 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q19B: (W1Q19B) Is the city or area where you live a good place or not a good place to live for... gay, lesbian, or bisexual people**

Is the city or area where you live a good place or not a good place to live for... Gay, lesbian, or bisexual people

Value	Label	Unweighted Frequency	%
1	Good place	1084	71.4 %
2	Not a good place	415	27.3 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 199-199 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q19C: (W1Q19C) Is the city or area where you live a good place or not a good place to live for... transgender people**

Is the city or area where you live a good place or not a good place to live for... Transgender people

Value	Label	Unweighted Frequency	%
1	Good place	835	55.0 %
2	Not a good place	653	43.0 %
	<b>Missing Data</b>		
.	-	30	2.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,488 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 200-200 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q19D: (W1Q19D) Is the city or area where you live a good place or not a good place to live for... immigrants from other countries**

Is the city or area where you live a good place or not a good place to live for... Immigrants from other countries

Value	Label	Unweighted Frequency	%
1	Good place	1006	66.3 %
2	Not a good place	488	32.1 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 201-201 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1SOCSUPPORT: (W1SOCSUPPORT) Social support - full scale**

Social support - full scale

Value	Label	Unweighted Frequency	%
1.000000000000000	-	11	0.7 %
1.083333730698	-	5	0.3 %
1.1666666269302	-	1	0.1 %
1.250000000000000	-	3	0.2 %
1.333333730698	-	2	0.1 %
1.4166666269302	-	2	0.1 %
1.500000000000000	-	4	0.3 %
1.583333730698	-	3	0.2 %
1.6666666269302	-	4	0.3 %
1.750000000000000	-	3	0.2 %
1.833333730698	-	3	0.2 %
1.9166666269302	-	1	0.1 %
2.000000000000000	-	8	0.5 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2.0833332538605	-	3	0.2 %
2.1666667461395	-	3	0.2 %
2.25000000000000	-	1	0.1 %
2.3333332538605	-	5	0.3 %
2.4166667461395	-	4	0.3 %
2.50000000000000	-	2	0.1 %
2.5833332538605	-	4	0.3 %
2.6666667461395	-	2	0.1 %
2.75000000000000	-	4	0.3 %
2.8333332538605	-	11	0.7 %
2.9166667461395	-	8	0.5 %
3.00000000000000	-	11	0.7 %
3.0833332538605	-	2	0.1 %
3.1666667461395	-	9	0.6 %
3.25000000000000	-	8	0.5 %
3.3333332538605	-	3	0.2 %
3.4166667461395	-	8	0.5 %
3.50000000000000	-	12	0.8 %
3.5833332538605	-	13	0.9 %
3.6666667461395	-	14	0.9 %
3.75000000000000	-	9	0.6 %
3.8333332538605	-	15	1.0 %
3.9166667461395	-	20	1.3 %
4.00000000000000	-	24	1.6 %
4.0833334922791	-	18	1.2 %
4.1666665077209	-	26	1.7 %
4.25000000000000	-	26	1.7 %
4.3333334922791	-	25	1.6 %
4.4166665077209	-	28	1.8 %
4.50000000000000	-	23	1.5 %
4.5833334922791	-	24	1.6 %
4.6666665077209	-	26	1.7 %
4.75000000000000	-	23	1.5 %
4.8333334922791	-	31	2.0 %
4.9166665077209	-	37	2.4 %
5.00000000000000	-	46	3.0 %
5.0833334922791	-	30	2.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-	-	46	3.0 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,472 valid cases out of 1,518 total cases.

- Mean: 5.1971240933661
- Median: 5.4166665077209
- Mode: 7.0000000000000
- Minimum: 1.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 1.2954469001021

*Location:* 1248-1262 (width: 15; decimal: 13)

*Variable Type:* numeric

## W1SOCSUPPORT\_FAM: (W1SOCSUPPORT\_FAM) Social support - family

Social support - family

Value	Label	Unweighted Frequency	%
1.00	-	56	3.7 %
1.25	-	16	1.1 %
1.50	-	18	1.2 %
1.75	-	24	1.6 %
2.00	-	42	2.8 %
2.25	-	20	1.3 %
2.50	-	32	2.1 %
2.75	-	34	2.2 %
3.00	-	39	2.6 %
3.25	-	41	2.7 %
3.50	-	51	3.4 %
3.75	-	46	3.0 %
4.00	-	95	6.3 %
4.25	-	58	3.8 %
4.50	-	71	4.7 %
4.75	-	69	4.5 %
5.00	-	85	5.6 %
5.25	-	81	5.3 %
5.50	-	98	6.5 %
5.75	-	97	6.4 %
6.00	-	102	6.7 %

Value	Label	Unweighted Frequency	%
6.25	-	67	4.4 %
6.50	-	49	3.2 %
6.75	-	56	3.7 %
7.00	-	143	9.4 %
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Mean: 4.70
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.66

*Location:* 1263-1266 (width: 4; decimal: 2)

*Variable Type:* numeric

## W1SOCSUPPORT\_FAM\_I: (W1SOCSUPPORT\_FAM\_I) Social support - family with imputation

Social support - family with imputation

Value	Label	Unweighted Frequency	%
1.00	-	58	3.8 %
1.25	-	17	1.1 %
1.50	-	18	1.2 %
1.75	-	25	1.6 %
2.00	-	44	2.9 %
2.25	-	20	1.3 %
2.50	-	32	2.1 %
2.75	-	34	2.2 %
3.00	-	40	2.6 %
3.25	-	42	2.8 %
3.50	-	52	3.4 %
3.75	-	48	3.2 %
4.00	-	96	6.3 %
4.25	-	58	3.8 %
4.50	-	72	4.7 %
4.75	-	70	4.6 %
5.00	-	87	5.7 %
5.25	-	84	5.5 %

Value	Label	Unweighted Frequency	%
5.50	-	99	6.5 %
5.75	-	98	6.5 %
6.00	-	104	6.9 %
6.25	-	68	4.5 %
6.50	-	52	3.4 %
6.75	-	57	3.8 %
7.00	-	143	9.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 4.69
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.67

*Location:* 1267-1270 (width: 4; decimal: 2)

*Variable Type:* numeric

## **W1SOCSUPPORT\_FR: (W1SOCSUPPORT\_FR) Social support - friends**

Social support - friends

Value	Label	Unweighted Frequency	%
1.00	-	34	2.2 %
1.25	-	4	0.3 %
1.50	-	6	0.4 %
1.75	-	6	0.4 %
2.00	-	22	1.4 %
2.25	-	9	0.6 %
2.50	-	15	1.0 %
2.75	-	13	0.9 %
3.00	-	23	1.5 %
3.25	-	20	1.3 %
3.50	-	23	1.5 %
3.75	-	17	1.1 %
4.00	-	64	4.2 %
4.25	-	44	2.9 %
4.50	-	58	3.8 %
4.75	-	62	4.1 %
5.00	-	108	7.1 %

Value	Label	Unweighted Frequency	%
5.25	-	70	4.6 %
5.50	-	82	5.4 %
5.75	-	89	5.9 %
6.00	-	220	14.5 %
6.25	-	97	6.4 %
6.50	-	67	4.4 %
6.75	-	61	4.0 %
7.00	-	274	18.1 %
<b>Missing Data</b>			
.	-	30	2.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,488 valid cases out of 1,518 total cases.

- Mean: 5.40
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.45

*Location:* 1271-1274 (width: 4; decimal: 2)

*Variable Type:* numeric

---

## **W1SOCSUPPORT\_FR\_I: (W1SOCSUPPORT\_FR\_I) Social support - friends with imputation**

Social support - friends with imputation

Value	Label	Unweighted Frequency	%
1.00	-	34	2.2 %
1.25	-	4	0.3 %
1.50	-	6	0.4 %
1.75	-	6	0.4 %
2.00	-	22	1.4 %
2.25	-	10	0.7 %
2.50	-	16	1.1 %
2.75	-	13	0.9 %
3.00	-	23	1.5 %
3.25	-	20	1.3 %
3.50	-	24	1.6 %
3.75	-	18	1.2 %
4.00	-	64	4.2 %
4.25	-	47	3.1 %

Value	Label	Unweighted Frequency	%
4.50	-	61	4.0 %
4.75	-	64	4.2 %
5.00	-	111	7.3 %
5.25	-	72	4.7 %
5.50	-	85	5.6 %
5.75	-	91	6.0 %
6.00	-	222	14.6 %
6.25	-	99	6.5 %
6.50	-	68	4.5 %
6.75	-	62	4.1 %
7.00	-	276	18.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.39
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.45

*Location:* 1275-1278 (width: 4; decimal: 2)

*Variable Type:* numeric

---

### **W1SOCSUPPORT\_I: (W1SOCSUPPORT\_I) Social support - full scale with imputation**

Social support - full scale with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	11	0.7 %
1.0833333730698	-	5	0.3 %
1.1666666269302	-	1	0.1 %
1.25000000000000	-	3	0.2 %
1.3333333730698	-	2	0.1 %
1.4166666269302	-	2	0.1 %
1.50000000000000	-	4	0.3 %
1.5833333730698	-	3	0.2 %
1.6666666269302	-	4	0.3 %
1.75000000000000	-	3	0.2 %
1.8333333730698	-	3	0.2 %
1.9166666269302	-	1	0.1 %
2.00000000000000	-	8	0.5 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
2.0833332538605	-	4	0.3 %
2.1666667461395	-	4	0.3 %
2.25000000000000	-	3	0.2 %
2.3333332538605	-	5	0.3 %
2.4166667461395	-	4	0.3 %
2.50000000000000	-	3	0.2 %
2.5833332538605	-	4	0.3 %
2.6666667461395	-	3	0.2 %
2.75000000000000	-	4	0.3 %
2.8333332538605	-	12	0.8 %
2.9166667461395	-	8	0.5 %
3.00000000000000	-	11	0.7 %
3.0833332538605	-	3	0.2 %
3.1666667461395	-	9	0.6 %
3.25000000000000	-	8	0.5 %
3.3333332538605	-	4	0.3 %
3.4166667461395	-	8	0.5 %
3.50000000000000	-	12	0.8 %
3.5833332538605	-	13	0.9 %
3.6666667461395	-	14	0.9 %
3.75000000000000	-	11	0.7 %
3.8333332538605	-	15	1.0 %
3.9166667461395	-	20	1.3 %
4.00000000000000	-	25	1.6 %
4.0833334922791	-	20	1.3 %
4.1666665077209	-	26	1.7 %
4.25000000000000	-	27	1.8 %
4.3333334922791	-	27	1.8 %
4.4166665077209	-	28	1.8 %
4.50000000000000	-	24	1.6 %
4.5833334922791	-	24	1.6 %
4.6666665077209	-	26	1.7 %
4.75000000000000	-	24	1.6 %
4.8333334922791	-	31	2.0 %
4.9166665077209	-	38	2.5 %
5.00000000000000	-	46	3.0 %
5.0833334922791	-	32	2.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.1884606932934
- Median: 5.4166665077209
- Mode: 7.00000000000000
- Minimum: 1.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.3013515859574

*Location:* 1279-1293 (width: 15; decimal: 13)

*Variable Type:* numeric

---

## W1SOCSUPPORT\_SO: (W1SOCSUPPORT\_SO) Social support - significant others

Social support - significant others

Value	Label	Unweighted Frequency	%
1.00	-	63	4.2 %
1.25	-	3	0.2 %
1.50	-	9	0.6 %
1.75	-	10	0.7 %
2.00	-	26	1.7 %
2.25	-	8	0.5 %
2.50	-	16	1.1 %
2.75	-	10	0.7 %
3.00	-	22	1.4 %
3.25	-	18	1.2 %
3.50	-	26	1.7 %
3.75	-	26	1.7 %
4.00	-	61	4.0 %
4.25	-	28	1.8 %
4.50	-	41	2.7 %
4.75	-	48	3.2 %
5.00	-	71	4.7 %
5.25	-	47	3.1 %
5.50	-	55	3.6 %
5.75	-	58	3.8 %
6.00	-	177	11.7 %
6.25	-	77	5.1 %
6.50	-	59	3.9 %
6.75	-	87	5.7 %
7.00	-	444	29.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	28	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,490 valid cases out of 1,518 total cases.

- Mean: 5.49
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.68

*Location:* 1294-1297 (width: 4; decimal: 2)

*Variable Type:* numeric

## **W1SOCSUPPORT\_SO\_I: (W1SOCSUPPORT\_SO\_I) Social support - significant others with imputation**

Social support - significant others with imputation

Value	Label	Unweighted Frequency	%
1.00	-	65	4.3 %
1.25	-	3	0.2 %
1.50	-	10	0.7 %
1.75	-	11	0.7 %
2.00	-	27	1.8 %
2.25	-	8	0.5 %
2.50	-	17	1.1 %
2.75	-	10	0.7 %
3.00	-	22	1.4 %
3.25	-	18	1.2 %
3.50	-	27	1.8 %
3.75	-	27	1.8 %
4.00	-	62	4.1 %
4.25	-	29	1.9 %
4.50	-	41	2.7 %
4.75	-	49	3.2 %
5.00	-	73	4.8 %
5.25	-	48	3.2 %
5.50	-	56	3.7 %
5.75	-	59	3.9 %
6.00	-	177	11.7 %

Value	Label	Unweighted Frequency	%
6.25	-	79	5.2 %
6.50	-	59	3.9 %
6.75	-	89	5.9 %
7.00	-	452	29.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 5.48
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.69

*Location:* 1298-1301 (width: 4; decimal: 2)

*Variable Type:* numeric

## W1CONNECTEDNESS: (W1CONNECTEDNESS) Community connectedness

Community connectedness

Value	Label	Unweighted Frequency	%
1.000000000000000	-	7	0.5 %
1.1428570747375	-	5	0.3 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	3	0.2 %
1.5714285373688	-	12	0.8 %
1.7142856121063	-	15	1.0 %
1.8571429252625	-	15	1.0 %
2.000000000000000	-	20	1.3 %
2.1428570747375	-	40	2.6 %
2.2857143878937	-	59	3.9 %
2.4285714626312	-	89	5.9 %
2.5714285373688	-	107	7.0 %
2.7142856121063	-	131	8.6 %
2.8571429252625	-	151	9.9 %
3.000000000000000	-	243	16.0 %
3.1428570747375	-	114	7.5 %
3.2857141494751	-	105	6.9 %
3.4285714626312	-	93	6.1 %
3.5714285373688	-	67	4.4 %
3.7142858505249	-	54	3.6 %

Value	Label	Unweighted Frequency	%
3.8571429252625	-	56	3.7 %
4.00000000000000	-	78	5.1 %
	Missing Data		
.	-	51	3.4 %
	Total	1,518	100%

Based upon 1,467 valid cases out of 1,518 total cases.

- Mean: 2.9660142098630
- Median: 3.0000000000000
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.5645164334331

Location: 977-991 (width: 15; decimal: 13)

Variable Type: numeric

## W1CONNECTEDNESS\_I: (W1CONNECTEDNESS\_I) Community connectedness with imputation

Community connectedness with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	7	0.5 %
1.1428570747375	-	5	0.3 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	4	0.3 %
1.5714285373688	-	12	0.8 %
1.7142856121063	-	16	1.1 %
1.8571429252625	-	15	1.0 %
2.0000000000000	-	21	1.4 %
2.1428570747375	-	43	2.8 %
2.2857143878937	-	63	4.2 %
2.4285714626312	-	94	6.2 %
2.5714285373688	-	110	7.2 %
2.7142856121063	-	133	8.8 %
2.8571429252625	-	163	10.7 %
3.0000000000000	-	249	16.4 %
3.1428570747375	-	116	7.6 %
3.2857141494751	-	108	7.1 %
3.4285714626312	-	99	6.5 %
3.5714285373688	-	68	4.5 %

Value	Label	Unweighted Frequency	%
3.7142858505249	-	54	3.6 %
3.8571429252625	-	57	3.8 %
4.00000000000000	-	78	5.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 2.9601919748409
- Median: 3.00000000000000
- Mode: 3.00000000000000
- Minimum: 1.00000000000000
- Maximum: 4.00000000000000
- Standard Deviation: 0.5630223678964

Location: 992-1006 (width: 15; decimal: 13)

Variable Type: numeric

### **W1Q164A: (W1Q164A) There is a special person who is around when I am in need.**

Please rate your level of agreement with the following items. There is a special person who is around when I am in need.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	92	6.1 %
2	Strongly disagree	81	5.3 %
3	Mildly disagree	71	4.7 %
4	Neutral	117	7.7 %
5	Mildly agree	225	14.8 %
6	Strongly agree	357	23.5 %
7	Very strongly agree	556	36.6 %
	Missing Data		
.	-	19	1.3 %
	Total	1,518	100%

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 823-823 (width: 1; decimal: 0)

Variable Type: numeric

### **W1Q164B: (W1Q164B) There is a special person with whom I can share my joys and sorrows.**

Please rate your level of agreement with the following items. There is a special person with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	91	6.0 %
2	Strongly disagree	68	4.5 %
3	Mildly disagree	59	3.9 %
4	Neutral	96	6.3 %
5	Mildly agree	210	13.8 %
6	Strongly agree	362	23.8 %
7	Very strongly agree	609	40.1 %
<b>Missing Data</b>			
.	-	23	1.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 824-824 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q164C: (W1Q164C) My family really tries to help me.**

Please rate your level of agreement with the following items. My family really tries to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	104	6.9 %
2	Strongly disagree	78	5.1 %
3	Mildly disagree	103	6.8 %
4	Neutral	173	11.4 %
5	Mildly agree	281	18.5 %
6	Strongly agree	408	26.9 %
7	Very strongly agree	349	23.0 %
<b>Missing Data</b>			
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 825-825 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q164D: (W1Q164D) I get the emotional help and support I need from my family.**

Please rate your level of agreement with the following items. I get the emotional help and support I need from my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	151	9.9 %
2	Strongly disagree	151	9.9 %
3	Mildly disagree	153	10.1 %
4	Neutral	179	11.8 %
5	Mildly agree	319	21.0 %
6	Strongly agree	288	19.0 %
7	Very strongly agree	258	17.0 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 826-826 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q164E: (W1Q164E) I have a special person who is a real source of comfort to me.**

Please rate your level of agreement with the following items. I have a special person who is a real source of comfort to me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	89	5.9 %
2	Strongly disagree	64	4.2 %
3	Mildly disagree	72	4.7 %
4	Neutral	122	8.0 %
5	Mildly agree	203	13.4 %
6	Strongly agree	354	23.3 %
7	Very strongly agree	593	39.1 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 827-827 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q164F: (W1Q164F) My friends really try to help me.**

Please rate your level of agreement with the following items. My friends really try to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	47	3.1 %
2	Strongly disagree	58	3.8 %
3	Mildly disagree	63	4.2 %
4	Neutral	157	10.3 %
5	Mildly agree	318	20.9 %
6	Strongly agree	486	32.0 %
7	Very strongly agree	369	24.3 %
<b>Missing Data</b>			
.	-	20	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,498 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 828-828 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q164G: (W1Q164G) I can count on my friends when things go wrong.**

Please rate your level of agreement with the following items. I can count on my friends when things go wrong.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	67	4.4 %
2	Strongly disagree	77	5.1 %
3	Mildly disagree	82	5.4 %
4	Neutral	158	10.4 %
5	Mildly agree	287	18.9 %
6	Strongly agree	446	29.4 %
7	Very strongly agree	378	24.9 %
<b>Missing Data</b>			
.	-	23	1.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 829-829 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q164H: (W1Q164H) I can talk about my problems with my family.**

Please rate your level of agreement with the following items. I can talk about my problems with my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	165	10.9 %
2	Strongly disagree	163	10.7 %
3	Mildly disagree	185	12.2 %
4	Neutral	165	10.9 %
5	Mildly agree	325	21.4 %
6	Strongly agree	278	18.3 %
7	Very strongly agree	219	14.4 %
<b>Missing Data</b>			
.	-	18	1.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 830-830 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q164I: (W1Q164I) I have friends with whom I can share my joys and sorrows.**

Please rate your level of agreement with the following items. I have friends with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	59	3.9 %
2	Strongly disagree	50	3.3 %
3	Mildly disagree	56	3.7 %
4	Neutral	99	6.5 %
5	Mildly agree	316	20.8 %
6	Strongly agree	456	30.0 %
7	Very strongly agree	461	30.4 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 831-831 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q164J: (W1Q164J) There is a special person in my life who cares about my feelings.**

Please rate your level of agreement with the following items. There is a special person in my life who cares about my feelings.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	97	6.4 %
2	Strongly disagree	59	3.9 %
3	Mildly disagree	58	3.8 %
4	Neutral	119	7.8 %
5	Mildly agree	193	12.7 %
6	Strongly agree	328	21.6 %
7	Very strongly agree	643	42.4 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 832-832 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q164K: (W1Q164K) My family is willing to help me make decisions.**

Please rate your level of agreement with the following items. My family is willing to help me make decisions.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	115	7.6 %
2	Strongly disagree	98	6.5 %
3	Mildly disagree	93	6.1 %
4	Neutral	212	14.0 %
5	Mildly agree	323	21.3 %
6	Strongly agree	349	23.0 %
7	Very strongly agree	306	20.2 %
<b>Missing Data</b>			
.	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 833-833 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q164L: (W1Q164L) I can talk about my problems with my friends.**

Please rate your level of agreement with the following items. I can talk about my problems with my friends.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	61	4.0 %
2	Strongly disagree	61	4.0 %
3	Mildly disagree	70	4.6 %
4	Neutral	110	7.2 %
5	Mildly agree	330	21.7 %
6	Strongly agree	418	27.5 %
7	Very strongly agree	447	29.4 %
<b>Missing Data</b>			
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 834-834 (width: 1; decimal: 0)

*Variable Type:* numeric

### **COHORT: Cohort**

Cohort

Value	Label	Unweighted Frequency	%
1	Younger	670	44.1 %
2	Middle	372	24.5 %
3	Older	476	31.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 173-173 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1AGE: (W1AGE) Age on survey

Age on survey

Value	Label	Unweighted Frequency	%
18	-	39	2.6 %
19	-	75	4.9 %
20	-	96	6.3 %
21	-	64	4.2 %
22	-	84	5.5 %
23	-	87	5.7 %
24	-	91	6.0 %
25	-	83	5.5 %
26	-	51	3.4 %
32	-	2	0.1 %
33	-	2	0.1 %
34	-	29	1.9 %
35	-	61	4.0 %
36	-	69	4.5 %
37	-	41	2.7 %
38	-	43	2.8 %
39	-	47	3.1 %
40	-	32	2.1 %
41	-	30	2.0 %
42	-	15	1.0 %
43	-	1	0.1 %
50	-	1	0.1 %
52	-	25	1.6 %
53	-	57	3.8 %
54	-	77	5.1 %
55	-	49	3.2 %
56	-	56	3.7 %
57	-	63	4.2 %
58	-	61	4.0 %
59	-	59	3.9 %
60	-	28	1.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 36.48
- Median: 35.00

- Mode: 20.00
- Minimum: 18.00
- Maximum: 60.00
- Standard Deviation: 14.70

*Location:* 909-910 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1Q165: (W1Q165) In what year were you born?

Finally, we have a few additional questions about you. In what year were you born?

Value	Label	Unweighted Frequency	%
1956	-	19	1.3 %
1957	-	52	3.4 %
1958	-	60	4.0 %
1959	-	68	4.5 %
1960	-	53	3.5 %
1961	-	44	2.9 %
1962	-	78	5.1 %
1963	-	62	4.1 %
1964	-	26	1.7 %
1965	-	5	0.3 %
1966	-	1	0.1 %
1974	-	11	0.7 %
1975	-	25	1.6 %
1976	-	32	2.1 %
1977	-	46	3.0 %
1978	-	31	2.0 %
1979	-	45	3.0 %
1980	-	69	4.5 %
1981	-	61	4.0 %
1982	-	36	2.4 %
1983	-	9	0.6 %
1984	-	2	0.1 %
1985	-	1	0.1 %
1990	-	31	2.0 %
1991	-	80	5.3 %
1992	-	79	5.2 %
1993	-	96	6.3 %
1994	-	83	5.5 %
1995	-	68	4.5 %
1996	-	88	5.8 %

Value	Label	Unweighted Frequency	%
1997	-	71	4.7 %
1998	-	56	3.7 %
1999	-	9	0.6 %
2000	-	2	0.1 %
	<b>Missing Data</b>		
.	-	19	1.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Mean: 1979.83
- Median: 1981.00
- Mode: 1993.00
- Minimum: 1956.00
- Maximum: 2000.00
- Standard Deviation: 14.74

*Location:* 835-838 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 9999, .

## W1SEX: (W1SEX) Sex at birth

Sex at birth

Value	Label	Unweighted Frequency	%
1	Female	812	53.5 %
2	Male	706	46.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 906-906 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1GENDER: (W1GENDER) Gender identity

Gender identity

Value	Label	Unweighted Frequency	%
1	Woman	750	49.4 %
2	Man	674	44.4 %
5	Non-binary/GQ	94	6.2 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 907-907 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1SEX\_GENDER: (W1SEX\_GENDER) Sex and gender categories

Sex and gender categories

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	750	49.4 %
2	Men, non-transgender	674	44.4 %
3	genderqueer non-binary, female	62	4.1 %
4	genderqueer non-binary, male	32	2.1 %
5	Transgender man/female-to-male (FTM)	0	0.0 %
6	Transgender woman/male-to-female (MTF)	0	0.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 908-908 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1Q166: (W1Q166) Were you born in the United States?

Were you born in the United States?

Value	Label	Unweighted Frequency	%
1	Yes	1407	92.7 %
2	No	90	5.9 %
	<b>Missing Data</b>		
.	-	21	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 839-839 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## W1Q167: (W1Q167) Did you live in the United States most of the time from age 6 to age 13?

Did you live in the United States most of the time from age 6 to age 13?

Value	Label	Unweighted Frequency	%
1	Yes	1435	94.5 %
2	No	62	4.1 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 2.00

*Location:* 840-840 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## W1Q168: (W1Q168) Were one or both of your parents born outside the United States?

Were one or both of your parents born outside the United States?

Value	Label	Unweighted Frequency	%
1	Yes, one parent was born outside of the United States	139	9.2 %
2	Yes, both parents were born outside of the United States	153	10.1 %
3	No	1203	79.2 %
	<b>Missing Data</b>		
4	Don't know	6	0.4 %
.	-	17	1.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,495 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 3.00

*Location:* 841-841 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 4 , .

---

## GMSANAME: (GMSANAME) MSA city

## MSA City

Value	Label	Unweighted Frequency	%
(NON-MSA COUNTIES)	-	135	8.9 %
Akron, OH	-	3	0.2 %
Albany, GA	-	1	0.1 %
Albany-Schenectady-Troy, NY	-	8	0.5 %
Albuquerque, NM	-	8	0.5 %
Alexandria, LA	-	1	0.1 %
Allentown-Bethlehem-Easton, PA-NJ	-	2	0.1 %
Altoona, PA	-	1	0.1 %
Amarillo, TX	-	1	0.1 %
Anchorage, AK	-	2	0.1 %
Ann Arbor, MI	-	5	0.3 %
Asheville, NC	-	5	0.3 %
Athens-Clarke County, GA	-	1	0.1 %
Atlanta-Sandy Springs-Roswell, GA	-	48	3.2 %
Atlantic City-Hammonton, NJ	-	1	0.1 %
Auburn-Opelika, AL	-	1	0.1 %
Augusta-Richmond County, GA-SC	-	2	0.1 %
Austin-Round Rock, TX	-	18	1.2 %
Bakersfield, CA	-	3	0.2 %
Baltimore-Columbia-Towson, MD	-	13	0.9 %
Bangor, ME	-	3	0.2 %
Barnstable Town, MA	-	2	0.1 %
Baton Rouge, LA	-	4	0.3 %
Bay City, MI	-	1	0.1 %
Bellingham, WA	-	3	0.2 %
Bend-Redmond, OR	-	2	0.1 %
Billings, MT	-	2	0.1 %
Binghamton, NY	-	4	0.3 %
Birmingham-Hoover, AL	-	4	0.3 %
Bloomington, IL	-	2	0.1 %
Bloomsburg-Berwick, PA	-	1	0.1 %
Boise City-Nampa, ID	-	2	0.1 %
Boston-Cambridge-Newton, MA-NH	-	33	2.2 %
Boulder, CO	-	8	0.5 %
Bremerton-Silverdale, WA	-	3	0.2 %
Bridgeport-Stamford-Norwalk, CT	-	3	0.2 %
Brownsville-Harlingen, TX	-	1	0.1 %
Buffalo-Cheektowaga-Niagara Falls, NY	-	4	0.3 %

Value	Label	Unweighted Frequency	%
Burlington-South Burlington, VT	-	2	0.1 %
California-Lexington Park, MD	-	1	0.1 %
Cape Coral-Fort Myers, FL	-	2	0.1 %
Carson City, NV	-	1	0.1 %
Cedar Rapids, IA	-	3	0.2 %
Champaign-Urbana, IL	-	1	0.1 %
Charleston-North Charleston, SC	-	3	0.2 %
Charlotte-Concord-Gastonia, NC-SC	-	6	0.4 %
Charlottesville, VA	-	1	0.1 %
Cheyenne, WY	-	2	0.1 %
Chicago-Naperville-Elgin, IL-IN-WI	-	44	2.9 %
Chico, CA	-	1	0.1 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 67-113 (width: 47; decimal: 0)

*Variable Type:* character

## GRUCA: (GRUCA) Rural-urban commuting area (RUCA) urbanicity score

RUCA urbanicity score

Value	Label	Unweighted Frequency	%
1.0	-	1205	79.4 %
1.1	-	16	1.1 %
2.0	-	84	5.5 %
2.1	-	7	0.5 %
3.0	-	2	0.1 %
4.0	-	56	3.7 %
4.1	-	6	0.4 %
4.2	-	18	1.2 %
5.0	-	17	1.1 %
5.1	-	1	0.1 %
5.2	-	1	0.1 %
6.0	-	4	0.3 %
6.1	-	1	0.1 %
7.0	-	15	1.0 %
7.1	-	3	0.2 %

Value	Label	Unweighted Frequency	%
7.3	-	7	0.5 %
7.4	-	10	0.7 %
8.0	-	3	0.2 %
9.0	-	3	0.2 %
9.1	-	2	0.1 %
9.2	-	1	0.1 %
10.0	-	9	0.6 %
10.1	-	2	0.1 %
10.3	-	1	0.1 %
10.4	-	10	0.7 %
10.5	-	5	0.3 %
10.6	-	7	0.5 %
<b>Missing Data</b>			
-	-	22	1.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.60
- Standard Deviation: 1.90

*Location:* 115-118 (width: 4; decimal: 1)

*Variable Type:* numeric

## GRUCA\_I: (GRUCA\_I) Rural-urban commuting area (RUCA) urbanicity score, missing imputed

RUCA urbanicity score, missing imputed

Value	Label	Unweighted Frequency	%
1.00000000000000	-	1224	80.6 %
1.100000023842	-	16	1.1 %
2.00000000000000	-	84	5.5 %
2.099999904633	-	7	0.5 %
3.00000000000000	-	2	0.1 %
4.00000000000000	-	56	3.7 %
4.099999904633	-	6	0.4 %
4.199999809265	-	18	1.2 %
5.00000000000000	-	18	1.2 %
5.099999904633	-	1	0.1 %

Value	Label	Unweighted Frequency	%
5.199999809265	-	1	0.1 %
6.000000000000	-	4	0.3 %
6.099999904633	-	1	0.1 %
7.000000000000	-	15	1.0 %
7.099999904633	-	3	0.2 %
7.300000190735	-	7	0.5 %
7.400000095367	-	12	0.8 %
8.000000000000	-	3	0.2 %
9.000000000000	-	3	0.2 %
9.100000381470	-	2	0.1 %
9.199999809265	-	1	0.1 %
10.000000000000	-	9	0.6 %
10.100000381470	-	2	0.1 %
10.300000190735	-	1	0.1 %
10.399999618530	-	10	0.7 %
10.500000000000	-	5	0.3 %
10.600000381470	-	7	0.5 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Mean: 1.700065874771
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 1.000000000000
- Maximum: 10.600000381470
- Standard Deviation: 1.899004006420

*Location:* 119-133 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## GURBAN: (GURBAN) Urbanicity

Urbanicity

Value	Label	Unweighted Frequency	%
0	Non-urban	182	12.0 %
1	Urban	1314	86.6 %
	<b>Missing Data</b>		
.	-	22	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,496 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 134-134 (width: 1; decimal: 0)

*Variable Type:* numeric

## GURBAN\_I: (GURBAN\_I) Urbanicity with imputation

Urbanicity with imputation

Value	Label	Unweighted Frequency	%
0	Non-urban	185	12.2 %
1	Urban	1333	87.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 135-135 (width: 1; decimal: 0)

*Variable Type:* numeric

## GZIPCODE: (GZIPCODE) Zip code (official)

Zip Code (Official)

Value	Label	Unweighted Frequency	%
1007	-	1	0.1 %
1089	-	1	0.1 %
1098	-	1	0.1 %
1225	-	1	0.1 %
1247	-	1	0.1 %
1462	-	1	0.1 %
1501	-	1	0.1 %
1503	-	1	0.1 %
1602	-	1	0.1 %
1609	-	1	0.1 %
1612	-	1	0.1 %
1757	-	1	0.1 %
1824	-	1	0.1 %
1841	-	2	0.1 %
1844	-	1	0.1 %
1876	-	1	0.1 %
2062	-	1	0.1 %
2109	-	1	0.1 %

Value	Label	Unweighted Frequency	%
2114	-	1	0.1 %
2118	-	2	0.1 %
2119	-	1	0.1 %
2130	-	2	0.1 %
2131	-	1	0.1 %
2132	-	1	0.1 %
2135	-	2	0.1 %
2138	-	1	0.1 %
2143	-	2	0.1 %
2144	-	1	0.1 %
2152	-	1	0.1 %
2169	-	1	0.1 %
2346	-	1	0.1 %
2360	-	1	0.1 %
2451	-	1	0.1 %
2453	-	1	0.1 %
2458	-	1	0.1 %
2460	-	1	0.1 %
2478	-	1	0.1 %
2482	-	1	0.1 %
2492	-	1	0.1 %
2631	-	1	0.1 %
2632	-	1	0.1 %
2725	-	1	0.1 %
2747	-	1	0.1 %
2780	-	1	0.1 %
2860	-	1	0.1 %
2879	-	1	0.1 %
2889	-	1	0.1 %
2910	-	1	0.1 %
2914	-	1	0.1 %
2915	-	1	0.1 %
<b>Missing Data</b>			
.	-	14	0.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,504 valid cases out of 1,518 total cases.

- Mean: 51915.58
- Minimum: 1007.00
- Maximum: 99709.00
- Standard Deviation: 31574.63

*Location:* 136-140 (width: 5; decimal: 0)

*Variable Type:* numeric

## GZIPSTATE: (GZIPSTATE) State (official, based on zip code)

State Code based on Zip Code (Official)

Value	Label	Unweighted Frequency	%
11	Maine	8	0.5 %
12	New Hampshire	6	0.4 %
13	Vermont	5	0.3 %
14	Massachusetts	49	3.2 %
15	Rhode Island	6	0.4 %
16	Connecticut	17	1.1 %
21	New York	116	7.6 %
22	New Jersey	37	2.4 %
23	Pennsylvania	59	3.9 %
24	Maryland	30	2.0 %
25	Delaware	4	0.3 %
26	West Virginia	7	0.5 %
27	District of Columbia	21	1.4 %
31	Ohio	47	3.1 %
32	Michigan	34	2.2 %
33	Indiana	25	1.6 %
34	Illinois	51	3.4 %
41	Wisconsin	19	1.3 %
42	Minnesota	23	1.5 %
43	Iowa	15	1.0 %
44	Missouri	28	1.8 %
45	North Dakota	5	0.3 %
46	South Dakota	3	0.2 %
47	Nebraska	9	0.6 %
48	Kansas	12	0.8 %
51	Virginia	37	2.4 %
52	North Carolina	44	2.9 %
53	South Carolina	12	0.8 %
54	Georgia	59	3.9 %
55	Florida	86	5.7 %

Value	Label	Unweighted Frequency	%
56	Kentucky	20	1.3 %
57	Tennessee	21	1.4 %
58	Alabama	14	0.9 %
59	Mississippi	10	0.7 %
61	Arkansas	10	0.7 %
62	Louisiana	17	1.1 %
63	Oklahoma	15	1.0 %
64	Texas	109	7.2 %
71	Montana	4	0.3 %
72	Arizona	40	2.6 %
73	Colorado	39	2.6 %
74	Idaho	3	0.2 %
75	Wyoming	4	0.3 %
76	Utah	16	1.1 %
77	Nevada	18	1.2 %
78	New Mexico	17	1.1 %
81	California	203	13.4 %
82	Oregon	32	2.1 %
83	Washington	44	2.9 %
84	Hawaii	5	0.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 85.00

*Location:* 141-142 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## GCENDIV: (GCENDIV) Census division

Census division

Value	Label	Unweighted Frequency	%
1	New England	91	6.0 %
2	Middle Atlantic	212	14.0 %
3	East North Central	176	11.6 %
4	West North Central	95	6.3 %
5	South Atlantic	300	19.8 %

Value	Label	Unweighted Frequency	%
6	East South Central	65	4.3 %
7	West South Central	151	9.9 %
8	Mountain	141	9.3 %
9	Pacific	287	18.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 143-143 (width: 1; decimal: 0)

*Variable Type:* numeric

## GCENREG: (GCENREG) Census region

Census region

Value	Label	Unweighted Frequency	%
1	Northeast	303	20.0 %
2	Midwest	271	17.9 %
3	South	516	34.0 %
4	West	428	28.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 144-144 (width: 1; decimal: 0)

*Variable Type:* numeric

## GMILESAWAY: (GMILESAWAY) Miles away from nearest LGBT health clinic

Miles away from nearest LGBT health clinic

Value	Label	Unweighted Frequency	%
0.1053089525	-	1	0.1 %
0.1759413012	-	1	0.1 %
0.1920239621	-	1	0.1 %
0.1932421150	-	1	0.1 %
0.2752465306	-	1	0.1 %
0.2983603172	-	1	0.1 %
0.3046815755	-	3	0.2 %

Value	Label	Unweighted Frequency	%
0.3246384876	-	2	0.1 %
0.3324214274	-	1	0.1 %
0.3466554954	-	1	0.1 %
0.3891826634	-	1	0.1 %
0.4115750904	-	2	0.1 %
0.4212634289	-	2	0.1 %
0.4434946624	-	1	0.1 %
0.4528298805	-	2	0.1 %
0.4616935319	-	1	0.1 %
0.4738300889	-	1	0.1 %
0.4744522486	-	1	0.1 %
0.4889297342	-	1	0.1 %
0.5201298580	-	2	0.1 %
0.5327570159	-	1	0.1 %
0.5754128288	-	1	0.1 %
0.6240966452	-	1	0.1 %
0.6307211600	-	1	0.1 %
0.6766057976	-	1	0.1 %
0.6793623220	-	1	0.1 %
0.7007487979	-	1	0.1 %
0.7166700899	-	2	0.1 %
0.7309748833	-	1	0.1 %
0.7346292228	-	1	0.1 %
0.7480900391	-	3	0.2 %
0.7538153035	-	2	0.1 %
0.7908319424	-	1	0.1 %
0.8161705902	-	2	0.1 %
0.8642023435	-	1	0.1 %
0.8853692491	-	1	0.1 %
0.9199723206	-	1	0.1 %
0.9260892548	-	1	0.1 %
0.9266511018	-	1	0.1 %
0.9315949787	-	1	0.1 %
0.9363088135	-	2	0.1 %
0.9592544988	-	2	0.1 %
0.9744147365	-	1	0.1 %
0.9809668070	-	4	0.3 %
0.9953544642	-	1	0.1 %
1.0683423742	-	1	0.1 %

Value	Label	Unweighted Frequency	%
1.0718313578	-	1	0.1 %
1.0728281468	-	1	0.1 %
1.0756064870	-	1	0.1 %
1.0815355780	-	1	0.1 %
	Missing Data		
.	-	18	1.2 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,500 valid cases out of 1,518 total cases.

- Mean: 55.5084438299
- Minimum: 0.1053089525
- Maximum: 2711.9285146936
- Standard Deviation: 188.9406400384

*Location:* 145-159 (width: 15; decimal: 10)

*Variable Type:* numeric

---

### GMILESAWAY2: (GMILESAWAY2) 60 or more miles from nearest LGBT health center

60 or more miles from nearest LGBT health center

Value	Label	Unweighted Frequency	%
0	Less than 60 miles away	1115	73.5 %
1	60 or more miles away	385	25.4 %
	Missing Data		
.	-	18	1.2 %
	Total	1,518	100%

Based upon 1,500 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 160-160 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### W1Q20\_1: (W1Q20\_1) Which of the following describes your race/ethnicity? Please mark all that apply. Asian/Asian American

Which of the following describes your race/ethnicity? Please mark all that apply. Asian/Asian American

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	36	2.4 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	1482	97.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 36 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 202-202 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W1Q20\_2: (W1Q20\_2) Which of the following describes your race/ethnicity? Please mark all that apply. Black/African American**

Which of the following describes your race/ethnicity? Please mark all that apply. Black/African American

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	256	16.9 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	1262	83.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 256 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 203-203 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q20\_3: (W1Q20\_3) Which of the following describes your race/ethnicity? Please mark all that apply. Hispanic, Latino, or Spanish origin**

Which of the following describes your race/ethnicity? Please mark all that apply. Hispanic, Latino, or Spanish origin

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	280	18.4 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	1238	81.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 280 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 204-204 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q20\_4: (W1Q20\_4) Which of the following describes your race/ethnicity? Please mark all that apply. Middle Eastern/North African**

Which of the following describes your race/ethnicity? Please mark all that apply. Middle Eastern/North African

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	14	0.9 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	1504	99.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 4.00

- Maximum: 4.00

*Location:* 205-205 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q20\_5: (W1Q20\_5) Which of the following describes your race/ethnicity? Please mark all that apply. Native Hawaiian/Pacific Islander**

Which of the following describes your race/ethnicity? Please mark all that apply. Native Hawaiian/Pacific Islander

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	9	0.6 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	1509	99.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 206-206 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q20\_6: (W1Q20\_6) Which of the following describes your race/ethnicity? Please mark all that apply. White**

Which of the following describes your race/ethnicity? Please mark all that apply. White

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	1125	74.1 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	0	0.0 %
<b>Missing Data</b>			
.	-	393	25.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,125 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 207-207 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q20\_7: (W1Q20\_7) Which of the following describes your race/ethnicity? Please mark all that apply. American Indian or Alaskan Native**

Which of the following describes your race/ethnicity? Please mark all that apply. American Indian or Alaskan Native (write name of enrolled or principal tribe)

Value	Label	Unweighted Frequency	%
1	Asian/Asian American	0	0.0 %
2	Black/African American	0	0.0 %
3	Hispanic, Latino or Spanish origin	0	0.0 %
4	Middle Eastern/North African	0	0.0 %
5	Native Hawaiian/Pacific Islander	0	0.0 %
6	White	0	0.0 %
7	American Indian or Alaskan Native (enter name of enrolled or principal tribe):	52	3.4 %
<b>Missing Data</b>			
.	-	1466	96.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 52 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 208-208 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q20\_T\_VERB: (W1Q20\_T\_VERB) Write in response for W1Q20**

Which of the following describes your race/ethnicity? Please mark all that apply. Write in response for w1q20 - American Indian or Alaskan Native (write name of enrolled or principal tribe)

Value	Label	Unweighted Frequency	%
-	-	1480	97.5 %
BLACK AFRICAN (NIGERIAN)	-	1	0.1 %
Blackfoot	-	1	0.1 %
Blackfoot, Cherokee, Crow	-	1	0.1 %
CHEROKEE	-	3	0.2 %
CHEROKEE - 4 GENERATIONS BACK	-	1	0.1 %
Cherokee	-	13	0.9 %

Value	Label	Unweighted Frequency	%
Chikasaw	-	1	0.1 %
Choctaw	-	1	0.1 %
Crea	-	1	0.1 %
DON'T REMEMBER	-	1	0.1 %
HUMAN RACE	-	1	0.1 %
Irish and French	-	1	0.1 %
Iroquois	-	1	0.1 %
Lakota	-	1	0.1 %
MICMAK	-	1	0.1 %
Metis	-	1	0.1 %
Pomo	-	1	0.1 %
SCOTT IRISH	-	1	0.1 %
SHASTA	-	1	0.1 %
United Houmas Indian	-	1	0.1 %
YAANI	-	1	0.1 %
aztec	-	1	0.1 %
cherokee	-	1	0.1 %
choctaw	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 209-237 (width: 29; decimal: 0)

*Variable Type:* character

## SCREEN\_RACE: (SCREEN\_RACE) Race - screener

Race - screener

Value	Label	Unweighted Frequency	%
1	White	981	64.6 %
2	Black/African American	239	15.7 %
3	Latino/Hispanic	298	19.6 %
7	Not eligible	0	0.0 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 903-903 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 8 , 9

---

## W1RACE: (W1RACE) Race - survey

Race - survey

Value	Label	Unweighted Frequency	%
1	Asian	12	0.8 %
2	Black/African American	180	11.9 %
3	Hispanic/Latino	158	10.4 %
4	Middle Eastern	2	0.1 %
5	Native Hawaiian/Pacific Islander	1	0.1 %
6	White	931	61.3 %
7	American Indian	4	0.3 %
8	Multirace	230	15.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 8.00

*Location:* 904-904 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W1Q169: (W1Q169) Do you have any children?

Do you have any children?

Value	Label	Unweighted Frequency	%
1	Yes	297	19.6 %
2	No	1205	79.4 %
<b>Missing Data</b>			
.	-	16	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,502 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 842-842 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 3 , 4 , .

---

## W1Q170\_1: (W1Q170\_1) Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children under age 18 living with you

Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply.  
 Child/Children under age 18 living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	156	10.3 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
.	-	1362	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 156 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 843-843 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W1Q170\_2: (W1Q170\_2) Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children under age 18 not living with you**

Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply.  
 Child/Children under age 18 not living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	30	2.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
.	-	1488	98.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 30 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 844-844 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W1Q170\_3: (W1Q170\_3) Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children 18 years of age or older living with you**

Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply.  
Child/Children 18 years of age or older living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	49	3.2 %
4	Child/children 18 years of age or older not living with you	0	0.0 %
	<b>Missing Data</b>		
.	-	1469	96.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 845-845 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W1Q170\_4: (W1Q170\_4) Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply. Child/Children 18 years of age or older not living with you**

Which of the following best describe the age of your children and their current living arrangement? Please mark all that apply.  
Child/Children 18 years of age or older not living with you

Value	Label	Unweighted Frequency	%
1	Child/children under age 18 living with you	0	0.0 %
2	Child/children under age 18 not living with you	0	0.0 %
3	Child/children 18 years of age or older living with you	0	0.0 %
4	Child/children 18 years of age or older not living with you	104	6.9 %
	<b>Missing Data</b>		
.	-	1414	93.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 104 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 846-846 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

## GEDUC1: (GEDUC1) Education

Education

Value	Label	Unweighted Frequency	%
1	HS less	309	20.4 %
2	Some college	492	32.4 %
3	College	429	28.3 %
4	More than college	288	19.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

---

## GEDUC2: (GEDUC2) High school or less

High School or Less

Value	Label	Unweighted Frequency	%
1	HS less	309	20.4 %
2	More than HS	1209	79.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-56 (width: 1; decimal: 0)

Variable Type: numeric

---

## GEDUCATION: (GEDUCATION) Education (official)

Education (Official)

Value	Label	Unweighted Frequency	%
1	Less than high school diploma	32	2.1 %
2	High school degree or diploma	277	18.2 %
3	Technical/vocational school	28	1.8 %
4	Some college	464	30.6 %

Value	Label	Unweighted Frequency	%
5	College graduate	429	28.3 %
6	Post graduate work or degree	288	19.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 57-57 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7 , 8

### **W1Q171\_1: (W1Q171\_1) Which of the following best describes your current employment status? Please mark all that apply. Employed full-time by an employer**

Which of the following best describes your current employment status? Please mark all that apply. Employed full-time by an employer

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	701	46.2 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	817	53.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 701 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 847-847 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q171\_2: (W1Q171\_2) Which of the following best describes your current employment status? Please mark all that apply. Employed part-time by an employer**

Which of the following best describes your current employment status? Please mark all that apply. Employed part-time by an employer

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	273	18.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
<b>Missing Data</b>			
-		1245	82.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 273 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 848-848 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q171\_3: (W1Q171\_3) Which of the following best describes your current employment status? Please mark all that apply. Self-employed**

Which of the following best describes your current employment status? Please mark all that apply. Self-employed

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	176	11.6 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
<b>Missing Data</b>			
-		1342	88.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 176 valid cases out of 1,518 total cases.

- Minimum: 3.00

- Maximum: 3.00

*Location:* 849-849 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q171\_4: (W1Q171\_4) Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for 1 year or more**

Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for 1 year or more

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	55	3.6 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
<b>Missing Data</b>			
.	-	1463	96.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 55 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 850-850 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q171\_5: (W1Q171\_5) Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for less than 1 year**

Which of the following best describes your current employment status? Please mark all that apply. Out of work, and have been for less than 1 year

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	90	5.9 %
6	A homemaker	0	0.0 %

Value	Label	Unweighted Frequency	%
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1428	94.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 90 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 851-851 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q171\_6: (W1Q171\_6) Which of the following best describes your current employment status? Please mark all that apply. A homemaker**

Which of the following best describes your current employment status? Please mark all that apply. A homemaker

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	53	3.5 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1465	96.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 53 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 852-852 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q171\_7: (W1Q171\_7) Which of the following best describes your current employment status? Please mark all that apply. A student**

Which of the following best describes your current employment status? Please mark all that apply. A student

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	331	21.8 %
8	Retired	0	0.0 %
9	Unable to work due to disability	0	0.0 %
<b>Missing Data</b>			
.	-	1187	78.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 331 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 853-853 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q171\_8: (W1Q171\_8) Which of the following best describes your current employment status? Please mark all that apply. Retired**

Which of the following best describes your current employment status? Please mark all that apply. Retired

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	43	2.8 %
9	Unable to work due to disability	0	0.0 %
<b>Missing Data</b>			
.	-	1475	97.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 43 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 854-854 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W1Q171\_9: (W1Q171\_9) Which of the following best describes your current employment status? Please mark all that apply. Unable to work due to disability**

Which of the following best describes your current employment status? Please mark all that apply. Unable to work due to disability

Value	Label	Unweighted Frequency	%
1	Employed full-time by an employer	0	0.0 %
2	Employed part-time by an employer	0	0.0 %
3	Self-employed	0	0.0 %
4	Out of work, and have been for 1 year or more	0	0.0 %
5	Out of work, and have been for less than 1 year	0	0.0 %
6	A homemaker	0	0.0 %
7	A student	0	0.0 %
8	Retired	0	0.0 %
9	Unable to work due to disability	134	8.8 %
<b>Missing Data</b>			
-	-	1384	91.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 134 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 855-855 (width: 1; decimal: 0)

*Variable Type:* numeric

## **GEMPLOYMENT2010: (GEMPLOYMENT2010) Employment 2010**

Employment 2010

Value	Label	Unweighted Frequency	%
1	Employed full time (employer)	800	52.7 %
2	Employed full time (self)	74	4.9 %
3	Employed part time, do not want full time	100	6.6 %
4	Unemployed	80	5.3 %
5	Employed part time, want full time	162	10.7 %
6	Not in work force	238	15.7 %
<b>Missing Data</b>			
-	-	64	4.2 %

Value	Label	Unweighted Frequency	%
Total		1,518	100%

Based upon 1,454 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 58-58 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q172: (W1Q172) What is your total annual household income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.**

What is your total annual household income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.

Value	Label	Unweighted Frequency	%
1	Under \$720	41	2.7 %
2	\$720 to \$5,999	54	3.6 %
3	\$6,000 to \$11,999	65	4.3 %
4	\$12,000 to \$23,999	162	10.7 %
5	\$24,000 to \$35,999	189	12.5 %
6	\$36,000 to \$47,999	126	8.3 %
7	\$48,000 to \$59,999	140	9.2 %
8	\$60,000 to \$89,999	220	14.5 %
9	\$90,000 to \$119,999	174	11.5 %
10	\$120,000 to \$179,999	173	11.4 %
11	\$180,000 to \$239,999	69	4.5 %
12	\$240,000 and over	66	4.3 %
<b>Missing Data</b>			
.	-	39	2.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,479 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 856-857 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q173: (W1Q173) Including yourself, how many people (including children) live on that household income?**

Including yourself, how many people (including children) live on that household income?

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	449	29.6 %
2	-	484	31.9 %
3	-	221	14.6 %
4	-	205	13.5 %
5	-	81	5.3 %
6	-	34	2.2 %
7	-	6	0.4 %
8	-	3	0.2 %
10	-	1	0.1 %
11	More than 10	0	0.0 %
<b>Missing Data</b>			
.	-	32	2.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,486 valid cases out of 1,518 total cases.

- Mean: 2.41
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.38

*Location:* 858-859 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W1Q174: (W1Q174) What is your total annual personal income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.**

What is your total annual personal income, before taxes? Please include income from wages and salaries, money you get from family members living elsewhere, farming, and all other sources.

Value	Label	Unweighted Frequency	%
1	Under \$720	160	10.5 %
2	\$720 to \$5,999	173	11.4 %
3	\$6,000 to \$11,999	161	10.6 %
4	\$12,000 to \$23,999	225	14.8 %
5	\$24,000 to \$35,999	175	11.5 %
6	\$36,000 to \$47,999	116	7.6 %
7	\$48,000 to \$59,999	120	7.9 %
8	\$60,000 to \$89,999	161	10.6 %
9	\$90,000 to \$119,999	86	5.7 %

Value	Label	Unweighted Frequency	%
10	\$120,000 to \$179,999	65	4.3 %
11	\$180,000 to \$239,999	22	1.4 %
12	\$240,000 and over	13	0.9 %
	<b>Missing Data</b>		
.	-	41	2.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,477 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 860-861 (width: 2; decimal: 0)

*Variable Type:* numeric

## W1PINC: (W1PINC) Personal income

Personal income

Value	Label	Unweighted Frequency	%
1	Under \$720	170	11.2 %
2	\$720 to \$5,999	176	11.6 %
3	\$6,000 to \$11,999	163	10.7 %
4	\$12,000 to \$23,999	234	15.4 %
5	\$24,000 to \$35,999	180	11.9 %
6	\$36,000 to \$47,999	118	7.8 %
7	\$48,000 to \$59,999	122	8.0 %
8	\$60,000 to \$89,999	167	11.0 %
9	\$90,000 to \$119,999	87	5.7 %
10	\$120,000 to \$179,999	65	4.3 %
11	\$180,000 to \$239,999	22	1.4 %
12	\$240,000 and over	14	0.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 914-915 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99

## W1HINC: (W1HINC) Household income

## Household income

Value	Label	Unweighted Frequency	%
1	Under \$720	42	2.8 %
2	\$720 to \$5,999	54	3.6 %
3	\$6,000 to \$11,999	67	4.4 %
4	\$12,000 to \$23,999	170	11.2 %
5	\$24,000 to \$35,999	199	13.1 %
6	\$36,000 to \$47,999	127	8.4 %
7	\$48,000 to \$59,999	143	9.4 %
8	\$60,000 to \$89,999	223	14.7 %
9	\$90,000 to \$119,999	178	11.7 %
10	\$120,000 to \$179,999	179	11.8 %
11	\$180,000 to \$239,999	70	4.6 %
12	\$240,000 and over	66	4.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 916-917 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , 99

## W1POVERTY: (W1POVERTY) Census poverty

### Census poverty

Value	Label	Unweighted Frequency	%
0	Not in poverty	1281	84.4 %
1	Yes in poverty	210	13.8 %
<b>Missing Data</b>			
-	-	27	1.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 918-918 (width: 1; decimal: 0)

*Variable Type:* numeric

## W1POVERTYCAT: (W1POVERTYCAT) Census poverty categorical

Census Poverty Categorical

Value	Label	Unweighted Frequency	%
1	<100%	210	13.8 %
2	100-199%	279	18.4 %
3	200-299%	192	12.6 %
4	300%+	810	53.4 %
	<b>Missing Data</b>		
.	-	27	1.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,491 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 919-919 (width: 1; decimal: 0)

*Variable Type:* numeric

**W1Q175: (W1Q175) Suppose you cashed in all your checking and savings accounts and any stocks and bonds, real estate, and sold your home, your vehicles, and all of your valuable possessions. Then suppose you put that money toward paying off all your loans including**

Suppose you cashed in all your checking and savings accounts and any stocks and bonds, real estate, and sold your home, your vehicles, and all of your valuable possessions. Then suppose you put that money toward paying off all your loans including mortgage and all your other debts and credit cards. Would you have money left over after paying your debts or would you still owe money?

Value	Label	Unweighted Frequency	%
1	Would have money left over	855	56.3 %
2	Would still owe at least some money	620	40.8 %
	<b>Missing Data</b>		
.	-	43	2.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,475 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 862-862 (width: 1; decimal: 0)

*Variable Type:* numeric

**W1Q176: (W1Q176) Do you own or rent your home? "Home" is defined as the place where you live most of the time/the majority of the year. "Other arrangement" may include living in a group home or staying with friends or family without paying rent.**

Do you own or rent your home? 'Home' is defined as the place where you live most of the time/the majority of the year. 'Other arrangement' may include living in a group home or staying with friends or family without paying rent.

Value	Label	Unweighted Frequency	%
1	Own	548	36.1 %
2	Rent	582	38.3 %
3	Other arrangement	364	24.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 863-863 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W1Q177\_1: (W1Q177\_1) Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo you owned (alone or with others)**

Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo you owned (alone or with others)

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	598	39.4 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	920	60.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 598 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 1.00

*Location:* 864-865 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q177\_2: (W1Q177\_2) Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo that you rented (alone or with others)**

Where have you lived in the last 12 months? Please mark all that apply. In a house/apartment/condo that you rented (alone or with others)

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	581	38.3 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
.	-	937	61.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 581 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 866-867 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q177\_3: (W1Q177\_3) Where have you lived in the last 12 months? Please mark all that apply. With a partner, spouse or other person who pays for the housing**

Where have you lived in the last 12 months? Please mark all that apply. With a partner, spouse or other person who pays for the housing

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	157	10.3 %

Value	Label	Unweighted Frequency	%
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
.	-	1361	89.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 157 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 868-869 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W1Q177\_4: (W1Q177\_4) Where have you lived in the last 12 months? Please mark all that apply. With parents or family you grew up with**

Where have you lived in the last 12 months? Please mark all that apply. With parents or family you grew up with

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	400	26.4 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
.	-	1118	73.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 400 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 870-871 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q177\_5: (W1Q177\_5) Where have you lived in the last 12 months? Please mark all that apply. With friends or family temporarily**

Where have you lived in the last 12 months? Please mark all that apply. With friends or family temporarily

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	106	7.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
.	-	1412	93.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 106 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 872-873 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q177\_6: (W1Q177\_6) Where have you lived in the last 12 months? Please mark all that apply. On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or other housing**

Where have you lived in the last 12 months? Please mark all that apply. On the street, in a car, in an abandoned building, in a park, or a place that is NOT a house, apartment, shelter, or other housing

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	21	1.4 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
.	-	1497	98.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 21 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 874-875 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q177\_7: (W1Q177\_7) Where have you lived in the last 12 months? Please mark all that apply. In a shelter**

Where have you lived in the last 12 months? Please mark all that apply. In a shelter

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	5	0.3 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	1513	99.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 876-877 (width: 2; decimal: 0)

Variable Type: numeric

### **W1Q177\_8: (W1Q177\_8) Where have you lived in the last 12 months? Please mark all that apply. In a group home facility**

Where have you lived in the last 12 months? Please mark all that apply. In a group home facility

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	1	0.1 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
-	-	1517	99.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 878-879 (width: 2; decimal: 0)

Variable Type: numeric

### **W1Q177\_9: (W1Q177\_9) Where have you lived in the last 12 months? Please mark all that apply. In a nursing/adult care facility/hospital**

Where have you lived in the last 12 months? Please mark all that apply. In a nursing/adult care facility/hospital

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	2	0.1 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %
<b>Missing Data</b>			
-	-	1516	99.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 2 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 880-881 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q177\_10: (W1Q177\_10) Where have you lived in the last 12 months? Please mark all that apply. In campus/university housing**

Where have you lived in the last 12 months? Please mark all that apply. In campus/university housing

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	101	6.7 %
11	In military barracks	0	0.0 %
12	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1417	93.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 101 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 882-883 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q177\_11: (W1Q177\_11) Where have you lived in the last 12 months? Please mark all that apply. In military barracks**

Where have you lived in the last 12 months? Please mark all that apply. In military barracks

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	3	0.2 %
12	Other	0	0.0 %
	<b>Missing Data</b>		
.	-	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 884-885 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W1Q177\_12: (W1Q177\_12) Where have you lived in the last 12 months? Please mark all that apply. Other**

Where have you lived in the last 12 months? Please mark all that apply. Other

Value	Label	Unweighted Frequency	%
1	In a house/apartment/condo you owned (alone or with others)	0	0.0 %
2	In a house/apartment/condo that you rented (alone or with others)	0	0.0 %
3	With a partner, spouse or other person who pays for the housing	0	0.0 %
4	With parents or family you grew up with	0	0.0 %
5	With friends or family temporarily	0	0.0 %
6	On the street, in a car, in an abandoned	0	0.0 %
7	In a shelter	0	0.0 %
8	In a group home facility	0	0.0 %
9	In a nursing/adult care facility/hospital	0	0.0 %
10	In campus/university housing	0	0.0 %
11	In military barracks	0	0.0 %
12	Other	31	2.0 %
<b>Missing Data</b>			
-	-	1487	98.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 31 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 886-887 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W1Q178: (W1Q178) How often have you moved in the past 2 years?**

How often have you moved in the past 2 years?

Value	Label	Unweighted Frequency	%
1	Not at all	827	54.5 %
2	Once	317	20.9 %
3	Twice	190	12.5 %
4	Three times	94	6.2 %
5	Four times	41	2.7 %
6	Five times	13	0.9 %
7	More than five times	19	1.3 %
<b>Missing Data</b>			
-	-	17	1.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,501 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 888-888 (width: 1; decimal: 0)

*Variable Type:* numeric

## GP1: (GP1) Party affiliation

Party affiliation

Value	Label	Unweighted Frequency	%
1	Republican	66	4.3 %
2	Democrat	863	56.9 %
3	Independent	456	30.0 %
4	Other party (volunteered)	16	1.1 %
<b>Missing Data</b>			
8	(Don't know)	10	0.7 %
9	(Refused)	9	0.6 %
.	-	98	6.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,401 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 114-114 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 8 , 9 , .

## W1Q179: (W1Q179) What is your present religion, if any?

What is your present religion, if any?

Value	Label	Unweighted Frequency	%
1	Protestant (for example, Baptist, Methodist, Non-denominational, Lutheran, Presbyterian, Pentecostal, Episcopalian, Refo	295	19.4 %
2	Roman Catholic	133	8.8 %
3	Mormon (Church of Jesus Christ of Latter-day Saints or LDS)	10	0.7 %
4	Orthodox (Greek, Russian, or another Orthodox church)	6	0.4 %
5	Jewish	38	2.5 %
6	Muslim	3	0.2 %
7	Buddhist	30	2.0 %
8	Hindu	1	0.1 %
9	Atheist (do not believe in God)	192	12.6 %
10	Agnostic (not sure if there is a God)	156	10.3 %

Value	Label	Unweighted Frequency	%
11	Spiritual	262	17.3 %
12	Something else	95	6.3 %
13	Nothing in particular	273	18.0 %
	<b>Missing Data</b>		
.	-	24	1.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 13.00

*Location:* 889-890 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W1Q180: (W1Q180) Thinking about when you were a child, in what religion were you raised, if any?**

Thinking about when you were a child, in what religion were you raised, if any?

Value	Label	Unweighted Frequency	%
1	Protestant (for example, Baptist, Methodist, Non-denominational, Lutheran, Presbyterian, Pentecostal, Episcopalian, Refo	681	44.9 %
2	Roman Catholic	439	28.9 %
3	Mormon (Church of Jesus Christ of Latter-day Saints or LDS)	29	1.9 %
4	Orthodox (Greek, Russian, or another Orthodox church)	8	0.5 %
5	Jewish	51	3.4 %
6	Muslim	3	0.2 %
7	Buddhist	3	0.2 %
8	Hindu	1	0.1 %
9	Atheist (do not believe in God)	23	1.5 %
10	Agnostic (not sure if there is a God)	16	1.1 %
11	Spiritual	26	1.7 %
12	Something else	51	3.4 %
13	Nothing in particular	166	10.9 %
	<b>Missing Data</b>		
.	-	21	1.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,497 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 13.00

*Location:* 891-892 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W1Q181: (W1Q181) Aside from weddings and funerals, about how often do you attend religious services?**

Aside from weddings and funerals, about how often do you attend religious services?

Value	Label	Unweighted Frequency	%
1	More than once a week	33	2.2 %
2	Once a week	101	6.7 %
3	Once or twice a month	103	6.8 %
4	A few times a year	216	14.2 %
5	Seldom	426	28.1 %
6	Never	620	40.8 %
<b>Missing Data</b>			
.	-	19	1.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,499 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 893-893 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q182: (W1Q182) Have you ever served on active duty in the U.S. Armed Forces, Reserves, or National Guard?**

Have you ever served on active duty in the U.S. Armed Forces, Reserves, or National Guard?

Value	Label	Unweighted Frequency	%
1	Never served in the military	1421	93.6 %
2	Only on active duty for training in the Reserves or National Guard	10	0.7 %
3	Now on active duty	3	0.2 %
4	On active duty in the past, but not now	60	4.0 %
<b>Missing Data</b>			
.	-	24	1.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1,494 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 894-894 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W1Q183: (W1Q183) Were you ever discharged or separated from service?**

Were you ever discharged or separated from service?

Value	Label	Unweighted Frequency	%
1	Yes	51	3.4 %
2	No	22	1.4 %
	<b>Missing Data</b>		
.	-	1445	95.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 73 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 895-895 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q184: (W1Q184) Were you ever discharged or separated for "homosexual admission" or "homosexual conduct" under Don't Ask, Don't Tell?**

Were you ever discharged or separated for 'homosexual admission' or 'homosexual conduct' under Don't Ask, Don't Tell?

Value	Label	Unweighted Frequency	%
1	Yes	4	0.3 %
2	No	47	3.1 %
	<b>Missing Data</b>		
.	-	1467	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 51 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 896-896 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W1Q185: (W1Q185) Was your discharge or separation from service related to you being LGB?**

Was your discharge or separation from service related to you being LGB?

Value	Label	Unweighted Frequency	%
1	No	40	2.6 %

Value	Label	Unweighted Frequency	%
2	Yes, partially	3	0.2 %
3	Yes, completely	8	0.5 %
	<b>Missing Data</b>		
.	-	1467	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 51 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 897-897 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## GMETHOD\_TYPE\_W2: (GMETHOD\_TYPE\_W2) Survey completed by mail (scan) or web

Survey completed by mail (scan) or Web

Value	Label	Unweighted Frequency	%
1	Web (online)	702	46.2 %
2	Mail (scan)	192	12.6 %
	<b>Missing Data</b>		
.	-	624	41.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 161-161 (width: 1; decimal: 0)

*Variable Type:* numeric

## GRESPONDENT\_DATE\_W2: (GRESPONDENT\_DATE\_W2) Date completed wave 2 survey

Value	Label	Unweighted Frequency	%
01-APR-2017	-	1	0.1 %
01-AUG-2017	-	1	0.1 %
01-DEC-2017	-	3	0.2 %
01-JAN-2018	-	2	0.1 %
01-JUL-2017	-	3	0.2 %
01-JUN-2017	-	1	0.1 %
01-MAY-2017	-	1	0.1 %
01-NOV-2017	-	2	0.1 %

Value	Label	Unweighted Frequency	%
01-OCT-2017	-	5	0.3 %
01-SEP-2017	-	4	0.3 %
02-APR-2017	-	1	0.1 %
02-APR-2018	-	4	0.3 %
02-DEC-2017	-	2	0.1 %
02-FEB-2018	-	2	0.1 %
02-JAN-2018	-	2	0.1 %
02-JUL-2017	-	2	0.1 %
02-JUN-2017	-	3	0.2 %
02-MAR-2018	-	2	0.1 %
02-MAY-2017	-	1	0.1 %
02-NOV-2017	-	1	0.1 %
02-OCT-2017	-	3	0.2 %
02-SEP-2017	-	1	0.1 %
03-APR-2017	-	3	0.2 %
03-APR-2018	-	3	0.2 %
03-AUG-2017	-	1	0.1 %
03-DEC-2017	-	2	0.1 %
03-JAN-2018	-	7	0.5 %
03-JUL-2017	-	2	0.1 %
03-JUN-2017	-	1	0.1 %
03-MAR-2018	-	1	0.1 %
03-MAY-2017	-	1	0.1 %
03-NOV-2017	-	1	0.1 %
03-OCT-2017	-	4	0.3 %
03-SEP-2017	-	1	0.1 %
04-APR-2017	-	1	0.1 %
04-APR-2018	-	2	0.1 %
04-AUG-2017	-	22	1.4 %
04-DEC-2017	-	3	0.2 %
04-FEB-2018	-	2	0.1 %
04-JAN-2018	-	1	0.1 %
04-JUL-2017	-	1	0.1 %
04-MAR-2018	-	2	0.1 %
04-MAY-2017	-	1	0.1 %
04-NOV-2017	-	1	0.1 %
04-OCT-2017	-	4	0.3 %
04-SEP-2017	-	2	0.1 %
05-APR-2018	-	2	0.1 %

Value	Label	Unweighted Frequency	%
05-AUG-2017	-	1	0.1 %
05-DEC-2017	-	6	0.4 %
05-FEB-2018	-	1	0.1 %
	Missing Data		
	-	624	41.1 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 1,518 total cases.

*Location:* 162-172 (width: 11; decimal: 0)

*Variable Type:* character

*(Range of) Missing Values:*

## W2WEIGHT: (W2WEIGHT) Wave 2 weight

Survey weight for cross-sectional analyses using wave 2 dataset or longitudinal analyses across waves 1 and 2

Value	Label	Unweighted Frequency	%
0.2336413926472	-	63	4.2 %
0.2348943099758	-	1	0.1 %
0.2355144201551	-	2	0.1 %
0.2357557436100	-	1	0.1 %
0.2370131854727	-	1	0.1 %
0.2385918286426	-	1	0.1 %
0.2392376319930	-	1	0.1 %
0.2400782618496	-	1	0.1 %
0.2419632987033	-	1	0.1 %
0.2426889180793	-	1	0.1 %
0.2448547540610	-	1	0.1 %
0.2449821258190	-	1	0.1 %
0.2460796667400	-	2	0.1 %
0.2473399051027	-	1	0.1 %
0.2475445113022	-	1	0.1 %
0.2476732822533	-	1	0.1 %
0.2513870759315	-	1	0.1 %
0.2530657790787	-	1	0.1 %
0.2562385869491	-	1	0.1 %
0.2583217678702	-	1	0.1 %
0.2634252640955	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.2649167302476	-	1	0.1 %
0.2660363795722	-	1	0.1 %
0.2687504210861	-	1	0.1 %
0.2700082053390	-	1	0.1 %
0.2702386320218	-	1	0.1 %
0.2714746346056	-	1	0.1 %
0.2715811517431	-	1	0.1 %
0.2722994780389	-	1	0.1 %
0.2723020847726	-	1	0.1 %
0.2777448667089	-	2	0.1 %
0.2786607913408	-	1	0.1 %
0.2809180718559	-	1	0.1 %
0.2819434134689	-	1	0.1 %
0.2827254010999	-	1	0.1 %
0.2847797955754	-	1	0.1 %
0.2858646073505	-	1	0.1 %
0.2862530426043	-	1	0.1 %
0.2895436476331	-	1	0.1 %
0.2927067077095	-	1	0.1 %
0.2929946516297	-	1	0.1 %
0.2933806225048	-	1	0.1 %
0.2952542887128	-	1	0.1 %
0.2957644111957	-	1	0.1 %
0.2980748516025	-	1	0.1 %
0.2990305763285	-	1	0.1 %
0.2998492091967	-	1	0.1 %
0.3024217245036	-	1	0.1 %
0.3028193781412	-	1	0.1 %
0.3054722466949	-	2	0.1 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 1.0025244310779
- Minimum: 0.2336413926472
- Maximum: 3.5400211007151

- Standard Deviation: 0.8953353601267

*Location:* 40-54 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2Q01: (W2Q01) (Current personal well-being) On which step of the ladder would you say you personally feel you stand at this time?**

The following are some questions about your overall life. Please imagine a ladder with steps numbered from zero at the bottom to ten at the top. The top of the ladder represents the best possible life for you and the bottom of the ladder represents the worst possible life for you. On which step of the ladder would you say you personally feel you stand at this time?

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	3	0.2 %
2	-	8	0.5 %
3	-	38	2.5 %
4	-	74	4.9 %
5	-	121	8.0 %
6	-	164	10.8 %
7	-	235	15.5 %
8	-	176	11.6 %
9	-	48	3.2 %
10	-	16	1.1 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Mean: 6.40
- Median: 7.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.69

*Location:* 1371-1372 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98 , .

## **W2Q02: (W2Q02) On which step do you think you will stand about five years from now?**

The following are some questions about your overall life. On which step do you think you will stand about five years from now?

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %

Value	Label	Unweighted Frequency	%
2	-	2	0.1 %
3	-	11	0.7 %
4	-	21	1.4 %
5	-	43	2.8 %
6	-	61	4.0 %
7	-	128	8.4 %
8	-	266	17.5 %
9	-	220	14.5 %
10	-	95	6.3 %
<b>Missing Data</b>			
.	-	670	44.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 848 valid cases out of 1,518 total cases.

- Mean: 7.85
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.56

*Location:* 1373-1374 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 98, .

## **W2Q03: (W2Q03) Generally, how would you say things are these days in your life? Would you say that you are...**

The following are some questions about your overall life. Generally, how would you say things are these days in your life? Would you say that you are ...

Value	Label	Unweighted Frequency	%
1	Very happy	131	8.6 %
2	Pretty happy	573	37.7 %
3	Not too happy	165	10.9 %
<b>Missing Data</b>			
.	-	649	42.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 869 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1375-1375 (width: 1; decimal: 0)

Variable Type: numeric

## **W2SOCIALWB: (W2SOCIALWB) Social well-being scale\_wave 2**

Social well-being scale

Value	Label	Unweighted Frequency	%
1.4666666984558	-	1	0.1 %
1.8666666746140	-	1	0.1 %
1.9333332777023	-	1	0.1 %
2.00000000000000	-	1	0.1 %
2.1333334445953	-	1	0.1 %
2.2000000476837	-	2	0.1 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	1	0.1 %
2.4666666984558	-	4	0.3 %
2.5333333015442	-	4	0.3 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	1	0.1 %
2.7333333492279	-	2	0.1 %
2.7999999523163	-	3	0.2 %
2.8666665554047	-	6	0.4 %
2.9333333969116	-	8	0.5 %
3.00000000000000	-	6	0.4 %
3.0666666030884	-	5	0.3 %
3.1333334445953	-	5	0.3 %
3.2000000476837	-	9	0.6 %
3.2666666507721	-	6	0.4 %
3.3333332538605	-	11	0.7 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	19	1.3 %
3.5333333015442	-	13	0.9 %
3.5999999046326	-	15	1.0 %
3.6666667461395	-	15	1.0 %
3.7333333492279	-	17	1.1 %
3.7999999523163	-	16	1.1 %
3.8666665554047	-	18	1.2 %
3.9333333969116	-	19	1.3 %
4.00000000000000	-	22	1.4 %
4.0666666030884	-	23	1.5 %
4.1333332061768	-	16	1.1 %

Value	Label	Unweighted Frequency	%
4.1999998092651	-	27	1.8 %
4.2666668891907	-	18	1.2 %
4.3333334922791	-	26	1.7 %
4.4000000953674	-	24	1.6 %
4.4666666984558	-	27	1.8 %
4.5333333015442	-	26	1.7 %
4.5999999046326	-	32	2.1 %
4.6666665077209	-	19	1.3 %
4.733331108093	-	31	2.0 %
4.8000001907349	-	28	1.8 %
4.8666667938232	-	21	1.4 %
4.933333969116	-	23	1.5 %
5.00000000000000	-	23	1.5 %
5.0666666030884	-	30	2.0 %
5.1333332061768	-	15	1.0 %
5.1999998092651	-	23	1.5 %
	Missing Data		
.	-	653	43.0 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 865 valid cases out of 1,518 total cases.

- Mean: 4.5273988409538
- Median: 4.5999999046326
- Mode: 4.5999999046326
- Minimum: 1.4666666984558
- Maximum: 6.8000001907349
- Standard Deviation: 0.8770160430389

Location: 2539-2553 (width: 15; decimal: 13)

Variable Type: numeric

## W2SOCIALWB\_I: (W2SOCIALWB\_I) Social well-being scale with imputations\_wave 2

Social well-being scale with imputations

Value	Label	Unweighted Frequency	%
1.4666666984558	-	1	0.1 %
1.8666666746140	-	1	0.1 %
1.9333332777023	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.000000000000000	-	1	0.1 %
2.1333334445953	-	1	0.1 %
2.2000000476837	-	2	0.1 %
2.2666666507721	-	1	0.1 %
2.3333332538605	-	1	0.1 %
2.4000000953674	-	1	0.1 %
2.4666666984558	-	4	0.3 %
2.5333333015442	-	5	0.3 %
2.5999999046326	-	3	0.2 %
2.6666667461395	-	2	0.1 %
2.7333333492279	-	2	0.1 %
2.7999999523163	-	4	0.3 %
2.8666665554047	-	6	0.4 %
2.9333333969116	-	8	0.5 %
3.000000000000000	-	6	0.4 %
3.0666666030884	-	5	0.3 %
3.1333334445953	-	6	0.4 %
3.2000000476837	-	9	0.6 %
3.2666666507721	-	6	0.4 %
3.3333332538605	-	12	0.8 %
3.4000000953674	-	9	0.6 %
3.4666666984558	-	19	1.3 %
3.5333333015442	-	13	0.9 %
3.5999999046326	-	17	1.1 %
3.6666667461395	-	15	1.0 %
3.7333333492279	-	17	1.1 %
3.7999999523163	-	17	1.1 %
3.8666665554047	-	18	1.2 %
3.9333333969116	-	19	1.3 %
4.000000000000000	-	22	1.4 %
4.0666666030884	-	23	1.5 %
4.1333332061768	-	16	1.1 %
4.1999998092651	-	28	1.8 %
4.2666668891907	-	19	1.3 %
4.3333334922791	-	26	1.7 %
4.4000000953674	-	25	1.6 %
4.4666666984558	-	28	1.8 %
4.5333333015442	-	28	1.8 %
4.5999999046326	-	32	2.1 %

Value	Label	Unweighted Frequency	%
4.6666665077209	-	19	1.3 %
4.7333331108093	-	31	2.0 %
4.8000001907349	-	28	1.8 %
4.8666667938232	-	21	1.4 %
4.9333333969116	-	23	1.5 %
5.000000000000000	-	26	1.7 %
5.0666666030884	-	31	2.0 %
5.1333332061768	-	15	1.0 %
Missing Data			
.	-	624	41.1 %
		<b>Total</b>	<b>1,518</b>
			<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 4.5228187887194
- Median: 4.533333015442
- Mode: 4.599999046326
- Minimum: 1.4666666984558
- Maximum: 6.8000001907349
- Standard Deviation: 0.8899274998407

*Location:* 2554-2568 (width: 15; decimal: 13)

*Variable Type:* numeric

#### **W2Q04: (W2Q04) I don't feel I belong to anything I'd call a community.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I don't feel I belong to anything I'd call a community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	167	11.0 %
2	Moderately disagree	182	12.0 %
3	Slightly disagree	140	9.2 %
4	Neither agree nor disagree	62	4.1 %
5	Slightly agree	165	10.9 %
6	Moderately agree	116	7.6 %
7	Strongly agree	57	3.8 %
Missing Data			
.	-	629	41.4 %
		<b>Total</b>	<b>1,518</b>
			<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1376-1376 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q05: (W2Q05) I feel close to other people in my community.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I feel close to other people in my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	56	3.7 %
2	Moderately disagree	93	6.1 %
3	Slightly disagree	120	7.9 %
4	Neither agree nor disagree	116	7.6 %
5	Slightly agree	183	12.1 %
6	Moderately agree	199	13.1 %
7	Strongly agree	120	7.9 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1377-1377 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q06: (W2Q06) My community is a source of comfort.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My community is a source of comfort.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	65	4.3 %
2	Moderately disagree	89	5.9 %
3	Slightly disagree	81	5.3 %
4	Neither agree nor disagree	175	11.5 %
5	Slightly agree	151	9.9 %
6	Moderately agree	182	12.0 %
7	Strongly agree	144	9.5 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1378-1378 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q07: (W2Q07) People who do a favor expect nothing in return.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People who do a favor expect nothing in return.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	58	3.8 %
2	Moderately disagree	109	7.2 %
3	Slightly disagree	202	13.3 %
4	Neither agree nor disagree	170	11.2 %
5	Slightly agree	147	9.7 %
6	Moderately agree	147	9.7 %
7	Strongly agree	53	3.5 %
<b>Missing Data</b>			
-	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1379-1379 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q08: (W2Q08) People do not care about other people's problems.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People do not care about other people's problems.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	97	6.4 %
2	Moderately disagree	233	15.3 %
3	Slightly disagree	213	14.0 %
4	Neither agree nor disagree	74	4.9 %

Value	Label	Unweighted Frequency	%
5	Slightly agree	146	9.6 %
6	Moderately agree	98	6.5 %
7	Strongly agree	24	1.6 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1380-1380 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q09: (W2Q09) I believe that people are kind.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I believe that people are kind.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	11	0.7 %
2	Moderately disagree	29	1.9 %
3	Slightly disagree	59	3.9 %
4	Neither agree nor disagree	97	6.4 %
5	Slightly agree	259	17.1 %
6	Moderately agree	341	22.5 %
7	Strongly agree	87	5.7 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1381-1381 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q10: (W2Q10) I have something valuable to give to the world.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have something valuable to give to the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	18	1.2 %
2	Moderately disagree	18	1.2 %
3	Slightly disagree	19	1.3 %
4	Neither agree nor disagree	68	4.5 %
5	Slightly agree	125	8.2 %
6	Moderately agree	307	20.2 %
7	Strongly agree	332	21.9 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1382-1382 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q11: (W2Q11) My daily activities do not produce anything worthwhile for my community.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My daily activities do not produce anything worthwhile for my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	177	11.7 %
2	Moderately disagree	199	13.1 %
3	Slightly disagree	157	10.3 %
4	Neither agree nor disagree	110	7.2 %
5	Slightly agree	108	7.1 %
6	Moderately agree	86	5.7 %
7	Strongly agree	49	3.2 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1383-1383 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q12: (W2Q12) I have nothing important to contribute to society.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have nothing important to contribute to society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	408	26.9 %
2	Moderately disagree	211	13.9 %
3	Slightly disagree	121	8.0 %
4	Neither agree nor disagree	44	2.9 %
5	Slightly agree	54	3.6 %
6	Moderately agree	34	2.2 %
7	Strongly agree	13	0.9 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1384-1384 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q13: (W2Q13) The world is becoming a better place for everyone.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is becoming a better place for everyone.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	193	12.7 %
2	Moderately disagree	178	11.7 %
3	Slightly disagree	165	10.9 %
4	Neither agree nor disagree	131	8.6 %
5	Slightly agree	114	7.5 %
6	Moderately agree	82	5.4 %
7	Strongly agree	21	1.4 %
<b>Missing Data</b>			
.	-	634	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1385-1385 (width: 1; decimal: 0)

Variable Type: numeric

## W2Q14: (W2Q14) Society has stopped making progress.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society has stopped making progress.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	4.9 %
2	Moderately disagree	143	9.4 %
3	Slightly disagree	167	11.0 %
4	Neither agree nor disagree	127	8.4 %
5	Slightly agree	168	11.1 %
6	Moderately agree	131	8.6 %
7	Strongly agree	73	4.8 %
<b>Missing Data</b>			
.	-	634	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1386-1386 (width: 1; decimal: 0)

Variable Type: numeric

## W2Q15: (W2Q15) Society isn't improving for people like me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society isn't improving for people like me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	79	5.2 %
2	Moderately disagree	169	11.1 %
3	Slightly disagree	185	12.2 %
4	Neither agree nor disagree	116	7.6 %
5	Slightly agree	141	9.3 %
6	Moderately agree	115	7.6 %
7	Strongly agree	79	5.2 %
<b>Missing Data</b>			
.	-	634	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1387-1387 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2Q16: (W2Q16) The world is too complex for me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is too complex for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	225	14.8 %
2	Moderately disagree	197	13.0 %
3	Slightly disagree	119	7.8 %
4	Neither agree nor disagree	141	9.3 %
5	Slightly agree	105	6.9 %
6	Moderately agree	67	4.4 %
7	Strongly agree	31	2.0 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1388-1388 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2Q17: (W2Q17) I cannot make sense of what's going on in the world.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I cannot make sense of what's going on in the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	171	11.3 %
2	Moderately disagree	173	11.4 %
3	Slightly disagree	113	7.4 %
4	Neither agree nor disagree	91	6.0 %
5	Slightly agree	163	10.7 %
6	Moderately agree	112	7.4 %
7	Strongly agree	62	4.1 %
<b>Missing Data</b>			
.	-	633	41.7 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1389-1389 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q18: (W2Q18) I find it easy to predict what will happen next in society.**

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I find it easy to predict what will happen next in society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	158	10.4 %
2	Moderately disagree	182	12.0 %
3	Slightly disagree	165	10.9 %
4	Neither agree nor disagree	144	9.5 %
5	Slightly agree	125	8.2 %
6	Moderately agree	82	5.4 %
7	Strongly agree	30	2.0 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1390-1390 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q151: (W2Q151) In most ways, my life is close to my ideal.**

In most ways, my life is close to my ideal.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	96	6.3 %
2	Moderately disagree	120	7.9 %
3	Slightly disagree	109	7.2 %
4	Neither agree nor disagree	77	5.1 %
5	Slightly agree	168	11.1 %

Value	Label	Unweighted Frequency	%
6	Moderately agree	210	13.8 %
7	Strongly agree	106	7.0 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2284-2284 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q152: (W2Q152) The conditions of my life are excellent.**

The conditions of my life are excellent.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	79	5.2 %
2	Moderately disagree	96	6.3 %
3	Slightly disagree	119	7.8 %
4	Neither agree nor disagree	70	4.6 %
5	Slightly agree	182	12.0 %
6	Moderately agree	218	14.4 %
7	Strongly agree	121	8.0 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2285-2285 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q153: (W2Q153) I am satisfied with life.**

I am satisfied with life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	4.9 %
2	Moderately disagree	93	6.1 %

Value	Label	Unweighted Frequency	%
3	Slightly disagree	96	6.3 %
4	Neither agree nor disagree	66	4.3 %
5	Slightly agree	176	11.6 %
6	Moderately agree	260	17.1 %
7	Strongly agree	120	7.9 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2286-2286 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q154: (W2Q154) So far I have gotten the important things I want in life.**

So far I have gotten the important things I want in life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	59	3.9 %
2	Moderately disagree	73	4.8 %
3	Slightly disagree	101	6.7 %
4	Neither agree nor disagree	71	4.7 %
5	Slightly agree	186	12.3 %
6	Moderately agree	240	15.8 %
7	Strongly agree	153	10.1 %
<b>Missing Data</b>			
.	-	635	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2287-2287 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q155: (W2Q155) If I could live my life over, I would change almost nothing.**

If I could live my life over, I would change almost nothing.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	170	11.2 %
2	Moderately disagree	124	8.2 %
3	Slightly disagree	155	10.2 %
4	Neither agree nor disagree	68	4.5 %
5	Slightly agree	120	7.9 %
6	Moderately agree	156	10.3 %
7	Strongly agree	93	6.1 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2288-2288 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2SEXUALID: (W2SEXUALID) Sexual identity**

Sexual identity

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	8	0.5 %
2	Lesbian	175	11.5 %
3	Gay	330	21.7 %
4	Bisexual	272	17.9 %
5	Queer	56	3.7 %
6	Same-gender loving	15	1.0 %
7	Other	6	0.4 %
8	Asexual spectrum	13	0.9 %
9	Pansexual	19	1.3 %
10	Anti-label	0	0.0 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 9.00

*Location:* 2537-2538 (width: 2; decimal: 0)

Variable Type: numeric

---

## W2SEXMINID: (W2SEXMINID) Sexual minority identity

Sexual minority identity

Value	Label	Unweighted Frequency	%
1	Lesbian/gay	505	33.3 %
2	Bisexual	272	17.9 %
3	Other sexual minority identity	109	7.2 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2536-2536 (width: 1; decimal: 0)

Variable Type: numeric

---

## W2Q20: (W2Q20) If you had to choose only one of the following terms, which best describes your current gender identity?

If you had to choose only one of the following terms, which best describes your

Value	Label	Unweighted Frequency	%
1	Woman	409	26.9 %
2	Man	408	26.9 %
3	Transgender woman/male-to-female (MTF)	3	0.2 %
4	Transgender man/female-to-male (FTM)	1	0.1 %
5	Non-binary/genderqueer	66	4.3 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1395-1395 (width: 1; decimal: 0)

Variable Type: numeric

---

## W2Q21: (W2Q21) Which of the following best describes your current sexual orientation?

Which of the following best describes your current sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	8	0.5 %
2	Lesbian	174	11.5 %
3	Gay	329	21.7 %
4	Bisexual	266	17.5 %
5	Queer	56	3.7 %
6	Same-gender loving	15	1.0 %
7	Other (list) (allow 250 characters)	41	2.7 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1396-1396 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2Q21\_T\_VERB: (W2Q21\_T\_VERB) Write in response for W2Q21

Sexual Orientation Write In

Value	Label	Unweighted Frequency	%
-	-	1477	97.3 %
ACEFLUX/ BISEXUAL	-	1	0.1 %
ASEXUAL	-	2	0.1 %
Asexual	-	6	0.4 %
Asexual, Panromantic	-	1	0.1 %
Bisexual and Queer are equally accurate.	-	1	0.1 %
DEMISEXUAL	-	1	0.1 %
DYKE	-	1	0.1 %
Demi Sexual	-	1	0.1 %
HOMO EMOTIONAL	-	1	0.1 %
Heteroflexible? I'm still trying to figure myself out	-	1	0.1 %
Homoflexible	-	1	0.1 %
Not straight	-	1	0.1 %
PANSEXUAL	-	1	0.1 %
Pan sexual	-	1	0.1 %
Pansexual	-	16	1.1 %
Sexual	-	1	0.1 %

Value	Label	Unweighted Frequency	%
asexual	-	2	0.1 %
attack helicopter	-	1	0.1 %
pansexual	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 1397-1449 (width: 53; decimal: 0)

*Variable Type:* character

### **W2Q22\_1: (W2Q22\_1) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, non-transgender**

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	273	18.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	0	0.0 %
	<b>Missing Data</b>		
.	-	1245	82.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 273 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1450-1450 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q22\_2: (W2Q22\_2) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, non-transgender**

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	520	34.3 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	I have not had sex with anyone in the last year	0	0.0 %
	<b>Missing Data</b>		
.	-	998	65.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 520 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1451-1451 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q22\_3: (W2Q22\_3) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender women/male-to-female (MTF)**

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	20	1.3 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	0	0.0 %
	<b>Missing Data</b>		
.	-	1498	98.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 20 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1452-1452 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q22\_4: (W2Q22\_4) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender men/female-to-male (FTM)**

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	20	1.3 %
5	I have not had sex with anyone in the last year	0	0.0 %
<b>Missing Data</b>			
.	-	1498	98.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 20 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1453-1453 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q22\_5: (W2Q22\_5) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last year**

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last year

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	181	11.9 %
<b>Missing Data</b>			
.	-	1337	88.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 181 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1454-1454 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q23A: (W2Q23A) Please indicate how sexually attracted you are to the following types of people. Women, non-transgender**

Please indicate how sexually attracted you are to the following types of people: Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	249	16.4 %
2	Not very	78	5.1 %
3	Somewhat	142	9.4 %
4	Very	412	27.1 %
5	Not sure	5	0.3 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1455-1455 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q23B: (W2Q23B) Please indicate how sexually attracted you are to the following types of people. Men, non-transgender**

Please indicate how sexually attracted you are to the following types of people: Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	116	7.6 %
2	Not very	86	5.7 %
3	Somewhat	148	9.7 %
4	Very	527	34.7 %
5	Not sure	5	0.3 %
<b>Missing Data</b>			
.	-	636	41.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1456-1456 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q23C: (W2Q23C) Please indicate how sexually attracted you are to the following types of people. Transgender women/male-to-female (MTF)**

Please indicate how sexually attracted you are to the following types of people: Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Not at all	409	26.9 %
2	Not very	127	8.4 %
3	Somewhat	160	10.5 %
4	Very	80	5.3 %
5	Not sure	102	6.7 %
<b>Missing Data</b>			
.	-	640	42.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 878 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1457-1457 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q23D: (W2Q23D) Please indicate how sexually attracted you are to the following types of people. Transgender men/female-to-male (FTM)**

Please indicate how sexually attracted you are to the following types of people: Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Not at all	344	22.7 %
2	Not very	116	7.6 %
3	Somewhat	222	14.6 %
4	Very	80	5.3 %
5	Not sure	116	7.6 %
<b>Missing Data</b>			
.	-	640	42.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 878 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1458-1458 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2IDCENTRAL: (W2IDCENTRAL) Identity centrality\_wave 2**

Identity centrality

Value	Label	Unweighted Frequency	%
1.000000000000000	-	8	0.5 %
1.200000476837	-	5	0.3 %
1.399999761581	-	6	0.4 %
1.6000000238419	-	9	0.6 %
1.799999523163	-	11	0.7 %
2.00000000000000	-	32	2.1 %
2.200000476837	-	23	1.5 %
2.400000953674	-	29	1.9 %
2.599999046326	-	22	1.4 %
2.799999523163	-	38	2.5 %
3.00000000000000	-	41	2.7 %
3.200000476837	-	54	3.6 %
3.400000953674	-	48	3.2 %
3.599999046326	-	53	3.5 %
3.799999523163	-	50	3.3 %
4.00000000000000	-	55	3.6 %
4.199998092651	-	59	3.9 %
4.400000953674	-	56	3.7 %
4.599999046326	-	44	2.9 %
4.800001907349	-	36	2.4 %
5.00000000000000	-	62	4.1 %
5.199998092651	-	40	2.6 %
5.400000953674	-	18	1.2 %
5.599999046326	-	21	1.4 %
5.800001907349	-	19	1.3 %
6.00000000000000	-	45	3.0 %
	Missing Data		
.	-	634	41.8 %
	Total	1,518	100%

Based upon 884 valid cases out of 1,518 total cases.

- Mean: 3.8988687691376
- Median: 4.00000000000000
- Mode: 5.00000000000000
- Minimum: 1.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.1783815510419

Location: 2472-2486 (width: 15; decimal: 13)

Variable Type: numeric

## W2IDCENTRAL\_I: (W2IDCENTRAL\_I) Identity centrality with imputation\_wave 2

Identity centrality with imputation

Value	Label	Unweighted Frequency	%
1.000000000000000	-	8	0.5 %
1.2000000476837	-	5	0.3 %
1.3999999761581	-	6	0.4 %
1.6000000238419	-	9	0.6 %
1.7999999523163	-	12	0.8 %
2.000000000000000	-	32	2.1 %
2.2000000476837	-	24	1.6 %
2.4000000953674	-	29	1.9 %
2.5999999046326	-	23	1.5 %
2.7999999523163	-	38	2.5 %
3.000000000000000	-	43	2.8 %
3.2000000476837	-	54	3.6 %
3.4000000953674	-	48	3.2 %
3.5999999046326	-	55	3.6 %
3.7999999523163	-	50	3.3 %
4.000000000000000	-	55	3.6 %
4.1999998092651	-	59	3.9 %
4.4000000953674	-	56	3.7 %
4.5999999046326	-	45	3.0 %
4.8000001907349	-	37	2.4 %
5.000000000000000	-	63	4.2 %
5.1999998092651	-	40	2.6 %
5.4000000953674	-	18	1.2 %
5.5999999046326	-	21	1.4 %
5.8000001907349	-	19	1.3 %
6.000000000000000	-	45	3.0 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 3.8935122949965
- Median: 4.000000000000000
- Mode: 5.000000000000000
- Minimum: 1.000000000000000
- Maximum: 6.000000000000000

- Standard Deviation: 1.1780858136509

*Location:* 2487-2501 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2Q24: (W2Q24) My sexual orientation is an insignificant part of who I am.**

My sexual orientation is an insignificant part of who I am.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	172	11.3 %
2	Disagree	219	14.4 %
3	Disagree somewhat	166	10.9 %
4	Agree somewhat	137	9.0 %
5	Agree	122	8.0 %
6	Agree strongly	73	4.8 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1459-1459 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q25: (W2Q25) My sexual orientation is a central part of my identity.**

My sexual orientation is a central part of my identity.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	60	4.0 %
2	Disagree	151	9.9 %
3	Disagree somewhat	136	9.0 %
4	Agree somewhat	220	14.5 %
5	Agree	186	12.3 %
6	Agree strongly	135	8.9 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 6.00

*Location:* 1460-1460 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q26: (W2Q26) To understand who I am as a person, you have to know that I'm LGB.**

To understand who I am as a person, you have to know that I'm LGB.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	149	9.8 %
2	Disagree	189	12.5 %
3	Disagree somewhat	131	8.6 %
4	Agree somewhat	172	11.3 %
5	Agree	146	9.6 %
6	Agree strongly	100	6.6 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1461-1461 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q27: (W2Q27) Being an LGB person is a very important aspect of my life.**

Being an LGB person is a very important aspect of my life.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	50	3.3 %
2	Disagree	107	7.0 %
3	Disagree somewhat	129	8.5 %
4	Agree somewhat	248	16.3 %
5	Agree	218	14.4 %
6	Agree strongly	134	8.8 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 6.00

*Location:* 1462-1462 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q28: (W2Q28) I believe being LGB is an important part of me.**

I believe being LGB is an important part of me.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	29	1.9 %
2	Disagree	61	4.0 %
3	Disagree somewhat	71	4.7 %
4	Agree somewhat	256	16.9 %
5	Agree	290	19.1 %
6	Agree strongly	182	12.0 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1463-1463 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q29A: (W2Q29A) Have any of these things happened in the past year? You had sex with someone of the same sex for the first time**

Have any of these things happened in the past year? You had sex with someone of the same sex for the first time

Value	Label	Unweighted Frequency	%
1	Yes	40	2.6 %
2	No	847	55.8 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1464-1464 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q29B: (W2Q29B) Have any of these things happened in the past year? You had your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved**

Have any of these things happened in the past year? You had your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved

Value	Label	Unweighted Frequency	%
1	Yes	100	6.6 %
2	No	781	51.4 %
	<b>Missing Data</b>		
.	-	637	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 881 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1465-1465 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q29C: (W2Q29C) Have any of these things happened in the past year? You realized you are LGB for the first time**

Have any of these things happened in the past year? You realized you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	25	1.6 %
2	No	859	56.6 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1466-1466 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q29D: (W2Q29D) Have any of these things happened in the past year? You told a straight friend that you are LGB for the first time**

Have any of these things happened in the past year? You told a straight friend that you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	276	18.2 %
2	No	605	39.9 %
	<b>Missing Data</b>		
.	-	637	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 881 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1467-1467 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q29E: (W2Q29E) Have any of these things happened in the past year? You told a family member that you are LGB for the first time**

Have any of these things happened in the past year? You told a family member that you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	147	9.7 %
2	No	740	48.7 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1468-1468 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q29F: (W2Q29F) Have any of these things happened in the past year? It became clear to you that someone in your family had found out you were LGB before you told them**

Have any of these things happened in the past year? It became clear to you that someone in your family had found out you were LGB before you told them

Value	Label	Unweighted Frequency	%
1	Yes	125	8.2 %
2	No	762	50.2 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1469-1469 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2CONNECTEDNESS: (W2CONNECTEDNESS) Community connectedness wave 2

Community connectedness

Value	Label	Unweighted Frequency	%
1.00000000000000	-	3	0.2 %
1.1428570747375	-	2	0.1 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	6	0.4 %
1.5714285373688	-	2	0.1 %
1.7142856121063	-	10	0.7 %
1.8571429252625	-	10	0.7 %
2.00000000000000	-	14	0.9 %
2.1428570747375	-	28	1.8 %
2.2857143878937	-	46	3.0 %
2.4285714626312	-	72	4.7 %
2.5714285373688	-	75	4.9 %
2.7142856121063	-	85	5.6 %
2.8571429252625	-	95	6.3 %
3.00000000000000	-	127	8.4 %
3.1428570747375	-	71	4.7 %
3.2857141494751	-	54	3.6 %
3.4285714626312	-	45	3.0 %
3.5714285373688	-	38	2.5 %
3.7142858505249	-	23	1.5 %
3.8571429252625	-	28	1.8 %
4.00000000000000	-	31	2.0 %
	Missing Data		
.	-	650	42.8 %
	Total	1,518	100%

Based upon 868 valid cases out of 1,518 total cases.

- Mean: 2.8900592420508
- Median: 2.8571429252625
- Mode: 3.00000000000000

- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.5473575074392

Location: 2377-2391 (width: 15; decimal: 13)

Variable Type: numeric

## W2CONNECTEDNESS\_I: (W2CONNECTEDNESS\_I) Community connectedness with imputation\_wave 2

Community connectedness with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	3	0.2 %
1.1428570747375	-	2	0.1 %
1.2857143878937	-	3	0.2 %
1.4285714626312	-	6	0.4 %
1.5714285373688	-	2	0.1 %
1.7142856121063	-	10	0.7 %
1.8571429252625	-	10	0.7 %
2.0000000000000	-	15	1.0 %
2.1428570747375	-	29	1.9 %
2.2857143878937	-	46	3.0 %
2.4285714626312	-	74	4.9 %
2.5714285373688	-	82	5.4 %
2.7142856121063	-	88	5.8 %
2.8571429252625	-	97	6.4 %
3.0000000000000	-	132	8.7 %
3.1428570747375	-	73	4.8 %
3.2857141494751	-	55	3.6 %
3.4285714626312	-	45	3.0 %
3.5714285373688	-	38	2.5 %
3.7142858505249	-	25	1.6 %
3.8571429252625	-	28	1.8 %
4.0000000000000	-	31	2.0 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 2.8875039871907
- Median: 2.8571429252625
- Mode: 3.0000000000000

- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.5437551972341

*Location:* 2392-2406 (width: 15; decimal: 13)

*Variable Type:* numeric

### **W2Q30: (W2Q30) You feel you're a part of the LGBT community.**

You feel you're a part of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	108	7.1 %
2	Agree	425	28.0 %
3	Disagree	286	18.8 %
4	Disagree strongly	68	4.5 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1470-1470 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q31: (W2Q31) Participating in the LGBT community is a positive thing for you.**

Participating in the LGBT community is a positive thing for you.

Value	Label	Unweighted Frequency	%
1	Agree strongly	148	9.7 %
2	Agree	485	31.9 %
3	Disagree	213	14.0 %
4	Disagree strongly	34	2.2 %
	<b>Missing Data</b>		
.	-	638	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 880 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1471-1471 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q32: (W2Q32) You feel a bond with the LGBT community.**

You feel a bond with the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	120	7.9 %
2	Agree	433	28.5 %
3	Disagree	281	18.5 %
4	Disagree strongly	49	3.2 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1472-1472 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q33: (W2Q33) You are proud of the LGBT community.**

You are proud of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	236	15.5 %
2	Agree	533	35.1 %
3	Disagree	95	6.3 %
4	Disagree strongly	21	1.4 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1473-1473 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q34: (W2Q34) It is important for you to be politically active in the LGBT community.**

It is important for you to be politically active in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	135	8.9 %
2	Agree	379	25.0 %
3	Disagree	311	20.5 %
4	Disagree strongly	56	3.7 %
	<b>Missing Data</b>		
.	-	637	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 881 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1474-1474 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q35: (W2Q35) If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.**

If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	365	24.0 %
2	Agree	468	30.8 %
3	Disagree	46	3.0 %
4	Disagree strongly	7	0.5 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1475-1475 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q36: (W2Q36) You really feel that any problems faced by the LGBT community are also your own problems**

You really feel that any problems faced by the LGBT community are also your own problems.

Value	Label	Unweighted Frequency	%
1	Agree strongly	186	12.3 %

Value	Label	Unweighted Frequency	%
2	Agree	458	30.2 %
3	Disagree	209	13.8 %
4	Disagree strongly	33	2.2 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1476-1476 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q37: (W2Q37) Are you currently in a relationship or feel a special commitment to someone?**

Are you currently in a relationship or feel a special commitment to someone?

Value	Label	Unweighted Frequency	%
1	Yes	560	36.9 %
2	No	329	21.7 %
	<b>Missing Data</b>		
.	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1477-1477 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q38: (W2Q38) For how many years have you been in your relationship with your current partner?**

For how many years have you been in your relationship with your current partner? If less than 1 year, enter 01.

Value	Label	Unweighted Frequency	%
1	-	139	9.2 %
2	-	55	3.6 %
3	-	29	1.9 %
4	-	35	2.3 %

Value	Label	Unweighted Frequency	%
5	-	29	1.9 %
6	-	12	0.8 %
7	-	27	1.8 %
8	-	17	1.1 %
9	-	14	0.9 %
10	-	20	1.3 %
11	-	10	0.7 %
12	-	6	0.4 %
13	-	10	0.7 %
14	-	14	0.9 %
15	-	15	1.0 %
16	-	11	0.7 %
17	-	14	0.9 %
18	-	13	0.9 %
19	-	12	0.8 %
20	-	7	0.5 %
21	-	13	0.9 %
22	-	4	0.3 %
23	-	8	0.5 %
24	-	4	0.3 %
25	-	2	0.1 %
26	-	4	0.3 %
27	-	3	0.2 %
28	-	4	0.3 %
29	-	6	0.4 %
30	-	2	0.1 %
31	-	3	0.2 %
32	-	2	0.1 %
33	-	1	0.1 %
34	-	2	0.1 %
35	-	3	0.2 %
36	-	2	0.1 %
40	-	1	0.1 %
41	More than 40	0	0.0 %
<b>Missing Data</b>			
.	-	965	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 553 valid cases out of 1,518 total cases.

- Mean: 8.66
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.62

*Location:* 1478-1479 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q39: (W2Q39) What is your current partner's gender?

What is your current partner's gender?

Value	Label	Unweighted Frequency	%
1	Woman, non-transgender	175	11.5 %
2	Man, non-transgender	354	23.3 %
3	Transgender woman/male-to-female (MTF)	7	0.5 %
4	Transgender man/female-to-male (FTM)	3	0.2 %
5	Non-binary/genderqueer	13	0.9 %
<b>Missing Data</b>			
.	-	966	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1480-1480 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## W2Q41: (W2Q41) Do you live with your current partner?

Do you live with your current partner?

Value	Label	Unweighted Frequency	%
1	Yes	392	25.8 %
2	No	161	10.6 %
<b>Missing Data</b>			
.	-	965	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 553 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 2.00

*Location:* 1533-1533 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## W2Q40: (W2Q40) Which of the following best describes your current partner's sexual orientation?

Which of the following best describes your current partner's sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	142	9.4 %
2	Lesbian	113	7.4 %
3	Gay	189	12.5 %
4	Bisexual	70	4.6 %
5	Queer	22	1.4 %
6	Same gender-loving	0	0.0 %
7	Other	17	1.1 %
<b>Missing Data</b>			
.	-	965	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 553 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1481-1482 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q40\_T\_VERB: (W2Q40\_T\_VERB) Write in response for W2Q40

Write in response for W2Q40

Value	Label	Unweighted Frequency	%
	-	1500	98.8 %
Asexual	-	3	0.2 %
DEMI- ACEFLUX/ STRAIGHT	-	1	0.1 %
Demisexual	-	2	0.1 %
Does not like labels	-	1	0.1 %
Hetero-very flexible	-	1	0.1 %
NOT IN RELATIONSHIP	-	1	0.1 %
Pansexual	-	3	0.2 %
Sexual	-	1	0.1 %

Value	Label	Unweighted Frequency	%
Transvestite	-	1	0.1 %
pansexual	-	2	0.1 %
queerplatonic poly relationship- lesbian/bi couple	-	1	0.1 %
unsure	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 1483-1532 (width: 50; decimal: 0)

*Variable Type:* character

---

## **W2Q42: (W2Q42) Which of the following best describes the legal status of your relationship with your current partner?**

Which of the following best describes the legal status of your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Legally married	203	13.4 %
2	Legally recognized civil union	3	0.2 %
3	Registered domestic partners	12	0.8 %
4	Not legally recognized union or marriage	334	22.0 %
	<b>Missing Data</b>		
.	-	966	63.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1534-1534 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q43A: (W2Q43A) Which of the following apply to your relationship with your current partner? We share a medical power of attorney for each other**

Which of the following apply to your relationship with your current partner? We share a medical power of attorney for each other

Value	Label	Unweighted Frequency	%
1	Yes	202	13.3 %
2	No	345	22.7 %
	<b>Missing Data</b>		
.	-	971	64.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 547 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1535-1535 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W2Q43B: (W2Q43B) Which of the following apply to your relationship with your current partner? We own a home together**

Which of the following apply to your relationship with your current partner? We own a home together

Value	Label	Unweighted Frequency	%
1	Yes	193	12.7 %
2	No	351	23.1 %
	<b>Missing Data</b>		
.	-	974	64.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 544 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1536-1536 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W2Q43C: (W2Q43C) Which of the following apply to your relationship with your current partner? We are on a lease together (e.g., rental agreement for apartment or house)**

Which of the following apply to your relationship with your current partner? We are on a lease together (e.g., rental agreement for apartment or house)

Value	Label	Unweighted Frequency	%
1	Yes	159	10.5 %
2	No	376	24.8 %
	<b>Missing Data</b>		
.	-	983	64.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 535 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1537-1537 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

### W2Q43D: (W2Q43D) Which of the following apply to your relationship with your current partner? We share finances (e.g., credit card, bank accounts)

Which of the following apply to your relationship with your current partner? We share finances (e.g., credit card, bank accounts)

Value	Label	Unweighted Frequency	%
1	Yes	274	18.1 %
2	No	273	18.0 %
	<b>Missing Data</b>		
.	-	971	64.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 547 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1538-1538 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7, .

---

### W2Q44: (W2Q44) To what extent is your relationship with your current partner known to other people in your life?

To what extent is your relationship with your current partner known to other people in your life?

Value	Label	Unweighted Frequency	%
1	No one knows we are a couple	12	0.8 %
2	Some people know, but most people don't	31	2.0 %
3	Some people know, some people don't	49	3.2 %
4	Most people know, but some people don't	123	8.1 %
5	Everyone knows we are a couple	337	22.2 %
	<b>Missing Data</b>		
.	-	966	63.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1539-1539 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7, .

---

## **W2Q45: (W2Q45) Does your current partner know how you identify in terms of your sexual identity?**

Does your current partner know how you identify in terms of your sexual identity?

Value	Label	Unweighted Frequency	%
0	Don't know	9	0.6 %
1	Yes	536	35.3 %
2	No	6	0.4 %
	<b>Missing Data</b>		
.	-	967	63.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 551 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 2.00

*Location:* 1540-1540 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q46: (W2Q46) Which of the following best describes your relationship with your current partner?**

Which of the following best describes your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	We think of ourselves as being monogamous	393	25.9 %
2	We think of ourselves as being open or non-monogamous	50	3.3 %
3	We think of ourselves as being polyamorous	24	1.6 %
4	We do not define our relationship regarding whether or not we are monogamous or sexually exclusive	85	5.6 %
	<b>Missing Data</b>		
.	-	966	63.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1541-1541 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q47: (W2Q47) Please indicate your degree of happiness, all things considered, in your relationship with your current partner.**

Please indicate your degree of happiness, all things considered, in your relationship with your current partner.

Value	Label	Unweighted Frequency	%
1	Extremely unhappy	53	3.5 %
2	Fairly unhappy	33	2.2 %
3	A little unhappy	50	3.3 %
4	Happy	72	4.7 %
5	Very happy	137	9.0 %
6	Extremely happy	156	10.3 %
7	Perfect	51	3.4 %
<b>Missing Data</b>			
.	-	966	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1542-1543 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W2Q48: (W2Q48) I have a warm and comfortable relationship with my partner.**

I have a warm and comfortable relationship with my partner.

Value	Label	Unweighted Frequency	%
1	Not at all true	8	0.5 %
2	A little true	13	0.9 %
3	Somewhat true	45	3.0 %
4	Mostly true	98	6.5 %
5	Almost completely true	125	8.2 %
6	Completely true	263	17.3 %
<b>Missing Data</b>			
.	-	966	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1544-1544 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## W2Q49: (W2Q49) How rewarding is your relationship with your current partner?

How rewarding is your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Not at all rewarding	8	0.5 %
2	A little rewarding	28	1.8 %
3	Somewhat rewarding	56	3.7 %
4	Mostly rewarding	121	8.0 %
5	Almost completely rewarding	172	11.3 %
6	Completely rewarding	168	11.1 %
<b>Missing Data</b>			
.	-	965	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 553 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1545-1545 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## W2Q50: (W2Q50) In general, how satisfied are you with your relationship with your current partner?

In general, how satisfied are you with your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Not at all satisfied	12	0.8 %
2	A little satisfied	27	1.8 %
3	Somewhat satisfied	44	2.9 %
4	Mostly satisfied	121	8.0 %
5	Almost completely satisfied	194	12.8 %
6	Completely satisfied	155	10.2 %
<b>Missing Data</b>			
.	-	965	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 553 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1546-1546 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

## W2Q51: (W2Q51) Thinking about the future, how likely do you believe it is that you will be in a long-term relationship in the future?

Thinking about the future, how likely do you believe it is that you will be in a long-term relationship in the future?

Value	Label	Unweighted Frequency	%
1	Not at all likely	83	5.5 %
2	Somewhat likely	154	10.1 %
3	Very likely	62	4.1 %
4	Extremely likely	30	2.0 %
	<b>Missing Data</b>		
.	-	1189	78.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 329 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1547-1547 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7, .

---

## W2Q52: (W2Q52) What kind of relationship do you expect to have in the future?

What kind of relationship do you expect to have in the future?

Value	Label	Unweighted Frequency	%
1	Single, seeing many different people	13	0.9 %
2	Single, seeing only a few people	39	2.6 %
3	Single, seeing one person at a time	91	6.0 %
4	Partnered, in a monogamous relationship	165	10.9 %
5	Partnered with more than one person	14	0.9 %
	<b>Missing Data</b>		
.	-	1196	78.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 322 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1548-1548 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7, .

---

## **W2Q53: (W2Q53) Thinking about the future, how likely is it that you and your partner would live together?**

Thinking about the future, how likely is it that you and your partner would live together?

Value	Label	Unweighted Frequency	%
1	Not at all likely	3	0.2 %
2	Somewhat likely	45	3.0 %
3	Very likely	71	4.7 %
4	Extremely likely	60	4.0 %
	<b>Missing Data</b>		
.	-	1339	88.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 179 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1549-1549 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q54: (W2Q54) Thinking about the future, how likely do you believe it is that you will marry a same-sex partner?**

Thinking about the future, how likely do you believe it is that you will marry a same-sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all likely	24	1.6 %
2	Somewhat likely	73	4.8 %
3	Very likely	36	2.4 %
4	Extremely likely	46	3.0 %
	<b>Missing Data</b>		
.	-	1339	88.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 179 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1550-1550 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q55: (W2Q55) How often do you feel that you lack companionship?**

How often do you feel that you lack companionship?

Value	Label	Unweighted Frequency	%
1	Hardly ever	336	22.1 %
2	Some of the time	353	23.3 %
3	Often	199	13.1 %
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1551-1551 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W2Q56: (W2Q56) How often do you feel left out?

How often do you feel left out?

Value	Label	Unweighted Frequency	%
1	Hardly ever	321	21.1 %
2	Some of the time	388	25.6 %
3	Often	176	11.6 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1552-1552 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W2Q57: (W2Q57) How often do you feel isolated from others?

How often do you feel isolated from others?

Value	Label	Unweighted Frequency	%
1	Hardly ever	284	18.7 %
2	Some of the time	395	26.0 %
3	Often	204	13.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-	-	635	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1553-1553 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q58\_1: (W2Q58\_1) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. I currently do not have health insurance**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	70	4.6 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	1448	95.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 70 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1554-1555 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q58\_2: (W2Q58\_2) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my current or former employer or union

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	361	23.8 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1157	76.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 361 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1556-1557 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q58\_3: (W2Q58\_3) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my spouse/partner

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	69	4.5 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1449	95.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 69 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1558-1559 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

#### **W2Q58\_4: (W2Q58\_4) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my parent**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	189	12.5 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1329	87.5 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 189 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1560-1561 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q58\_5: (W2Q58\_5) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through someone other than my spouse/partner or parent**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	6	0.4 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	1512	99.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1562-1563 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W2Q58\_6: (W2Q58\_6) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	57	3.8 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1461	96.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 57 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1564-1565 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q58\_7: (W2Q58\_7) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased directly from an insurance company**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	19	1.3 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1499	98.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 19 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1566-1567 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q58\_8: (W2Q58\_8) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicare (for people 65 and older, or people with certain disabilities)**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	56	3.7 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	1462	96.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 56 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1568-1569 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q58\_9: (W2Q58\_9) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicaid (government-assistance plan for those with low incomes or a disability)**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	103	6.8 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
-	-	1415	93.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 103 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1570-1571 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q58\_10: (W2Q58\_10) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. TRICARE or other military healthcare

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	9	0.6 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1509	99.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1572-1573 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## W2Q58\_11: (W2Q58\_11) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. VA (including if you ever used or enrolled for VA healthcare)

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	8	0.5 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1510	99.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 8 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 1574-1575 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q58\_12: (W2Q58\_12) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Indian Health Service**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
<b>Missing Data</b>			
.	-	1518	100.0 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1576-1577 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q58\_13: (W2Q58\_13) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Another type of health insurance or health coverage plan**

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	31	2.0 %
<b>Missing Data</b>			
.	-	1487	98.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 31 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 1578-1579 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q58\_T\_VERB: (W2Q58\_T\_VERB) Write in response for W2Q58**

Write in response for W2Q64

Value	Label	Unweighted Frequency	%
	-	1487	98.0 %
ADAP / Florida Health	-	1	0.1 %
CIGNA - PERScriptions	-	1	0.1 %
COUNTY CARE - COOK	-	1	0.1 %
California green card	-	1	0.1 %
In Massachusetts: Medicare + Medicaid = MassHealth	-	1	0.1 %
Insurance from parent in another country	-	1	0.1 %
Insurance through my college	-	1	0.1 %
Insurance through my school	-	1	0.1 %
Insurance through school	-	2	0.1 %
LA HIP PAYS FOR HIV MEDS.	-	1	0.1 %
MEDICARE	-	1	0.1 %
MassHealth	-	1	0.1 %
Medi-Cal & SHIP	-	1	0.1 %
Medical	-	4	0.3 %
Oregon Health Plan	-	1	0.1 %
Ryan White Program	-	1	0.1 %
SMALL BUSINESS ASSOC (I AM SELF EMPLOYED)	-	1	0.1 %
School	-	1	0.1 %
School insurance	-	1	0.1 %
Student	-	1	0.1 %
Through my school	-	1	0.1 %
UC Health Care Insurance	-	1	0.1 %
United Health Care	-	1	0.1 %
United HealthCare	-	1	0.1 %
VERMONT HEALTH CONNECT STATE INSURANCE	-	1	0.1 %
insurance through a university plan	-	1	0.1 %
medicare supplemental	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 1580-1629 (*width:* 50; *decimal:* 0)

*Variable Type:* character

---

## W2Q59: (W2Q59) Is there a place that you usually go to when you are sick or need advice about your health?

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	There is NO place	134	8.8 %
2	Yes, there are one or more places	749	49.3 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1630-1630 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q60\_1: (W2Q60\_1) What kind of place is it? Please select all that apply. Clinic or health center**

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
1	Clinic or health center	328	21.6 %
	<b>Missing Data</b>		
.	-	1190	78.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 328 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1631-1631 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q60\_2: (W2Q60\_2) What kind of place is it? Please select all that apply. Doctor's office or HMO**

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
2	Doctor's office of HMO	582	38.3 %
	<b>Missing Data</b>		
.	-	936	61.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 582 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1632-1632 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q60\_3: (W2Q60\_3) What kind of place is it? Please select all that apply. Hospital emergency room**

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
3	Hospital emergency room	105	6.9 %
	<b>Missing Data</b>		
.	-	1413	93.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 105 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1633-1633 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q60\_4: (W2Q60\_4) What kind of place is it? Please select all that apply. Hospital outpatient department**

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
4	Hospital outpatient department	54	3.6 %
	<b>Missing Data</b>		
.	-	1464	96.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 54 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1634-1634 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q60\_5: (W2Q60\_5) What kind of place is it? Please select all that apply. Some other place**

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
5	Some other place	28	1.8 %
	<b>Missing Data</b>		
-	-	1490	98.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 28 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1635-1635 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## W2Q60\_T\_VERB: (W2Q60\_T\_VERB) Write in response for W2Q60

Write in response for W2Q60

Value	Label	Unweighted Frequency	%
-	-	1490	98.2 %
(Psychologist) Therapists office	-	1	0.1 %
ACUPUNCTURIST	-	1	0.1 %
AHF	-	1	0.1 %
Dad and step-mom are both doctors	-	1	0.1 %
Father (he's a doctor)	-	1	0.1 %
HOSPITAL/CLINIC	-	1	0.1 %
Health Center in University	-	1	0.1 %
I see my colleagues	-	1	0.1 %
INTERNET	-	1	0.1 %
Internet	-	1	0.1 %
Medical Study	-	1	0.1 %
My grandma	-	1	0.1 %
My mom (RN)	-	1	0.1 %
NATUROPATHIC DR	-	1	0.1 %
Nurse Practitioner at Workplace	-	1	0.1 %
Parents in medical field	-	1	0.1 %
Pharmacy (flu shot)	-	1	0.1 %
Planned Parenthood	-	1	0.1 %
Psychiatrist	-	1	0.1 %
Ryan Wellness Center	-	1	0.1 %
School student health center	-	1	0.1 %
Sliding fee clinic network	-	1	0.1 %

Value	Label	Unweighted Frequency	%
TARGET MINUTE CLINIC	-	1	0.1 %
URGENT CARE	-	2	0.1 %
Womens center of excellence eskanazi	-	1	0.1 %
free standing urgent care facility	-	1	0.1 %
urgent care	-	1	0.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1,518 valid cases out of 1,518 total cases.

*Location:* 1636-1671 (width: 36; decimal: 0)

*Variable Type:* character

## **W2Q61: (W2Q61) During the past 12 months, how often have you been to an LGBT-specific clinic or provider for your healthcare?**

During the past 12 months, how often have you been to an LGBT-specific clinic or provider for your healthcare?

Value	Label	Unweighted Frequency	%
1	Often	35	2.3 %
2	Sometimes	69	4.5 %
3	Never	781	51.4 %
<b>Missing Data</b>			
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1672-1672 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q62\_1: (W2Q62\_1) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. No**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	211	13.9 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	0	0.0 %
<b>Missing Data</b>			
.	-	1307	86.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 211 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1673-1673 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q62\_2: (W2Q62\_2) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. Yes, an LGBT-specific website**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	88	5.8 %
3	Yes, a general website	0	0.0 %
	<b>Missing Data</b>		
.	-	1430	94.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 88 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1674-1674 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q62\_3: (W2Q62\_3) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. Yes, a general website**

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	653	43.0 %
	<b>Missing Data</b>		
.	-	865	57.0 %

Value	Label	Unweighted Frequency	%
Total		1,518	100%

Based upon 653 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1675-1675 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q63\_1: (W2Q63\_1) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. General medical services**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	460	30.3 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1058	69.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 460 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1676-1676 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q63\_2: (W2Q63\_2) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Sexual health**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	529	34.8 %

Value	Label	Unweighted Frequency	%
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	989	65.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 529 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1677-1677 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q63\_3: (W2Q63\_3) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Mental health**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	497	32.7 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1021	67.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 497 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1678-1678 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q63\_4: (W2Q63\_4) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Addiction services**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	146	9.6 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	<b>Missing Data</b>		
.	-	1372	90.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 146 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1679-1679 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q63\_5: If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Social services (e.g. insurance enrollment, anti-violence services, wellness programs)**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	278	18.3 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	<b>Missing Data</b>		
.	-	1240	81.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 278 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1680-1680 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q63\_6: (W2Q63\_6) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. I would not go to an LGBT-specific clinic or provider**

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?  
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	177	11.7 %
<b>Missing Data</b>			
.	-	1341	88.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 177 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1681-1681 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q64: (W2Q64) Over the past year, how satisfied have you been with your overall sexual life?**

Over the past year, how satisfied have you been with your overall sexual life?

Value	Label	Unweighted Frequency	%
1	Very satisfied	179	11.8 %
2	Moderately satisfied	259	17.1 %
3	About equally satisfied and dissatisfied	179	11.8 %
4	Moderately dissatisfied	154	10.1 %
5	Very dissatisfied	114	7.5 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
-	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1682-1682 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q65: (W2Q65) Over the past year, how often did you engage in any kind of sexual activity with a woman sex partner?**

Over the past year, how often did you engage in any kind of sexual activity with a woman sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all	575	37.9 %
2	Less than once a month	148	9.7 %
3	Once a month	32	2.1 %
4	Two or three times a month	45	3.0 %
5	Once a week	26	1.7 %
6	Two or three times a week	54	3.6 %
7	Once a day or more	6	0.4 %
<b>Missing Data</b>			
-	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1683-1683 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q66: (W2Q66) Over the past year, how often did you engage in any kind of sexual activity with a man sex partner?**

Over the past year, how often did you engage in any kind of sexual activity with a man sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all	368	24.2 %
2	Less than once a month	153	10.1 %
3	Once a month	55	3.6 %

Value	Label	Unweighted Frequency	%
4	Two or three times a month	117	7.7 %
5	Once a week	78	5.1 %
6	Two or three times a week	103	6.8 %
7	Once a day or more	14	0.9 %
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1684-1684 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q67A: (W2Q67A) During the last 12 months, has there ever been a period of several months or more when you: Lacked interest in having sex.**

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Lacked interest in having sex.

Value	Label	Unweighted Frequency	%
1	Yes	421	27.7 %
2	No	461	30.4 %
	<b>Missing Data</b>		
.	-	636	41.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1685-1685 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q67B: (W2Q67B) During the last 12 months, has there ever been a period of several months or more when you: Were unable to come to a climax (experience orgasm).**

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Were unable to come to a climax (experience orgasm).

Value	Label	Unweighted Frequency	%
1	Yes	264	17.4 %

Value	Label	Unweighted Frequency	%
2	No	608	40.1 %
	<b>Missing Data</b>		
.	-	646	42.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 872 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1686-1686 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q67C: (W2Q67C) During the last 12 months, has there ever been a period of several months or more when you: Felt anxious just before having sex about your ability to perform sexually.**

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Felt anxious just before having sex about your ability to perform sexually.

Value	Label	Unweighted Frequency	%
1	Yes	289	19.0 %
2	No	579	38.1 %
	<b>Missing Data</b>		
.	-	650	42.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 868 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1687-1687 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q67D: (W2Q67D) During the last 12 months, has there ever been a period of several months or more when you: You had no sex during the last 12 months.**

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: You had no sex during the last 12 months.

Value	Label	Unweighted Frequency	%
1	Yes	195	12.8 %
2	No	682	44.9 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
-		641	42.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 877 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1688-1688 (width: 1; decimal: 0)

Variable Type: numeric

### **W2Q68\_1: (W2Q68\_1) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Asked each other to get tested for HIV or other sexually transmitted infections.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	547	36.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-		971	64.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 547 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1689-1690 (width: 2; decimal: 0)

Variable Type: numeric

**W2Q68\_2: (W2Q68\_2) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Choose a sex partner who matches your HIV status.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	47	3.1 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1471	96.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 47 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1691-1692 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

**W2Q68\_3: (W2Q68\_3) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	46	3.0 %

Value	Label	Unweighted Frequency	%
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1472	97.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 46 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1693-1694 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

#### **W2Q68\_4: (W2Q68\_4) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	29	1.9 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1489	98.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 29 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1695-1696 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q68\_5: (W2Q68\_5) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	35	2.3 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1483	97.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 35 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1697-1698 (width: 2; decimal: 0)

Variable Type: numeric

---

**W2Q68\_6: (W2Q68\_6) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	70	4.6 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1448	95.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 70 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1699-1700 (width: 2; decimal: 0)

Variable Type: numeric

---

**W2Q68\_7: (W2Q68\_7) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's sexual history.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	117	7.7 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1401	92.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 117 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1701-1702 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q68\_8: (W2Q68\_8) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Reduce contact of vaginal or seminal fluids, such as 'pulling out' or withdrawal.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	19	1.3 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1499	98.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 19 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1703-1704 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q68\_9: (W2Q68\_9) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Restrict sexual activity to only mutual masturbation.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	12	0.8 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1506	99.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 12 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1705-1706 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q68\_10: (W2Q68\_10) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Restrict sexual activity to only oral sex.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	15	1.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	<b>Missing Data</b>		
.	-	1503	99.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 15 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1707-1708 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q68\_11: (W2Q68\_11) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Use latex barriers (dental dam, plastic wrap, or condom).**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	46	3.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1472	97.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 46 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 1709-1710 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q68\_12: (W2Q68\_12) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Use PEP/PrEP.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	3	0.2 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1515	99.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 1711-1712 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W2Q68\_13: (W2Q68\_13) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Wash sex toys between each partner use.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Wash sex toys between each partner use	95	6.3 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1423	93.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 95 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 1713-1714 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q68\_14: (W2Q68\_14) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Agree to only have sex with one another.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	127	8.4 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1391	91.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 127 valid cases out of 1,518 total cases.

- Minimum: 14.00
- Maximum: 14.00

*Location:* 1715-1716 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q68\_15: (W2Q68\_15) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. None of these.**

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	113	7.4 %
<b>Missing Data</b>			
.	-	1405	92.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 113 valid cases out of 1,518 total cases.

- Minimum: 15.00
- Maximum: 15.00

*Location:* 1717-1718 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q69\_1: (W2Q69\_1) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. I did not have sex with a man in the past year.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	304	20.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1214	80.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 304 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1719-1720 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q69\_2: (W2Q69\_2) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Asked each other to get tested for HIV or other sexually transmitted infections.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	98	6.5 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
-	-	1420	93.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 98 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1721-1722 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W2Q69\_3: (W2Q69\_3) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Check your partner for any signs of infection.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	134	8.8 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1384	91.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 134 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1723-1724 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W2Q69\_4: (W2Q69\_4) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Choose a sex partner who matches your HIV status.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	113	7.4 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	<b>Missing Data</b>		
.	-	1405	92.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 113 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1725-1726 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q69\_5: (W2Q69\_5) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	111	7.3 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1407	92.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 111 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1727-1728 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## W2Q69\_6: (W2Q69\_6) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	186	12.3 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1332	87.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 186 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1729-1730 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W2Q69\_7: (W2Q69\_7) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss each other's sexual history.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	193	12.7 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1325	87.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 193 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1731-1732 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W2Q69\_8: (W2Q69\_8) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	82	5.4 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1436	94.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 82 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 1733-1734 (width: 2; decimal: 0)

Variable Type: numeric

---

### **W2Q69\_9: (W2Q69\_9) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Restrict sexual activity to only mutual masturbation.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	67	4.4 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1451	95.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 67 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 1735-1736 (width: 2; decimal: 0)

Variable Type: numeric

---

### **W2Q69\_10: (W2Q69\_10) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Restrict sexual activity to only oral sex.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	108	7.1 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1410	92.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 108 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1737-1738 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q69\_11: (W2Q69\_11) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Use latex barriers (dental dam, plastic wrap, or condom).**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	179	11.8 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1339	88.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 179 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 1739-1740 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q69\_12: (W2Q69\_12) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Use PEP/PrEP.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	40	2.6 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			

Value	Label	Unweighted Frequency	%
.	-	1478	97.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 40 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 1741-1742 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q69\_13: (W2Q69\_13) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Wash sex toys between each partner use.**

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	106	7.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1412	93.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 106 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 1743-1744 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q69\_14: (W2Q69\_14) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Agree to only have sex with one another.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	194	12.8 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
<b>Missing Data</b>			
.	-	1324	87.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 194 valid cases out of 1,518 total cases.

- Minimum: 14.00
- Maximum: 14.00

*Location:* 1745-1746 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q69\_15: (W2Q69\_15) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. None of these.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	127	8.4 %
<b>Missing Data</b>			
.	-	1391	91.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 127 valid cases out of 1,518 total cases.

- Minimum: 15.00
- Maximum: 15.00

*Location:* 1747-1748 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q70: (W2Q70) In the past year, how many times did you get tested for sexually transmitted infections (STIs) other than HIV?

In the past year, how many times did you get tested for sexually transmitted infections (STIs) other than HIV?

Value	Label	Unweighted Frequency	%
0	-	518	34.1 %
1	-	195	12.8 %
2	-	78	5.1 %
3	-	38	2.5 %
4	-	21	1.4 %
5	-	5	0.3 %
10	-	1	0.1 %
12	-	2	0.1 %
<b>Missing Data</b>			
.	-	660	43.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 858 valid cases out of 1,518 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.22

*Location:* 1749-1750 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q71: (W2Q71) In the past year, how many times did you get tested for HIV?**

In the past year, how many times did you get tested for HIV?

Value	Label	Unweighted Frequency	%
0	-	532	35.0 %
1	-	187	12.3 %
2	-	66	4.3 %
3	-	32	2.1 %
4	-	23	1.5 %
5	-	6	0.4 %
6	-	3	0.2 %
9	-	1	0.1 %
10	-	1	0.1 %
12	-	2	0.1 %
<b>Missing Data</b>			
.	-	665	43.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 853 valid cases out of 1,518 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.29

*Location:* 1751-1752 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q72: (W2Q72) How often do you worry that you might get HIV?**

How often do you worry that you might get HIV?

Value	Label	Unweighted Frequency	%
1	Never	539	35.5 %
2	Sometimes	239	15.7 %

Value	Label	Unweighted Frequency	%
3	Often	29	1.9 %
4	Always	13	0.9 %
5	Does not apply to me	64	4.2 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1753-1753 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q73: (W2Q73) How likely is it that you will become HIV positive in your lifetime?**

How likely is it that you will become HIV positive in your lifetime?

Value	Label	Unweighted Frequency	%
1	Very unlikely	517	34.1 %
2	Unlikely	196	12.9 %
3	Somewhat unlikely	84	5.5 %
4	Likely	17	1.1 %
5	Very likely	6	0.4 %
6	Does not apply to me	63	4.2 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1754-1754 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q74: (W2Q74) Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?**

Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Not at all familiar	362	23.8 %
2	Somewhat familiar	342	22.5 %
3	Very familiar	183	12.1 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1755-1755 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q75: (W2Q75) Are you for or against HIV-negative people taking Truvada as PrEP to prevent the transmission of HIV?**

Are you for or against HIV-negative people taking Truvada as PrEP to prevent the transmission of HIV?

Value	Label	Unweighted Frequency	%
1	I am against it	8	0.5 %
2	I have mixed feelings about it	83	5.5 %
3	I am for it	458	30.2 %
4	I don't have an opinion	94	6.2 %
5	I don't know enough about it	240	15.8 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1756-1756 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q76: (W2Q76) Are you currently taking Truvada as PrEP?**

Are you currently taking Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Yes	29	1.9 %
2	No	856	56.4 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1757-1757 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q77: (W2Q77) Would you say that in general your health is...**

Would you say that in general your health is...

Value	Label	Unweighted Frequency	%
1	Poor	35	2.3 %
2	Fair	126	8.3 %
3	Good	275	18.1 %
4	Very good	350	23.1 %
5	Excellent	103	6.8 %
	<b>Missing Data</b>		
.	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1758-1758 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q78: (W2Q78) Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?**

Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Label	Unweighted Frequency	%
0	None	295	19.4 %
1	-	85	5.6 %
2	-	81	5.3 %
3	-	68	4.5 %

Value	Label	Unweighted Frequency	%
4	-	51	3.4 %
5	-	42	2.8 %
6	-	17	1.1 %
7	-	19	1.3 %
8	-	7	0.5 %
9	-	15	1.0 %
10	-	20	1.3 %
11	-	2	0.1 %
12	-	5	0.3 %
13	-	3	0.2 %
14	-	12	0.8 %
15	-	13	0.9 %
16	-	1	0.1 %
17	-	1	0.1 %
18	-	1	0.1 %
19	-	8	0.5 %
20	-	9	0.6 %
21	-	2	0.1 %
22	-	1	0.1 %
24	-	5	0.3 %
25	-	3	0.2 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	19	1.3 %
30	-	24	1.6 %
<b>Missing Data</b>			
.	-	707	46.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 811 valid cases out of 1,518 total cases.

- Mean: 4.86
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.71

*Location:* 1759-1760 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## W2Q79: (W2Q79) Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Label	Unweighted Frequency	%
0	None	159	10.5 %
1	-	47	3.1 %
2	-	59	3.9 %
3	-	46	3.0 %
4	-	45	3.0 %
5	-	76	5.0 %
6	-	22	1.4 %
7	-	28	1.8 %
8	-	16	1.1 %
9	-	27	1.8 %
10	-	45	3.0 %
11	-	5	0.3 %
12	-	12	0.8 %
13	-	8	0.5 %
14	-	16	1.1 %
15	-	46	3.0 %
16	-	5	0.3 %
17	-	2	0.1 %
18	-	4	0.3 %
19	-	14	0.9 %
20	-	52	3.4 %
22	-	2	0.1 %
23	-	1	0.1 %
24	-	8	0.5 %
25	-	16	1.1 %
26	-	6	0.4 %
27	-	1	0.1 %
28	-	4	0.3 %
29	-	27	1.8 %
30	-	30	2.0 %
Missing Data			
.	-	689	45.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 829 valid cases out of 1,518 total cases.

- Mean: 8.88
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.05

*Location:* 1761-1762 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W2Q80: (W2Q80) During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?**

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Label	Unweighted Frequency	%
0	None	296	19.5 %
1	-	58	3.8 %
2	-	67	4.4 %
3	-	59	3.9 %
4	-	37	2.4 %
5	-	55	3.6 %
6	-	18	1.2 %
7	-	24	1.6 %
8	-	11	0.7 %
9	-	22	1.4 %
10	-	33	2.2 %
11	-	5	0.3 %
12	-	4	0.3 %
13	-	4	0.3 %
14	-	14	0.9 %
15	-	22	1.4 %
16	-	5	0.3 %
17	-	2	0.1 %
18	-	4	0.3 %
19	-	8	0.5 %
20	-	17	1.1 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	7	0.5 %
25	-	5	0.3 %

Value	Label	Unweighted Frequency	%
27	-	1	0.1 %
29	-	12	0.8 %
30	-	16	1.1 %
	<b>Missing Data</b>		
.	-	710	46.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 808 valid cases out of 1,518 total cases.

- Mean: 5.24
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.38

*Location:* 1763-1764 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

### **W2Q81\_1: (W2Q81\_1) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Hypertension (high blood pressure)**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	172	11.3 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %

Value	Label	Unweighted Frequency	%
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
-	-	1346	88.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 172 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1765-1766 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## **W2Q81\_2: (W2Q81\_2) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. High cholesterol**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	139	9.2 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %

Value	Label	Unweighted Frequency	%
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1379	90.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 139 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1767-1768 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W2Q81\_3: (W2Q81\_3) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Heart condition or heart disease

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	33	2.2 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1485	97.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 33 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1769-1770 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W2Q81\_4: (W2Q81\_4) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Angina**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	4	0.3 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %

Value	Label	Unweighted Frequency	%
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1514	99.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 4 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1771-1772 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W2Q81\_5: (W2Q81\_5) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. A heart attack

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	3	0.2 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
-	-	1515	99.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 1773-1774 (width: 2; decimal: 0)

Variable Type: numeric

---

### W2Q81\_6: (W2Q81\_6) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. A stroke

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	3	0.2 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %

Value	Label	Unweighted Frequency	%
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1515	99.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 1775-1776 (width: 2; decimal: 0)

Variable Type: numeric

---

### W2Q81\_7: (W2Q81\_7) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Emphysema

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	3	0.2 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1515	99.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1777-1778 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### W2Q81\_8: (W2Q81\_8) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Asthma

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	73	4.8 %
9	An ulcer	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1445	95.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 73 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1779-1780 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q81\_9: (W2Q81\_9) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. An ulcer**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %

Value	Label	Unweighted Frequency	%
9	An ulcer	15	1.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1503	99.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 15 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1781-1782 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q81\_10: (W2Q81\_10) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Cancer or a malignancy of any kind**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %

Value	Label	Unweighted Frequency	%
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	16	1.1 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
-	-	1502	98.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 16 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1783-1784 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q81\_11: (W2Q81\_11) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Diabetes**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %

Value	Label	Unweighted Frequency	%
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	49	3.2 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1469	96.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 1785-1786 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_12: (W2Q81\_12) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	56	3.7 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1462	96.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 56 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 1787-1788 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q81\_13: (W2Q81\_13) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	98	6.5 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1420	93.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 98 valid cases out of 1,518 total cases.

- Minimum: 13.00
- Maximum: 13.00

*Location:* 1789-1790 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q81\_14: (W2Q81\_14) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Blood clots in legs or lungs**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	5	0.3 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1513	99.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 14.00
- Maximum: 14.00

*Location:* 1791-1792 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_15: (W2Q81\_15) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Osteoporosis or loss of bone density**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	13	0.9 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1505	99.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 13 valid cases out of 1,518 total cases.

- Minimum: 15.00
- Maximum: 15.00

*Location:* 1793-1794 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q81\_16: (W2Q81\_16) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Thyroid problems**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	58	3.8 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1460	96.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 58 valid cases out of 1,518 total cases.

- Minimum: 16.00
- Maximum: 16.00

*Location:* 1795-1796 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### W2Q81\_17: (W2Q81\_17) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Liver disease

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	9	0.6 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1509	99.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 17.00
- Maximum: 17.00

*Location:* 1797-1798 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_18: (W2Q81\_18) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Chronic obstructive pulmonary disease (COPD)**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	9	0.6 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1509	99.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 9 valid cases out of 1,518 total cases.

- Minimum: 18.00
- Maximum: 18.00

*Location:* 1799-1800 (width: 2; decimal: 0)

*Variable Type:* numeric

---

**W2Q81\_19: (W2Q81\_19) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Crohn's disease or ulcerative colitis**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	6	0.4 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1512	99.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

- Minimum: 19.00
- Maximum: 19.00

*Location:* 1801-1802 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_20: (W2Q81\_20) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Kidney disease**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	8	0.5 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1510	99.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 8 valid cases out of 1,518 total cases.

- Minimum: 20.00
- Maximum: 20.00

*Location:* 1803-1804 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q81\_21: (W2Q81\_21) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. HIV/AIDS**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	32	2.1 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1486	97.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 32 valid cases out of 1,518 total cases.

- Minimum: 21.00
- Maximum: 21.00

*Location:* 1805-1806 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_22: (W2Q81\_22) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Other sexually transmitted infection (not including HIV/AIDS)**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	34	2.2 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1484	97.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 34 valid cases out of 1,518 total cases.

- Minimum: 22.00
- Maximum: 22.00

*Location:* 1807-1808 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_23: (W2Q81\_23) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Sleep disorder (e.g., insomnia or sleep apnea)**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	142	9.4 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
<b>Missing Data</b>			
.	-	1376	90.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 142 valid cases out of 1,518 total cases.

- Minimum: 23.00
- Maximum: 23.00

*Location:* 1809-1810 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

**W2Q81\_24: (W2Q81\_24) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.**

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	27	1.8 %
<b>Missing Data</b>			
.	-	1491	98.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 27 valid cases out of 1,518 total cases.

- Minimum: 24.00
- Maximum: 24.00

*Location:* 1811-1812 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

## **W2Q82: (W2Q82) Are you limited in any way in any activities because of physical, mental, or emotional problems?**

Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Label	Unweighted Frequency	%
1	Yes	336	22.1 %
2	No	548	36.1 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1813-1813 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q83: (W2Q83) Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.**

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.

Value	Label	Unweighted Frequency	%
1	Yes	80	5.3 %
2	No	806	53.1 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1814-1814 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2KESSLER6: (W2KESSLER6) Kessler 6\_wave 2**

Kessler 6

Value	Label	Unweighted Frequency	%
0	-	51	3.4 %
1	-	48	3.2 %
2	-	74	4.9 %
3	-	68	4.5 %
4	-	70	4.6 %

Value	Label	Unweighted Frequency	%
5	-	74	4.9 %
6	-	58	3.8 %
7	-	54	3.6 %
8	-	54	3.6 %
9	-	40	2.6 %
10	-	50	3.3 %
11	-	39	2.6 %
12	-	44	2.9 %
13	-	44	2.9 %
14	-	29	1.9 %
15	-	16	1.1 %
16	-	12	0.8 %
17	-	28	1.8 %
18	-	10	0.7 %
19	-	2	0.1 %
20	-	9	0.6 %
21	-	3	0.2 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
<b>Missing Data</b>			
.	-	636	41.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Mean: 7.36
- Median: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.13

*Location:* 2532-2533 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## W2KESSLER6\_I: (W2KESSLER6\_I) Kessler 6 with imputation\_wave 2

Kessler 6 with imputation

Value	Label	Unweighted Frequency	%
0	-	51	3.4 %
1	-	48	3.2 %
2	-	76	5.0 %

Value	Label	Unweighted Frequency	%
3	-	68	4.5 %
4	-	71	4.7 %
5	-	75	4.9 %
6	-	58	3.8 %
7	-	54	3.6 %
8	-	55	3.6 %
9	-	41	2.7 %
10	-	51	3.4 %
11	-	41	2.7 %
12	-	46	3.0 %
13	-	44	2.9 %
14	-	30	2.0 %
15	-	16	1.1 %
16	-	12	0.8 %
17	-	28	1.8 %
18	-	10	0.7 %
19	-	2	0.1 %
20	-	9	0.6 %
21	-	3	0.2 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	2	0.1 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 7.37
- Median: 6.50
- Mode: 2.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.11

*Location:* 2534-2535 (width: 2; decimal: 0)

*Variable Type:* numeric

---

## W2Q84A: (W2Q84A) During the past 30 days, about how often did you feel... nervous

During the past 30 days, about how often did you feel... Nervous

Value	Label	Unweighted Frequency	%
1	All of the time	28	1.8 %
2	Most of the time	111	7.3 %
3	Some of the time	321	21.1 %
4	A little of the time	298	19.6 %
5	None of the time	132	8.7 %
<b>Missing Data</b>			
.	-	628	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 890 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1815-1815 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q84B: (W2Q84B) During the past 30 days, about how often did you feel... hopeless**

During the past 30 days, about how often did you feel... Hopeless

Value	Label	Unweighted Frequency	%
1	All of the time	15	1.0 %
2	Most of the time	68	4.5 %
3	Some of the time	205	13.5 %
4	A little of the time	257	16.9 %
5	None of the time	342	22.5 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1816-1816 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q84C: (W2Q84C) During the past 30 days, about how often did you feel... restless or fidgety**

During the past 30 days, about how often did you feel... Restless or fidgety

Value	Label	Unweighted Frequency	%
1	All of the time	37	2.4 %

Value	Label	Unweighted Frequency	%
2	Most of the time	143	9.4 %
3	Some of the time	283	18.6 %
4	A little of the time	260	17.1 %
5	None of the time	165	10.9 %
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1817-1817 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q84D: (W2Q84D) During the past 30 days, about how often did you feel... so depressed that nothing could cheer you up**

During the past 30 days, about how often did you feel... So depressed that nothing could cheer you up

Value	Label	Unweighted Frequency	%
1	All of the time	9	0.6 %
2	Most of the time	50	3.3 %
3	Some of the time	169	11.1 %
4	A little of the time	215	14.2 %
5	None of the time	443	29.2 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1818-1818 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q84E: (W2Q84E) During the past 30 days, about how often did you feel... that everything was an effort**

During the past 30 days, about how often did you feel... That everything was an effort

Value	Label	Unweighted Frequency	%
1	All of the time	65	4.3 %
2	Most of the time	114	7.5 %
3	Some of the time	218	14.4 %
4	A little of the time	267	17.6 %
5	None of the time	224	14.8 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1819-1819 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q84F: (W2Q84F) During the past 30 days, about how often did you feel... worthless**

During the past 30 days, about how often did you feel... Worthless

Value	Label	Unweighted Frequency	%
1	All of the time	28	1.8 %
2	Most of the time	55	3.6 %
3	Some of the time	145	9.6 %
4	A little of the time	213	14.0 %
5	None of the time	447	29.4 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1820-1820 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2AUDITC: (W2AUDITC) Audit-C\_wave 2**

Audit-C

Value	Label	Unweighted Frequency	%
0	-	165	10.9 %

Value	Label	Unweighted Frequency	%
1	-	165	10.9 %
2	-	129	8.5 %
3	-	135	8.9 %
4	-	106	7.0 %
5	-	61	4.0 %
6	-	48	3.2 %
7	-	36	2.4 %
8	-	22	1.4 %
9	-	10	0.7 %
10	-	2	0.1 %
11	-	4	0.3 %
12	-	3	0.2 %
<b>Missing Data</b>			
-	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Mean: 2.78
- Median: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.40

*Location:* 2334-2335 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

## W2AUDITC\_I: (W2AUDITC\_I) Audit-C with imputation\_wave 2

Audit-C with imputation

Value	Label	Unweighted Frequency	%
0	-	169	11.1 %
1	-	166	10.9 %
2	-	130	8.6 %
3	-	135	8.9 %
4	-	106	7.0 %
5	-	61	4.0 %
6	-	48	3.2 %
7	-	37	2.4 %
8	-	22	1.4 %
9	-	10	0.7 %
10	-	2	0.1 %

Value	Label	Unweighted Frequency	%
11	-	4	0.3 %
12	-	4	0.3 %
	<b>Missing Data</b>		
.	-	624	41.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.42

*Location:* 2336-2337 (width: 2; decimal: 0)

*Variable Type:* numeric

## W2Q85: (W2Q85) How often do you have a drink containing alcohol?

How often do you have a drink containing alcohol?

Value	Label	Unweighted Frequency	%
1	Never	169	11.1 %
2	Monthly or less	221	14.6 %
3	2-4 times a month	220	14.5 %
4	2-3 times a week	141	9.3 %
5	4 or more times a week	139	9.2 %
	<b>Missing Data</b>		
.	-	628	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 890 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1821-1821 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2Q86: (W2Q86) How many standard drinks containing alcohol do you have on a typical day?

How many standard drinks containing alcohol do you have on a typical day?

Value	Label	Unweighted Frequency	%
0	None	414	27.3 %

Value	Label	Unweighted Frequency	%
1	1 or 2	313	20.6 %
2	3 or 4	114	7.5 %
3	5 or 6	33	2.2 %
4	7 to 9	8	0.5 %
5	10 or more	5	0.3 %
.	Missing Data		
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 0.00
- Maximum: 5.00

*Location:* 1822-1822 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q87: (W2Q87) How often do you have six or more drinks on one occasion?**

How often do you have six or more drinks on one occasion?

Value	Label	Unweighted Frequency	%
1	Never	506	33.3 %
2	Less than monthly	235	15.5 %
3	Monthly	84	5.5 %
4	Weekly	52	3.4 %
5	Daily or almost daily	12	0.8 %
.	Missing Data		
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1823-1823 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q88: Do you now smoke cigarettes every day, some days, or not at all? Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis, kreteks, water pipes (hookahs), or marijuana.**

Do you now smoke cigarettes every day, some days, or not at all? Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis, kreteks, water pipes (hookahs), or marijuana.

Value	Label	Unweighted Frequency	%
1	Every day	140	9.2 %
2	Some days	72	4.7 %
3	Not at all	677	44.6 %
	<b>Missing Data</b>		
.	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1824-1824 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2DUDIT: (W2DUDIT) Drug Use Disorders Identification Test (DUDIT) wave 2

Drug Use Disorders Identification Test (DUDIT)

Value	Label	Unweighted Frequency	%
0	-	501	33.0 %
1	-	19	1.3 %
2	-	81	5.3 %
3	-	45	3.0 %
4	-	52	3.4 %
5	-	28	1.8 %
6	-	21	1.4 %
7	-	15	1.0 %
8	-	13	0.9 %
9	-	9	0.6 %
10	-	11	0.7 %
11	-	7	0.5 %
12	-	11	0.7 %
13	-	8	0.5 %
14	-	6	0.4 %
15	-	5	0.3 %
16	-	6	0.4 %
17	-	4	0.3 %
18	-	5	0.3 %
19	-	5	0.3 %
20	-	3	0.2 %
21	-	2	0.1 %

Value	Label	Unweighted Frequency	%
22	-	2	0.1 %
23	-	2	0.1 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
37	-	1	0.1 %
<b>Missing Data</b>			
-	-	647	42.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 871 valid cases out of 1,518 total cases.

- Mean: 2.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 5.27

*Location:* 2407-2408 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2DUDIT\_I: (W2DUDIT\_I) Drug Use Disorders Identification Test (DUDIT) with imputation wave 2**

Drug Use Disorders Identification Test (DUDIT) with imputation

Value	Label	Unweighted Frequency	%
0	-	516	34.0 %
1	-	20	1.3 %
2	-	83	5.5 %
3	-	45	3.0 %
4	-	52	3.4 %
5	-	30	2.0 %
6	-	22	1.4 %
7	-	16	1.1 %
8	-	13	0.9 %

Value	Label	Unweighted Frequency	%
9	-	10	0.7 %
10	-	11	0.7 %
11	-	7	0.5 %
12	-	11	0.7 %
13	-	8	0.5 %
14	-	6	0.4 %
15	-	5	0.3 %
16	-	6	0.4 %
17	-	4	0.3 %
18	-	5	0.3 %
19	-	5	0.3 %
20	-	3	0.2 %
21	-	2	0.1 %
22	-	2	0.1 %
23	-	2	0.1 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
37	-	1	0.1 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 2.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 5.22

*Location:* 2409-2410 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

## W2Q89: (W2Q89) How often do you use drugs other than alcohol?

How often do you use drugs other than alcohol?

Value	Label	Unweighted Frequency	%
1	Never	572	37.7 %
2	Once a month or less often	126	8.3 %
3	2-4 times a month	54	3.6 %
4	2-3 times a week	43	2.8 %
5	4 times a week or more often	94	6.2 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1825-1825 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q90: (W2Q90) Do you use more than one type of drug on the same occasion?**

Do you use more than one type of drug on the same occasion?

Value	Label	Unweighted Frequency	%
1	Never	783	51.6 %
2	Once a month or less often	74	4.9 %
3	2-4 times a month	20	1.3 %
4	2-3 times a week	5	0.3 %
5	4 times a week or more often	7	0.5 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1826-1826 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q91: (W2Q91) How many times do you take drugs on a typical day when you use drugs?**

How many times do you take drugs on a typical day when you use drugs?

Value	Label	Unweighted Frequency	%
1	0	592	39.0 %
2	1-2	246	16.2 %
3	3-4	33	2.2 %
4	5-6	3	0.2 %
5	7 or more	14	0.9 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1827-1827 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q92: (W2Q92) How often are you influenced heavily by drugs?**

How often are you influenced heavily by drugs?

Value	Label	Unweighted Frequency	%
1	Never	743	48.9 %
2	Less often than once a month	87	5.7 %
3	Every month	18	1.2 %
4	Every week	17	1.1 %
5	Daily or almost every day	24	1.6 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1828-1828 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q93: (W2Q93) Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?**

Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

Value	Label	Unweighted Frequency	%
1	Never	815	53.7 %
2	Less often than once a month	42	2.8 %
3	Every month	12	0.8 %
4	Every week	11	0.7 %
5	Daily or almost every day	8	0.5 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1829-1829 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q94: (W2Q94) Has it happened, over the past year, that you have not been able to stop taking drugs once you started?**

Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

Value	Label	Unweighted Frequency	%
1	Never	848	55.9 %
2	Less often than once a month	16	1.1 %
3	Every month	5	0.3 %
4	Every week	8	0.5 %
5	Daily or almost every day	8	0.5 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1830-1830 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q95: (W2Q95) How often over the past year have you taken drugs and then neglected to do something you should have done?**

How often over the past year have you taken drugs and then neglected to do something you should have done?

Value	Label	Unweighted Frequency	%
1	Never	768	50.6 %
2	Less often than once a month	88	5.8 %
3	Every month	19	1.3 %
4	Every week	11	0.7 %
5	Daily or almost every day	2	0.1 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1831-1831 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q96: (W2Q96) How often over the past year have you needed to take a drug the morning after heavy drug use the day before?**

How often over the past year have you needed to take a drug the morning after heavy drug use the day before?

Value	Label	Unweighted Frequency	%
1	Never	845	55.7 %
2	Less often than once a month	26	1.7 %
3	Every month	8	0.5 %
4	Every week	6	0.4 %
5	Daily or almost every day	4	0.3 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1832-1832 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q97: (W2Q97) How often over the past year have you had guilt feelings or a bad conscience because you used drugs?**

How often over the past year have you had guilt feelings or a bad conscience because you used drugs?

Value	Label	Unweighted Frequency	%
1	Never	791	52.1 %
2	Less often than once a month	62	4.1 %
3	Every month	16	1.1 %
4	Every week	11	0.7 %
5	Daily or almost every day	7	0.5 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1833-1833 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q98: (W2Q98) Have you or anyone else been hurt (mentally or physically) because you used drugs?**

Have you or anyone else been hurt (mentally or physically) because you used drugs?

Value	Label	Unweighted Frequency	%
1	No	812	53.5 %
2	Yes, but not over the past year	59	3.9 %
3	Yes, over the past year	14	0.9 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1834-1834 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q99: (W2Q99) Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?**

Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?

Value	Label	Unweighted Frequency	%
1	No	818	53.9 %

Value	Label	Unweighted Frequency	%
2	Yes, but not over the past year	46	3.0 %
3	Yes, over the past year	25	1.6 %
	<b>Missing Data</b>		
.	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1835-1835 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q100: (W2Q100) In the past year, did you have thoughts of killing yourself?**

In the past year, did you have thoughts of killing yourself?

Value	Label	Unweighted Frequency	%
1	No	538	35.4 %
2	Yes	349	23.0 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1836-1836 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q101: (W2Q101) In the past year, did you have intention to act on thoughts of wishing you were dead or trying to kill yourself?**

In the past year, did you have intention to act on thoughts of wishing you were dead or trying to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	789	52.0 %
2	Yes	98	6.5 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1837-1837 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q102: (W2Q102) In the past year, did you think about how you might kill yourself (e.g., taking pills, shooting yourself) or work out a plan of how to kill yourself?**

In the past year, did you think about how you might kill yourself (e.g., taking pills, shooting yourself) or work out a plan of how to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	617	40.6 %
2	Yes	266	17.5 %
	<b>Missing Data</b>		
.	-	635	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1838-1838 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q103: (W2Q103) In the past year, did you make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?**

In the past year, did you make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?

Value	Label	Unweighted Frequency	%
1	No	866	57.0 %
2	Yes	21	1.4 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1839-1839 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q104: (W2Q104) If yes, what were the most serious injuries you received from a suicide attempt in the past year?**

If yes in question 103, what were the most serious injuries you received from a suicide attempt in the past year?

Value	Label	Unweighted Frequency	%
1	No injury	2	0.1 %
2	Very minor injury (e.g., surface scratches, mild nausea)	10	0.7 %
3	Minor injury (e.g., sprain, first degree burns, flesh wound)	4	0.3 %
4	Moderate injury not requiring overnight hospitalization (e.g., broken bones, second degree burns, stitches, bullet lodge)	1	0.1 %
5	Moderate injury requiring overnight hospitalization (e.g., major fracture, third degree burns, coma, bullet lodged in abd)	3	0.2 %
6	Sever injuries requiring treatment in an intensive care unit to save life (e.g., major fracture of skull or spine, sever	1	0.1 %
<b>Missing Data</b>			
.	-	1497	98.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 21 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 6.00

*Location:* 1840-1840 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

## **W2Q105: (W2Q105) In the past year, did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?**

In the past year, did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?

Value	Label	Unweighted Frequency	%
1	No	765	50.4 %
2	Yes	122	8.0 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1841-1841 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q106A: (W2Q106A) Are you out to all, most, some, or out to none of your... family**

Are you out to all, most, some, or out to none of your... Family

Value	Label	Unweighted Frequency	%
1	All	390	25.7 %
2	Most	197	13.0 %
3	Some	206	13.6 %
4	None	85	5.6 %
	<b>Missing Data</b>		
.	-	640	42.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 878 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1842-1842 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q106B: (W2Q106B) Are you out to all, most, some, or out to none of your... straight friends**

Are you out to all, most, some, or out to none of your... Straight friends

Value	Label	Unweighted Frequency	%
1	All	465	30.6 %
2	Most	202	13.3 %
3	Some	181	11.9 %
4	None	29	1.9 %
	<b>Missing Data</b>		
.	-	641	42.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 877 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1843-1843 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q106C: (W2Q106C) Are you out to all, most, some, or out to none of your... co-workers**

Are you out to all, most, some, or out to none of your... Co-workers

Value	Label	Unweighted Frequency	%
1	All	297	19.6 %
2	Most	109	7.2 %
3	Some	178	11.7 %
4	None	159	10.5 %
	<b>Missing Data</b>		
.	-	775	51.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 743 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1844-1844 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q106D: (W2Q106D) Are you out to all, most, some, or out to none of your... healthcare providers**

Are you out to all, most, some, or out to none of your... Healthcare providers

Value	Label	Unweighted Frequency	%
1	All	448	29.5 %
2	Most	88	5.8 %
3	Some	106	7.0 %
4	None	146	9.6 %
	<b>Missing Data</b>		
.	-	730	48.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 788 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1845-1845 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q107: (W2Q107) How often, if ever, can people tell you are LGB even if you don't tell them?**

How often, if ever, can people tell you are LGB even if you don't tell them?

Value	Label	Unweighted Frequency	%
1	Always	41	2.7 %
2	Most of the time	129	8.5 %

Value	Label	Unweighted Frequency	%
3	Sometimes	232	15.3 %
4	Occasionally	288	19.0 %
5	Never	196	12.9 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1846-1846 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2FELTSTIGMA: (W2FELTSTIGMA) Felt stigma wave 2

Felt stigma

Value	Label	Unweighted Frequency	%
1.000000000000000	-	88	5.8 %
1.3333333730698	-	54	3.6 %
1.6666666269302	-	79	5.2 %
2.000000000000000	-	119	7.8 %
2.3333332538605	-	117	7.7 %
2.6666667461395	-	102	6.7 %
3.000000000000000	-	104	6.9 %
3.3333332538605	-	78	5.1 %
3.6666667461395	-	65	4.3 %
4.000000000000000	-	47	3.1 %
4.3333334922791	-	15	1.0 %
4.6666665077209	-	9	0.6 %
5.000000000000000	-	9	0.6 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Mean: 2.5112866791592
- Median: 2.3333332538605
- Mode: 2.000000000000000
- Minimum: 1.000000000000000

- Maximum: 5.00000000000000
- Standard Deviation: 0.9420419842178

*Location:* 2441-2455 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2FELTSTIGMA\_I: (W2FELTSTIGMA\_I) Felt stigma with imputation\_wave 2**

Felt stigma with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	89	5.9 %
1.3333333730698	-	54	3.6 %
1.6666666269302	-	79	5.2 %
2.00000000000000	-	120	7.9 %
2.333332538605	-	118	7.8 %
2.6666667461395	-	102	6.7 %
3.00000000000000	-	105	6.9 %
3.333332538605	-	80	5.3 %
3.6666667461395	-	67	4.4 %
4.00000000000000	-	47	3.1 %
4.333334922791	-	15	1.0 %
4.6666665077209	-	9	0.6 %
5.00000000000000	-	9	0.6 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 2.5137956722471
- Median: 2.333332538605
- Mode: 2.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.9418827210210

*Location:* 2456-2470 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2Q108: (W2Q108) Most people where I live think less of a person who is LGB.**

Most people where I live think less of a person who is LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	205	13.5 %

Value	Label	Unweighted Frequency	%
2	Somewhat disagree	247	16.3 %
3	Neither agree nor disagree	154	10.1 %
4	Somewhat agree	220	14.5 %
5	Strongly agree	63	4.2 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1847-1847 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q109: (W2Q109) Most employers where I live will hire openly LGB people if they are qualified for the job.**

Most employers where I live will hire openly LGB people if they are qualified for the job.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	29	1.9 %
2	Somewhat disagree	74	4.9 %
3	Neither agree nor disagree	150	9.9 %
4	Somewhat agree	336	22.1 %
5	Strongly agree	298	19.6 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1848-1848 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q110: (W2Q110) Most people where I live would not want someone who is openly LGB to take care of their children.**

Most people where I live would not want someone who is openly LGB to take care of their children.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	137	9.0 %
2	Somewhat disagree	231	15.2 %
3	Neither agree nor disagree	264	17.4 %
4	Somewhat agree	193	12.7 %
5	Strongly agree	62	4.1 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1849-1849 (*width:* 1; *decimal:* 0)

*Variable Type:* numeric

## W2INTERNALIZED: (W2INTERNALIZED) Internalized homophobia\_wave 2

Internalized homophobia

Value	Label	Unweighted Frequency	%
1.000000000000000	-	450	29.6 %
1.2000000476837	-	65	4.3 %
1.3999999761581	-	57	3.8 %
1.6000000238419	-	66	4.3 %
1.7999999523163	-	51	3.4 %
2.00000000000000	-	44	2.9 %
2.2000000476837	-	18	1.2 %
2.4000000953674	-	33	2.2 %
2.5999999046326	-	23	1.5 %
2.7999999523163	-	22	1.4 %
3.00000000000000	-	19	1.3 %
3.2000000476837	-	6	0.4 %
3.4000000953674	-	7	0.5 %
3.5999999046326	-	7	0.5 %
3.7999999523163	-	6	0.4 %
4.00000000000000	-	4	0.3 %
4.1999998092651	-	1	0.1 %
4.4000000953674	-	1	0.1 %
4.5999999046326	-	1	0.1 %
5.00000000000000	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	636	41.9 %
	Total	1,518	100%

Based upon 882 valid cases out of 1,518 total cases.

- Mean: 1.4916099789732
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.7116653334484

*Location:* 2502-2516 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2INTERNALIZED\_I: (W2INTERNALIZED\_I) Internalized homophobia with imputation\_wave 2**

Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	457	30.1 %
1.2000000476837	-	66	4.3 %
1.3999999761581	-	59	3.9 %
1.6000000238419	-	66	4.3 %
1.7999999523163	-	51	3.4 %
2.00000000000000	-	44	2.9 %
2.2000000476837	-	18	1.2 %
2.4000000953674	-	33	2.2 %
2.5999999046326	-	23	1.5 %
2.7999999523163	-	22	1.4 %
3.00000000000000	-	19	1.3 %
3.2000000476837	-	7	0.5 %
3.4000000953674	-	7	0.5 %
3.5999999046326	-	8	0.5 %
3.7999999523163	-	6	0.4 %
4.00000000000000	-	4	0.3 %
4.1999998092651	-	1	0.1 %
4.4000000953674	-	1	0.1 %
4.5999999046326	-	1	0.1 %
5.00000000000000	-	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 1.4914988830052
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.7140843408707

Location: 2517-2531 (width: 15; decimal: 13)

Variable Type: numeric

### **W2Q111: (W2Q111) I have tried to stop being attracted to people who are the same sex as me.**

I have tried to stop being attracted to people who are the same sex as me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	615	40.5 %
2	Somewhat disagree	81	5.3 %
3	Neither agree nor disagree	59	3.9 %
4	Somewhat agree	87	5.7 %
5	Strongly agree	46	3.0 %
	Missing Data		
-	-	630	41.5 %
	Total	1,518	100%

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1850-1850 (width: 1; decimal: 0)

Variable Type: numeric

### **W2Q112: (W2Q112) If someone offered me the chance to be completely heterosexual, I would accept the chance.**

If someone offered me the chance to be completely heterosexual, I would accept the chance.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	600	39.5 %
2	Somewhat disagree	107	7.0 %
3	Neither agree nor disagree	94	6.2 %

Value	Label	Unweighted Frequency	%
4	Somewhat agree	56	3.7 %
5	Strongly agree	28	1.8 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1851-1851 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q113: (W2Q113) I wish I weren't LGB.**

I wish I weren't LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	631	41.6 %
2	Somewhat disagree	102	6.7 %
3	Neither agree nor disagree	76	5.0 %
4	Somewhat agree	58	3.8 %
5	Strongly agree	19	1.3 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1852-1852 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q114: (W2Q114) I feel that being LGB is a personal shortcoming for me.**

I feel that being LGB is a personal shortcoming for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	686	45.2 %
2	Somewhat disagree	87	5.7 %
3	Neither agree nor disagree	63	4.2 %
4	Somewhat agree	42	2.8 %

Value	Label	Unweighted Frequency	%
5	Strongly agree	10	0.7 %
	<b>Missing Data</b>		
-	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1853-1853 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q115: (W2Q115) I would like to get professional help in order to change my sexual orientation from LGB to straight.**

I would like to get professional help in order to change my sexual orientation from LGB to straight.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	849	55.9 %
2	Somewhat disagree	16	1.1 %
3	Neither agree nor disagree	20	1.3 %
4	Somewhat agree	1	0.1 %
5	Strongly agree	3	0.2 %
	<b>Missing Data</b>		
-	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1854-1854 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q116: (W2Q116) Do you identify as bisexual?**

Do you identify as bisexual?

Value	Label	Unweighted Frequency	%
1	Yes	338	22.3 %
2	No	549	36.2 %
	<b>Missing Data</b>		
-	-	631	41.6 %

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1855-1855 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2BISTIGMA: (W2BISTIGMA) Bisexual stigma consciousness

Value	Label	Unweighted Frequency	%
1.00	-	18	1.2 %
1.25	-	3	0.2 %
1.50	-	10	0.7 %
1.75	-	9	0.6 %
2.00	-	27	1.8 %
2.25	-	27	1.8 %
2.50	-	25	1.6 %
2.75	-	28	1.8 %
3.00	-	30	2.0 %
3.25	-	39	2.6 %
3.50	-	42	2.8 %
3.75	-	23	1.5 %
4.00	-	29	1.9 %
4.25	-	14	0.9 %
4.50	-	6	0.4 %
4.75	-	4	0.3 %
5.00	-	1	0.1 %
<b>Missing Data</b>			
.	-	1183	77.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 335 valid cases out of 1,518 total cases.

- Mean: 2.94
- Median: 3.00
- Mode: 3.50
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.90

*Location:* 2338-2341 (width: 4; decimal: 2)

*Variable Type:* numeric

## W2BISTIGMA\_I: (W2BISTIGMA\_I) Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00	-	18	1.2 %
1.25	-	4	0.3 %
1.50	-	10	0.7 %
1.75	-	9	0.6 %
2.00	-	27	1.8 %
2.25	-	27	1.8 %
2.50	-	26	1.7 %
2.75	-	28	1.8 %
3.00	-	30	2.0 %
3.25	-	39	2.6 %
3.50	-	42	2.8 %
3.75	-	23	1.5 %
4.00	-	29	1.9 %
4.25	-	15	1.0 %
4.50	-	6	0.4 %
4.75	-	4	0.3 %
5.00	-	1	0.1 %
<b>Missing Data</b>			
.	-	1180	77.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 338 valid cases out of 1,518 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 3.50
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

*Location:* 2342-2345 (width: 4; decimal: 2)

*Variable Type:* numeric

## W2Q117: (W2Q117) I worry that my behaviors will be viewed as stereotypically bisexual.

I worry that my behaviors will be viewed as stereotypically bisexual.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	100	6.6 %
2	Somewhat disagree	83	5.5 %
3	Neither agree nor disagree	74	4.9 %

Value	Label	Unweighted Frequency	%
4	Somewhat agree	64	4.2 %
5	Strongly agree	16	1.1 %
7	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1181	77.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1856-1856 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q118: (W2Q118) Stereotypes about bisexuals affect me.**

Stereotypes about bisexuals affect me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	64	4.2 %
2	Somewhat disagree	60	4.0 %
3	Neither agree nor disagree	59	3.9 %
4	Somewhat agree	125	8.2 %
5	Strongly agree	27	1.8 %
7	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1183	77.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 335 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1857-1857 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q119: (W2Q119) Most lesbians/gays have a problem with bisexuals.**

Most lesbians/gays have a problem with bisexuals.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	31	2.0 %
2	Somewhat disagree	54	3.6 %

Value	Label	Unweighted Frequency	%
3	Neither agree nor disagree	109	7.2 %
4	Somewhat agree	113	7.4 %
5	Strongly agree	30	2.0 %
7	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1181	77.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1858-1858 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q120: (W2Q120) Most heterosexuals have a problem with bisexuals.**

Most heterosexuals have a problem with bisexuals.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	26	1.7 %
2	Somewhat disagree	73	4.8 %
3	Neither agree nor disagree	96	6.3 %
4	Somewhat agree	109	7.2 %
5	Strongly agree	33	2.2 %
7	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1181	77.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1859-1859 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q121: (W2Q121) I feel that others view my bisexual identity as untrue or not real.**

I feel that others view my bisexual identity as "untrue" or not real.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	30	2.0 %

Value	Label	Unweighted Frequency	%
2	Somewhat disagree	48	3.2 %
3	Neither agree nor disagree	57	3.8 %
4	Somewhat agree	132	8.7 %
5	Strongly agree	70	4.6 %
7	Planned missing	0	0.0 %
<b>Missing Data</b>			
.	-	1181	77.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 337 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 1860-1860 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q122A: (W2Q122A) In the past year, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.**

In the past year, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.

Value	Label	Unweighted Frequency	%
1	Never	822	54.2 %
2	Once	44	2.9 %
3	Twice	12	0.8 %
4	Three or more times	9	0.6 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1861-1861 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q122B: (W2Q122B) In the past year, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.**

In the past year, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.

Value	Label	Unweighted Frequency	%
1	Never	777	51.2 %
2	Once	80	5.3 %
3	Twice	22	1.4 %
4	Three or more times	7	0.5 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1862-1862 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q122C: (W2Q122C) In the past year, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.**

In the past year, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.

Value	Label	Unweighted Frequency	%
1	Never	845	55.7 %
2	Once	34	2.2 %
3	Twice	3	0.2 %
4	Three or more times	2	0.1 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1863-1863 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q122D: (W2Q122D) In the past year, how often have any of the following happened to you? Someone threatened you with violence.**

In the past year, how often have any of the following happened to you? Someone threatened you with violence.

Value	Label	Unweighted Frequency	%
1	Never	743	48.9 %

Value	Label	Unweighted Frequency	%
2	Once	75	4.9 %
3	Twice	39	2.6 %
4	Three or more times	27	1.8 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1864-1864 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q122E: (W2Q122E) In the past year, how often have any of the following happened to you? Someone verbally insulted or abused you.**

In the past year, how often have any of the following happened to you? Someone verbally insulted or abused you.

Value	Label	Unweighted Frequency	%
1	Never	531	35.0 %
2	Once	137	9.0 %
3	Twice	67	4.4 %
4	Three or more times	151	9.9 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1865-1865 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q122F: (W2Q122F) In the past year, how often have any of the following happened to you? Someone threw an object at you.**

In the past year, how often have any of the following happened to you? Someone threw an object at you.

Value	Label	Unweighted Frequency	%
1	Never	832	54.8 %
2	Once	28	1.8 %

Value	Label	Unweighted Frequency	%
3	Twice	14	0.9 %
4	Three or more times	14	0.9 %
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1866-1866 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q123\_1: (W2Q123\_1) If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Age**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	49	3.2 %
	<b>Missing Data</b>		
.	-	1469	96.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1867-1867 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

### **W2Q123\_2: (W2Q123\_2) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sex (being female or male)**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	104	6.9 %
	<b>Missing Data</b>		
.	-	1414	93.1 %

Value	Label	Unweighted Frequency	%
Total		1,518	100%

Based upon 104 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1868-1868 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q123\_3: (W2Q123\_3) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Being transgender**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.3 %
	<b>Missing Data</b>		
.	-	1513	99.7 %
Total		1,518	100%

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1869-1869 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q123\_4: (W2Q123\_4) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Gender expression or appearance**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	50	3.3 %
	<b>Missing Data</b>		
.	-	1468	96.7 %
Total		1,518	100%

Based upon 50 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1870-1870 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q123\_5: (W2Q123\_5) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Race/ethnicity**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	46	3.0 %
	<b>Missing Data</b>		
.	-	1472	97.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 46 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1871-1871 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q123\_6: (W2Q123\_6) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Income level or education**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	49	3.2 %
	<b>Missing Data</b>		
.	-	1469	96.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 49 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1872-1872 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W2Q123\_7: (W2Q123\_7) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sexual orientation**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
97	Planned missing	0	0.0 %
	<b>Missing Data</b>		
7	Sexual orientation	120	7.9 %
.	-	1398	92.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1873-1874 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W2Q123\_8: If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Physical appearance (e.g., weight, height)**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	109	7.2 %
97	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1409	92.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 109 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1875-1876 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

**W2Q123\_9: (W2Q123\_9) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Religion/spirituality**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	25	1.6 %
97	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1493	98.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 25 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1877-1878 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### **W2Q123\_10: (W2Q123\_10) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Disability**

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	32	2.1 %
97	Planned missing	0	0.0 %
	<b>Missing Data</b>		
.	-	1486	97.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 32 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1879-1880 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* .

---

### **W2Q124: (W2Q124) In the past year, how often were you fired from your job or denied a job?**

In the past year, how often were you fired from your job or denied a job?

Value	Label	Unweighted Frequency	%
1	Never	796	52.4 %

Value	Label	Unweighted Frequency	%
2	Once	57	3.8 %
3	Twice	14	0.9 %
4	Three or more times	18	1.2 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1881-1881 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q125: (W2Q125) In the past year, how often were you denied a promotion or received a negative evaluation**

In the past year, how often were you denied a promotion or received a negative evaluation?

Value	Label	Unweighted Frequency	%
1	Never	790	52.0 %
2	Once	70	4.6 %
3	Twice	17	1.1 %
4	Three or more times	8	0.5 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1882-1882 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q126\_1: (W2Q126\_1) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... age**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
1	Age	36	2.4 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1482	97.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 36 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1883-1883 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W2Q126\_2: (W2Q126\_2) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sex (being female or male)**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	30	2.0 %
	<b>Missing Data</b>		
.	-	1488	98.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 30 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1884-1884 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W2Q126\_3: (W2Q126\_3) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... being transgender**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
3	Being transgender	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1885-1885 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

#### **W2Q126\_4: (W2Q126\_4) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... gender expression or appearance**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	6	0.4 %
	<b>Missing Data</b>		
.	-	1512	99.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 6 valid cases out of 1,518 total cases.

• Minimum: 4.00

• Maximum: 4.00

*Location:* 1886-1886 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

#### **W2Q126\_5: (W2Q126\_5) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... race/ethnicity**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	17	1.1 %
	<b>Missing Data</b>		
.	-	1501	98.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 17 valid cases out of 1,518 total cases.

• Minimum: 5.00

• Maximum: 5.00

*Location:* 1887-1887 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

#### **W2Q126\_6: (W2Q126\_6) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... income level or education**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
6	Income level or education	21	1.4 %
	<b>Missing Data</b>		
-	-	1497	98.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 21 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1888-1888 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q126\_7: (W2Q126\_7) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sexual orientation**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
7	Sexual orientation	27	1.8 %
	<b>Missing Data</b>		
-	-	1491	98.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 27 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1889-1890 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q126\_8: (W2Q126\_8) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... physical appearance (e.g., weight, height)**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	24	1.6 %
	<b>Missing Data</b>		
-	-	1494	98.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 24 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1891-1892 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q126\_9: (W2Q126\_9) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... religion/spirituality**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	5	0.3 %
	<b>Missing Data</b>		
.	-	1513	99.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1893-1894 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q126\_10: (W2Q126\_10) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... disability**

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
10	Disability	19	1.3 %
	<b>Missing Data</b>		
.	-	1499	98.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 19 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1895-1896 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W2Q127: (W2Q127) In the past year, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?**

In the past year, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?

Value	Label	Unweighted Frequency	%
1	Never	867	57.1 %
2	Once	9	0.6 %
3	Twice	8	0.5 %
4	Three or more times	0	0.0 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1897-1897 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q128\_1: (W2Q128\_1) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... age**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
1	Age	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1898-1898 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W2Q128\_2: (W2Q128\_2) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sex (being female or male)**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1899-1899 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q128\_3: (W2Q128\_3) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... being transgender**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
3	Being transgender	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1900-1900 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q128\_4: (W2Q128\_4) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... gender expression or appearance**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %

Value	Label	Unweighted Frequency	%
Total		1,518	100%

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1901-1901 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q128\_5: (W2Q128\_5) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... race/ethnicity**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1902-1902 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q128\_6: (W2Q128\_6) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... income level or education**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
6	Income level or education	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1903-1903 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W2Q128\_7: (W2Q128\_7) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sexual orientation**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
7	Sexual orientation	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1904-1905 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W2Q128\_8: (W2Q128\_8) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... physical appearance (e.g., weight, height)**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	1	0.1 %
	<b>Missing Data</b>		
.	-	1517	99.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 1 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1906-1907 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

**W2Q128\_9: (W2Q128\_9) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... religion/spirituality**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1908-1908 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q128\_10: (W2Q128\_10) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... disability**

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
10	Disability	0	0.0 %
	<b>Missing Data</b>		
.	-	1518	100.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1909-1910 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q129A: (W2Q129A) During the last 12 months... Did you move or have anyone new come to live with you?**

During the last 12 months... Did you move or have anyone new come to live with you?

Value	Label	Unweighted Frequency	%
1	Yes	313	20.6 %
2	No	574	37.8 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 2.00

*Location:* 1911-1911 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q129B: (W2Q129B) During the last 12 months... Were you fired or laid off from a job?**

During the last 12 months... Were you fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	Yes	68	4.5 %
2	No	818	53.9 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1912-1912 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q129C: (W2Q129C) During the last 12 months... Were you unemployed and looking for a job for more than a month?**

During the last 12 months... Were you unemployed and looking for a job for more than a month?

Value	Label	Unweighted Frequency	%
1	Yes	161	10.6 %
2	No	721	47.5 %
	<b>Missing Data</b>		
.	-	636	41.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1913-1913 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q129D: (W2Q129D) During the last 12 months... Have you had trouble with your boss or a coworker?**

During the last 12 months... Have you had trouble with your boss or a coworker?

Value	Label	Unweighted Frequency	%
1	Yes	221	14.6 %
2	No	664	43.7 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1914-1914 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q129E: (W2Q129E) During the last 12 months... Did you change jobs, job responsibilities or work hours?**

During the last 12 months... Did you change jobs, job responsibilities or work hours?

Value	Label	Unweighted Frequency	%
1	Yes	365	24.0 %
2	No	520	34.3 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1915-1915 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q129F: (W2Q129F) During the last 12 months... Did you get separated or divorced or break off a steady relationship?**

During the last 12 months... Did you get separated or divorced or break off a steady relationship?

Value	Label	Unweighted Frequency	%
1	Yes	102	6.7 %
2	No	784	51.6 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1916-1916 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q129G: (W2Q129G) During the last 12 months... Have you had serious problems with a neighbor, friend, or relative?**

During the last 12 months... Have you had serious problems with a neighbor, friend, or relative?

Value	Label	Unweighted Frequency	%
1	Yes	188	12.4 %
2	No	692	45.6 %
	<b>Missing Data</b>		
.	-	638	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 880 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1917-1917 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q129H: (W2Q129H) During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?**

During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?

Value	Label	Unweighted Frequency	%
1	Yes	162	10.7 %
2	No	723	47.6 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1918-1918 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q129I: (W2Q129I) During the last 12 months... Did you have serious trouble with the police or the law?**

During the last 12 months... Did you have serious trouble with the police or the law?

Value	Label	Unweighted Frequency	%
1	Yes	15	1.0 %
2	No	867	57.1 %
	<b>Missing Data</b>		
-	-	636	41.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1919-1919 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q129J: (W2Q129J) During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?**

During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?

Value	Label	Unweighted Frequency	%
1	Yes	85	5.6 %
2	No	803	52.9 %
	<b>Missing Data</b>		
-	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1920-1920 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**W2Q129K: (W2Q129K) During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house?**

During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house?

Value	Label	Unweighted Frequency	%
1	Yes	54	3.6 %
2	No	833	54.9 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1921-1921 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q130\_1: (W2Q130\_1) Would you say these experiences happened in the past year because of your... age**

Would you say these experiences listed in question 129 happened because of your... Age

Value	Label	Unweighted Frequency	%
1	Age	117	7.7 %
	<b>Missing Data</b>		
.	-	1401	92.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 117 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1922-1922 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q130\_2: (W2Q130\_2) Would you say these experiences happened in the past year because of your... sex (being female or male)**

Would you say these experiences listed in question 129 happened because of your... Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	91	6.0 %
	<b>Missing Data</b>		
.	-	1427	94.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 91 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1923-1923 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q130\_3: (W2Q130\_3) Would you say these experiences happened in the past year because of your... being transgender**

Would you say these experiences listed in question 129 happened because of your... Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	3	0.2 %
	<b>Missing Data</b>		
.	-	1515	99.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 3 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1924-1924 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q130\_4: (W2Q130\_4) Would you say these experiences happened in the past year because of your... gender expression or appearance**

Would you say these experiences listed in question 129 happened because of your... Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	32	2.1 %
	<b>Missing Data</b>		
.	-	1486	97.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 32 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1925-1925 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q130\_5: (W2Q130\_5) Would you say these experiences happened in the past year because of your... race/ethnicity**

Would you say these experiences listed in question 129 happened because of your... Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	40	2.6 %
	<b>Missing Data</b>		
.	-	1478	97.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 40 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1926-1926 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q130\_6: (W2Q130\_6) Would you say these experiences happened in the past year because of your... income level or education**

Would you say these experiences listed in question 129 happened because of your... Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	118	7.8 %
	<b>Missing Data</b>		
.	-	1400	92.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 118 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1927-1927 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q130\_7: (W2Q130\_7) Would you say these experiences happened in the past year because of your... sexual orientation**

Would you say these experiences listed in question 129 happened because of your... Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	76	5.0 %
	<b>Missing Data</b>		
.	-	1442	95.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 76 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1928-1929 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q130\_8: (W2Q130\_8) Would you say these experiences happened in the past year because of your... physical appearance (e.g., weight, height)**

Would you say these experiences listed in question 129 happened because of your... Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	60	4.0 %
.	<b>Missing Data</b>	1458	96.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 60 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1930-1931 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q130\_9: (W2Q130\_9) Would you say these experiences happened in the past year because of your... religion/spirituality**

Would you say these experiences listed in question 129 happened because of your... Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	20	1.3 %
.	<b>Missing Data</b>	1498	98.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 20 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1932-1933 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W2Q130\_10: (W2Q130\_10) Would you say these experiences happened in the past year because of your... disability**

Would you say these experiences listed in question 129 happened because of your... Disability

Value	Label	Unweighted Frequency	%
10	Disability	52	3.4 %
.	<b>Missing Data</b>	1466	96.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 52 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1934-1935 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W2EVERYDAY: (W2EVERDAY) Everyday discrimination\_wave 2**

Everyday discrimination

Value	Label	Unweighted Frequency	%
1.000000000000000	-	147	9.7 %
1.111111640930	-	49	3.2 %
1.2222223281860	-	68	4.5 %
1.3333332538605	-	47	3.1 %
1.4444444179535	-	59	3.9 %
1.5555555820465	-	51	3.4 %
1.6666667461395	-	46	3.0 %
1.7777776718140	-	44	2.9 %
1.8888888359070	-	43	2.8 %
2.0000000000000	-	43	2.8 %
2.111111640930	-	38	2.5 %
2.2222223281860	-	48	3.2 %
2.3333332538605	-	23	1.5 %
2.4444444179535	-	41	2.7 %
2.5555555820465	-	26	1.7 %
2.6666667461395	-	21	1.4 %
2.7777776718140	-	14	0.9 %
2.8888888359070	-	20	1.3 %
3.0000000000000	-	4	0.3 %

Value	Label	Unweighted Frequency	%
3.111111640930	-	8	0.5 %
3.2222223281860	-	6	0.4 %
3.3333334922791	-	6	0.4 %
3.4444444179535	-	5	0.3 %
3.5555555820465	-	2	0.1 %
3.6666665077209	-	2	0.1 %
3.7777776718140	-	2	0.1 %
3.8888888359070	-	1	0.1 %
4.000000000000000	-	4	0.3 %
	Missing Data		
.	-	650	42.8 %
	Total	1,518	100%

Based upon 868 valid cases out of 1,518 total cases.

- Mean: 1.7616487546451
- Median: 1.6666667461395
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6531557276195

*Location:* 2411-2425 (width: 15; decimal: 13)

*Variable Type:* numeric

## W2EVERYDAY\_I: (W2EVERYDAY\_I) Everyday discrimination with imputation\_wave 2

Everyday discrimination with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	150	9.9 %
1.111111640930	-	50	3.3 %
1.2222223281860	-	70	4.6 %
1.3333332538605	-	49	3.2 %
1.4444444179535	-	62	4.1 %
1.5555555820465	-	52	3.4 %
1.6666667461395	-	47	3.1 %
1.7777776718140	-	47	3.1 %
1.8888888359070	-	44	2.9 %
2.0000000000000	-	44	2.9 %
2.111111640930	-	40	2.6 %
2.2222223281860	-	50	3.3 %

Value	Label	Unweighted Frequency	%
2.3333332538605	-	24	1.6 %
2.4444444179535	-	42	2.8 %
2.5555555820465	-	27	1.8 %
2.6666667461395	-	21	1.4 %
2.7777776718140	-	14	0.9 %
2.8888888359070	-	20	1.3 %
3.00000000000000	-	4	0.3 %
3.111111640930	-	8	0.5 %
3.222223281860	-	6	0.4 %
3.333334922791	-	7	0.5 %
3.4444444179535	-	5	0.3 %
3.5555555820465	-	2	0.1 %
3.6666665077209	-	2	0.1 %
3.7777776718140	-	2	0.1 %
3.8888888359070	-	1	0.1 %
4.00000000000000	-	4	0.3 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 1.7611235486848
- Median: 1.6666667461395
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 4.00000000000000
- Standard Deviation: 0.6505869994776

Location: 2426-2440 (width: 15; decimal: 13)

Variable Type: numeric

---

### W2Q131A: (W2Q131A) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.

Value	Label	Unweighted Frequency	%
1	Often	37	2.4 %
2	Sometimes	220	14.5 %
3	Rarely	339	22.3 %
4	Never	292	19.2 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1936-1936 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131B: (W2Q131B) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.

Value	Label	Unweighted Frequency	%
1	Often	48	3.2 %
2	Sometimes	229	15.1 %
3	Rarely	305	20.1 %
4	Never	305	20.1 %
	<b>Missing Data</b>		
.	-	631	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1937-1937 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131C: (W2Q131C) In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.

Value	Label	Unweighted Frequency	%
1	Often	23	1.5 %
2	Sometimes	127	8.4 %
3	Rarely	245	16.1 %

Value	Label	Unweighted Frequency	%
4	Never	491	32.3 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1938-1938 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131D: (W2Q131D) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.

Value	Label	Unweighted Frequency	%
1	Often	53	3.5 %
2	Sometimes	199	13.1 %
3	Rarely	208	13.7 %
4	Never	425	28.0 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1939-1939 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131E: (W2Q131E) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.

Value	Label	Unweighted Frequency	%
1	Often	25	1.6 %
2	Sometimes	102	6.7 %
3	Rarely	197	13.0 %

Value	Label	Unweighted Frequency	%
4	Never	561	37.0 %
	<b>Missing Data</b>		
.	-	633	41.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1940-1940 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131F: (W2Q131F) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.

Value	Label	Unweighted Frequency	%
1	Often	23	1.5 %
2	Sometimes	92	6.1 %
3	Rarely	195	12.8 %
4	Never	576	37.9 %
	<b>Missing Data</b>		
.	-	632	41.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1941-1941 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131G: (W2Q131G) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.**

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.

Value	Label	Unweighted Frequency	%
1	Often	99	6.5 %
2	Sometimes	262	17.3 %
3	Rarely	254	16.7 %

Value	Label	Unweighted Frequency	%
4	Never	269	17.7 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1942-1942 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131H: (W2Q131H) In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.

Value	Label	Unweighted Frequency	%
1	Often	30	2.0 %
2	Sometimes	128	8.4 %
3	Rarely	217	14.3 %
4	Never	514	33.9 %
	<b>Missing Data</b>		
.	-	629	41.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1943-1943 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q131I: (W2Q131I) In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.**

In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.

Value	Label	Unweighted Frequency	%
1	Often	20	1.3 %
2	Sometimes	71	4.7 %
3	Rarely	183	12.1 %

Value	Label	Unweighted Frequency	%
4	Never	614	40.4 %
	<b>Missing Data</b>		
.	-	630	41.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 1944-1944 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q132\_1: (W2Q132\_1) Would you say these experiences happened in the past year because of your... age**

Would you say these experiences happened in the past year because of your... age

Value	Label	Unweighted Frequency	%
1	Age	230	15.2 %
	<b>Missing Data</b>		
.	-	1288	84.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 230 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 1.00

*Location:* 1945-1945 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

### **W2Q132\_2: (W2Q132\_2) Would you say these experiences happened in the past year because of your... sex (being female or male)**

Would you say these experiences happened in the past year because of your... Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	258	17.0 %
	<b>Missing Data</b>		
.	-	1260	83.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 258 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1946-1946 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q132\_3: (W2Q132\_3) Would you say these experiences happened in the past year because of your... being transgender**

Would you say these experiences happened in the past year because of your... Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.3 %
	<b>Missing Data</b>		
.	-	1513	99.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 5 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1947-1947 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q132\_4: (W2Q132\_4) Would you say these experiences happened in the past year because of your... gender expression or appearance**

Would you say these experiences happened in the past year because of your... Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	110	7.2 %
	<b>Missing Data</b>		
.	-	1408	92.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 110 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1948-1948 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q132\_5: (W2Q132\_5) Would you say these experiences happened in the past year because of your... race/ethnicity**

Would you say these experiences happened in the past year because of your... Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	123	8.1 %
	<b>Missing Data</b>		
.	-	1395	91.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 123 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1949-1949 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q132\_6: (W2Q132\_6) Would you say these experiences happened in the past year because of your... income level or education**

Would you say these experiences happened in the past year because of your... Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	131	8.6 %
	<b>Missing Data</b>		
.	-	1387	91.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 131 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1950-1950 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q132\_7: (W2Q132\_7) Would you say these experiences happened in the past year because of your... sexual orientation**

Would you say these experiences happened in the past year because of your... Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	189	12.5 %
	<b>Missing Data</b>		
.	-	1329	87.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 189 valid cases out of 1,518 total cases.

- Minimum: 7.00
- Maximum: 7.00

*Location:* 1951-1952 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q132\_8: (W2Q132\_8) Would you say these experiences happened in the past year because of your... physical appearance (e.g., weight, height)**

Would you say these experiences happened in the past year because of your... Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	235	15.5 %
.	<b>Missing Data</b>	1283	84.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 235 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1953-1954 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q132\_9: (W2Q132\_9) Would you say these experiences happened in the past year because of your... religion/spirituality**

Would you say these experiences happened in the past year because of your... Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	41	2.7 %
.	<b>Missing Data</b>	1477	97.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 41 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1955-1956 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q132\_10: (W2Q132\_10) Would you say these experiences happened in the past year because of your... disability

Would you say these experiences happened in the past year because of your... Disability

Value	Label	Unweighted Frequency	%
10	Disability	78	5.1 %
.	<b>Missing Data</b>	1440	94.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 78 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1957-1958 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## W2CHRONIC: (W2CHRONIC) Chronic strains\_wave 2

Chronic strains

Value	Label	Unweighted Frequency	%
1.000000000000000	-	17	1.1 %
1.0666667222977	-	43	2.8 %
1.1333333253860	-	56	3.7 %
1.2000000476837	-	65	4.3 %
1.2666666507721	-	76	5.0 %
1.3333333730698	-	83	5.5 %
1.3999999761581	-	98	6.5 %
1.4666666984558	-	89	5.9 %
1.5333333015442	-	77	5.1 %
1.6000000238419	-	57	3.8 %
1.6666666269302	-	42	2.8 %
1.7333333492279	-	38	2.5 %
1.7999999523163	-	32	2.1 %
1.8666666746140	-	26	1.7 %
1.9333332777023	-	15	1.0 %
2.0000000000000	-	15	1.0 %
2.0666666030884	-	6	0.4 %
2.1333334445953	-	11	0.7 %
2.2000000476837	-	6	0.4 %

Value	Label	Unweighted Frequency	%
2.2666666507721	-	4	0.3 %
2.3333332538605	-	3	0.2 %
2.4000000953674	-	1	0.1 %
	Missing Data		
.	-	658	43.3 %
	Total	1,518	100%

Based upon 860 valid cases out of 1,518 total cases.

- Mean: 1.4613953537719
- Median: 1.3999999761581
- Mode: 1.3999999761581
- Minimum: 1.0000000000000
- Maximum: 2.4000000953674
- Standard Deviation: 0.2714608087281

*Location:* 2346-2360 (width: 15; decimal: 13)

*Variable Type:* numeric

## W2CHRONIC\_I: (W2CHRONIC\_I) Chronic strains with imputation\_wave 2

Chronic strains with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	17	1.1 %
1.0666667222977	-	43	2.8 %
1.1333333253860	-	59	3.9 %
1.2000000476837	-	66	4.3 %
1.2666666507721	-	77	5.1 %
1.3333333730698	-	87	5.7 %
1.3999999761581	-	102	6.7 %
1.4666666984558	-	94	6.2 %
1.5333333015442	-	80	5.3 %
1.6000000238419	-	59	3.9 %
1.6666666269302	-	42	2.8 %
1.7333333492279	-	41	2.7 %
1.7999999523163	-	34	2.2 %
1.8666666746140	-	27	1.8 %
1.9333332777023	-	16	1.1 %
2.0000000000000	-	16	1.1 %
2.0666666030884	-	7	0.5 %
2.133334445953	-	12	0.8 %

Value	Label	Unweighted Frequency	%
2.2000000476837	-	7	0.5 %
2.2666666507721	-	4	0.3 %
2.3333332538605	-	3	0.2 %
2.4000000953674	-	1	0.1 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 1.4650261048769
- Median: 1.3999999761581
- Mode: 1.3999999761581
- Minimum: 1.0000000000000
- Maximum: 2.4000000953674
- Standard Deviation: 0.2725686707885

*Location:* 2361-2375 (width: 15; decimal: 13)

*Variable Type:* numeric

### **W2Q133A: (W2Q133A) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.

Value	Label	Unweighted Frequency	%
1	Not true	256	16.9 %
2	Somewhat true	417	27.5 %
3	Very true	189	12.5 %
	Missing Data		
.	-	656	43.2 %
	Total	1,518	100%

Based upon 862 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1959-1959 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133B: (W2Q133B) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.

Value	Label	Unweighted Frequency	%
1	Not true	440	29.0 %
2	Somewhat true	247	16.3 %
3	Very true	172	11.3 %
	<b>Missing Data</b>		
.	-	659	43.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 859 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1960-1960 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133C: (W2Q133C) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.

Value	Label	Unweighted Frequency	%
1	Not true	159	10.5 %
2	Somewhat true	302	19.9 %
3	Very true	277	18.2 %
	<b>Missing Data</b>		
.	-	780	51.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 738 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1961-1961 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133D: (W2Q133D) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.

Value	Label	Unweighted Frequency	%
1	Not true	409	26.9 %
2	Somewhat true	151	9.9 %
3	Very true	137	9.0 %
	<b>Missing Data</b>		
.	-	821	54.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 697 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1962-1962 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133E: (W2Q133E) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	499	32.9 %
2	Somewhat true	105	6.9 %
3	Very true	43	2.8 %
	<b>Missing Data</b>		
.	-	871	57.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 647 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1963-1963 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133F: (W2Q133F) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	440	29.0 %
2	Somewhat true	81	5.3 %
3	Very true	33	2.2 %
	<b>Missing Data</b>		
.	-	964	63.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 554 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1964-1964 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133G: (W2Q133G) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.

Value	Label	Unweighted Frequency	%
1	Not true	437	28.8 %
2	Somewhat true	292	19.2 %
3	Very true	139	9.2 %
	<b>Missing Data</b>		
.	-	650	42.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 868 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1965-1965 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133H: (W2Q133H) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.

Value	Label	Unweighted Frequency	%
1	Not true	335	22.1 %
2	Somewhat true	163	10.7 %

Value	Label	Unweighted Frequency	%
3	Very true	183	12.1 %
	<b>Missing Data</b>		
-	-	837	55.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 681 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1966-1966 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133I: (W2Q133I) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.

Value	Label	Unweighted Frequency	%
1	Not true	422	27.8 %
2	Somewhat true	216	14.2 %
3	Very true	109	7.2 %
	<b>Missing Data</b>		
-	-	771	50.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 747 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1967-1967 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133J: (W2Q133J) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.

Value	Label	Unweighted Frequency	%
1	Not true	445	29.3 %
2	Somewhat true	188	12.4 %

Value	Label	Unweighted Frequency	%
3	Very true	144	9.5 %
	<b>Missing Data</b>		
-	-	741	48.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 777 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1968-1968 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133K: (W2Q133K) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a close friend who is in very bad mental, emotional or physical health.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a close friend who is in very bad mental, emotional or physical health.

Value	Label	Unweighted Frequency	%
1	Not true	444	29.2 %
2	Somewhat true	233	15.3 %
3	Very true	142	9.4 %
	<b>Missing Data</b>		
-	-	699	46.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 819 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1969-1969 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133L: (W2Q133L) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.

Value	Label	Unweighted Frequency	%
1	Not true	560	36.9 %
2	Somewhat true	94	6.2 %
3	Very true	46	3.0 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	818	53.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 700 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1970-1970 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133M: (W2Q133M) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.

Value	Label	Unweighted Frequency	%
1	Not true	317	20.9 %
2	Somewhat true	122	8.0 %
3	Very true	93	6.1 %
	<b>Missing Data</b>		
.	-	986	65.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 532 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1971-1971 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133N: (W2Q133N) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are concerned about the legal status of your relationship to your child(ren).**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are concerned about the legal status of your relationship to your child(ren).

Value	Label	Unweighted Frequency	%
1	Not true	328	21.6 %
2	Somewhat true	24	1.6 %
3	Very true	12	0.8 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1154	76.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 364 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1972-1972 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q133O: (W2Q133O) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are not out to the parents of your child/children's friends**

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are not out to the parents of your child/children's friends

Value	Label	Unweighted Frequency	%
1	Not true	308	20.3 %
2	Somewhat true	33	2.2 %
3	Very true	32	2.1 %
	<b>Missing Data</b>		
.	-	1145	75.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 373 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 1973-1973 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q19A: (W2Q19A) Is the city or area where you live a good place or not a good place to live for... racial and ethnic minorities.**

Is the city or area where you live a good place or not a good place to live for... Racial and ethnic minorities

Value	Label	Unweighted Frequency	%
1	Good place	628	41.4 %
2	Not a good place	256	16.9 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1391-1391 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q19B: (W2Q19B) Is the city or area where you live a good place or not a good place to live for... gay, lesbian, or bisexual**

Is the city or area where you live a good place or not a good place to live for... Gay, lesbian, or bisexual people

Value	Label	Unweighted Frequency	%
1	Good place	672	44.3 %
2	Not a good place	212	14.0 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1392-1392 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q19C: (W2Q19C) Is the city or area where you live a good place or not a good place to live for... transgender people**

Is the city or area where you live a good place or not a good place to live for... Transgender people

Value	Label	Unweighted Frequency	%
1	Good place	529	34.8 %
2	Not a good place	348	22.9 %
	<b>Missing Data</b>		
.	-	641	42.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 877 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1393-1393 (width: 1; decimal: 0)

*Variable Type:* numeric

## **W2Q19D: (W2Q19D) Is the city or area where you live a good place or not a good place to live for... immigrants from other countries**

Is the city or area where you live a good place or not a good place to live for... Immigrants from other countries

Value	Label	Unweighted Frequency	%
1	Good place	625	41.2 %
2	Not a good place	259	17.1 %
	<b>Missing Data</b>		
.	-	634	41.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 1394-1394 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q134\_1: (W2Q134\_1) Who lives in the same residence (home) with you? Please mark all that apply. Spouse (husband/wife)**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	214	14.1 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	<b>Missing Data</b>		
.	-	1304	85.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 214 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 1.00

*Location:* 1974-1975 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q134\_2: (W2Q134\_2) Who lives in the same residence (home) with you? Please mark all that apply. Unmarried partner**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	189	12.5 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1329	87.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 189 valid cases out of 1,518 total cases.

- Minimum: 2.00
- Maximum: 2.00

*Location:* 1976-1977 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q134\_3: (W2Q134\_3) Who lives in the same residence (home) with you? Please mark all that apply. Housemate/roommate who is not a close friend**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	75	4.9 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1443	95.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 75 valid cases out of 1,518 total cases.

- Minimum: 3.00
- Maximum: 3.00

*Location:* 1978-1979 (width: 2; decimal: 0)

*Variable Type:* numeric

---

#### **W2Q134\_4: (W2Q134\_4) Who lives in the same residence (home) with you? Please mark all that apply. Housemate/roommate who is a close friend**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	118	7.8 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1400	92.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 118 valid cases out of 1,518 total cases.

- Minimum: 4.00
- Maximum: 4.00

*Location:* 1980-1981 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q134\_5: (W2Q134\_5) Who lives in the same residence (home) with you? Please mark all that apply. Child**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	108	7.1 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1410	92.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 108 valid cases out of 1,518 total cases.

- Minimum: 5.00
- Maximum: 5.00

*Location:* 1982-1983 (width: 2; decimal: 0)

*Variable Type:* numeric

## **W2Q134\_6: (W2Q134\_6) Who lives in the same residence (home) with you? Please mark all that apply. Grandchild**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Child	0	0.0 %
6	Grandchild	8	0.5 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1510	99.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 8 valid cases out of 1,518 total cases.

- Minimum: 6.00
- Maximum: 6.00

*Location:* 1984-1985 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q134\_7: (W2Q134\_7) Who lives in the same residence (home) with you? Please mark all that apply. Foster child**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1518	100.0 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 0 valid cases out of 1,518 total cases.

*Location:* 1986-1987 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q134\_8: (W2Q134\_8) Who lives in the same residence (home) with you? Please mark all that apply. Parent (mother/father)**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	163	10.7 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1355	89.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 163 valid cases out of 1,518 total cases.

- Minimum: 8.00
- Maximum: 8.00

*Location:* 1988-1989 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q134\_9: (W2Q134\_9) Who lives in the same residence (home) with you? Please mark all that apply. Brother/sister**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	96	6.3 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1422	93.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 96 valid cases out of 1,518 total cases.

- Minimum: 9.00
- Maximum: 9.00

*Location:* 1990-1991 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q134\_10: (W2Q134\_10) Who lives in the same residence (home) with you? Please mark all that apply. Other relative (aunt, cousin, nephew, mother-in-law, etc.)**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	41	2.7 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1477	97.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 41 valid cases out of 1,518 total cases.

- Minimum: 10.00
- Maximum: 10.00

*Location:* 1992-1993 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q134\_11: (W2Q134\_11) Who lives in the same residence (home) with you? Please mark all that apply. Roomer/boarder**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	14	0.9 %
12	Other non-relative	0	0.0 %
<b>Missing Data</b>			
.	-	1504	99.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 14 valid cases out of 1,518 total cases.

- Minimum: 11.00
- Maximum: 11.00

*Location:* 1994-1995 (width: 2; decimal: 0)

*Variable Type:* numeric

### **W2Q134\_12: (W2Q134\_12) Who lives in the same residence (home) with you? Please mark all that apply. Other non-relative**

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	33	2.2 %
<b>Missing Data</b>			
-	-	1485	97.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 33 valid cases out of 1,518 total cases.

- Minimum: 12.00
- Maximum: 12.00

*Location:* 1996-1997 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

## W2SOCSUPPORT: (W2SOCSUPPORT) Social support-full scale\_wave 2

Social support - full scale

Value	Label	Unweighted Frequency	%
1.000000000000000	-	4	0.3 %
1.1666666269302	-	1	0.1 %
1.250000000000000	-	1	0.1 %
1.3333333730698	-	1	0.1 %
1.6666666269302	-	2	0.1 %
1.8333333730698	-	1	0.1 %
2.000000000000000	-	2	0.1 %
2.1666667461395	-	2	0.1 %
2.250000000000000	-	2	0.1 %
2.333332538605	-	3	0.2 %
2.4166667461395	-	5	0.3 %
2.500000000000000	-	3	0.2 %
2.6666667461395	-	1	0.1 %
2.750000000000000	-	3	0.2 %
2.833332538605	-	6	0.4 %
2.9166667461395	-	5	0.3 %
3.000000000000000	-	4	0.3 %

<b>Value</b>	<b>Label</b>	<b>Unweighted Frequency</b>	<b>%</b>
3.0833332538605	-	3	0.2 %
3.1666667461395	-	7	0.5 %
3.25000000000000	-	7	0.5 %
3.3333332538605	-	10	0.7 %
3.4166667461395	-	4	0.3 %
3.50000000000000	-	4	0.3 %
3.5833332538605	-	6	0.4 %
3.6666667461395	-	11	0.7 %
3.75000000000000	-	5	0.3 %
3.8333332538605	-	8	0.5 %
3.9166667461395	-	11	0.7 %
4.00000000000000	-	14	0.9 %
4.0833334922791	-	9	0.6 %
4.1666665077209	-	10	0.7 %
4.25000000000000	-	12	0.8 %
4.3333334922791	-	16	1.1 %
4.4166665077209	-	16	1.1 %
4.50000000000000	-	25	1.6 %
4.5833334922791	-	15	1.0 %
4.6666665077209	-	14	0.9 %
4.75000000000000	-	30	2.0 %
4.8333334922791	-	15	1.0 %
4.9166665077209	-	4	0.3 %
5.00000000000000	-	36	2.4 %
5.0833334922791	-	22	1.4 %
5.1666665077209	-	15	1.0 %
5.25000000000000	-	27	1.8 %
5.3333334922791	-	25	1.6 %
5.4166665077209	-	17	1.1 %
5.50000000000000	-	37	2.4 %
5.5833334922791	-	24	1.6 %
5.6666665077209	-	32	2.1 %
5.75000000000000	-	24	1.6 %
	<b>Missing Data</b>		
.	-	648	42.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 870 valid cases out of 1,518 total cases.

- Mean: 5.2254789337345
- Median: 5.4166665077209
- Mode: 7.00000000000000
- Minimum: 1.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.1828791279738

*Location:* 2569-2583 (width: 15; decimal: 13)

*Variable Type:* numeric

## **W2SOCSUPPORT\_FAM: (W2SOCSUPPORT\_FAM) Social support-family\_wave 2**

Social support - family

Value	Label	Unweighted Frequency	%
1.00	-	32	2.1 %
1.25	-	11	0.7 %
1.50	-	11	0.7 %
1.75	-	4	0.3 %
2.00	-	19	1.3 %
2.25	-	16	1.1 %
2.50	-	24	1.6 %
2.75	-	18	1.2 %
3.00	-	21	1.4 %
3.25	-	25	1.6 %
3.50	-	36	2.4 %
3.75	-	21	1.4 %
4.00	-	47	3.1 %
4.25	-	38	2.5 %
4.50	-	47	3.1 %
4.75	-	32	2.1 %
5.00	-	63	4.2 %
5.25	-	64	4.2 %
5.50	-	58	3.8 %
5.75	-	54	3.6 %
6.00	-	61	4.0 %
6.25	-	38	2.5 %
6.50	-	38	2.5 %
6.75	-	32	2.1 %
7.00	-	72	4.7 %
<b>Missing Data</b>		636	41.9 %
.	-		

Value	Label	Unweighted Frequency	%
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 882 valid cases out of 1,518 total cases.

- Mean: 4.72
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

*Location:* 2584-2587 (width: 4; decimal: 2)

*Variable Type:* numeric

## **W2SOCSUPPORT\_FAM\_I: (W2SOCSUPPORT\_FAM\_I) Social support-family with imputation\_wave 2**

Social support - family with imputation

Value	Label	Unweighted Frequency	%
1.00	-	32	2.1 %
1.25	-	11	0.7 %
1.50	-	11	0.7 %
1.75	-	4	0.3 %
2.00	-	19	1.3 %
2.25	-	16	1.1 %
2.50	-	24	1.6 %
2.75	-	18	1.2 %
3.00	-	22	1.4 %
3.25	-	26	1.7 %
3.50	-	36	2.4 %
3.75	-	22	1.4 %
4.00	-	48	3.2 %
4.25	-	39	2.6 %
4.50	-	47	3.1 %
4.75	-	32	2.1 %
5.00	-	64	4.2 %
5.25	-	65	4.3 %
5.50	-	58	3.8 %
5.75	-	55	3.6 %
6.00	-	61	4.0 %
6.25	-	38	2.5 %
6.50	-	39	2.6 %

Value	Label	Unweighted Frequency	%
6.75	-	34	2.2 %
7.00	-	73	4.8 %
	<b>Missing Data</b>		
.	-	624	41.1 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 4.73
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

*Location:* 2588-2591 (width: 4; decimal: 2)

*Variable Type:* numeric

## W2SOCSUPPORT\_FR: (W2SOCSUPPORT\_FR) Social support-friends\_wave 2

Social support - friends

Value	Label	Unweighted Frequency	%
1.00	-	12	0.8 %
1.50	-	1	0.1 %
1.75	-	4	0.3 %
2.00	-	13	0.9 %
2.25	-	5	0.3 %
2.50	-	8	0.5 %
2.75	-	6	0.4 %
3.00	-	10	0.7 %
3.25	-	13	0.9 %
3.50	-	10	0.7 %
3.75	-	10	0.7 %
4.00	-	35	2.3 %
4.25	-	23	1.5 %
4.50	-	34	2.2 %
4.75	-	28	1.8 %
5.00	-	86	5.7 %
5.25	-	54	3.6 %
5.50	-	71	4.7 %
5.75	-	60	4.0 %
6.00	-	133	8.8 %

Value	Label	Unweighted Frequency	%
6.25	-	40	2.6 %
6.50	-	54	3.6 %
6.75	-	35	2.3 %
7.00	-	134	8.8 %
<b>Missing Data</b>			
.	-	639	42.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 879 valid cases out of 1,518 total cases.

- Mean: 5.44
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.31

*Location:* 2592-2595 (width: 4; decimal: 2)

*Variable Type:* numeric

## **W2SOCSUPPORT\_FR\_I: (W2SOCSUPPORT\_FR\_I) Social support-friends with imputation\_wave 2**

Social support - friends with imputation

Value	Label	Unweighted Frequency	%
1.00	-	12	0.8 %
1.50	-	1	0.1 %
1.75	-	4	0.3 %
2.00	-	13	0.9 %
2.25	-	5	0.3 %
2.50	-	8	0.5 %
2.75	-	6	0.4 %
3.00	-	10	0.7 %
3.25	-	13	0.9 %
3.50	-	10	0.7 %
3.75	-	10	0.7 %
4.00	-	35	2.3 %
4.25	-	23	1.5 %
4.50	-	36	2.4 %
4.75	-	30	2.0 %
5.00	-	89	5.9 %
5.25	-	55	3.6 %

Value	Label	Unweighted Frequency	%
5.50	-	71	4.7 %
5.75	-	62	4.1 %
6.00	-	134	8.8 %
6.25	-	41	2.7 %
6.50	-	55	3.6 %
6.75	-	36	2.4 %
7.00	-	135	8.9 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 5.44
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.30

*Location:* 2596-2599 (width: 4; decimal: 2)

*Variable Type:* numeric

## W2SOCSUPPORT\_I: (W2SOCSUPPORT\_I) Social support-full scale with imputation\_wave 2

Social support - full scale with imputation

Value	Label	Unweighted Frequency	%
1.000000000000000	-	4	0.3 %
1.1666666269302	-	1	0.1 %
1.250000000000000	-	1	0.1 %
1.3333333730698	-	1	0.1 %
1.6666666269302	-	2	0.1 %
1.8333333730698	-	1	0.1 %
2.000000000000000	-	2	0.1 %
2.1666667461395	-	2	0.1 %
2.250000000000000	-	2	0.1 %
2.333332538605	-	3	0.2 %
2.4166667461395	-	5	0.3 %
2.500000000000000	-	3	0.2 %
2.6666667461395	-	1	0.1 %
2.750000000000000	-	3	0.2 %
2.833332538605	-	6	0.4 %

Value	Label	Unweighted Frequency	%
2.9166667461395	-	5	0.3 %
3.00000000000000	-	5	0.3 %
3.0833332538605	-	3	0.2 %
3.1666667461395	-	7	0.5 %
3.25000000000000	-	7	0.5 %
3.3333332538605	-	11	0.7 %
3.4166667461395	-	4	0.3 %
3.50000000000000	-	4	0.3 %
3.5833332538605	-	6	0.4 %
3.6666667461395	-	12	0.8 %
3.75000000000000	-	6	0.4 %
3.8333332538605	-	8	0.5 %
3.9166667461395	-	11	0.7 %
4.00000000000000	-	14	0.9 %
4.0833334922791	-	10	0.7 %
4.1666665077209	-	10	0.7 %
4.25000000000000	-	13	0.9 %
4.3333334922791	-	16	1.1 %
4.4166665077209	-	16	1.1 %
4.50000000000000	-	25	1.6 %
4.5833334922791	-	16	1.1 %
4.6666665077209	-	14	0.9 %
4.75000000000000	-	31	2.0 %
4.8333334922791	-	15	1.0 %
4.9166665077209	-	4	0.3 %
5.00000000000000	-	38	2.5 %
5.0833334922791	-	22	1.4 %
5.1666665077209	-	16	1.1 %
5.25000000000000	-	28	1.8 %
5.3333334922791	-	27	1.8 %
5.4166665077209	-	17	1.1 %
5.50000000000000	-	38	2.5 %
5.5833334922791	-	24	1.6 %
5.6666665077209	-	33	2.2 %
5.75000000000000	-	25	1.6 %
	Missing Data		
.	-	624	41.1 %
	Total	1,518	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 5.2245525803075
- Median: 5.4166665077209
- Mode: 7.00000000000000
- Minimum: 1.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.1805473044131

*Location:* 2600-2614 (width: 15; decimal: 13)

*Variable Type:* numeric

---

## W2SOCSUPPORT\_SO: (W2SOCSUPPORT\_SO) Social support-significant others\_wave 2

Social support - significant others

Value	Label	Unweighted Frequency	%
1.00	-	24	1.6 %
1.25	-	2	0.1 %
1.50	-	4	0.3 %
1.75	-	11	0.7 %
2.00	-	12	0.8 %
2.25	-	5	0.3 %
2.50	-	10	0.7 %
2.75	-	8	0.5 %
3.00	-	15	1.0 %
3.25	-	9	0.6 %
3.50	-	22	1.4 %
3.75	-	15	1.0 %
4.00	-	30	2.0 %
4.25	-	11	0.7 %
4.50	-	16	1.1 %
4.75	-	21	1.4 %
5.00	-	60	4.0 %
5.25	-	41	2.7 %
5.50	-	36	2.4 %
5.75	-	38	2.5 %
6.00	-	125	8.2 %
6.25	-	50	3.3 %
6.50	-	40	2.6 %
6.75	-	55	3.6 %
7.00	-	220	14.5 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	638	42.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 880 valid cases out of 1,518 total cases.

- Mean: 5.51
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.57

*Location:* 2615-2618 (width: 4; decimal: 2)

*Variable Type:* numeric

## **W2SOCSUPPORT\_SO\_I: (W2SOCSUPPORT\_SO\_I) Social support-significant others with imputation\_wave 2**

Social support - significant others with imputation

Value	Label	Unweighted Frequency	%
1.00	-	25	1.6 %
1.25	-	2	0.1 %
1.50	-	5	0.3 %
1.75	-	11	0.7 %
2.00	-	12	0.8 %
2.25	-	5	0.3 %
2.50	-	10	0.7 %
2.75	-	8	0.5 %
3.00	-	15	1.0 %
3.25	-	10	0.7 %
3.50	-	22	1.4 %
3.75	-	16	1.1 %
4.00	-	30	2.0 %
4.25	-	12	0.8 %
4.50	-	16	1.1 %
4.75	-	21	1.4 %
5.00	-	60	4.0 %
5.25	-	42	2.8 %
5.50	-	36	2.4 %
5.75	-	38	2.5 %
6.00	-	127	8.4 %

Value	Label	Unweighted Frequency	%
6.25	-	50	3.3 %
6.50	-	41	2.7 %
6.75	-	57	3.8 %
7.00	-	223	14.7 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 5.50
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.58

*Location:* 2619-2622 (width: 4; decimal: 2)

*Variable Type:* numeric

### **W2Q135A: (W2Q135A) There is a special person who is around when I am in need.**

There is a special person who is around when I am in need.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	52	3.4 %
2	Strongly disagree	46	3.0 %
3	Mildly disagree	42	2.8 %
4	Neutral	58	3.8 %
5	Mildly agree	153	10.1 %
6	Strongly agree	253	16.7 %
7	Very strongly agree	283	18.6 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1998-1998 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135B: (W2Q135B) There is a special person with whom I can share my joys and sorrows.**

There is a special person with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	46	3.0 %
2	Strongly disagree	37	2.4 %
3	Mildly disagree	41	2.7 %
4	Neutral	45	3.0 %
5	Mildly agree	142	9.4 %
6	Strongly agree	254	16.7 %
7	Very strongly agree	322	21.2 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 1999-1999 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135C: (W2Q135C) My family really tries to help me.**

My family really tries to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	51	3.4 %
2	Strongly disagree	51	3.4 %
3	Mildly disagree	48	3.2 %
4	Neutral	105	6.9 %
5	Mildly agree	179	11.8 %
6	Strongly agree	263	17.3 %
7	Very strongly agree	190	12.5 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2000-2000 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q135D: (W2Q135D) I get the emotional help and support I need from my family.**

I get the emotional help and support I need from my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	87	5.7 %
2	Strongly disagree	80	5.3 %
3	Mildly disagree	77	5.1 %
4	Neutral	120	7.9 %
5	Mildly agree	202	13.3 %
6	Strongly agree	180	11.9 %
7	Very strongly agree	139	9.2 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2001-2001 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## **W2Q135E: (W2Q135E) I have a special person who is a real source of comfort to me.**

I have a special person who is a real source of comfort to me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	47	3.1 %
2	Strongly disagree	40	2.6 %
3	Mildly disagree	33	2.2 %
4	Neutral	56	3.7 %
5	Mildly agree	141	9.3 %
6	Strongly agree	247	16.3 %
7	Very strongly agree	319	21.0 %
<b>Missing Data</b>			
.	-	635	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 883 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2002-2002 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q135F: (W2Q135F) My friends really try to help me.**

My friends really try to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	19	1.3 %
2	Strongly disagree	28	1.8 %
3	Mildly disagree	28	1.8 %
4	Neutral	98	6.5 %
5	Mildly agree	235	15.5 %
6	Strongly agree	281	18.5 %
7	Very strongly agree	197	13.0 %
<b>Missing Data</b>			
.	-	632	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 886 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2003-2003 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q135G: (W2Q135G) I can count on my friends when things go wrong.**

I can count on my friends when things go wrong.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	21	1.4 %
2	Strongly disagree	38	2.5 %
3	Mildly disagree	40	2.6 %
4	Neutral	96	6.3 %
5	Mildly agree	221	14.6 %
6	Strongly agree	263	17.3 %
7	Very strongly agree	208	13.7 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00

- Maximum: 7.00

*Location:* 2004-2004 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135H: (W2Q135H) I can talk about my problems with my family.**

I can talk about my problems with my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	89	5.9 %
2	Strongly disagree	96	6.3 %
3	Mildly disagree	95	6.3 %
4	Neutral	90	5.9 %
5	Mildly agree	225	14.8 %
6	Strongly agree	168	11.1 %
7	Very strongly agree	125	8.2 %
<b>Missing Data</b>			
.	-	630	41.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 888 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2005-2005 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135I: (W2Q135I) I have friends with whom I can share my joys and sorrows.**

I have friends with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	24	1.6 %
2	Strongly disagree	37	2.4 %
3	Mildly disagree	27	1.8 %
4	Neutral	47	3.1 %
5	Mildly agree	203	13.4 %
6	Strongly agree	295	19.4 %
7	Very strongly agree	251	16.5 %
<b>Missing Data</b>			
.	-	634	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2006-2006 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135J: (W2Q135J) There is a special person in my life who cares about my feelings.**

There is a special person in my life who cares about my feelings.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	50	3.3 %
2	Strongly disagree	32	2.1 %
3	Mildly disagree	29	1.9 %
4	Neutral	67	4.4 %
5	Mildly agree	128	8.4 %
6	Strongly agree	216	14.2 %
7	Very strongly agree	362	23.8 %
<b>Missing Data</b>			
.	-	634	41.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 884 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2007-2007 (width: 1; decimal: 0)

*Variable Type:* numeric

### **W2Q135K: (W2Q135K) My family is willing to help me make decisions.**

My family is willing to help me make decisions.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	71	4.7 %
2	Strongly disagree	51	3.4 %
3	Mildly disagree	52	3.4 %
4	Neutral	135	8.9 %
5	Mildly agree	211	13.9 %
6	Strongly agree	209	13.8 %
7	Very strongly agree	158	10.4 %
<b>Missing Data</b>			
.	-	631	41.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 887 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2008-2008 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q135L: (W2Q135L) I can talk about my problems with my friends.**

I can talk about my problems with my friends.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	23	1.5 %
2	Strongly disagree	31	2.0 %
3	Mildly disagree	36	2.4 %
4	Neutral	62	4.1 %
5	Mildly agree	223	14.7 %
6	Strongly agree	290	19.1 %
7	Very strongly agree	224	14.8 %
<b>Missing Data</b>			
.	-	629	41.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 889 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 7.00

*Location:* 2009-2009 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **W2Q136: (W2Q136) Do you have any children?**

Do you have any children?

Value	Label	Unweighted Frequency	%
1	Yes	168	11.1 %
2	No	717	47.2 %
<b>Missing Data</b>			
.	-	633	41.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 885 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2010-2010 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## W2Q137: (W2Q137) How many children do you have?

How many children do you have?

Value	Label	Unweighted Frequency	%
1	-	60	4.0 %
2	-	71	4.7 %
3	-	25	1.6 %
4	-	9	0.6 %
5	-	2	0.1 %
6	-	1	0.1 %
<b>Missing Data</b>			
.	-	1350	88.9 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 168 valid cases out of 1,518 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.96

*Location:* 2011-2011 (width: 1; decimal: 0)

*Variable Type:* numeric

(Range of) Missing Values: 7, .

---

## W2Q138: (W2Q138) What is the age of your child?

What is the age of your child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	3	0.2 %
1	-	1	0.1 %
2	-	9	0.6 %
3	-	1	0.1 %
4	-	2	0.1 %
6	-	1	0.1 %
7	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
11	-	1	0.1 %

Value	Label	Unweighted Frequency	%
12	-	1	0.1 %
13	-	2	0.1 %
14	-	1	0.1 %
15	-	2	0.1 %
16	-	3	0.2 %
17	-	4	0.3 %
18	-	1	0.1 %
19	-	2	0.1 %
20	-	1	0.1 %
21	-	1	0.1 %
23	-	3	0.2 %
24	-	3	0.2 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.2 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	2	0.1 %
35	-	1	0.1 %
36	-	2	0.1 %
37	-	3	0.2 %
38	-	2	0.1 %
41	-	1	0.1 %
42	-	1	0.1 %
43	-	1	0.1 %
<b>Missing Data</b>			
.	-	1452	95.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 66 valid cases out of 1,518 total cases.

- Mean: 18.76
- Median: 17.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 13.17

*Location:* 2012-2013 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## W2Q139: (W2Q139) Does this child currently live with you?

Does this child currently live with you?

Value	Label	Unweighted Frequency	%
1	Yes	39	2.6 %
2	No	29	1.9 %
	<b>Missing Data</b>		
.	-	1450	95.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 68 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2014-2014 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## W2Q140: (W2Q140) What is the age of your oldest child?

What is the age of your oldest child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	0	0.0 %
2	-	4	0.3 %
3	-	1	0.1 %
4	-	1	0.1 %
5	-	1	0.1 %
6	-	2	0.1 %
7	-	5	0.3 %
8	-	2	0.1 %
9	-	3	0.2 %
10	-	1	0.1 %
11	-	3	0.2 %
12	-	3	0.2 %
13	-	3	0.2 %
14	-	1	0.1 %
15	-	6	0.4 %
16	-	7	0.5 %
17	-	2	0.1 %
18	-	5	0.3 %
19	-	3	0.2 %

Value	Label	Unweighted Frequency	%
20	-	5	0.3 %
21	-	4	0.3 %
22	-	3	0.2 %
23	-	4	0.3 %
25	-	3	0.2 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	7	0.5 %
32	-	3	0.2 %
33	-	5	0.3 %
34	-	4	0.3 %
35	-	5	0.3 %
36	-	4	0.3 %
37	-	2	0.1 %
41	-	2	0.1 %
42	-	2	0.1 %
45	-	1	0.1 %
47	-	1	0.1 %
<b>Missing Data</b>			
.	-	1406	92.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 112 valid cases out of 1,518 total cases.

- Mean: 21.55
- Median: 20.00
- Minimum: 2.00
- Maximum: 47.00
- Standard Deviation: 11.16

*Location:* 2015-2016 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q141: (W2Q141) What is the age of your youngest child?

What is the age of your youngest child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	4	0.3 %
1	-	1	0.1 %
2	-	3	0.2 %
3	-	3	0.2 %

Value	Label	Unweighted Frequency	%
4	-	2	0.1 %
5	-	4	0.3 %
6	-	3	0.2 %
7	-	3	0.2 %
8	-	6	0.4 %
9	-	3	0.2 %
10	-	9	0.6 %
11	-	3	0.2 %
12	-	2	0.1 %
13	-	2	0.1 %
14	-	4	0.3 %
15	-	1	0.1 %
16	-	5	0.3 %
17	-	3	0.2 %
18	-	4	0.3 %
19	-	2	0.1 %
20	-	1	0.1 %
21	-	3	0.2 %
22	-	1	0.1 %
23	-	2	0.1 %
24	-	6	0.4 %
25	-	1	0.1 %
26	-	6	0.4 %
27	-	1	0.1 %
28	-	5	0.3 %
29	-	2	0.1 %
30	-	2	0.1 %
31	-	3	0.2 %
32	-	2	0.1 %
33	-	2	0.1 %
35	-	1	0.1 %
36	-	2	0.1 %
37	-	1	0.1 %
41	-	1	0.1 %
43	-	1	0.1 %
<b>Missing Data</b>			
.	-	1408	92.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 110 valid cases out of 1,518 total cases.

- Mean: 16.86
- Median: 16.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 10.58

*Location:* 2017-2018 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## W2Q142: (W2Q142) How many children do you have under age 18 who currently live with you?

How many children do you have under age 18 who currently live with you?

Value	Label	Unweighted Frequency	%
0	-	55	3.6 %
1	-	13	0.9 %
2	-	34	2.2 %
3	-	8	0.5 %
4	-	1	0.1 %
<b>Missing Data</b>			
.	-	1407	92.7 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 111 valid cases out of 1,518 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.09

*Location:* 2019-2019 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## W2Q143: (W2Q143) How many children do you have under age 18 who do not currently live with you?

How many children do you have under age 18 who do not currently live with you?

Value	Label	Unweighted Frequency	%
0	-	95	6.3 %
1	-	7	0.5 %
2	-	6	0.4 %

Value	Label	Unweighted Frequency	%
3	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1409	92.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 109 valid cases out of 1,518 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.57

*Location:* 2020-2020 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q144: (W2Q144) How many children do you have age 18 or over who currently live with you?**

How many children do you have age 18 or over who currently live with you?

Value	Label	Unweighted Frequency	%
0	-	85	5.6 %
1	-	14	0.9 %
2	-	8	0.5 %
3	-	2	0.1 %
4	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1408	92.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 110 valid cases out of 1,518 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.77

*Location:* 2021-2021 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

## **W2Q145: (W2Q145) How many children do you have age 18 or over who currently do not live with you?**

How many children do you have age 18 or over who currently do not live with you?

Value	Label	Unweighted Frequency	%
0	-	62	4.1 %
1	-	19	1.3 %
2	-	19	1.3 %
3	-	5	0.3 %
4	-	6	0.4 %
6	-	1	0.1 %
<b>Missing Data</b>			
.	-	1406	92.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 112 valid cases out of 1,518 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.27

*Location:* 2022-2022 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

**W2Q146A: (W2Q146A) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A relationship with a partner/spouse who already had a child?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A relationship with a partner/spouse who already had a child?

Value	Label	Unweighted Frequency	%
1	Yes	35	2.3 %
2	No	128	8.4 %
<b>Missing Data</b>			
.	-	1355	89.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 163 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2023-2023 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

**W2Q146B: (W2Q146B) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using donor sperm?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using donor sperm?

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	157	10.3 %
	<b>Missing Data</b>		
.	-	1360	89.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 158 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2024-2024 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146C: The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using your and/or your partner's/spouse's sperm?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using your and/or your partner's/spouse's sperm?

Value	Label	Unweighted Frequency	%
1	Yes	2	0.1 %
2	No	156	10.3 %
	<b>Missing Data</b>		
.	-	1360	89.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 158 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2025-2025 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146D: (W2Q146D) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and your partner/spouse gave birth to the child?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and your partner/spouse gave birth to the child?

Value	Label	Unweighted Frequency	%
1	Yes	13	0.9 %
2	No	143	9.4 %
	<b>Missing Data</b>		
.	-	1362	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 156 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2026-2026 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146E: (W2Q146E) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and you gave birth to the child?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and you gave birth to the child?

Value	Label	Unweighted Frequency	%
1	Yes	15	1.0 %
2	No	144	9.5 %
	<b>Missing Data</b>		
.	-	1359	89.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 159 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2027-2027 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146F: (W2Q146F) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donating sperm and co-parenting with someone who is not your partner/spouse**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donating sperm and co-parenting with someone who is not your partner/spouse

Value	Label	Unweighted Frequency	%
1	Yes	3	0.2 %
2	No	154	10.1 %
	<b>Missing Data</b>		
.	-	1361	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 157 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2028-2028 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146G: (W2Q146G) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Adoption of a child born outside of your relationship?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Adoption of a child born outside of your relationship?

Value	Label	Unweighted Frequency	%
1	Yes	13	0.9 %
2	No	145	9.6 %
	<b>Missing Data</b>		
.	-	1360	89.6 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 158 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2029-2029 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146H: (W2Q146H) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Current or previous sexual relationship?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Current or previous sexual relationship?

Value	Label	Unweighted Frequency	%
1	Yes	107	7.0 %
2	No	54	3.6 %
	<b>Missing Data</b>		
.	-	1357	89.4 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 161 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2030-2030 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

**W2Q146I: (W2Q146I) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Becoming a legal or informal guardian of a child born outside of your relationship?**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Becoming a legal or informal guardian of a child born outside of your relationship?

Value	Label	Unweighted Frequency	%
1	Yes	9	0.6 %
2	No	147	9.7 %
	<b>Missing Data</b>		
.	-	1362	89.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 156 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2031-2031 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

## **W2Q146J: (W2Q146J) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Some other way**

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Some other way

Value	Label	Unweighted Frequency	%
1	Yes	17	1.1 %
2	No	138	9.1 %
	<b>Missing Data</b>		
.	-	1363	89.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 155 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 2.00

*Location:* 2032-2032 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of Missing Values:* 7, .

---

## **W2Q147\_T\_VERB: (W2Q147\_T\_VERB) How did you become a parent?**

How did you become a parent?

Value	Label	Unweighted Frequency	%
	-	1493	98.4 %
2 NATURL BORN SONS TO ME & MY X. I PAST 6 YRS HAVE BEEN CALLED "AUNT MAMMA" BY MY NEICE - MY SISTER (HER MOTHER) & MY MOTHER - HAVE BOTH SHUNNED MYSELF, MY NEICE & MY 3 SONS. MY SONS TREAT THEIR COUSIN LIKE A SISTER & I AM NANA TO HER 2 YR OLD.	-	1	0.1 %
ADOPTED FROM FAMIL FOCUS IN LITTLE NECK QUEENS NYC	-	1	0.1 %
AFTER PARTNER DIED	-	1	0.1 %
BACK IN MY EARLY 20IES WHEN I WAS YOUNGER A GIRL GOT ME DRUNK AND GAVE ME DRUGS TO WHERE I DIDN'T KNOW WHAT I WAS DOING. ANYWAY SHE HAD SEX WITH ME GOT PREGNANT THINKING IT WOULD CHANGE ME. WHAT A CROCK SHE WAS FOR WHAT SHE DID.	-	1	0.1 %
BY HAVING SEX WITH THREE DIFFERENT BABY FATHERS, MY DAUGHTERS DAD WE USED PROTECTION IT CAME OFF AND I WAS PREGNANT	-	1	0.1 %
Being a bisexual I was married to a woman and we had a son.	-	1	0.1 %
FOSTER ADOPTION	-	1	0.1 %
GAVE BIRTH TO ALL 3	-	1	0.1 %
GOT MY FIRST WIFE PREGNANT - 2 TIMES	-	1	0.1 %
Got pregnant and married the guy	-	1	0.1 %

Value	Label	Unweighted Frequency	%
HAD 2 CHILDREN FROM LUST HETEROSEXUAL MARRAIGE. STEPSON BY 3RD RELATIONSHIP - HIS MOM NEVER KNEW HIM	-	1	0.1 %
HAD SEX, HAD KIDS	-	1	0.1 %
I DON'T REMEMBER THE FIRST CHILD. THE SECOND I WAS IN A RELATIONSHIP.	-	1	0.1 %
I HAD A BABY	-	1	0.1 %
I HAD SEX WITH A MAN...TWICE...SAME MAN	-	1	0.1 %
I WAS MARRIED TO A MAN BEFORE I CAME OUT.	-	1	0.1 %
I am polyamorus and my partners have a son I consider to be my son as well.	-	1	0.1 %
I gave birth to my children.	-	1	0.1 %
MARRIAGE	-	1	0.1 %
My eldest child is the result of an unplanned pregnancy when I was 17. My second-eldest child is my eldest child's half-brother, mine legally but not biologically. (Not his fault, I've never held that against him.) My two younger children are m	-	1	0.1 %
My ex wife and I had them while married	-	1	0.1 %
Sexual intercourse and am a "step parent" to my partners 2 children.	-	1	0.1 %
TEEN AGE SEX	-	1	0.1 %
Through heterosexual married relationship with my former spouse.	-	1	0.1 %
YES, I MARRIED A FEMALE ON A BET IN 1983. I DID WHAT I WAS SUPPOSED TO DO AND HATED IT. I WAS GRATEFUL WHEN SHE BECAME IN THE FAMILY WAY. IT MEANT NEVER AGAIN.	-	1	0.1 %
	Total	1,518	100%

Based upon 1,518 valid cases out of 1,518 total cases.

Location: 2033-2276 (width: 244; decimal: 0)

Variable Type: character

---

### W2Q148A: (W2Q148A) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Legally recognized as parent or guardian

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Legally recognized as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	11	0.7 %
1	-	52	3.4 %
2	-	65	4.3 %
3	-	17	1.1 %
4	-	6	0.4 %
5	-	1	0.1 %
6	-	2	0.1 %
9	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	<b>Missing Data</b>		
.	-	1363	89.8 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 155 valid cases out of 1,518 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.20

*Location:* 2277-2278 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q148B: (W2Q148B) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Not legally recognized as parent or guardian**

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Not legally recognized as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	89	5.9 %
1	-	15	1.0 %
2	-	8	0.5 %
3	-	1	0.1 %
5	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1404	92.5 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 114 valid cases out of 1,518 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.77

*Location:* 2279-2279 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

---

## **W2Q148C: (W2Q148C) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Unsure about legal status as parent or guardian**

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Unsure about legal status as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	95	6.3 %
1	-	4	0.3 %
2	-	2	0.1 %
3	-	1	0.1 %
9	-	1	0.1 %
<b>Missing Data</b>			
.	-	1415	93.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 103 valid cases out of 1,518 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.98

*Location:* 2280-2281 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W2Q156: (W2Q156) How many people did you list?**

How many people did you list?

Value	Label	Unweighted Frequency	%
0	None	29	1.9 %
1	-	66	4.3 %
2	-	95	6.3 %
3	-	130	8.6 %
4	-	106	7.0 %
5	-	123	8.1 %
6	-	82	5.4 %
7	-	49	3.2 %
8	-	35	2.3 %
9	-	23	1.5 %
10	-	56	3.7 %

Value	Label	Unweighted Frequency	%
11	-	11	0.7 %
12	-	17	1.1 %
13	-	6	0.4 %
14	-	4	0.3 %
15	-	13	0.9 %
16	-	4	0.3 %
19	-	2	0.1 %
20	-	5	0.3 %
25	-	3	0.2 %
26	-	2	0.1 %
27	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.2 %
32	-	1	0.1 %
34	-	1	0.1 %
35	-	1	0.1 %
36	-	1	0.1 %
50	-	1	0.1 %
69	-	1	0.1 %
74	-	1	0.1 %
<b>Missing Data</b>			
.	-	645	42.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 873 valid cases out of 1,518 total cases.

- Mean: 5.76
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 74.00
- Standard Deviation: 5.84

*Location:* 2289-2290 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

---

### **W2Q157A: (W2Q157A) Thinking only about the people you listed in the prior question, how many of them are... your family (other than your spouse)**

Thinking only about the people you listed in the prior question, how many of them are... Your family (other than your spouse)

Value	Label	Unweighted Frequency	%
0	-	213	14.0 %

Value	Label	Unweighted Frequency	%
1	-	196	12.9 %
2	-	173	11.4 %
3	-	106	7.0 %
4	-	51	3.4 %
5	-	26	1.7 %
6	-	12	0.8 %
7	-	7	0.5 %
8	-	6	0.4 %
10	-	4	0.3 %
11	-	1	0.1 %
12	-	1	0.1 %
13	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
23	-	1	0.1 %
30	-	1	0.1 %
50	-	1	0.1 %
<b>Missing Data</b>			
.	-	716	47.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 802 valid cases out of 1,518 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.92

*Location:* 2291-2292 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of Missing Values:* 97, .)

---

## W2Q157B: (W2Q157B) Thinking only about the people you listed in the prior question, how many of them are... your spouse

Thinking only about the people you listed in the prior question, how many of them are... Your spouse

Value	Label	Unweighted Frequency	%
0	-	326	21.5 %
1	-	405	26.7 %
2	-	6	0.4 %
3	-	2	0.1 %

Value	Label	Unweighted Frequency	%
18	-	1	0.1 %
	<b>Missing Data</b>		
.	-	778	51.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 740 valid cases out of 1,518 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 0.83

*Location:* 2293-2294 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

### **W2Q157C: (W2Q157C) Thinking only about the people you listed in the prior question, how many of them are... your close friends**

Thinking only about the people you listed in the prior question, how many of them are... Your close friends

Value	Label	Unweighted Frequency	%
0	-	99	6.5 %
1	-	153	10.1 %
2	-	189	12.5 %
3	-	122	8.0 %
4	-	72	4.7 %
5	-	57	3.8 %
6	-	30	2.0 %
7	-	23	1.5 %
8	-	16	1.1 %
9	-	7	0.5 %
10	-	10	0.7 %
11	-	1	0.1 %
12	-	1	0.1 %
13	-	1	0.1 %
14	-	1	0.1 %
15	-	2	0.1 %
20	-	2	0.1 %
21	-	1	0.1 %
24	-	2	0.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	729	48.0 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 789 valid cases out of 1,518 total cases.

- Mean: 2.90
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.81

*Location:* 2295-2296 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W2Q157D: (W2Q157D) Thinking only about the people you listed in the prior question, how many of them are... your friends/acquaintances**

Thinking only about the people you listed in the prior question, how many of them are... Your friends/acquaintances

Value	Label	Unweighted Frequency	%
0	-	383	25.2 %
1	-	91	6.0 %
2	-	62	4.1 %
3	-	33	2.2 %
4	-	21	1.4 %
5	-	17	1.1 %
6	-	7	0.5 %
7	-	5	0.3 %
8	-	4	0.3 %
9	-	3	0.2 %
10	-	1	0.1 %
12	-	2	0.1 %
13	-	1	0.1 %
14	-	2	0.1 %
24	-	1	0.1 %
26	-	1	0.1 %
30	-	1	0.1 %
	<b>Missing Data</b>		
.	-	883	58.2 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 635 valid cases out of 1,518 total cases.

- Mean: 1.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.68

*Location:* 2297-2298 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q157E: (W2Q157E) Thinking only about the people you listed in the prior question, how many of them are... volunteer/paid worker**

Thinking only about the people you listed in the prior question, how many of them are... Volunteer/paid worker

Value	Label	Unweighted Frequency	%
0	-	518	34.1 %
1	-	46	3.0 %
2	-	8	0.5 %
3	-	3	0.2 %
10	-	1	0.1 %
<b>Missing Data</b>			
.	-	942	62.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 576 valid cases out of 1,518 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.58

*Location:* 2299-2300 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q157F: (W2Q157F) Thinking only about the people you listed in the prior question, how many of them are... other**

Thinking only about the people you listed in the prior question, how many of them are... Other

Value	Label	Unweighted Frequency	%
0	-	470	31.0 %
1	-	62	4.1 %
2	-	10	0.7 %
3	-	5	0.3 %

Value	Label	Unweighted Frequency	%
4	-	2	0.1 %
5	-	2	0.1 %
7	-	1	0.1 %
<b>Missing Data</b>			
.	-	966	63.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 552 valid cases out of 1,518 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.67

*Location:* 2301-2302 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q158A: (W2Q158A) As best you know, how many of the people you listed in the prior question are... of the same race/ethnicity as you

As best you know, how many of the people you listed in the prior question are... Of the same race/ethnicity as you

Value	Label	Unweighted Frequency	%
0	-	37	2.4 %
1	-	91	6.0 %
2	-	123	8.1 %
3	-	142	9.4 %
4	-	101	6.7 %
5	-	89	5.9 %
6	-	65	4.3 %
7	-	41	2.7 %
8	-	40	2.6 %
9	-	17	1.1 %
10	-	29	1.9 %
11	-	8	0.5 %
12	-	11	0.7 %
13	-	2	0.1 %
14	-	5	0.3 %
15	-	5	0.3 %
16	-	1	0.1 %
18	-	3	0.2 %

Value	Label	Unweighted Frequency	%
19	-	2	0.1 %
20	-	1	0.1 %
21	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
30	-	2	0.1 %
32	-	1	0.1 %
35	-	1	0.1 %
45	-	1	0.1 %
60	-	2	0.1 %
<b>Missing Data</b>			
.	-	695	45.8 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 823 valid cases out of 1,518 total cases.

- Mean: 4.78
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.99

*Location:* 2303-2304 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q158B: (W2Q158B) As best you know, how many of the people you listed in the prior question are... the same gender as you

As best you know, how many of the people you listed in the prior question are... The same gender as you

Value	Label	Unweighted Frequency	%
0	-	56	3.7 %
1	-	160	10.5 %
2	-	175	11.5 %
3	-	143	9.4 %
4	-	92	6.1 %
5	-	68	4.5 %
6	-	30	2.0 %
7	-	21	1.4 %
8	-	22	1.4 %
9	-	12	0.8 %
10	-	12	0.8 %

Value	Label	Unweighted Frequency	%
11	-	4	0.3 %
12	-	4	0.3 %
13	-	1	0.1 %
14	-	1	0.1 %
15	-	6	0.4 %
16	-	1	0.1 %
18	-	1	0.1 %
20	-	1	0.1 %
22	-	1	0.1 %
25	-	1	0.1 %
27	-	2	0.1 %
45	-	1	0.1 %
<b>Missing Data</b>			
.	-	703	46.3 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 815 valid cases out of 1,518 total cases.

- Mean: 3.42
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 3.47

*Location:* 2305-2306 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W2Q158C: (W2Q158C) As best you know, how many of the people you listed in the prior question are... LGBT**

As best you know, how many of the people you listed in the prior question are... LGBT

Value	Label	Unweighted Frequency	%
0	-	168	11.1 %
1	-	291	19.2 %
2	-	141	9.3 %
3	-	90	5.9 %
4	-	52	3.4 %
5	-	17	1.1 %
6	-	8	0.5 %
7	-	7	0.5 %
8	-	13	0.9 %

Value	Label	Unweighted Frequency	%
9	-	5	0.3 %
10	-	3	0.2 %
11	-	1	0.1 %
15	-	1	0.1 %
21	-	1	0.1 %
<b>Missing Data</b>			
.	-	720	47.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 798 valid cases out of 1,518 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 2.01

*Location:* 2307-2308 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W2Q158D: (W2Q158D) As best you know, how many of the people you listed in the prior question are... the same race/ethnicity and gender as you and are LGBT**

As best you know, how many of the people you listed in the prior question are... The same race/ethnicity and gender as you and are LGBT

Value	Label	Unweighted Frequency	%
0	-	294	19.4 %
1	-	281	18.5 %
2	-	100	6.6 %
3	-	64	4.2 %
4	-	29	1.9 %
5	-	12	0.8 %
6	-	10	0.7 %
7	-	4	0.3 %
8	-	4	0.3 %
9	-	1	0.1 %
10	-	2	0.1 %
<b>Missing Data</b>			
.	-	717	47.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 801 valid cases out of 1,518 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.53

*Location:* 2309-2310 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## W2Q159: (W2Q159) How many people did you list?

How many people did you list?

Value	Label	Unweighted Frequency	%
0	None	72	4.7 %
1	-	137	9.0 %
2	-	202	13.3 %
3	-	158	10.4 %
4	-	88	5.8 %
5	-	78	5.1 %
6	-	37	2.4 %
7	-	20	1.3 %
8	-	18	1.2 %
9	-	6	0.4 %
10	-	19	1.3 %
11	-	3	0.2 %
12	-	1	0.1 %
14	-	1	0.1 %
15	-	5	0.3 %
16	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
25	-	1	0.1 %
29	-	1	0.1 %
32	-	1	0.1 %
40	-	1	0.1 %
50	-	1	0.1 %
74	-	1	0.1 %
Missing Data			
.	-	664	43.7 %
Total		1,518	100%

Based upon 854 valid cases out of 1,518 total cases.

- Mean: 3.45
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 74.00
- Standard Deviation: 4.37

*Location:* 2311-2312 (width: 2; decimal: 0)

*Variable Type:* numeric

---

### **W2Q160A: (W2Q160A) Thinking only about the people you listed in the prior question, how many of them are... your family (other than your spouse)**

Thinking only about the people you listed in the prior question, how many of them are... Your family (other than your spouse)

Value	Label	Unweighted Frequency	%
0	-	128	8.4 %
1	-	221	14.6 %
2	-	213	14.0 %
3	-	99	6.5 %
4	-	44	2.9 %
5	-	12	0.8 %
6	-	8	0.5 %
7	-	2	0.1 %
8	-	3	0.2 %
10	-	2	0.1 %
12	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
50	-	1	0.1 %
<b>Missing Data</b>			
.	-	782	51.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 736 valid cases out of 1,518 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.47

*Location:* 2313-2314 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W2Q160B: (W2Q160B) Thinking only about the people you listed in the prior question, how many of them are... your spouse**

Thinking only about the people you listed in the prior question, how many of them are... Your spouse

Value	Label	Unweighted Frequency	%
0	-	304	20.0 %
1	-	320	21.1 %
2	-	5	0.3 %
7	-	1	0.1 %
<b>Missing Data</b>			
.	-	888	58.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 630 valid cases out of 1,518 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.58

*Location:* 2315-2316 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

---

## **W2Q160C: (W2Q160C) Thinking only about the people you listed in the prior question, how many of them are... your close friends**

Thinking only about the people you listed in the prior question, how many of them are... Your close friends

Value	Label	Unweighted Frequency	%
0	-	240	15.8 %
1	-	174	11.5 %
2	-	103	6.8 %
3	-	55	3.6 %
4	-	23	1.5 %
5	-	26	1.7 %
6	-	10	0.7 %
7	-	6	0.4 %
8	-	6	0.4 %
10	-	5	0.3 %
11	-	1	0.1 %
13	-	1	0.1 %

Value	Label	Unweighted Frequency	%
15	-	1	0.1 %
20	-	1	0.1 %
24	-	2	0.1 %
	<b>Missing Data</b>		
.	-	864	56.9 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 654 valid cases out of 1,518 total cases.

- Mean: 1.64
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.46

*Location:* 2317-2318 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2Q160D: (W2Q160D) Thinking only about the people you listed in the prior question, how many of them are... your friends/acquaintances

Thinking only about the people you listed in the prior question, how many of them are... Your friends/acquaintances

Value	Label	Unweighted Frequency	%
0	-	443	29.2 %
1	-	40	2.6 %
2	-	19	1.3 %
3	-	10	0.7 %
4	-	2	0.1 %
5	-	2	0.1 %
6	-	3	0.2 %
7	-	1	0.1 %
8	-	2	0.1 %
9	-	2	0.1 %
16	-	1	0.1 %
20	-	1	0.1 %
	<b>Missing Data</b>		
.	-	992	65.3 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 526 valid cases out of 1,518 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.57

*Location:* 2319-2320 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q160E: (W2Q160E) Thinking only about the people you listed in the prior question, how many of them are... volunteer/paid worker**

Thinking only about the people you listed in the prior question, how many of them are... Volunteer/paid worker

Value	Label	Unweighted Frequency	%
0	-	491	32.3 %
1	-	16	1.1 %
2	-	1	0.1 %
5	-	1	0.1 %
7	-	1	0.1 %
<b>Missing Data</b>			
.	-	1008	66.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 510 valid cases out of 1,518 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.43

*Location:* 2321-2322 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q160F: (W2Q160F) Thinking only about the people you listed in the prior question, how many of them are... other**

Thinking only about the people you listed in the prior question, how many of them are... Other

Value	Label	Unweighted Frequency	%
0	-	460	30.3 %
1	-	34	2.2 %
2	-	7	0.5 %
3	-	4	0.3 %

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
	<b>Missing Data</b>		
.	-	1012	66.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 506 valid cases out of 1,518 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.46

*Location:* 2323-2323 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .

### **W2Q161A: (W2Q161A) As best you know, how many of the people you listed in the prior question are... of the same race/ethnicity as you**

As best you know, how many of the people you listed in the prior question are... Of the same race/ethnicity as you

Value	Label	Unweighted Frequency	%
0	-	36	2.4 %
1	-	139	9.2 %
2	-	214	14.1 %
3	-	150	9.9 %
4	-	83	5.5 %
5	-	52	3.4 %
6	-	32	2.1 %
7	-	19	1.3 %
8	-	7	0.5 %
9	-	3	0.2 %
10	-	11	0.7 %
11	-	1	0.1 %
12	-	3	0.2 %
14	-	1	0.1 %
17	-	1	0.1 %
19	-	1	0.1 %
25	-	1	0.1 %
32	-	1	0.1 %
60	-	1	0.1 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	762	50.2 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 756 valid cases out of 1,518 total cases.

- Mean: 3.10
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.30

*Location:* 2324-2325 (*width:* 2; *decimal:* 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## **W2Q161B: (W2Q161B) As best you know, how many of the people you listed in the prior question are... the same gender as you**

As best you know, how many of the people you listed in the prior question are... The same gender as you

Value	Label	Unweighted Frequency	%
0	-	82	5.4 %
1	-	277	18.2 %
2	-	163	10.7 %
3	-	90	5.9 %
4	-	59	3.9 %
5	-	27	1.8 %
6	-	15	1.0 %
7	-	8	0.5 %
8	-	5	0.3 %
9	-	4	0.3 %
10	-	3	0.2 %
14	-	2	0.1 %
22	-	1	0.1 %
<b>Missing Data</b>			
.	-	782	51.5 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 736 valid cases out of 1,518 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 22.00
- Standard Deviation: 1.97

*Location:* 2326-2327 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q161C: (W2Q161C) As best you know, how many of the people you listed in the prior question are... LGBT**

As best you know, how many of the people you listed in the prior question are... LGBT

Value	Label	Unweighted Frequency	%
0	-	297	19.6 %
1	-	255	16.8 %
2	-	94	6.2 %
3	-	38	2.5 %
4	-	17	1.1 %
5	-	13	0.9 %
6	-	2	0.1 %
8	-	3	0.2 %
9	-	2	0.1 %
13	-	1	0.1 %
<b>Missing Data</b>			
.	-	796	52.4 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 722 valid cases out of 1,518 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.38

*Location:* 2328-2329 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

### **W2Q161D: (W2Q161D) As best you know, how many of the people you listed in the prior question are... the same race/ethnicity and gender as you and are LGBT**

As best you know, how many of the people you listed in the prior question are... The same race/ethnicity and gender as you and are LGBT

Value	Label	Unweighted Frequency	%
0	-	382	25.2 %

Value	Label	Unweighted Frequency	%
1	-	207	13.6 %
2	-	77	5.1 %
3	-	29	1.9 %
4	-	11	0.7 %
5	-	7	0.5 %
6	-	3	0.2 %
8	-	1	0.1 %
11	-	1	0.1 %
36	-	1	0.1 %
<b>Missing Data</b>			
.	-	799	52.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 719 valid cases out of 1,518 total cases.

- Mean: 0.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 1.76

*Location:* 2330-2331 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 97, .

## W2COHORT: (W2COHORT) Cohort wave 2

Cohort

Value	Label	Unweighted Frequency	%
1	Younger	367	24.2 %
2	Middle	211	13.9 %
3	Older	316	20.8 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 3.00

*Location:* 2376-2376 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2AGE: (W2AGE) Age on survey wave 2

Age on survey

Value	Label	Unweighted Frequency	%
19	-	20	1.3 %
20	-	26	1.7 %
21	-	52	3.4 %
22	-	38	2.5 %
23	-	46	3.0 %
24	-	50	3.3 %
25	-	50	3.3 %
26	-	47	3.1 %
27	-	38	2.5 %
35	-	12	0.8 %
36	-	44	2.9 %
37	-	44	2.9 %
38	-	25	1.6 %
39	-	20	1.3 %
40	-	27	1.8 %
41	-	16	1.1 %
42	-	14	0.9 %
43	-	9	0.6 %
51	-	1	0.1 %
53	-	12	0.8 %
54	-	38	2.5 %
55	-	53	3.5 %
56	-	33	2.2 %
57	-	35	2.3 %
58	-	42	2.8 %
59	-	37	2.4 %
60	-	45	3.0 %
61	-	20	1.3 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Mean: 38.81
- Median: 37.00
- Mode: 55.00

- Minimum: 19.00
- Maximum: 61.00
- Standard Deviation: 14.87

*Location:* 2332-2333 (width: 2; decimal: 0)

*Variable Type:* numeric

## W2GENDER: (W2GENDER) Gender identity at wave 2

Gender identity

Value	Label	Unweighted Frequency	%
1	Woman	414	27.3 %
2	Man	410	27.0 %
3	Transgender woman/male-to-female (MTF)	3	0.2 %
4	Transgender man/female-to-male (FTM)	1	0.1 %
5	Non-binary/GQ	66	4.3 %
<b>Missing Data</b>			
.	-	624	41.1 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 894 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 5.00

*Location:* 2471-2471 (width: 1; decimal: 0)

*Variable Type:* numeric

## W2Q149: (W2Q149) How important is it to you to have children one day?

How important is it to you to have children one day?

Value	Label	Unweighted Frequency	%
1	Not at all important	427	28.1 %
2	Somewhat important	164	10.8 %
3	Very important	79	5.2 %
4	Extremely important	50	3.3 %
<b>Missing Data</b>			
.	-	798	52.6 %
<b>Total</b>		<b>1,518</b>	<b>100%</b>

Based upon 720 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 2282-2282 (width: 1; decimal: 0)

*Variable Type:* numeric  
*(Range of) Missing Values:* 7, .

---

## **W2Q150: (W2Q150) Thinking about the future, how likely do you think it is that you will have children?**

Thinking about the future, how likely do you think it is that you will have children?

Value	Label	Unweighted Frequency	%
1	Not at all important	431	28.4 %
2	Somewhat important	180	11.9 %
3	Very important	64	4.2 %
4	Extremely important	43	2.8 %
	<b>Missing Data</b>		
.	-	800	52.7 %
	<b>Total</b>	<b>1,518</b>	<b>100%</b>

Based upon 718 valid cases out of 1,518 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 2283-2283 (width: 1; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* 7, .