

ICPSR 37166

**Generations: A Study of the Life
and Health of LGB People in a
Changing Society, United States,
2016-2019**

Ilan H. Meyer

*Williams Institute (University of California, Los
Angeles. School of Law)*

ICPSR Codebook for Generations Wave 2
Restricted-Use Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37166/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37166

Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019

DS 4: Generations Wave 2 Restricted-Use Data

1. **Restricted-Use:** This data collection may not be used for any purpose other than statistical reporting and analysis. Use of these data to learn the identity of any person or establishment is prohibited. To protect respondent privacy, this data collection is restricted from general dissemination. To obtain this file, researchers must agree to the terms and conditions of a Restricted Data Use Agreement in accordance with existing ICPSR servicing policies.
2. **Truncated Value Labels:** Due to the limits of the statistical packages, some value labels for the variable **W2Q104** have been truncated. Please see the documentation for complete variable labels.
3. **Additional Information:** For additional information on Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019, please visit the [Generations study](#) website.

ICPSR 37166

Generations: A Study of the Life and Health of LGB People in a Changing Society, United States, 2016-2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Generations Wave 2 Restricted-Use Data

STUDYID: (STUDYID) Study ID

Study ID

Value	Label	Unweighted Frequency	%
151339842	-	1	0.1 %
151351600	-	1	0.1 %
151427290	-	1	0.1 %
151431818	-	1	0.1 %
151482528	-	1	0.1 %
151483851	-	1	0.1 %
151553159	-	1	0.1 %
151554689	-	1	0.1 %
151557770	-	1	0.1 %
151633654	-	1	0.1 %
151663300	-	1	0.1 %
151663420	-	1	0.1 %
151672491	-	1	0.1 %
151672650	-	1	0.1 %
151675642	-	1	0.1 %
151682015	-	1	0.1 %
151682692	-	1	0.1 %
151707328	-	1	0.1 %
151768519	-	1	0.1 %
151769081	-	1	0.1 %
151796070	-	1	0.1 %
151798032	-	1	0.1 %
151828421	-	1	0.1 %
151852842	-	1	0.1 %
151855320	-	1	0.1 %
151858749	-	1	0.1 %
151876818	-	1	0.1 %
151902601	-	1	0.1 %
152060465	-	1	0.1 %
152250313	-	1	0.1 %
152252376	-	1	0.1 %
152297183	-	1	0.1 %
152304751	-	1	0.1 %

Value	Label	Unweighted Frequency	%
152329230	-	1	0.1 %
152332279	-	1	0.1 %
152361152	-	1	0.1 %
152391085	-	1	0.1 %
152397550	-	1	0.1 %
152426624	-	1	0.1 %
152431021	-	1	0.1 %
152432711	-	1	0.1 %
152447493	-	1	0.1 %
152462103	-	1	0.1 %
152464199	-	1	0.1 %
152464468	-	1	0.1 %
152487683	-	1	0.1 %
152489670	-	1	0.1 %
152495527	-	1	0.1 %
152517402	-	1	0.1 %
152517585	-	1	0.1 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Mean: 157337761.47
- Minimum: 151339842.00
- Maximum: 165513794.00
- Standard Deviation: 3783366.88

Location: 1-9 (width: 9; decimal: 0)

Variable Type: numeric

GMETHOD_TYPE_W2: (GMETHOD_TYPE_W2) Survey completed by mail (scan) or web

Survey completed by mail (scan) or Web

Value	Label	Unweighted Frequency	%
1	Web (online)	702	78.5 %
2	Mail (scan)	192	21.5 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1010-1010 (width: 1; decimal: 0)

Variable Type: numeric

GRESPONDENT_DATE_W2: (GRESPONDENT_DATE_W2) Date completed wave 2 survey

Value	Label	Unweighted Frequency	%
20908	-	5	0.6 %
20909	-	1	0.1 %
20910	-	1	0.1 %
20911	-	1	0.1 %
20912	-	3	0.3 %
20913	-	1	0.1 %
20916	-	1	0.1 %
20919	-	1	0.1 %
20920	-	1	0.1 %
20921	-	1	0.1 %
20922	-	2	0.2 %
20923	-	2	0.2 %
20925	-	1	0.1 %
20926	-	1	0.1 %
20927	-	1	0.1 %
20928	-	1	0.1 %
20930	-	2	0.2 %
20931	-	3	0.3 %
20932	-	4	0.4 %
20933	-	2	0.2 %
20934	-	2	0.2 %
20935	-	1	0.1 %
20936	-	1	0.1 %
20937	-	4	0.4 %
20938	-	1	0.1 %
20939	-	6	0.7 %
20940	-	1	0.1 %
20941	-	1	0.1 %
20942	-	1	0.1 %
20943	-	1	0.1 %
20944	-	1	0.1 %
20945	-	1	0.1 %
20946	-	1	0.1 %
20949	-	10	1.1 %
20953	-	1	0.1 %

Value	Label	Unweighted Frequency	%
20954	-	12	1.3 %
20955	-	2	0.2 %
20957	-	1	0.1 %
20958	-	16	1.8 %
20959	-	4	0.4 %
20960	-	1	0.1 %
20961	-	5	0.6 %
20963	-	2	0.2 %
20964	-	1	0.1 %
20965	-	3	0.3 %
20967	-	2	0.2 %
20969	-	6	0.7 %
20970	-	2	0.2 %
20971	-	1	0.1 %
20972	-	3	0.3 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Mean: 21087.35
- Minimum: 20908.00
- Maximum: 21313.00
- Standard Deviation: 96.65

Location: 1074-1078 (width: 5; decimal: 0)

Variable Type: numeric

W2WEIGHT: (W2WEIGHT) Wave 2 weight

Survey weight for cross-sectional analyses using wave 2 dataset or longitudinal analyses across waves 1 and 2

Value	Label	Unweighted Frequency	%
0.2336413926472	-	63	7.0 %
0.2348943099758	-	1	0.1 %
0.2355144201551	-	2	0.2 %
0.2357557436100	-	1	0.1 %
0.2370131854727	-	1	0.1 %
0.2385918286426	-	1	0.1 %
0.2392376319930	-	1	0.1 %
0.2400782618496	-	1	0.1 %
0.2419632987033	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.2426889180793	-	1	0.1 %
0.2448547540610	-	1	0.1 %
0.2449821258190	-	1	0.1 %
0.2460796667400	-	2	0.2 %
0.2473399051027	-	1	0.1 %
0.2475445113022	-	1	0.1 %
0.2476732822533	-	1	0.1 %
0.2513870759315	-	1	0.1 %
0.2530657790787	-	1	0.1 %
0.2562385869491	-	1	0.1 %
0.2583217678702	-	1	0.1 %
0.2634252640955	-	1	0.1 %
0.2649167302476	-	1	0.1 %
0.2660363795722	-	1	0.1 %
0.2687504210861	-	1	0.1 %
0.2700082053390	-	1	0.1 %
0.2702386320218	-	1	0.1 %
0.2714746346056	-	1	0.1 %
0.2715811517431	-	1	0.1 %
0.2722994780389	-	1	0.1 %
0.2723020847726	-	1	0.1 %
0.2777448667089	-	2	0.2 %
0.2786607913408	-	1	0.1 %
0.2809180718559	-	1	0.1 %
0.2819434134689	-	1	0.1 %
0.2827254010999	-	1	0.1 %
0.2847797955754	-	1	0.1 %
0.2858646073505	-	1	0.1 %
0.2862530426043	-	1	0.1 %
0.2895436476331	-	1	0.1 %
0.2927067077095	-	1	0.1 %
0.2929946516297	-	1	0.1 %
0.2933806225048	-	1	0.1 %
0.2952542887128	-	1	0.1 %
0.2957644111957	-	1	0.1 %
0.2980748516025	-	1	0.1 %
0.2990305763285	-	1	0.1 %
0.2998492091967	-	1	0.1 %
0.3024217245036	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.3028193781412	-	1	0.1 %
0.3054722466949	-	2	0.2 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Mean: 1.0025244310779
- Minimum: 0.2336413926472
- Maximum: 3.5400211007151
- Standard Deviation: 0.8953353601267

Location: 10-24 (width: 15; decimal: 13)

Variable Type: numeric

W2Q01: (W2Q01) (Current personal well-being) On which step of the ladder would you say you personally feel you stand at this time?

The following are some questions about your overall life. Please imagine a ladder with steps numbered from zero at the bottom to ten at the top. The top of the ladder represents the best possible life for you and the bottom of the ladder represents the worst possible life for you. On which step of the ladder would you say you personally feel you stand at this time?

Value	Label	Unweighted Frequency	%
0	-	2	0.2 %
1	-	3	0.3 %
2	-	8	0.9 %
3	-	38	4.3 %
4	-	74	8.3 %
5	-	121	13.5 %
6	-	164	18.3 %
7	-	235	26.3 %
8	-	176	19.7 %
9	-	48	5.4 %
10	-	16	1.8 %
	Missing Data		
98	Don't know	5	0.6 %
.	-	4	0.4 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Mean: 6.40
- Median: 7.00
- Mode: 7.00

- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.69

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , .

W2Q02: (W2Q02) On which step do you think you will stand about five years from now?

The following are some questions about your overall life. On which step do you think you will stand about five years from now?

Value	Label	Unweighted Frequency	%
1	-	1	0.1 %
2	-	2	0.2 %
3	-	11	1.2 %
4	-	21	2.3 %
5	-	43	4.8 %
6	-	61	6.8 %
7	-	128	14.3 %
8	-	266	29.8 %
9	-	220	24.6 %
10	-	95	10.6 %
	Missing Data		
98	Don't know	41	4.6 %
.	-	5	0.6 %
	Total	894	100%

Based upon 848 valid cases out of 894 total cases.

- Mean: 7.85
- Median: 8.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.56

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , .

W2Q03: (W2Q03) Generally, how would you say things are these days in your life? Would you say that you are...

The following are some questions about your overall life. Generally, how would you say things are these days in your life? Would you say that you are ...

Value	Label	Unweighted Frequency	%
1	Very happy	131	14.7 %
2	Pretty happy	573	64.1 %
3	Not too happy	165	18.5 %
	Missing Data		
.	-	25	2.8 %
	Total	894	100%

Based upon 869 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

W2SOCIALWB: (W2SOCIALWB) Social well-being scale_wave 2

Social well-being scale

Value	Label	Unweighted Frequency	%
1.4666666984558	-	1	0.1 %
1.8666666746140	-	1	0.1 %
1.9333332777023	-	1	0.1 %
2.0000000000000	-	1	0.1 %
2.1333334445953	-	1	0.1 %
2.2000000476837	-	2	0.2 %
2.2666666507721	-	1	0.1 %
2.4000000953674	-	1	0.1 %
2.4666666984558	-	4	0.4 %
2.5333333015442	-	4	0.4 %
2.5999999046326	-	3	0.3 %
2.6666667461395	-	1	0.1 %
2.7333333492279	-	2	0.2 %
2.7999999523163	-	3	0.3 %
2.8666665554047	-	6	0.7 %
2.9333333969116	-	8	0.9 %
3.0000000000000	-	6	0.7 %
3.0666666030884	-	5	0.6 %
3.1333334445953	-	5	0.6 %
3.2000000476837	-	9	1.0 %
3.2666666507721	-	6	0.7 %
3.3333332538605	-	11	1.2 %

Value	Label	Unweighted Frequency	%
3.4000000953674	-	9	1.0 %
3.4666666984558	-	19	2.1 %
3.5333333015442	-	13	1.5 %
3.5999999046326	-	15	1.7 %
3.6666667461395	-	15	1.7 %
3.7333333492279	-	17	1.9 %
3.7999999523163	-	16	1.8 %
3.8666665554047	-	18	2.0 %
3.9333333969116	-	19	2.1 %
4.0000000000000	-	22	2.5 %
4.0666666030884	-	23	2.6 %
4.1333332061768	-	16	1.8 %
4.1999998092651	-	27	3.0 %
4.2666668891907	-	18	2.0 %
4.3333334922791	-	26	2.9 %
4.4000000953674	-	24	2.7 %
4.4666666984558	-	27	3.0 %
4.5333333015442	-	26	2.9 %
4.5999999046326	-	32	3.6 %
4.6666665077209	-	19	2.1 %
4.7333331108093	-	31	3.5 %
4.8000001907349	-	28	3.1 %
4.8666667938232	-	21	2.3 %
4.9333333969116	-	23	2.6 %
5.0000000000000	-	23	2.6 %
5.0666666030884	-	30	3.4 %
5.1333332061768	-	15	1.7 %
5.1999998092651	-	23	2.6 %
	Missing Data		
.	-	29	3.2 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 865 valid cases out of 894 total cases.

- Mean: 4.5273988409538
- Median: 4.5999999046326
- Mode: 4.5999999046326
- Minimum: 1.4666666984558

- Maximum: 6.8000001907349
- Standard Deviation: 0.8770160430389

Location: 1314-1328 (width: 15; decimal: 13)

Variable Type: numeric

W2SOCIALWB_I: (W2SOCIALWB_I) Social well-being scale with imputations_wave 2

Social well-being scale with imputations

Value	Label	Unweighted Frequency	%
1.4666666984558	-	1	0.1 %
1.8666666746140	-	1	0.1 %
1.9333332777023	-	2	0.2 %
2.0000000000000	-	1	0.1 %
2.1333334445953	-	1	0.1 %
2.2000000476837	-	2	0.2 %
2.2666666507721	-	1	0.1 %
2.3333332538605	-	1	0.1 %
2.4000000953674	-	1	0.1 %
2.4666666984558	-	4	0.4 %
2.5333333015442	-	5	0.6 %
2.5999999046326	-	3	0.3 %
2.6666667461395	-	2	0.2 %
2.7333333492279	-	2	0.2 %
2.7999999523163	-	4	0.4 %
2.8666665554047	-	6	0.7 %
2.9333333969116	-	8	0.9 %
3.0000000000000	-	6	0.7 %
3.0666666030884	-	5	0.6 %
3.1333334445953	-	6	0.7 %
3.2000000476837	-	9	1.0 %
3.2666666507721	-	6	0.7 %
3.3333332538605	-	12	1.3 %
3.4000000953674	-	9	1.0 %
3.4666666984558	-	19	2.1 %
3.5333333015442	-	13	1.5 %
3.5999999046326	-	17	1.9 %
3.6666667461395	-	15	1.7 %
3.7333333492279	-	17	1.9 %
3.7999999523163	-	17	1.9 %
3.8666665554047	-	18	2.0 %
3.9333333969116	-	19	2.1 %

Value	Label	Unweighted Frequency	%
4.0000000000000	-	22	2.5 %
4.0666666030884	-	23	2.6 %
4.1333332061768	-	16	1.8 %
4.1999998092651	-	28	3.1 %
4.2666668891907	-	19	2.1 %
4.3333334922791	-	26	2.9 %
4.4000000953674	-	25	2.8 %
4.4666666984558	-	28	3.1 %
4.5333333015442	-	28	3.1 %
4.5999999046326	-	32	3.6 %
4.6666665077209	-	19	2.1 %
4.7333331108093	-	31	3.5 %
4.8000001907349	-	28	3.1 %
4.8666667938232	-	21	2.3 %
4.9333333969116	-	23	2.6 %
5.0000000000000	-	26	2.9 %
5.0666666030884	-	31	3.5 %
5.1333332061768	-	15	1.7 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Mean: 4.5228187887194
- Median: 4.5333333015442
- Mode: 4.5999999046326
- Minimum: 1.4666666984558
- Maximum: 6.8000001907349
- Standard Deviation: 0.8899274998407

Location: 1329-1343 (width: 15; decimal: 13)

Variable Type: numeric

W2Q04: (W2Q04) I don't feel I belong to anything I'd call a community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I don't feel I belong to anything I'd call a community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	167	18.7 %
2	Moderately disagree	182	20.4 %
3	Slightly disagree	140	15.7 %

Value	Label	Unweighted Frequency	%
4	Neither agree nor disagree	62	6.9 %
5	Slightly agree	165	18.5 %
6	Moderately agree	116	13.0 %
7	Strongly agree	57	6.4 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

W2Q05: (W2Q05) I feel close to other people in my community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I feel close to other people in my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	56	6.3 %
2	Moderately disagree	93	10.4 %
3	Slightly disagree	120	13.4 %
4	Neither agree nor disagree	116	13.0 %
5	Slightly agree	183	20.5 %
6	Moderately agree	199	22.3 %
7	Strongly agree	120	13.4 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

W2Q06: (W2Q06) My community is a source of comfort.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My community is a source of comfort.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	65	7.3 %
2	Moderately disagree	89	10.0 %
3	Slightly disagree	81	9.1 %
4	Neither agree nor disagree	175	19.6 %
5	Slightly agree	151	16.9 %
6	Moderately agree	182	20.4 %
7	Strongly agree	144	16.1 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

W2Q07: (W2Q07) People who do a favor expect nothing in return.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People who do a favor expect nothing in return.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	58	6.5 %
2	Moderately disagree	109	12.2 %
3	Slightly disagree	202	22.6 %
4	Neither agree nor disagree	170	19.0 %
5	Slightly agree	147	16.4 %
6	Moderately agree	147	16.4 %
7	Strongly agree	53	5.9 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

W2Q08: (W2Q08) People do not care about other people's problems.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. People do not care about other people's problems.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	97	10.9 %
2	Moderately disagree	233	26.1 %
3	Slightly disagree	213	23.8 %
4	Neither agree nor disagree	74	8.3 %
5	Slightly agree	146	16.3 %
6	Moderately agree	98	11.0 %
7	Strongly agree	24	2.7 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

W2Q09: (W2Q09) I believe that people are kind.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I believe that people are kind.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	11	1.2 %
2	Moderately disagree	29	3.2 %
3	Slightly disagree	59	6.6 %
4	Neither agree nor disagree	97	10.9 %
5	Slightly agree	259	29.0 %
6	Moderately agree	341	38.1 %
7	Strongly agree	87	9.7 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

W2Q10: (W2Q10) I have something valuable to give to the world.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have something valuable to give to the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	18	2.0 %
2	Moderately disagree	18	2.0 %
3	Slightly disagree	19	2.1 %
4	Neither agree nor disagree	68	7.6 %
5	Slightly agree	125	14.0 %
6	Moderately agree	307	34.3 %
7	Strongly agree	332	37.1 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

W2Q11: (W2Q11) My daily activities do not produce anything worthwhile for my community.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. My daily activities do not produce anything worthwhile for my community.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	177	19.8 %
2	Moderately disagree	199	22.3 %
3	Slightly disagree	157	17.6 %
4	Neither agree nor disagree	110	12.3 %
5	Slightly agree	108	12.1 %
6	Moderately agree	86	9.6 %
7	Strongly agree	49	5.5 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

W2Q12: (W2Q12) I have nothing important to contribute to society.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I have nothing important to contribute to society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	408	45.6 %
2	Moderately disagree	211	23.6 %
3	Slightly disagree	121	13.5 %
4	Neither agree nor disagree	44	4.9 %
5	Slightly agree	54	6.0 %
6	Moderately agree	34	3.8 %
7	Strongly agree	13	1.5 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

W2Q13: (W2Q13) The world is becoming a better place for everyone.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is becoming a better place for everyone.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	193	21.6 %
2	Moderately disagree	178	19.9 %
3	Slightly disagree	165	18.5 %
4	Neither agree nor disagree	131	14.7 %
5	Slightly agree	114	12.8 %
6	Moderately agree	82	9.2 %
7	Strongly agree	21	2.3 %
	Missing Data		
.	-	10	1.1 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

W2Q14: (W2Q14) Society has stopped making progress.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society has stopped making progress.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	8.4 %
2	Moderately disagree	143	16.0 %
3	Slightly disagree	167	18.7 %
4	Neither agree nor disagree	127	14.2 %
5	Slightly agree	168	18.8 %
6	Moderately agree	131	14.7 %
7	Strongly agree	73	8.2 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

W2Q15: (W2Q15) Society isn't improving for people like me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. Society isn't improving for people like me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	79	8.8 %
2	Moderately disagree	169	18.9 %
3	Slightly disagree	185	20.7 %
4	Neither agree nor disagree	116	13.0 %
5	Slightly agree	141	15.8 %

Value	Label	Unweighted Frequency	%
6	Moderately agree	115	12.9 %
7	Strongly agree	79	8.8 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

W2Q16: (W2Q16) The world is too complex for me.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. The world is too complex for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	225	25.2 %
2	Moderately disagree	197	22.0 %
3	Slightly disagree	119	13.3 %
4	Neither agree nor disagree	141	15.8 %
5	Slightly agree	105	11.7 %
6	Moderately agree	67	7.5 %
7	Strongly agree	31	3.5 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

W2Q17: (W2Q17) I cannot make sense of what's going on in the world.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I cannot make sense of what's going on in the world.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	171	19.1 %

Value	Label	Unweighted Frequency	%
2	Moderately disagree	173	19.4 %
3	Slightly disagree	113	12.6 %
4	Neither agree nor disagree	91	10.2 %
5	Slightly agree	163	18.2 %
6	Moderately agree	112	12.5 %
7	Strongly agree	62	6.9 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

W2Q18: (W2Q18) I find it easy to predict what will happen next in society.

The following questions are about your thoughts about how you feel in your community and society. Please rate your level of agreement with each item. I find it easy to predict what will happen next in society.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	158	17.7 %
2	Moderately disagree	182	20.4 %
3	Slightly disagree	165	18.5 %
4	Neither agree nor disagree	144	16.1 %
5	Slightly agree	125	14.0 %
6	Moderately agree	82	9.2 %
7	Strongly agree	30	3.4 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 44-44 (width: 1; decimal: 0)

Variable Type: numeric

W2Q151: (W2Q151) In most ways, my life is close to my ideal.

In most ways, my life is close to my ideal.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	96	10.7 %
2	Moderately disagree	120	13.4 %
3	Slightly disagree	109	12.2 %
4	Neither agree nor disagree	77	8.6 %
5	Slightly agree	168	18.8 %
6	Moderately agree	210	23.5 %
7	Strongly agree	106	11.9 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 957-957 (width: 1; decimal: 0)

Variable Type: numeric

W2Q152: (W2Q152) The conditions of my life are excellent.

The conditions of my life are excellent.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	79	8.8 %
2	Moderately disagree	96	10.7 %
3	Slightly disagree	119	13.3 %
4	Neither agree nor disagree	70	7.8 %
5	Slightly agree	182	20.4 %
6	Moderately agree	218	24.4 %
7	Strongly agree	121	13.5 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 958-958 (width: 1; decimal: 0)

Variable Type: numeric

W2Q153: (W2Q153) I am satisfied with life.

I am satisfied with life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	75	8.4 %
2	Moderately disagree	93	10.4 %
3	Slightly disagree	96	10.7 %
4	Neither agree nor disagree	66	7.4 %
5	Slightly agree	176	19.7 %
6	Moderately agree	260	29.1 %
7	Strongly agree	120	13.4 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 959-959 (width: 1; decimal: 0)

Variable Type: numeric

W2Q154: (W2Q154) So far I have gotten the important things I want in life.

So far I have gotten the important things I want in life.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	59	6.6 %
2	Moderately disagree	73	8.2 %
3	Slightly disagree	101	11.3 %
4	Neither agree nor disagree	71	7.9 %
5	Slightly agree	186	20.8 %
6	Moderately agree	240	26.8 %
7	Strongly agree	153	17.1 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 960-960 (width: 1; decimal: 0)

Variable Type: numeric

W2Q155: (W2Q155) If I could live my life over, I would change almost nothing.

If I could live my life over, I would change almost nothing.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	170	19.0 %
2	Moderately disagree	124	13.9 %
3	Slightly disagree	155	17.3 %
4	Neither agree nor disagree	68	7.6 %
5	Slightly agree	120	13.4 %
6	Moderately agree	156	17.4 %
7	Strongly agree	93	10.4 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 961-961 (width: 1; decimal: 0)

Variable Type: numeric

W2SEXUALID: (W2SEXUALID) Sexual identity

Sexual identity

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	8	0.9 %
2	Lesbian	175	19.6 %
3	Gay	330	36.9 %
4	Bisexual	272	30.4 %
5	Queer	56	6.3 %
6	Same-gender loving	15	1.7 %
7	Other	6	0.7 %
8	Asexual spectrum	13	1.5 %
9	Pansexual	19	2.1 %
10	Anti-label	0	0.0 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1312-1313 (width: 2; decimal: 0)

Variable Type: numeric

W2SEXMINID: (W2SEXMINID) Sexual minority identity

Sexual minority identity

Value	Label	Unweighted Frequency	%
1	Lesbian/gay	505	56.5 %
2	Bisexual	272	30.4 %
3	Other sexual minority identity	109	12.2 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1311-1311 (width: 1; decimal: 0)

Variable Type: numeric

W2Q20: (W2Q20) If you had to choose only one of the following terms, which best describes your current gender identity?

If you had to choose only one of the following terms, which best describes your

Value	Label	Unweighted Frequency	%
1	Woman	409	45.7 %
2	Man	408	45.6 %
3	Transgender woman/male-to-female (MTF)	3	0.3 %
4	Transgender man/female-to-male (FTM)	1	0.1 %
5	Non-binary/genderqueer	66	7.4 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

W2Q21: (W2Q21) Which of the following best describes your current sexual orientation?

Which of the following best describes your current sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	8	0.9 %
2	Lesbian	174	19.5 %
3	Gay	329	36.8 %
4	Bisexual	266	29.8 %
5	Queer	56	6.3 %
6	Same-gender loving	15	1.7 %
7	Other (list) (allow 250 characters)	41	4.6 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

W2Q21_T_VERB: (W2Q21_T_VERB) Write in response for W2Q21

Sexual Orientation Write In

Value	Label	Unweighted Frequency	%
	-	853	95.4 %
ACEFLUX/ BISEXUAL	-	1	0.1 %
ASEXUAL	-	2	0.2 %
Asexual	-	6	0.7 %
Asexual, Panromantic	-	1	0.1 %
Bisexual and Queer are equally accurate.	-	1	0.1 %
DEMISEXUAL	-	1	0.1 %
DYKE	-	1	0.1 %
Demi Sexual	-	1	0.1 %
HOMO EMOTIONAL	-	1	0.1 %
Heteroflexible? I'm still trying to figure myself out	-	1	0.1 %
Homoflexible	-	1	0.1 %
Not straight	-	1	0.1 %
PANSEXUAL	-	1	0.1 %
Pan sexual	-	1	0.1 %

Value	Label	Unweighted Frequency	%
Pansexual	-	16	1.8 %
Sexual	-	1	0.1 %
asexual	-	2	0.2 %
attack helicopter	-	1	0.1 %
pansexual	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

Location: 51-106 (width: 56; decimal: 0)

Variable Type: character

W2Q22_1: (W2Q22_1) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, non-transgender

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	273	30.5 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	0	0.0 %
	Missing Data		
.	-	621	69.5 %
	Total	894	100%

Based upon 273 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

W2Q22_2: (W2Q22_2) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, non-transgender

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	520	58.2 %

Value	Label	Unweighted Frequency	%
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	0	0.0 %
	Missing Data		
.	-	374	41.8 %
	Total	894	100%

Based upon 520 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

W2Q22_3: (W2Q22_3) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender women/male-to-female (MTF)

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	20	2.2 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	0	0.0 %
	Missing Data		
.	-	874	97.8 %
	Total	894	100%

Based upon 20 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

W2Q22_4: (W2Q22_4) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender men/female-to-male (FTM)

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	20	2.2 %
5	I have not had sex with anyone in the last year	0	0.0 %
	Missing Data		
.	-	874	97.8 %
	Total	894	100%

Based upon 20 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

W2Q22_5: (W2Q22_5) In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last year

In the last year who did you have sex with? By sex we mean any activity you personally define as sexual activity. Please mark all that apply. I have not had sex with anyone in the last year

Value	Label	Unweighted Frequency	%
1	Women, non-transgender	0	0.0 %
2	Men, non-transgender	0	0.0 %
3	Transgender women/male-to-female (MTF)	0	0.0 %
4	Transgender men/female-to-male (FTM)	0	0.0 %
5	I have not had sex with anyone in the last year	181	20.2 %
	Missing Data		
.	-	713	79.8 %
	Total	894	100%

Based upon 181 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

W2Q23A: (W2Q23A) Please indicate how sexually attracted you are to the following types of people. Women, non-transgender

Please indicate how sexually attracted you are to the following types of people: Women, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	249	27.9 %
2	Not very	78	8.7 %
3	Somewhat	142	15.9 %
4	Very	412	46.1 %
5	Not sure	5	0.6 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

W2Q23B: (W2Q23B) Please indicate how sexually attracted you are to the following types of people. Men, non-transgender

Please indicate how sexually attracted you are to the following types of people: Men, Non-Transgender

Value	Label	Unweighted Frequency	%
1	Not at all	116	13.0 %
2	Not very	86	9.6 %
3	Somewhat	148	16.6 %
4	Very	527	58.9 %
5	Not sure	5	0.6 %
	Missing Data		
.	-	12	1.3 %
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

W2Q23C: (W2Q23C) Please indicate how sexually attracted you are to the following types of people. Transgender women/male-to-female (MTF)

Please indicate how sexually attracted you are to the following types of people: Transgender Women/Male-to-Female (MTF)

Value	Label	Unweighted Frequency	%
1	Not at all	409	45.7 %
2	Not very	127	14.2 %
3	Somewhat	160	17.9 %
4	Very	80	8.9 %
5	Not sure	102	11.4 %
	Missing Data		
.	-	16	1.8 %
	Total	894	100%

Based upon 878 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

W2Q23D: (W2Q23D) Please indicate how sexually attracted you are to the following types of people. Transgender men/female-to-male (FTM)

Please indicate how sexually attracted you are to the following types of people: Transgender Men/Female-to-Male (FTM)

Value	Label	Unweighted Frequency	%
1	Not at all	344	38.5 %
2	Not very	116	13.0 %
3	Somewhat	222	24.8 %
4	Very	80	8.9 %
5	Not sure	116	13.0 %
	Missing Data		
.	-	16	1.8 %
	Total	894	100%

Based upon 878 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

W2IDCENTRAL: (W2IDCENTRAL) Identity centrality_wave 2

Identity centrality

Value	Label	Unweighted Frequency	%
1.00000000000000	-	8	0.9 %
1.2000000476837	-	5	0.6 %
1.3999999761581	-	6	0.7 %
1.6000000238419	-	9	1.0 %
1.7999999523163	-	11	1.2 %
2.00000000000000	-	32	3.6 %
2.2000000476837	-	23	2.6 %
2.4000000953674	-	29	3.2 %
2.5999999046326	-	22	2.5 %
2.7999999523163	-	38	4.3 %
3.00000000000000	-	41	4.6 %
3.2000000476837	-	54	6.0 %
3.4000000953674	-	48	5.4 %
3.5999999046326	-	53	5.9 %
3.7999999523163	-	50	5.6 %
4.00000000000000	-	55	6.2 %
4.1999998092651	-	59	6.6 %
4.4000000953674	-	56	6.3 %
4.5999999046326	-	44	4.9 %
4.8000001907349	-	36	4.0 %
5.00000000000000	-	62	6.9 %
5.1999998092651	-	40	4.5 %
5.4000000953674	-	18	2.0 %
5.5999999046326	-	21	2.3 %
5.8000001907349	-	19	2.1 %
6.00000000000000	-	45	5.0 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Mean: 3.8988687691376
- Median: 4.00000000000000
- Mode: 5.00000000000000
- Minimum: 1.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.1783815510419

Location: 1247-1261 (width: 15; decimal: 13)

Variable Type: numeric

W2IDCENTRAL_I: (W2IDCENTRAL_I) Identity centrality with imputation_wave 2

Identity centrality with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	8	0.9 %
1.2000000476837	-	5	0.6 %
1.3999999761581	-	6	0.7 %
1.6000000238419	-	9	1.0 %
1.7999999523163	-	12	1.3 %
2.00000000000000	-	32	3.6 %
2.2000000476837	-	24	2.7 %
2.4000000953674	-	29	3.2 %
2.5999999046326	-	23	2.6 %
2.7999999523163	-	38	4.3 %
3.00000000000000	-	43	4.8 %
3.2000000476837	-	54	6.0 %
3.4000000953674	-	48	5.4 %
3.5999999046326	-	55	6.2 %
3.7999999523163	-	50	5.6 %
4.00000000000000	-	55	6.2 %
4.1999998092651	-	59	6.6 %
4.4000000953674	-	56	6.3 %
4.5999999046326	-	45	5.0 %
4.8000001907349	-	37	4.1 %
5.00000000000000	-	63	7.0 %
5.1999998092651	-	40	4.5 %
5.4000000953674	-	18	2.0 %
5.5999999046326	-	21	2.3 %
5.8000001907349	-	19	2.1 %
6.00000000000000	-	45	5.0 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 3.8935122949965
- Median: 4.00000000000000
- Mode: 5.00000000000000
- Minimum: 1.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.1780858136509

Location: 1262-1276 (width: 15; decimal: 13)

Variable Type: numeric

W2Q24: (W2Q24) My sexual orientation is an insignificant part of who I am.

My sexual orientation is an insignificant part of who I am.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	172	19.2 %
2	Disagree	219	24.5 %
3	Disagree somewhat	166	18.6 %
4	Agree somewhat	137	15.3 %
5	Agree	122	13.6 %
6	Agree strongly	73	8.2 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

W2Q25: (W2Q25) My sexual orientation is a central part of my identity.

My sexual orientation is a central part of my identity.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	60	6.7 %
2	Disagree	151	16.9 %
3	Disagree somewhat	136	15.2 %
4	Agree somewhat	220	24.6 %
5	Agree	186	20.8 %
6	Agree strongly	135	15.1 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

W2Q26: (W2Q26) To understand who I am as a person, you have to know that I'm LGB.

To understand who I am as a person, you have to know that I'm LGB.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	149	16.7 %
2	Disagree	189	21.1 %
3	Disagree somewhat	131	14.7 %
4	Agree somewhat	172	19.2 %
5	Agree	146	16.3 %
6	Agree strongly	100	11.2 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

W2Q27: (W2Q27) Being an LGB person is a very important aspect of my life.

Being an LGB person is a very important aspect of my life.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	50	5.6 %
2	Disagree	107	12.0 %
3	Disagree somewhat	129	14.4 %
4	Agree somewhat	248	27.7 %
5	Agree	218	24.4 %
6	Agree strongly	134	15.0 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

W2Q28: (W2Q28) I believe being LGB is an important part of me.

I believe being LGB is an important part of me.

Value	Label	Unweighted Frequency	%
1	Disagree strongly	29	3.2 %
2	Disagree	61	6.8 %
3	Disagree somewhat	71	7.9 %
4	Agree somewhat	256	28.6 %
5	Agree	290	32.4 %
6	Agree strongly	182	20.4 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29A: (W2Q29A) Have any of these things happened in the past year? You had sex with someone of the same sex for the first time

Have any of these things happened in the past year? You had sex with someone of the same sex for the first time

Value	Label	Unweighted Frequency	%
1	Yes	40	4.5 %
2	No	847	94.7 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29B: (W2Q29B) Have any of these things happened in the past year? You had your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved

Have any of these things happened in the past year? You had your first intimate relationship with someone of the same sex, where you both felt like you were in love or romantically involved

Value	Label	Unweighted Frequency	%
1	Yes	100	11.2 %
2	No	781	87.4 %
	Missing Data		
.	-	13	1.5 %
	Total	894	100%

Based upon 881 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29C: (W2Q29C) Have any of these things happened in the past year? You realized you are LGB for the first time

Have any of these things happened in the past year? You realized you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	25	2.8 %
2	No	859	96.1 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29D: (W2Q29D) Have any of these things happened in the past year? You told a straight friend that you are LGB for the first time

Have any of these things happened in the past year? You told a straight friend that you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	276	30.9 %
2	No	605	67.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	13	1.5 %
	Total	894	100%

Based upon 881 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29E: (W2Q29E) Have any of these things happened in the past year? You told a family member that you are LGB for the first time

Have any of these things happened in the past year? You told a family member that you are LGB for the first time

Value	Label	Unweighted Frequency	%
1	Yes	147	16.4 %
2	No	740	82.8 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

W2Q29F: (W2Q29F) Have any of these things happened in the past year? It became clear to you that someone in your family had found out you were LGB before you told them

Have any of these things happened in the past year? It became clear to you that someone in your family had found out you were LGB before you told them

Value	Label	Unweighted Frequency	%
1	Yes	125	14.0 %
2	No	762	85.2 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

W2CONNECTEDNESS: (W2CONNECTEDNESS) Community connectedness wave 2

Community connectedness

Value	Label	Unweighted Frequency	%
1.00000000000000	-	3	0.3 %
1.1428570747375	-	2	0.2 %
1.2857143878937	-	3	0.3 %
1.4285714626312	-	6	0.7 %
1.5714285373688	-	2	0.2 %
1.7142856121063	-	10	1.1 %
1.8571429252625	-	10	1.1 %
2.00000000000000	-	14	1.6 %
2.1428570747375	-	28	3.1 %
2.2857143878937	-	46	5.1 %
2.4285714626312	-	72	8.1 %
2.5714285373688	-	75	8.4 %
2.7142856121063	-	85	9.5 %
2.8571429252625	-	95	10.6 %
3.00000000000000	-	127	14.2 %
3.1428570747375	-	71	7.9 %
3.2857141494751	-	54	6.0 %
3.4285714626312	-	45	5.0 %
3.5714285373688	-	38	4.3 %
3.7142858505249	-	23	2.6 %
3.8571429252625	-	28	3.1 %
4.00000000000000	-	31	3.5 %
	Missing Data		
.	-	26	2.9 %
	Total	894	100%

Based upon 868 valid cases out of 894 total cases.

- Mean: 2.8900592420508
- Median: 2.8571429252625
- Mode: 3.00000000000000
- Minimum: 1.00000000000000
- Maximum: 4.00000000000000

- Standard Deviation: 0.5473575074392

Location: 1152-1166 (width: 15; decimal: 13)

Variable Type: numeric

W2CONNECTEDNESS_I: (W2CONNECTEDNESS_I) Community connectedness with imputation_wave 2

Community connectedness with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	3	0.3 %
1.1428570747375	-	2	0.2 %
1.2857143878937	-	3	0.3 %
1.4285714626312	-	6	0.7 %
1.5714285373688	-	2	0.2 %
1.7142856121063	-	10	1.1 %
1.8571429252625	-	10	1.1 %
2.0000000000000	-	15	1.7 %
2.1428570747375	-	29	3.2 %
2.2857143878937	-	46	5.1 %
2.4285714626312	-	74	8.3 %
2.5714285373688	-	82	9.2 %
2.7142856121063	-	88	9.8 %
2.8571429252625	-	97	10.9 %
3.0000000000000	-	132	14.8 %
3.1428570747375	-	73	8.2 %
3.2857141494751	-	55	6.2 %
3.4285714626312	-	45	5.0 %
3.5714285373688	-	38	4.3 %
3.7142858505249	-	25	2.8 %
3.8571429252625	-	28	3.1 %
4.0000000000000	-	31	3.5 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 2.8875039871907
- Median: 2.8571429252625
- Mode: 3.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.5437551972341

Location: 1167-1181 (width: 15; decimal: 13)

Variable Type: numeric

W2Q30: (W2Q30) You feel you're a part of the LGBT community.

You feel you're a part of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	108	12.1 %
2	Agree	425	47.5 %
3	Disagree	286	32.0 %
4	Disagree strongly	68	7.6 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

W2Q31: (W2Q31) Participating in the LGBT community is a positive thing for you.

Participating in the LGBT community is a positive thing for you.

Value	Label	Unweighted Frequency	%
1	Agree strongly	148	16.6 %
2	Agree	485	54.3 %
3	Disagree	213	23.8 %
4	Disagree strongly	34	3.8 %
	Missing Data		
.	-	14	1.6 %
	Total	894	100%

Based upon 880 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

W2Q32: (W2Q32) You feel a bond with the LGBT community.

You feel a bond with the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	120	13.4 %
2	Agree	433	48.4 %
3	Disagree	281	31.4 %
4	Disagree strongly	49	5.5 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

W2Q33: (W2Q33) You are proud of the LGBT community.

You are proud of the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	236	26.4 %
2	Agree	533	59.6 %
3	Disagree	95	10.6 %
4	Disagree strongly	21	2.3 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

W2Q34: (W2Q34) It is important for you to be politically active in the LGBT community.

It is important for you to be politically active in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	135	15.1 %
2	Agree	379	42.4 %
3	Disagree	311	34.8 %

Value	Label	Unweighted Frequency	%
4	Disagree strongly	56	6.3 %
	Missing Data		
.	-	13	1.5 %
	Total	894	100%

Based upon 881 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

W2Q35: (W2Q35) If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.

If we work together, lesbian, gay, bisexual, and transgender people can solve problems in the LGBT community.

Value	Label	Unweighted Frequency	%
1	Agree strongly	365	40.8 %
2	Agree	468	52.3 %
3	Disagree	46	5.1 %
4	Disagree strongly	7	0.8 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

W2Q36: (W2Q36) You really feel that any problems faced by the LGBT community are also your own problems

You really feel that any problems faced by the LGBT community are also your own problems.

Value	Label	Unweighted Frequency	%
1	Agree strongly	186	20.8 %
2	Agree	458	51.2 %
3	Disagree	209	23.4 %
4	Disagree strongly	33	3.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

W2Q37: (W2Q37) Are you currently in a relationship or feel a special commitment to someone?

Are you currently in a relationship or feel a special commitment to someone?

Value	Label	Unweighted Frequency	%
1	Yes	560	62.6 %
2	No	329	36.8 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

W2Q38: (W2Q38) For how many years have you been in your relationship with your current partner?

For how many years have you been in your relationship with your current partner? If less than 1 year, enter 01.

Value	Label	Unweighted Frequency	%
1	-	139	15.5 %
2	-	55	6.2 %
3	-	29	3.2 %
4	-	35	3.9 %
5	-	29	3.2 %
6	-	12	1.3 %
7	-	27	3.0 %

Value	Label	Unweighted Frequency	%
8	-	17	1.9 %
9	-	14	1.6 %
10	-	20	2.2 %
11	-	10	1.1 %
12	-	6	0.7 %
13	-	10	1.1 %
14	-	14	1.6 %
15	-	15	1.7 %
16	-	11	1.2 %
17	-	14	1.6 %
18	-	13	1.5 %
19	-	12	1.3 %
20	-	7	0.8 %
21	-	13	1.5 %
22	-	4	0.4 %
23	-	8	0.9 %
24	-	4	0.4 %
25	-	2	0.2 %
26	-	4	0.4 %
27	-	3	0.3 %
28	-	4	0.4 %
29	-	6	0.7 %
30	-	2	0.2 %
31	-	3	0.3 %
32	-	2	0.2 %
33	-	1	0.1 %
34	-	2	0.2 %
35	-	3	0.3 %
36	-	2	0.2 %
40	-	1	0.1 %
41	More than 40	0	0.0 %
	Missing Data		
97	Planned missing	334	37.4 %
.	-	7	0.8 %
	Total	894	100%

Based upon 553 valid cases out of 894 total cases.

- Mean: 8.66
- Median: 5.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 8.62

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q39: (W2Q39) What is your current partner's gender?

What is your current partner's gender?

Value	Label	Unweighted Frequency	%
1	Woman, non-transgender	175	19.6 %
2	Man, non-transgender	354	39.6 %
3	Transgender woman/male-to-female (MTF)	7	0.8 %
4	Transgender man/female-to-male (FTM)	3	0.3 %
5	Non-binary/genderqueer	13	1.5 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q41: (W2Q41) Do you live with your current partner?

Do you live with your current partner?

Value	Label	Unweighted Frequency	%
1	Yes	392	43.8 %
2	No	161	18.0 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	7	0.8 %
	Total	894	100%

Based upon 553 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q40: (W2Q40) Which of the following best describes your current partner's sexual orientation?

Which of the following best describes your current partner's sexual orientation?

Value	Label	Unweighted Frequency	%
1	Straight/heterosexual	142	15.9 %
2	Lesbian	113	12.6 %
3	Gay	189	21.1 %
4	Bisexual	70	7.8 %
5	Queer	22	2.5 %
6	Same gender-loving	0	0.0 %
7	Other	17	1.9 %
	Missing Data		
97	Planned missing	334	37.4 %
.	-	7	0.8 %
	Total	894	100%

Based upon 553 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q40_T_VERB: (W2Q40_T_VERB) Write in response for W2Q40

Write in response for W2Q40

Value	Label	Unweighted Frequency	%
	-	876	98.0 %
Asexual	-	3	0.3 %
DEMI- ACEFLUX/ STRAIGHT	-	1	0.1 %
Demisexual	-	2	0.2 %
Does not like labels	-	1	0.1 %
Hetero-very flexible	-	1	0.1 %
NOT IN RELATIONSHIP	-	1	0.1 %

Value	Label	Unweighted Frequency	%
Pansexual	-	3	0.3 %
Sexual	-	1	0.1 %
Transvestite	-	1	0.1 %
pansexual	-	2	0.2 %
queerplatonic poly relationship- lesbian/bi couple	-	1	0.1 %
unsure	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

Location: 140-195 (width: 56; decimal: 0)

Variable Type: character

W2Q42: (W2Q42) Which of the following best describes the legal status of your relationship with your current partner?

Which of the following best describes the legal status of your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Legally married	203	22.7 %
2	Legally recognized civil union	3	0.3 %
3	Registered domestic partners	12	1.3 %
4	Not legally recognized union or marriage	334	37.4 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q43A: (W2Q43A) Which of the following apply to your relationship with your current partner? We share a medical power of attorney for each other

Which of the following apply to your relationship with your current partner? We share a medical power of attorney for each other

Value	Label	Unweighted Frequency	%
1	Yes	202	22.6 %
2	No	345	38.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
7	Planned missing	334	37.4 %
.	-	13	1.5 %
	Total	894	100%

Based upon 547 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q43B: (W2Q43B) Which of the following apply to your relationship with your current partner? We own a home together

Which of the following apply to your relationship with your current partner? We own a home together

Value	Label	Unweighted Frequency	%
1	Yes	193	21.6 %
2	No	351	39.3 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	16	1.8 %
	Total	894	100%

Based upon 544 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q43C: (W2Q43C) Which of the following apply to your relationship with your current partner? We are on a lease together (e.g., rental agreement for apartment or house)

Which of the following apply to your relationship with your current partner? We are on a lease together (e.g., rental agreement for apartment or house)

Value	Label	Unweighted Frequency	%
1	Yes	159	17.8 %
2	No	376	42.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	Planned missing	334	37.4 %
.	-	25	2.8 %
	Total	894	100%

Based upon 535 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q43D: (W2Q43D) Which of the following apply to your relationship with your current partner? We share finances (e.g., credit card, bank accounts)

Which of the following apply to your relationship with your current partner? We share finances (e.g., credit card, bank accounts)

Value	Label	Unweighted Frequency	%
1	Yes	274	30.6 %
2	No	273	30.5 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	13	1.5 %
	Total	894	100%

Based upon 547 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q44: (W2Q44) To what extent is your relationship with your current partner known to other people in your life?

To what extent is your relationship with your current partner known to other people in your life?

Value	Label	Unweighted Frequency	%
1	No one knows we are a couple	12	1.3 %
2	Some people know, but most people don't	31	3.5 %
3	Some people know, some people don't	49	5.5 %
4	Most people know, but some people don't	123	13.8 %
5	Everyone knows we are a couple	337	37.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
7	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q45: (W2Q45) Does your current partner know how you identify in terms of your sexual identity?

Does your current partner know how you identify in terms of your sexual identity?

Value	Label	Unweighted Frequency	%
0	Don't know	9	1.0 %
1	Yes	536	60.0 %
2	No	6	0.7 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	9	1.0 %
	Total	894	100%

Based upon 551 valid cases out of 894 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q46: (W2Q46) Which of the following best describes your relationship with your current partner?

Which of the following best describes your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	We think of ourselves as being monogamous	393	44.0 %
2	We think of ourselves as being open or non-monogamous	50	5.6 %
3	We think of ourselves as being polyamorous	24	2.7 %

Value	Label	Unweighted Frequency	%
4	We do not define our relationship regarding whether or not we are monogamous or sexually exclusive	85	9.5 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q47: (W2Q47) Please indicate your degree of happiness, all things considered, in your relationship with your current partner.

Please indicate your degree of happiness, all things considered, in your relationship with your current partner.

Value	Label	Unweighted Frequency	%
1	Extremely unhappy	53	5.9 %
2	Fairly unhappy	33	3.7 %
3	A little unhappy	50	5.6 %
4	Happy	72	8.1 %
5	Very happy	137	15.3 %
6	Extremely happy	156	17.4 %
7	Perfect	51	5.7 %
	Missing Data		
97	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q48: (W2Q48) I have a warm and comfortable relationship with my partner.

I have a warm and comfortable relationship with my partner.

Value	Label	Unweighted Frequency	%
1	Not at all true	8	0.9 %
2	A little true	13	1.5 %
3	Somewhat true	45	5.0 %
4	Mostly true	98	11.0 %
5	Almost completely true	125	14.0 %
6	Completely true	263	29.4 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	8	0.9 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q49: (W2Q49) How rewarding is your relationship with your current partner?

How rewarding is your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Not at all rewarding	8	0.9 %
2	A little rewarding	28	3.1 %
3	Somewhat rewarding	56	6.3 %
4	Mostly rewarding	121	13.5 %
5	Almost completely rewarding	172	19.2 %
6	Completely rewarding	168	18.8 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	7	0.8 %
	Total	894	100%

Based upon 553 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q50: (W2Q50) In general, how satisfied are you with your relationship with your current partner?

In general, how satisfied are you with your relationship with your current partner?

Value	Label	Unweighted Frequency	%
1	Not at all satisfied	12	1.3 %
2	A little satisfied	27	3.0 %
3	Somewhat satisfied	44	4.9 %
4	Mostly satisfied	121	13.5 %
5	Almost completely satisfied	194	21.7 %
6	Completely satisfied	155	17.3 %
	Missing Data		
7	Planned missing	334	37.4 %
.	-	7	0.8 %
	Total	894	100%

Based upon 553 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q51: (W2Q51) Thinking about the future, how likely do you believe it is that you will be in a long-term relationship in the future?

Thinking about the future, how likely do you believe it is that you will be in a long-term relationship in the future?

Value	Label	Unweighted Frequency	%
1	Not at all likely	83	9.3 %
2	Somewhat likely	154	17.2 %
3	Very likely	62	6.9 %
4	Extremely likely	30	3.4 %
	Missing Data		
7	Planned missing	565	63.2 %
	Total	894	100%

Based upon 329 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

W2Q52: (W2Q52) What kind of relationship do you expect to have in the future?

What kind of relationship do you expect to have in the future?

Value	Label	Unweighted Frequency	%
1	Single, seeing many different people	13	1.5 %
2	Single, seeing only a few people	39	4.4 %
3	Single, seeing one person at a time	91	10.2 %
4	Partnered, in a monogamous relationship	165	18.5 %
5	Partnered with more than one person	14	1.6 %
	Missing Data		
7	Planned missing	565	63.2 %
.	-	7	0.8 %
	Total	894	100%

Based upon 322 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q53: (W2Q53) Thinking about the future, how likely is it that you and your partner would live together?

Thinking about the future, how likely is it that you and your partner would live together?

Value	Label	Unweighted Frequency	%
1	Not at all likely	3	0.3 %
2	Somewhat likely	45	5.0 %
3	Very likely	71	7.9 %
4	Extremely likely	60	6.7 %
	Missing Data		
7	Planned missing	715	80.0 %
	Total	894	100%

Based upon 179 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

W2Q54: (W2Q54) Thinking about the future, how likely do you believe it is that you will marry a same-sex partner?

Thinking about the future, how likely do you believe it is that you will marry a same-sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all likely	24	2.7 %
2	Somewhat likely	73	8.2 %
3	Very likely	36	4.0 %
4	Extremely likely	46	5.1 %
	Missing Data		
7	Planned missing	715	80.0 %
	Total	894	100%

Based upon 179 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

W2Q55: (W2Q55) How often do you feel that you lack companionship?

How often do you feel that you lack companionship?

Value	Label	Unweighted Frequency	%
1	Hardly ever	336	37.6 %
2	Some of the time	353	39.5 %
3	Often	199	22.3 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

W2Q56: (W2Q56) How often do you feel left out?

How often do you feel left out?

Value	Label	Unweighted Frequency	%
1	Hardly ever	321	35.9 %
2	Some of the time	388	43.4 %
3	Often	176	19.7 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

W2Q57: (W2Q57) How often do you feel isolated from others?

How often do you feel isolated from others?

Value	Label	Unweighted Frequency	%
1	Hardly ever	284	31.8 %
2	Some of the time	395	44.2 %
3	Often	204	22.8 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric

W2Q58_1: (W2Q58_1) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. I currently do not have health insurance

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	70	7.8 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %

Value	Label	Unweighted Frequency	%
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	824	92.2 %
	Total	894	100%

Based upon 70 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_2: (W2Q58_2) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my current or former employer or union

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	361	40.4 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	533	59.6 %
	Total	894	100%

Based upon 361 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_3: (W2Q58_3) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my spouse/partner

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	69	7.7 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	825	92.3 %
	Total	894	100%

Based upon 69 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_4: (W2Q58_4) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through my parent

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	189	21.1 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	705	78.9 %
	Total	894	100%

Based upon 189 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_5: (W2Q58_5) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance through someone other than my spouse/partner or parent

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	6	0.7 %

Value	Label	Unweighted Frequency	%
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	888	99.3 %
	Total	894	100%

Based upon 6 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_6: (W2Q58_6) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	57	6.4 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	837	93.6 %
	Total	894	100%

Based upon 57 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_7: (W2Q58_7) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Insurance I purchased directly from an insurance company

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	19	2.1 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	875	97.9 %
	Total	894	100%

Based upon 19 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_8: (W2Q58_8) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicare (for people 65 and older, or people with certain disabilities)

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	56	6.3 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	838	93.7 %
	Total	894	100%

Based upon 56 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_9: (W2Q58_9) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Medicaid (government-assistance plan for those with low incomes or a disability)

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	103	11.5 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	791	88.5 %
	Total	894	100%

Based upon 103 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_10: (W2Q58_10) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. TRICARE or other military healthcare

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	9	1.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	885	99.0 %
	Total	894	100%

Based upon 9 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_11: (W2Q58_11) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. VA (including if you ever used or enrolled for VA healthcare)

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	8	0.9 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	886	99.1 %
	Total	894	100%

Based upon 8 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_12: (W2Q58_12) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Indian Health Service

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	0	0.0 %
	Missing Data		
.	-	894	100.0 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_13: (W2Q58_13) Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply. Another type of health insurance or health coverage plan

Are you currently covered by any of the following types of health insurance or health coverage plans? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I currently do not have health insurance (Programmer: exclusive response)	0	0.0 %
2	Insurance through my current or former employer or union	0	0.0 %
3	Insurance through my spouse/partner	0	0.0 %
4	Insurance through my parent	0	0.0 %
5	Insurance through someone other than my spouse/partner or parent	0	0.0 %
6	Insurance I purchased through healthcare.gov or a health insurance marketplace (sometimes called "Obamacare")	0	0.0 %
7	Insurance I purchased directly from an insurance company	0	0.0 %

Value	Label	Unweighted Frequency	%
8	Medicare (for people 65 and older, or people with certain disabilities)	0	0.0 %
9	Medicaid (government-assistance plan for those with low incomes or a disability)	0	0.0 %
10	TRICARE or other military health care	0	0.0 %
11	VA (including if you ever used or enrolled for VA health care)	0	0.0 %
12	Indian Health Service	0	0.0 %
13	Another type of health insurance or health coverage plan (list) (allow 250 characters)	31	3.5 %
	Missing Data		
.	-	863	96.5 %
	Total	894	100%

Based upon 31 valid cases out of 894 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

W2Q58_T_VERB: (W2Q58_T_VERB) Write in response for W2Q58

Write in response for W2Q64

Value	Label	Unweighted Frequency	%
	-	863	96.5 %
ADAP / Florida Health	-	1	0.1 %
CIGNA - PERSCRIPTIONS	-	1	0.1 %
COUNTY CARE - COOK	-	1	0.1 %
California green card	-	1	0.1 %
In Massachusetts: Medicare + Medicaid = MassHealth	-	1	0.1 %
Insurance from parent in another country	-	1	0.1 %
Insurance through my college	-	1	0.1 %
Insurance through my school	-	1	0.1 %
Insurance through school	-	2	0.2 %
LA HIP PAYS FOR HIV MEDS.	-	1	0.1 %
MEDICARE	-	1	0.1 %
MassHealth	-	1	0.1 %
Medi-Cal & SHIP	-	1	0.1 %
Medical	-	4	0.4 %
Oregon Health Plan	-	1	0.1 %
Ryan White Program	-	1	0.1 %
SMALL BUSINESS ASSOC (I AM SELF EMPLOYED)	-	1	0.1 %
School	-	1	0.1 %

Value	Label	Unweighted Frequency	%
School insurance	-	1	0.1 %
Student	-	1	0.1 %
Through my school	-	1	0.1 %
UC Health Care Insurance	-	1	0.1 %
United Health Care	-	1	0.1 %
United HealthCare	-	1	0.1 %
VERMONT HEALTH CONNECT STATE INSURANCE	-	1	0.1 %
insurance through a university plan	-	1	0.1 %
medicare supplemental	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

Location: 243-298 (width: 56; decimal: 0)

Variable Type: character

W2Q59: (W2Q59) Is there a place that you usually go to when you are sick or need advice about your health?

Is there a place that you usually go to when you are sick or need advice about your health?

Value	Label	Unweighted Frequency	%
1	There is NO place	134	15.0 %
2	Yes, there are one or more places	749	83.8 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

W2Q60_1: (W2Q60_1) What kind of place is it? Please select all that apply. Clinic or health center

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
1	Clinic or health center	328	36.7 %
	Missing Data		
7	Planned missing	145	16.2 %

Value	Label	Unweighted Frequency	%
.	-	421	47.1 %
	Total	894	100%

Based upon 328 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q60_2: (W2Q60_2) What kind of place is it? Please select all that apply. Doctor's office or HMO

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
2	Doctor's office of HMO	582	65.1 %
	Missing Data		
7	Planned missing	145	16.2 %
.	-	167	18.7 %
	Total	894	100%

Based upon 582 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q60_3: (W2Q60_3) What kind of place is it? Please select all that apply. Hospital emergency room

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
3	Hospital emergency room	105	11.7 %
	Missing Data		
7	Planned missing	145	16.2 %
.	-	644	72.0 %
	Total	894	100%

Based upon 105 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q60_4: (W2Q60_4) What kind of place is it? Please select all that apply. Hospital outpatient department

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
4	Hospital outpatient department	54	6.0 %
	Missing Data		
7	Planned missing	145	16.2 %
.	-	695	77.7 %
	Total	894	100%

Based upon 54 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q60_5: (W2Q60_5) What kind of place is it? Please select all that apply. Some other place

What kind of place is it? Please select all that apply.

Value	Label	Unweighted Frequency	%
5	Some other place	28	3.1 %
	Missing Data		
7	Planned missing	145	16.2 %
.	-	721	80.6 %
	Total	894	100%

Based upon 28 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q60_T_VERB: (W2Q60_T_VERB) Write in response for W2Q60

Write in response for W2Q60

Value	Label	Unweighted Frequency	%
	-	866	96.9 %
(Psychologist) Therapists office	-	1	0.1 %
ACUPUNCTURIST	-	1	0.1 %
AHF	-	1	0.1 %
Dad and step-mom are both doctors	-	1	0.1 %
Father (he's a doctor)	-	1	0.1 %
HOSPITAL/CLINIC	-	1	0.1 %
Health Center in University	-	1	0.1 %
I see my colleauges	-	1	0.1 %
INTERNET	-	1	0.1 %
Internet	-	1	0.1 %
Medical Study	-	1	0.1 %
My grandma	-	1	0.1 %
My mom (RN)	-	1	0.1 %
NATUROPATHIC DR	-	1	0.1 %
Nurse Practitioner at Workplace	-	1	0.1 %
Parents in medical field	-	1	0.1 %
Pharmacy (flu shot)	-	1	0.1 %
Planned Parenthood	-	1	0.1 %
Psychiatrist	-	1	0.1 %
Ryan Wellness Center	-	1	0.1 %
School student health center	-	1	0.1 %
Sliding fee clinic network	-	1	0.1 %
TARGET MINUTE CLINIC	-	1	0.1 %
URGENT CARE	-	2	0.2 %
Womens center of excellence eskanazi	-	1	0.1 %
free standing urgent care facility	-	1	0.1 %
urgent care	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

Location: 305-344 (width: 40; decimal: 0)

Variable Type: character

W2Q61: (W2Q61) During the past 12 months, how often have you been to an LGBT-specific clinic or provider for your healthcare?

During the past 12 months, how often have you been to an LGBT-specific clinic or provider for your healthcare?

Value	Label	Unweighted Frequency	%
1	Often	35	3.9 %
2	Sometimes	69	7.7 %
3	Never	781	87.4 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

W2Q62_1: (W2Q62_1) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. No

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	211	23.6 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	0	0.0 %
	Missing Data		
.	-	683	76.4 %
	Total	894	100%

Based upon 211 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

W2Q62_2: (W2Q62_2) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. Yes, an LGBT-specific website

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Yes, a LGBT-specific website	88	9.8 %
3	Yes, a general website	0	0.0 %
	Missing Data		
.	-	806	90.2 %
	Total	894	100%

Based upon 88 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

W2Q62_3: (W2Q62_3) During the past 12 months, have you looked for information online about certain health or medical issues? If yes, please mark all that apply. Yes, a general website

During the past 12 months, have you looked for information ONLINE about certain health or medical issues? If yes, please mark all that apply.

Value	Label	Unweighted Frequency	%
1	No (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Yes, a LGBT-specific website	0	0.0 %
3	Yes, a general website	653	73.0 %
	Missing Data		
.	-	241	27.0 %
	Total	894	100%

Based upon 653 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_1: (W2Q63_1) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. General medical services

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	460	51.5 %

Value	Label	Unweighted Frequency	%
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	434	48.5 %
	Total	894	100%

Based upon 460 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_2: (W2Q63_2) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Sexual health

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	529	59.2 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	365	40.8 %
	Total	894	100%

Based upon 529 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_3: (W2Q63_3) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Mental health

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	497	55.6 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	397	44.4 %
	Total	894	100%

Based upon 497 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_4: (W2Q63_4) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Addiction services

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	146	16.3 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	748	83.7 %
	Total	894	100%

Based upon 146 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_5: If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. Social services (e.g. insurance enrollment, anti-violence services, wellness programs)

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	278	31.1 %
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	616	68.9 %
	Total	894	100%

Based upon 278 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

W2Q63_6: (W2Q63_6) If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider? Please mark all that apply. I would not go to an LGBT-specific clinic or provider

If it were possible for you to do so, how important would it be for you to go for healthcare at an LGBT-specific clinic or provider?
Please mark all that apply

Value	Label	Unweighted Frequency	%
1	General medical services	0	0.0 %
2	Sexual health	0	0.0 %
3	Mental health	0	0.0 %
4	Addiction services	0	0.0 %
5	Social services (e.g. insurance enrollment, anti-violence services, wellness programs)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	I would not go to an LGBT-specific clinic or provider (Programmer: if this option is selected, uncheck all other boxes)	177	19.8 %
	Missing Data		
.	-	717	80.2 %
	Total	894	100%

Based upon 177 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

W2Q64: (W2Q64) Over the past year, how satisfied have you been with your overall sexual life?

Over the past year, how satisfied have you been with your overall sexual life?

Value	Label	Unweighted Frequency	%
1	Very satisfied	179	20.0 %
2	Moderately satisfied	259	29.0 %
3	About equally satisfied and dissatisfied	179	20.0 %
4	Moderately dissatisfied	154	17.2 %
5	Very dissatisfied	114	12.8 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

W2Q65: (W2Q65) Over the past year, how often did you engage in any kind of sexual activity with a woman sex partner?

Over the past year, how often did you engage in any kind of sexual activity with a woman sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all	575	64.3 %
2	Less than once a month	148	16.6 %
3	Once a month	32	3.6 %

Value	Label	Unweighted Frequency	%
4	Two or three times a month	45	5.0 %
5	Once a week	26	2.9 %
6	Two or three times a week	54	6.0 %
7	Once a day or more	6	0.7 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

W2Q66: (W2Q66) Over the past year, how often did you engage in any kind of sexual activity with a man sex partner?

Over the past year, how often did you engage in any kind of sexual activity with a man sex partner?

Value	Label	Unweighted Frequency	%
1	Not at all	368	41.2 %
2	Less than once a month	153	17.1 %
3	Once a month	55	6.2 %
4	Two or three times a month	117	13.1 %
5	Once a week	78	8.7 %
6	Two or three times a week	103	11.5 %
7	Once a day or more	14	1.6 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

W2Q67A: (W2Q67A) During the last 12 months, has there ever been a period of several months or more when you: Lacked interest in having sex.

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Lacked interest in having sex.

Value	Label	Unweighted Frequency	%
1	Yes	421	47.1 %
2	No	461	51.6 %
	Missing Data		
.	-	12	1.3 %
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

W2Q67B: (W2Q67B) During the last 12 months, has there ever been a period of several months or more when you: Were unable to come to a climax (experience orgasm).

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Were unable to come to a climax (experience orgasm).

Value	Label	Unweighted Frequency	%
1	Yes	264	29.5 %
2	No	608	68.0 %
	Missing Data		
.	-	22	2.5 %
	Total	894	100%

Based upon 872 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

W2Q67C: (W2Q67C) During the last 12 months, has there ever been a period of several months or more when you: Felt anxious just before having sex about your ability to perform sexually.

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: Felt anxious just before having sex about your ability to perform sexually.

Value	Label	Unweighted Frequency	%
1	Yes	289	32.3 %
2	No	579	64.8 %
	Missing Data		
.	-	26	2.9 %
	Total	894	100%

Based upon 868 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

W2Q67D: (W2Q67D) During the last 12 months, has there ever been a period of several months or more when you: You had no sex during the last 12 months.

Sometimes people go through periods in which they are not interested in sex or are having trouble achieving sexual gratification. Below are a few questions about your experience with sex. During the last 12 months, has there ever been a period of several months or more when you: You had no sex during the last 12 months.

Value	Label	Unweighted Frequency	%
1	Yes	195	21.8 %
2	No	682	76.3 %
	Missing Data		
.	-	17	1.9 %
	Total	894	100%

Based upon 877 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

W2Q68_1: (W2Q68_1) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Asked each other to get tested for HIV or other sexually transmitted infections.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	547	61.2 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	347	38.8 %
	Total	894	100%

Based upon 547 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_2: (W2Q68_2) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Choose a sex partner who matches your HIV status.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	47	5.3 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	847	94.7 %
	Total	894	100%

Based upon 47 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 364-365 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_3: (W2Q68_3) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	46	5.1 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	848	94.9 %
	Total	894	100%

Based upon 46 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_4: (W2Q68_4) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	29	3.2 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	865	96.8 %
	Total	894	100%

Based upon 29 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_5: (W2Q68_5) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	35	3.9 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	859	96.1 %
	Total	894	100%

Based upon 35 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_6: (W2Q68_6) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	70	7.8 %

Value	Label	Unweighted Frequency	%
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	824	92.2 %
	Total	894	100%

Based upon 70 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_7: (W2Q68_7) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Discuss each other's sexual history.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	117	13.1 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %

Value	Label	Unweighted Frequency	%
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	777	86.9 %
	Total	894	100%

Based upon 117 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_8: (W2Q68_8) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Reduce contact of vaginal or seminal fluids, such as 'pulling out' or withdrawal.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	19	2.1 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	875	97.9 %
	Total	894	100%

Based upon 19 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_9: (W2Q68_9) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Restrict sexual activity to only mutual masturbation.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	12	1.3 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	882	98.7 %
	Total	894	100%

Based upon 12 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_10: (W2Q68_10) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Restrict sexual activity to only oral sex.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %

Value	Label	Unweighted Frequency	%
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	15	1.7 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	879	98.3 %
	Total	894	100%

Based upon 15 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_11: (W2Q68_11) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Use latex barriers (dental dam, plastic wrap, or condom).

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Use latex barriers (dental dam, plastic wrap, or condom)	46	5.1 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	848	94.9 %
	Total	894	100%

Based upon 46 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_12: (W2Q68_12) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Use PEP/PrEP.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	3	0.3 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	891	99.7 %
	Total	894	100%

Based upon 3 valid cases out of 894 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_13: (W2Q68_13) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Wash sex toys between each partner use.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	95	10.6 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	799	89.4 %
	Total	894	100%

Based upon 95 valid cases out of 894 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_14: (W2Q68_14) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. Agree to only have sex with one another.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	127	14.2 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	767	85.8 %
	Total	894	100%

Based upon 127 valid cases out of 894 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

W2Q68_15: (W2Q68_15) In the past year, which of the following did you do with a woman sex partner? Please mark all that apply. None of these.

In the past year, which of the following did you do with a woman sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a woman in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	113	12.6 %
	Missing Data		
.	-	781	87.4 %
	Total	894	100%

Based upon 113 valid cases out of 894 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_1: (W2Q69_1) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. I did not have sex with a man in the past year.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	304	34.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	590	66.0 %
	Total	894	100%

Based upon 304 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_2: (W2Q69_2) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Asked each other to get tested for HIV or other sexually transmitted infections.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	98	11.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	796	89.0 %
	Total	894	100%

Based upon 98 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_3: (W2Q69_3) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Check your partner for any signs of infection.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	134	15.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	760	85.0 %
	Total	894	100%

Based upon 134 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_4: (W2Q69_4) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Choose a sex partner who matches your HIV status.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	113	12.6 %

Value	Label	Unweighted Frequency	%
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	781	87.4 %
	Total	894	100%

Based upon 113 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_5: (W2Q69_5) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss contraceptive methods or ways to prevent pregnancy.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	111	12.4 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	783	87.6 %
	Total	894	100%

Based upon 111 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_6: (W2Q69_6) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss each other's HIV and/or sexual transmitted infection status.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	186	20.8 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	708	79.2 %
	Total	894	100%

Based upon 186 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_7: (W2Q69_7) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Discuss each other's sexual history.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	193	21.6 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	701	78.4 %
	Total	894	100%

Based upon 193 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_8: (W2Q69_8) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	82	9.2 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	812	90.8 %
	Total	894	100%

Based upon 82 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_9: (W2Q69_9) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Restrict sexual activity to only mutual masturbation.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %

Value	Label	Unweighted Frequency	%
9	Restrict sexual activity to only mutual masturbation	67	7.5 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	827	92.5 %
	Total	894	100%

Based upon 67 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_10: (W2Q69_10) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Restrict sexual activity to only oral sex.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	108	12.1 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	786	87.9 %
	Total	894	100%

Based upon 108 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 410-411 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_11: (W2Q69_11) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Use latex barriers (dental dam, plastic wrap, or condom).

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	179	20.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	715	80.0 %
	Total	894	100%

Based upon 179 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 412-413 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_12: (W2Q69_12) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Use PEP/PrEP.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	40	4.5 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	854	95.5 %
	Total	894	100%

Based upon 40 valid cases out of 894 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 414-415 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_13: (W2Q69_13) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Wash sex toys between each partner use.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	106	11.9 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	788	88.1 %
	Total	894	100%

Based upon 106 valid cases out of 894 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 416-417 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_14: (W2Q69_14) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. Agree to only have sex with one another.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	194	21.7 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
	Missing Data		
.	-	700	78.3 %
	Total	894	100%

Based upon 194 valid cases out of 894 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

W2Q69_15: (W2Q69_15) In the past year, which of the following did you do with a man sex partner? Please mark all that apply. None of these.

In the past year, which of the following did you do with a man sex partner? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	I did not have sex with a man in the past year (Programmer: if this option is selected, uncheck all other boxes)	0	0.0 %
2	Ask each other to get tested for HIV or other sexually transmitted infections	0	0.0 %
3	Check your partner for any signs of infection	0	0.0 %
4	Choose a sex partner who matches your HIV status	0	0.0 %
5	Discuss contraceptive methods or ways to prevent pregnancy	0	0.0 %
6	Discuss each other's HIV and/or sexual transmitted infection status	0	0.0 %
7	Discuss each other's sexual history	0	0.0 %
8	Reduce contact of vaginal or seminal fluids, such as "pulling out" or withdrawal	0	0.0 %
9	Restrict sexual activity to only mutual masturbation	0	0.0 %
10	Restrict sexual activity to only oral sex	0	0.0 %
11	Use latex barriers (dental dam, plastic wrap, or condom)	0	0.0 %
12	Use PEP/PrEP	0	0.0 %
13	Wash sex toys between each partner use	0	0.0 %
14	Agree to only have sex with one another	0	0.0 %
15	None of these (Programmer: if this option is selected, uncheck all other boxes)	127	14.2 %
	Missing Data		
.	-	767	85.8 %
	Total	894	100%

Based upon 127 valid cases out of 894 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

W2Q70: (W2Q70) In the past year, how many times did you get tested for sexually transmitted infections (STIs) other than HIV?

In the past year, how many times did you get tested for sexually transmitted infections (STIs) other than HIV?

Value	Label	Unweighted Frequency	%
0	-	518	57.9 %
1	-	195	21.8 %
2	-	78	8.7 %
3	-	38	4.3 %
4	-	21	2.3 %
5	-	5	0.6 %
10	-	1	0.1 %
12	-	2	0.2 %
	Missing Data		
.	-	36	4.0 %
	Total	894	100%

Based upon 858 valid cases out of 894 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.22

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

W2Q71: (W2Q71) In the past year, how many times did you get tested for HIV?

In the past year, how many times did you get tested for HIV?

Value	Label	Unweighted Frequency	%
0	-	532	59.5 %
1	-	187	20.9 %
2	-	66	7.4 %
3	-	32	3.6 %
4	-	23	2.6 %
5	-	6	0.7 %

Value	Label	Unweighted Frequency	%
6	-	3	0.3 %
9	-	1	0.1 %
10	-	1	0.1 %
12	-	2	0.2 %
	Missing Data		
.	-	41	4.6 %
	Total	894	100%

Based upon 853 valid cases out of 894 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.29

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

W2Q72: (W2Q72) How often do you worry that you might get HIV?

How often do you worry that you might get HIV?

Value	Label	Unweighted Frequency	%
1	Never	539	60.3 %
2	Sometimes	239	26.7 %
3	Often	29	3.2 %
4	Always	13	1.5 %
5	Does not apply to me	64	7.2 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 426-426 (width: 1; decimal: 0)

Variable Type: numeric

W2Q73: (W2Q73) How likely is it that you will become HIV positive in your lifetime?

How likely is it that you will become HIV positive in your lifetime?

Value	Label	Unweighted Frequency	%
1	Very unlikely	517	57.8 %
2	Unlikely	196	21.9 %
3	Somewhat unlikely	84	9.4 %
4	Likely	17	1.9 %
5	Very likely	6	0.7 %
6	Does not apply to me	63	7.0 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 427-427 (width: 1; decimal: 0)

Variable Type: numeric

W2Q74: (W2Q74) Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?

Truvada is a pill that HIV negative people can take to prevent HIV infection. This is called PrEP (or Pre-Exposure Prophylaxis). How familiar are you with Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Not at all familiar	362	40.5 %
2	Somewhat familiar	342	38.3 %
3	Very familiar	183	20.5 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 428-428 (width: 1; decimal: 0)

Variable Type: numeric

W2Q75: (W2Q75) Are you for or against HIV-negative people taking Truvada as PrEP to prevent the transmission of HIV?

Are you for or against HIV-negative people taking Truvada as PrEP to prevent the transmission of HIV?

Value	Label	Unweighted Frequency	%
1	I am against it	8	0.9 %
2	I have mixed feelings about it	83	9.3 %
3	I am for it	458	51.2 %
4	I don't have an opinion	94	10.5 %
5	I don't know enough about it	240	26.8 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 429-429 (width: 1; decimal: 0)

Variable Type: numeric

W2Q76: (W2Q76) Are you currently taking Truvada as PrEP?

Are you currently taking Truvada as PrEP?

Value	Label	Unweighted Frequency	%
1	Yes	29	3.2 %
2	No	856	95.7 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 430-430 (width: 1; decimal: 0)

Variable Type: numeric

W2Q77: (W2Q77) Would you say that in general your health is...

Would you say that in general your health is...

Value	Label	Unweighted Frequency	%
1	Poor	35	3.9 %
2	Fair	126	14.1 %
3	Good	275	30.8 %
4	Very good	350	39.1 %

Value	Label	Unweighted Frequency	%
5	Excellent	103	11.5 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 431-431 (width: 1; decimal: 0)

Variable Type: numeric

W2Q78: (W2Q78) Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Value	Label	Unweighted Frequency	%
0	None	295	33.0 %
1	-	85	9.5 %
2	-	81	9.1 %
3	-	68	7.6 %
4	-	51	5.7 %
5	-	42	4.7 %
6	-	17	1.9 %
7	-	19	2.1 %
8	-	7	0.8 %
9	-	15	1.7 %
10	-	20	2.2 %
11	-	2	0.2 %
12	-	5	0.6 %
13	-	3	0.3 %
14	-	12	1.3 %
15	-	13	1.5 %
16	-	1	0.1 %
17	-	1	0.1 %
18	-	1	0.1 %
19	-	8	0.9 %
20	-	9	1.0 %
21	-	2	0.2 %

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
24	-	5	0.6 %
25	-	3	0.3 %
26	-	1	0.1 %
28	-	1	0.1 %
29	-	19	2.1 %
30	-	24	2.7 %
	Missing Data		
.	-	83	9.3 %
	Total	894	100%

Based upon 811 valid cases out of 894 total cases.

- Mean: 4.86
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.71

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

W2Q79: (W2Q79) Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Value	Label	Unweighted Frequency	%
0	None	159	17.8 %
1	-	47	5.3 %
2	-	59	6.6 %
3	-	46	5.1 %
4	-	45	5.0 %
5	-	76	8.5 %
6	-	22	2.5 %
7	-	28	3.1 %
8	-	16	1.8 %
9	-	27	3.0 %
10	-	45	5.0 %
11	-	5	0.6 %
12	-	12	1.3 %

Value	Label	Unweighted Frequency	%
13	-	8	0.9 %
14	-	16	1.8 %
15	-	46	5.1 %
16	-	5	0.6 %
17	-	2	0.2 %
18	-	4	0.4 %
19	-	14	1.6 %
20	-	52	5.8 %
22	-	2	0.2 %
23	-	1	0.1 %
24	-	8	0.9 %
25	-	16	1.8 %
26	-	6	0.7 %
27	-	1	0.1 %
28	-	4	0.4 %
29	-	27	3.0 %
30	-	30	3.4 %
	Missing Data		
.	-	65	7.3 %
	Total	894	100%

Based upon 829 valid cases out of 894 total cases.

- Mean: 8.88
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 9.05

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

W2Q80: (W2Q80) During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Label	Unweighted Frequency	%
0	None	296	33.1 %
1	-	58	6.5 %
2	-	67	7.5 %

Value	Label	Unweighted Frequency	%
3	-	59	6.6 %
4	-	37	4.1 %
5	-	55	6.2 %
6	-	18	2.0 %
7	-	24	2.7 %
8	-	11	1.2 %
9	-	22	2.5 %
10	-	33	3.7 %
11	-	5	0.6 %
12	-	4	0.4 %
13	-	4	0.4 %
14	-	14	1.6 %
15	-	22	2.5 %
16	-	5	0.6 %
17	-	2	0.2 %
18	-	4	0.4 %
19	-	8	0.9 %
20	-	17	1.9 %
22	-	1	0.1 %
23	-	1	0.1 %
24	-	7	0.8 %
25	-	5	0.6 %
27	-	1	0.1 %
29	-	12	1.3 %
30	-	16	1.8 %
	Missing Data		
.	-	86	9.6 %
	Total	894	100%

Based upon 808 valid cases out of 894 total cases.

- Mean: 5.24
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 7.38

Location: 436-437 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_1: (W2Q81_1) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Hypertension (high blood pressure)

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	172	19.2 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	722	80.8 %
	Total	894	100%

Based upon 172 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 438-439 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_2: (W2Q81_2) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. High cholesterol

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	139	15.5 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	755	84.5 %
	Total	894	100%

Based upon 139 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 440-441 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_3: (W2Q81_3) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Heart condition or heart disease

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	33	3.7 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	861	96.3 %
	Total	894	100%

Based upon 33 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 442-443 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_4: (W2Q81_4) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Angina

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	4	0.4 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	890	99.6 %
	Total	894	100%

Based upon 4 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_5: (W2Q81_5) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. A heart attack

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	3	0.3 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	891	99.7 %
	Total	894	100%

Based upon 3 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 446-447 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_6: (W2Q81_6) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. A stroke

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	3	0.3 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	891	99.7 %
	Total	894	100%

Based upon 3 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_7: (W2Q81_7) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Emphysema

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	3	0.3 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	891	99.7 %
	Total	894	100%

Based upon 3 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_8: (W2Q81_8) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Asthma

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	73	8.2 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	821	91.8 %
	Total	894	100%

Based upon 73 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 452-453 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_9: (W2Q81_9) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. An ulcer

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	15	1.7 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	879	98.3 %
	Total	894	100%

Based upon 15 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 454-455 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_10: (W2Q81_10) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Cancer or a malignancy of any kind

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	16	1.8 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	878	98.2 %
	Total	894	100%

Based upon 16 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_11: (W2Q81_11) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Diabetes

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	49	5.5 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	845	94.5 %
	Total	894	100%

Based upon 49 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_12: (W2Q81_12) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	56	6.3 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	838	93.7 %
	Total	894	100%

Based upon 56 valid cases out of 894 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_13: (W2Q81_13) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	98	11.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	796	89.0 %
	Total	894	100%

Based upon 98 valid cases out of 894 total cases.

- Minimum: 13.00
- Maximum: 13.00

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_14: (W2Q81_14) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Blood clots in legs or lungs

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	5	0.6 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	889	99.4 %
	Total	894	100%

Based upon 5 valid cases out of 894 total cases.

- Minimum: 14.00
- Maximum: 14.00

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_15: (W2Q81_15) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Osteoporosis or loss of bone density

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	13	1.5 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	881	98.5 %
	Total	894	100%

Based upon 13 valid cases out of 894 total cases.

- Minimum: 15.00
- Maximum: 15.00

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_16: (W2Q81_16) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Thyroid problems

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	58	6.5 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	836	93.5 %
	Total	894	100%

Based upon 58 valid cases out of 894 total cases.

- Minimum: 16.00
- Maximum: 16.00

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_17: (W2Q81_17) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Liver disease

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	9	1.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	885	99.0 %
	Total	894	100%

Based upon 9 valid cases out of 894 total cases.

- Minimum: 17.00
- Maximum: 17.00

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_18: (W2Q81_18) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Chronic obstructive pulmonary disease (COPD)

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	9	1.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	885	99.0 %
	Total	894	100%

Based upon 9 valid cases out of 894 total cases.

- Minimum: 18.00
- Maximum: 18.00

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_19: (W2Q81_19) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Crohn's disease or ulcerative colitis

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	6	0.7 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	888	99.3 %
	Total	894	100%

Based upon 6 valid cases out of 894 total cases.

- Minimum: 19.00
- Maximum: 19.00

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_20: (W2Q81_20) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Kidney disease

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	8	0.9 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	886	99.1 %
	Total	894	100%

Based upon 8 valid cases out of 894 total cases.

- Minimum: 20.00
- Maximum: 20.00

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_21: (W2Q81_21) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. HIV/AIDS

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	32	3.6 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	862	96.4 %
	Total	894	100%

Based upon 32 valid cases out of 894 total cases.

- Minimum: 21.00
- Maximum: 21.00

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_22: (W2Q81_22) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Other sexually transmitted infection (not including HIV/AIDS)

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	34	3.8 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	860	96.2 %
	Total	894	100%

Based upon 34 valid cases out of 894 total cases.

- Minimum: 22.00
- Maximum: 22.00

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_23: (W2Q81_23) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply. Sleep disorder (e.g., insomnia or sleep apnea)

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	142	15.9 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	0	0.0 %
	Missing Data		
.	-	752	84.1 %
	Total	894	100%

Based upon 142 valid cases out of 894 total cases.

- Minimum: 23.00
- Maximum: 23.00

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

W2Q81_24: (W2Q81_24) In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

In the past year, have you been told by a doctor or health professional that you had any of the following? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Hypertension (high blood pressure)	0	0.0 %
2	High cholesterol	0	0.0 %
3	Heart condition or heart disease	0	0.0 %
4	Angina	0	0.0 %
5	A heart attack	0	0.0 %
6	A stroke	0	0.0 %
7	Emphysema	0	0.0 %
8	Asthma	0	0.0 %
9	An ulcer	0	0.0 %
10	Cancer or a malignancy of any kind	0	0.0 %
11	Diabetes	0	0.0 %
12	Prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes, or high blood sugar	0	0.0 %
13	Arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	0	0.0 %
14	Blood clots in legs or lungs	0	0.0 %
15	Osteoporosis or loss of bone density	0	0.0 %
16	Thyroid problems	0	0.0 %
17	Liver disease	0	0.0 %
18	Chronic obstructive pulmonary disease (COPD)	0	0.0 %
19	Crohn's disease or ulcerative colitis	0	0.0 %
20	Kidney disease	0	0.0 %
21	HIV/AIDS	0	0.0 %
22	Other sexually transmitted infection (not including HIV/AIDS)	0	0.0 %
23	Sleep disorder (e.g., insomnia or sleep apnea)	0	0.0 %
24	Eating disorder (e.g. anorexia nervosa, bulimia nervosa, binge eating disorder)	27	3.0 %
	Missing Data		
.	-	867	97.0 %
	Total	894	100%

Based upon 27 valid cases out of 894 total cases.

- Minimum: 24.00
- Maximum: 24.00

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

W2Q82: (W2Q82) Are you limited in any way in any activities because of physical, mental, or emotional problems?

Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Label	Unweighted Frequency	%
1	Yes	336	37.6 %
2	No	548	61.3 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

W2Q83: (W2Q83) Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.

Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? Please include occasional use or use in certain circumstances.

Value	Label	Unweighted Frequency	%
1	Yes	80	8.9 %
2	No	806	90.2 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

W2KESSLER6: (W2KESSLER6) Kessler 6_wave 2

Kessler 6

Value	Label	Unweighted Frequency	%
0	-	51	5.7 %
1	-	48	5.4 %
2	-	74	8.3 %
3	-	68	7.6 %
4	-	70	7.8 %
5	-	74	8.3 %
6	-	58	6.5 %
7	-	54	6.0 %
8	-	54	6.0 %
9	-	40	4.5 %
10	-	50	5.6 %
11	-	39	4.4 %
12	-	44	4.9 %
13	-	44	4.9 %
14	-	29	3.2 %
15	-	16	1.8 %
16	-	12	1.3 %
17	-	28	3.1 %
18	-	10	1.1 %
19	-	2	0.2 %
20	-	9	1.0 %
21	-	3	0.3 %
22	-	1	0.1 %
23	-	2	0.2 %
24	-	2	0.2 %
	Missing Data		
.	-	12	1.3 %
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Mean: 7.36
- Median: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.13

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

W2KESSLER6_I: (W2KESSLER6_I) Kessler 6 with imputation_wave 2

Kessler 6 with imputation

Value	Label	Unweighted Frequency	%
0	-	51	5.7 %
1	-	48	5.4 %
2	-	76	8.5 %
3	-	68	7.6 %
4	-	71	7.9 %
5	-	75	8.4 %
6	-	58	6.5 %
7	-	54	6.0 %
8	-	55	6.2 %
9	-	41	4.6 %
10	-	51	5.7 %
11	-	41	4.6 %
12	-	46	5.1 %
13	-	44	4.9 %
14	-	30	3.4 %
15	-	16	1.8 %
16	-	12	1.3 %
17	-	28	3.1 %
18	-	10	1.1 %
19	-	2	0.2 %
20	-	9	1.0 %
21	-	3	0.3 %
22	-	1	0.1 %
23	-	2	0.2 %
24	-	2	0.2 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 7.37
- Median: 6.50
- Mode: 2.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.11

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

W2Q84A: (W2Q84A) During the past 30 days, about how often did you feel... nervous

During the past 30 days, about how often did you feel... Nervous

Value	Label	Unweighted Frequency	%
1	All of the time	28	3.1 %
2	Most of the time	111	12.4 %
3	Some of the time	321	35.9 %
4	A little of the time	298	33.3 %
5	None of the time	132	14.8 %
	Missing Data		
.	-	4	0.4 %
	Total	894	100%

Based upon 890 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric

W2Q84B: (W2Q84B) During the past 30 days, about how often did you feel... hopeless

During the past 30 days, about how often did you feel... Hopeless

Value	Label	Unweighted Frequency	%
1	All of the time	15	1.7 %
2	Most of the time	68	7.6 %
3	Some of the time	205	22.9 %
4	A little of the time	257	28.7 %
5	None of the time	342	38.3 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

W2Q84C: (W2Q84C) During the past 30 days, about how often did you feel... restless or fidgety

During the past 30 days, about how often did you feel... Restless or fidgety

Value	Label	Unweighted Frequency	%
1	All of the time	37	4.1 %

Value	Label	Unweighted Frequency	%
2	Most of the time	143	16.0 %
3	Some of the time	283	31.7 %
4	A little of the time	260	29.1 %
5	None of the time	165	18.5 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

W2Q84D: (W2Q84D) During the past 30 days, about how often did you feel... so depressed that nothing could cheer you up

During the past 30 days, about how often did you feel... So depressed that nothing could cheer you up

Value	Label	Unweighted Frequency	%
1	All of the time	9	1.0 %
2	Most of the time	50	5.6 %
3	Some of the time	169	18.9 %
4	A little of the time	215	24.0 %
5	None of the time	443	49.6 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

W2Q84E: (W2Q84E) During the past 30 days, about how often did you feel... that everything was an effort

During the past 30 days, about how often did you feel... That everything was an effort

Value	Label	Unweighted Frequency	%
1	All of the time	65	7.3 %
2	Most of the time	114	12.8 %
3	Some of the time	218	24.4 %
4	A little of the time	267	29.9 %
5	None of the time	224	25.1 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

W2Q84F: (W2Q84F) During the past 30 days, about how often did you feel... worthless

During the past 30 days, about how often did you feel... Worthless

Value	Label	Unweighted Frequency	%
1	All of the time	28	3.1 %
2	Most of the time	55	6.2 %
3	Some of the time	145	16.2 %
4	A little of the time	213	23.8 %
5	None of the time	447	50.0 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

W2AUDITC: (W2AUDITC) Audit-C_wave 2

Audit-C

Value	Label	Unweighted Frequency	%
0	-	165	18.5 %

Value	Label	Unweighted Frequency	%
1	-	165	18.5 %
2	-	129	14.4 %
3	-	135	15.1 %
4	-	106	11.9 %
5	-	61	6.8 %
6	-	48	5.4 %
7	-	36	4.0 %
8	-	22	2.5 %
9	-	10	1.1 %
10	-	2	0.2 %
11	-	4	0.4 %
12	-	3	0.3 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Mean: 2.78
- Median: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.40

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

W2AUDITC_I: (W2AUDITC_I) Audit-C with imputation_wave 2

Audit-C with imputation

Value	Label	Unweighted Frequency	%
0	-	169	18.9 %
1	-	166	18.6 %
2	-	130	14.5 %
3	-	135	15.1 %
4	-	106	11.9 %
5	-	61	6.8 %
6	-	48	5.4 %
7	-	37	4.1 %
8	-	22	2.5 %
9	-	10	1.1 %
10	-	2	0.2 %

Value	Label	Unweighted Frequency	%
11	-	4	0.4 %
12	-	4	0.4 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 2.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.42

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

W2Q85: (W2Q85) How often do you have a drink containing alcohol?

How often do you have a drink containing alcohol?

Value	Label	Unweighted Frequency	%
1	Never	169	18.9 %
2	Monthly or less	221	24.7 %
3	2-4 times a month	220	24.6 %
4	2-3 times a week	141	15.8 %
5	4 or more times a week	139	15.5 %
	Missing Data		
.	-	4	0.4 %
	Total	894	100%

Based upon 890 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

W2Q86: (W2Q86) How many standard drinks containing alcohol do you have on a typical day?

How many standard drinks containing alcohol do you have on a typical day?

Value	Label	Unweighted Frequency	%
0	None	414	46.3 %
1	1 or 2	313	35.0 %
2	3 or 4	114	12.8 %

Value	Label	Unweighted Frequency	%
3	5 or 6	33	3.7 %
4	7 to 9	8	0.9 %
5	10 or more	5	0.6 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

W2Q87: (W2Q87) How often do you have six or more drinks on one occasion?

How often do you have six or more drinks on one occasion?

Value	Label	Unweighted Frequency	%
1	Never	506	56.6 %
2	Less than monthly	235	26.3 %
3	Monthly	84	9.4 %
4	Weekly	52	5.8 %
5	Daily or almost daily	12	1.3 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

W2Q88: Do you now smoke cigarettes every day, some days, or not at all? Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis, kreteks, water pipes (hookahs), or marijuana.

Do you now smoke cigarettes every day, some days, or not at all? Please do not include electronic cigarettes (e-cigarettes, NJOY, Bluetip), herbal cigarettes, cigars, cigarillos, little cigars, pipes, bidis, kreteks, water pipes (hookahs), or marijuana.

Value	Label	Unweighted Frequency	%
1	Every day	140	15.7 %

Value	Label	Unweighted Frequency	%
2	Some days	72	8.1 %
3	Not at all	677	75.7 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

W2DUDIT: (W2DUDIT) Drug Use Disorders Identification Test (DUDIT) wave 2

Drug Use Disorders Identification Test (DUDIT)

Value	Label	Unweighted Frequency	%
0	-	501	56.0 %
1	-	19	2.1 %
2	-	81	9.1 %
3	-	45	5.0 %
4	-	52	5.8 %
5	-	28	3.1 %
6	-	21	2.3 %
7	-	15	1.7 %
8	-	13	1.5 %
9	-	9	1.0 %
10	-	11	1.2 %
11	-	7	0.8 %
12	-	11	1.2 %
13	-	8	0.9 %
14	-	6	0.7 %
15	-	5	0.6 %
16	-	6	0.7 %
17	-	4	0.4 %
18	-	5	0.6 %
19	-	5	0.6 %
20	-	3	0.3 %
21	-	2	0.2 %
22	-	2	0.2 %

Value	Label	Unweighted Frequency	%
23	-	2	0.2 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
37	-	1	0.1 %
	Missing Data		
.	-	23	2.6 %
	Total	894	100%

Based upon 871 valid cases out of 894 total cases.

- Mean: 2.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 5.27

Location: 1182-1183 (width: 2; decimal: 0)

Variable Type: numeric

W2DUDIT_I: (W2DUDIT_I) Drug Use Disorders Identification Test (DUDIT) with imputation wave 2

Drug Use Disorders Identification Test (DUDIT) with imputation

Value	Label	Unweighted Frequency	%
0	-	516	57.7 %
1	-	20	2.2 %
2	-	83	9.3 %
3	-	45	5.0 %
4	-	52	5.8 %
5	-	30	3.4 %
6	-	22	2.5 %
7	-	16	1.8 %
8	-	13	1.5 %
9	-	10	1.1 %

Value	Label	Unweighted Frequency	%
10	-	11	1.2 %
11	-	7	0.8 %
12	-	11	1.2 %
13	-	8	0.9 %
14	-	6	0.7 %
15	-	5	0.6 %
16	-	6	0.7 %
17	-	4	0.4 %
18	-	5	0.6 %
19	-	5	0.6 %
20	-	3	0.3 %
21	-	2	0.2 %
22	-	2	0.2 %
23	-	2	0.2 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
33	-	1	0.1 %
37	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 2.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 5.22

Location: 1184-1185 (width: 2; decimal: 0)

Variable Type: numeric

W2Q89: (W2Q89) How often do you use drugs other than alcohol?

How often do you use drugs other than alcohol?

Value	Label	Unweighted Frequency	%
1	Never	572	64.0 %
2	Once a month or less often	126	14.1 %
3	2-4 times a month	54	6.0 %
4	2-3 times a week	43	4.8 %
5	4 times a week or more often	94	10.5 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

W2Q90: (W2Q90) Do you use more than one type of drug on the same occasion?

Do you use more than one type of drug on the same occasion?

Value	Label	Unweighted Frequency	%
1	Never	783	87.6 %
2	Once a month or less often	74	8.3 %
3	2-4 times a month	20	2.2 %
4	2-3 times a week	5	0.6 %
5	4 times a week or more often	7	0.8 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 499-499 (width: 1; decimal: 0)

Variable Type: numeric

W2Q91: (W2Q91) How many times do you take drugs on a typical day when you use drugs?

How many times do you take drugs on a typical day when you use drugs?

Value	Label	Unweighted Frequency	%
1	0	592	66.2 %

Value	Label	Unweighted Frequency	%
2	1-2	246	27.5 %
3	3-4	33	3.7 %
4	5-6	3	0.3 %
5	7 or more	14	1.6 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

W2Q92: (W2Q92) How often are you influenced heavily by drugs?

How often are you influenced heavily by drugs?

Value	Label	Unweighted Frequency	%
1	Never	743	83.1 %
2	Less often than once a month	87	9.7 %
3	Every month	18	2.0 %
4	Every week	17	1.9 %
5	Daily or almost every day	24	2.7 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

W2Q93: (W2Q93) Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

Over the past year, have you felt that your longing for drugs was so strong that you could not resist it?

Value	Label	Unweighted Frequency	%
1	Never	815	91.2 %

Value	Label	Unweighted Frequency	%
2	Less often than once a month	42	4.7 %
3	Every month	12	1.3 %
4	Every week	11	1.2 %
5	Daily or almost every day	8	0.9 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

W2Q94: (W2Q94) Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

Has it happened, over the past year, that you have not been able to stop taking drugs once you started?

Value	Label	Unweighted Frequency	%
1	Never	848	94.9 %
2	Less often than once a month	16	1.8 %
3	Every month	5	0.6 %
4	Every week	8	0.9 %
5	Daily or almost every day	8	0.9 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

W2Q95: (W2Q95) How often over the past year have you taken drugs and then neglected to do something you should have done?

How often over the past year have you taken drugs and then neglected to do something you should have done?

Value	Label	Unweighted Frequency	%
1	Never	768	85.9 %
2	Less often than once a month	88	9.8 %
3	Every month	19	2.1 %
4	Every week	11	1.2 %
5	Daily or almost every day	2	0.2 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

W2Q96: (W2Q96) How often over the past year have you needed to take a drug the morning after heavy drug use the day before?

How often over the past year have you needed to take a drug the morning after heavy drug use the day before?

Value	Label	Unweighted Frequency	%
1	Never	845	94.5 %
2	Less often than once a month	26	2.9 %
3	Every month	8	0.9 %
4	Every week	6	0.7 %
5	Daily or almost every day	4	0.4 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

W2Q97: (W2Q97) How often over the past year have you had guilt feelings or a bad conscience because you used drugs?

How often over the past year have you had guilt feelings or a bad conscience because you used drugs?

Value	Label	Unweighted Frequency	%
1	Never	791	88.5 %
2	Less often than once a month	62	6.9 %
3	Every month	16	1.8 %
4	Every week	11	1.2 %
5	Daily or almost every day	7	0.8 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric

W2Q98: (W2Q98) Have you or anyone else been hurt (mentally or physically) because you used drugs?

Have you or anyone else been hurt (mentally or physically) because you used drugs?

Value	Label	Unweighted Frequency	%
1	No	812	90.8 %
2	Yes, but not over the past year	59	6.6 %
3	Yes, over the past year	14	1.6 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

W2Q99: (W2Q99) Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?

Has a relative or a friend, a doctor or a nurse, or anyone else, been worried about your drug use or said to you that you should stop using drugs?

Value	Label	Unweighted Frequency	%
1	No	818	91.5 %

Value	Label	Unweighted Frequency	%
2	Yes, but not over the past year	46	5.1 %
3	Yes, over the past year	25	2.8 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric

W2Q100: (W2Q100) In the past year, did you have thoughts of killing yourself?

In the past year, did you have thoughts of killing yourself?

Value	Label	Unweighted Frequency	%
1	No	538	60.2 %
2	Yes	349	39.0 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

W2Q101: (W2Q101) In the past year, did you have intention to act on thoughts of wishing you were dead or trying to kill yourself?

In the past year, did you have intention to act on thoughts of wishing you were dead or trying to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	789	88.3 %
2	Yes	98	11.0 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

W2Q102: (W2Q102) In the past year, did you think about how you might kill yourself (e.g., taking pills, shooting yourself) or work out a plan of how to kill yourself?

In the past year, did you think about how you might kill yourself (e.g., taking pills, shooting yourself) or work out a plan of how to kill yourself?

Value	Label	Unweighted Frequency	%
1	No	617	69.0 %
2	Yes	266	29.8 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

W2Q103: (W2Q103) In the past year, did you make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?

In the past year, did you make a suicide attempt (i.e., purposefully hurt yourself with at least some intention to die)?

Value	Label	Unweighted Frequency	%
1	No	866	96.9 %
2	Yes	21	2.3 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

W2Q104: (W2Q104) If yes, what were the most serious injuries you received from a suicide attempt in the past year?

If yes in question 103, what were the most serious injuries you received from a suicide attempt in the past year?

Value	Label	Unweighted Frequency	%
1	No injury	2	0.2 %
2	Very minor injury (e.g., surface scratches, mild nausea)	10	1.1 %
3	Minor injury (e.g., sprain, first degree burns, flesh wound)	4	0.4 %
4	Moderate injury not requiring overnight hospitalization (e.g., broken bones, second degree burns, stitches, bullet lodge)	1	0.1 %
5	Moderate injury requiring overnight hospitalization (e.g., major fracture, third degree burns, coma, bullet lodged in abd)	3	0.3 %
6	Sever injuries requiring treatment in an intensive care unit to save life (e.g., major fracture of skull or spine, sever	1	0.1 %
	Missing Data		
7	Planned missing	873	97.7 %
	Total	894	100%

Based upon 21 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

W2Q105: (W2Q105) In the past year, did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?

In the past year, did you ever do something to hurt yourself on purpose, but without wanting to die (e.g., cutting yourself, hitting yourself, or burning yourself)?

Value	Label	Unweighted Frequency	%
1	No	765	85.6 %
2	Yes	122	13.6 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

W2Q106A: (W2Q106A) Are you out to all, most, some, or out to none of your... family

Are you out to all, most, some, or out to none of your... Family

Value	Label	Unweighted Frequency	%
1	All	390	43.6 %
2	Most	197	22.0 %
3	Some	206	23.0 %
4	None	85	9.5 %
	Missing Data		
.	-	16	1.8 %
	Total	894	100%

Based upon 878 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

W2Q106B: (W2Q106B) Are you out to all, most, some, or out to none of your... straight friends

Are you out to all, most, some, or out to none of your... Straight friends

Value	Label	Unweighted Frequency	%
1	All	465	52.0 %
2	Most	202	22.6 %
3	Some	181	20.2 %
4	None	29	3.2 %
	Missing Data		
.	-	17	1.9 %
	Total	894	100%

Based upon 877 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

W2Q106C: (W2Q106C) Are you out to all, most, some, or out to none of your... co-workers

Are you out to all, most, some, or out to none of your... Co-workers

Value	Label	Unweighted Frequency	%
1	All	297	33.2 %
2	Most	109	12.2 %
3	Some	178	19.9 %
4	None	159	17.8 %
	Missing Data		
.	-	151	16.9 %
	Total	894	100%

Based upon 743 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

W2Q106D: (W2Q106D) Are you out to all, most, some, or out to none of your... healthcare providers

Are you out to all, most, some, or out to none of your... Healthcare providers

Value	Label	Unweighted Frequency	%
1	All	448	50.1 %
2	Most	88	9.8 %
3	Some	106	11.9 %
4	None	146	16.3 %
	Missing Data		
.	-	106	11.9 %
	Total	894	100%

Based upon 788 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

W2Q107: (W2Q107) How often, if ever, can people tell you are LGB even if you don't tell them?

How often, if ever, can people tell you are LGB even if you don't tell them?

Value	Label	Unweighted Frequency	%
1	Always	41	4.6 %
2	Most of the time	129	14.4 %

Value	Label	Unweighted Frequency	%
3	Sometimes	232	26.0 %
4	Occasionally	288	32.2 %
5	Never	196	21.9 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

W2FELTSTIGMA: (W2FELTSTIGMA) Felt stigma wave 2

Felt stigma

Value	Label	Unweighted Frequency	%
1.00000000000000	-	88	9.8 %
1.3333333730698	-	54	6.0 %
1.6666666269302	-	79	8.8 %
2.00000000000000	-	119	13.3 %
2.3333332538605	-	117	13.1 %
2.6666667461395	-	102	11.4 %
3.00000000000000	-	104	11.6 %
3.3333332538605	-	78	8.7 %
3.6666667461395	-	65	7.3 %
4.00000000000000	-	47	5.3 %
4.3333334922791	-	15	1.7 %
4.6666665077209	-	9	1.0 %
5.00000000000000	-	9	1.0 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Mean: 2.5112866791592
- Median: 2.3333332538605
- Mode: 2.00000000000000
- Minimum: 1.00000000000000

- Maximum: 5.00000000000000
- Standard Deviation: 0.9420419842178

Location: 1216-1230 (width: 15; decimal: 13)

Variable Type: numeric

W2FELTSTIGMA_I: (W2FELTSTIGMA_I) Felt stigma with imputation_wave 2

Felt stigma with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	89	10.0 %
1.3333333730698	-	54	6.0 %
1.6666666269302	-	79	8.8 %
2.00000000000000	-	120	13.4 %
2.3333332538605	-	118	13.2 %
2.6666667461395	-	102	11.4 %
3.00000000000000	-	105	11.7 %
3.3333332538605	-	80	8.9 %
3.6666667461395	-	67	7.5 %
4.00000000000000	-	47	5.3 %
4.3333334922791	-	15	1.7 %
4.6666665077209	-	9	1.0 %
5.00000000000000	-	9	1.0 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 2.5137956722471
- Median: 2.3333332538605
- Mode: 2.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.9418827210210

Location: 1231-1245 (width: 15; decimal: 13)

Variable Type: numeric

W2Q108: (W2Q108) Most people where I live think less of a person who is LGB.

Most people where I live think less of a person who is LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	205	22.9 %
2	Somewhat disagree	247	27.6 %
3	Neither agree nor disagree	154	17.2 %
4	Somewhat agree	220	24.6 %

Value	Label	Unweighted Frequency	%
5	Strongly agree	63	7.0 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

W2Q109: (W2Q109) Most employers where I live will hire openly LGB people if they are qualified for the job.

Most employers where I live will hire openly LGB people if they are qualified for the job.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	29	3.2 %
2	Somewhat disagree	74	8.3 %
3	Neither agree nor disagree	150	16.8 %
4	Somewhat agree	336	37.6 %
5	Strongly agree	298	33.3 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

W2Q110: (W2Q110) Most people where I live would not want someone who is openly LGB to take care of their children.

Most people where I live would not want someone who is openly LGB to take care of their children.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	137	15.3 %
2	Somewhat disagree	231	25.8 %
3	Neither agree nor disagree	264	29.5 %

Value	Label	Unweighted Frequency	%
4	Somewhat agree	193	21.6 %
5	Strongly agree	62	6.9 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

W2INTERNALIZED: (W2INTERNALIZED) Internalized homophobia_wave 2

Internalized homophobia

Value	Label	Unweighted Frequency	%
1.00000000000000	-	450	50.3 %
1.2000000476837	-	65	7.3 %
1.3999999761581	-	57	6.4 %
1.6000000238419	-	66	7.4 %
1.7999999523163	-	51	5.7 %
2.00000000000000	-	44	4.9 %
2.2000000476837	-	18	2.0 %
2.4000000953674	-	33	3.7 %
2.5999999046326	-	23	2.6 %
2.7999999523163	-	22	2.5 %
3.00000000000000	-	19	2.1 %
3.2000000476837	-	6	0.7 %
3.4000000953674	-	7	0.8 %
3.5999999046326	-	7	0.8 %
3.7999999523163	-	6	0.7 %
4.00000000000000	-	4	0.4 %
4.1999998092651	-	1	0.1 %
4.4000000953674	-	1	0.1 %
4.5999999046326	-	1	0.1 %
5.00000000000000	-	1	0.1 %
	Missing Data		
.	-	12	1.3 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Mean: 1.4916099789732
- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.7116653334484

Location: 1277-1291 (width: 15; decimal: 13)

Variable Type: numeric

W2INTERNALIZED_I: (W2INTERNALIZED_I) Internalized homophobia with imputation_wave 2

Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	457	51.1 %
1.2000000476837	-	66	7.4 %
1.3999999761581	-	59	6.6 %
1.6000000238419	-	66	7.4 %
1.7999999523163	-	51	5.7 %
2.00000000000000	-	44	4.9 %
2.2000000476837	-	18	2.0 %
2.4000000953674	-	33	3.7 %
2.5999999046326	-	23	2.6 %
2.7999999523163	-	22	2.5 %
3.00000000000000	-	19	2.1 %
3.2000000476837	-	7	0.8 %
3.4000000953674	-	7	0.8 %
3.5999999046326	-	8	0.9 %
3.7999999523163	-	6	0.7 %
4.00000000000000	-	4	0.4 %
4.1999998092651	-	1	0.1 %
4.4000000953674	-	1	0.1 %
4.5999999046326	-	1	0.1 %
5.00000000000000	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 1.4914988830052

- Median: 1.00000000000000
- Mode: 1.00000000000000
- Minimum: 1.00000000000000
- Maximum: 5.00000000000000
- Standard Deviation: 0.7140843408707

Location: 1292-1306 (width: 15; decimal: 13)

Variable Type: numeric

W2Q111: (W2Q111) I have tried to stop being attracted to people who are the same sex as me.

I have tried to stop being attracted to people who are the same sex as me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	615	68.8 %
2	Somewhat disagree	81	9.1 %
3	Neither agree nor disagree	59	6.6 %
4	Somewhat agree	87	9.7 %
5	Strongly agree	46	5.1 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

W2Q112: (W2Q112) If someone offered me the chance to be completely heterosexual, I would accept the chance.

If someone offered me the chance to be completely heterosexual, I would accept the chance.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	600	67.1 %
2	Somewhat disagree	107	12.0 %
3	Neither agree nor disagree	94	10.5 %
4	Somewhat agree	56	6.3 %
5	Strongly agree	28	3.1 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

W2Q113: (W2Q113) I wish I weren't LGB.

I wish I weren't LGB.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	631	70.6 %
2	Somewhat disagree	102	11.4 %
3	Neither agree nor disagree	76	8.5 %
4	Somewhat agree	58	6.5 %
5	Strongly agree	19	2.1 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

W2Q114: (W2Q114) I feel that being LGB is a personal shortcoming for me.

I feel that being LGB is a personal shortcoming for me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	686	76.7 %
2	Somewhat disagree	87	9.7 %
3	Neither agree nor disagree	63	7.0 %
4	Somewhat agree	42	4.7 %
5	Strongly agree	10	1.1 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 526-526 (width: 1; decimal: 0)

Variable Type: numeric

W2Q115: (W2Q115) I would like to get professional help in order to change my sexual orientation from LGB to straight.

I would like to get professional help in order to change my sexual orientation from LGB to straight.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	849	95.0 %
2	Somewhat disagree	16	1.8 %
3	Neither agree nor disagree	20	2.2 %
4	Somewhat agree	1	0.1 %
5	Strongly agree	3	0.3 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 527-527 (width: 1; decimal: 0)

Variable Type: numeric

W2Q116: (W2Q116) Do you identify as bisexual?

Do you identify as bisexual?

Value	Label	Unweighted Frequency	%
1	Yes	338	37.8 %
2	No	549	61.4 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

W2BISTIGMA: (W2BISTIGMA) Bisexual stigma consciousness

Value	Label	Unweighted Frequency	%
1.00	-	18	2.0 %
1.25	-	3	0.3 %
1.50	-	10	1.1 %
1.75	-	9	1.0 %
2.00	-	27	3.0 %
2.25	-	27	3.0 %
2.50	-	25	2.8 %
2.75	-	28	3.1 %
3.00	-	30	3.4 %
3.25	-	39	4.4 %
3.50	-	42	4.7 %
3.75	-	23	2.6 %
4.00	-	29	3.2 %
4.25	-	14	1.6 %
4.50	-	6	0.7 %
4.75	-	4	0.4 %
5.00	-	1	0.1 %
	Missing Data		
7.00	-	556	62.2 %
.	-	3	0.3 %
	Total	894	100%

Based upon 335 valid cases out of 894 total cases.

- Mean: 2.94
- Median: 3.00
- Mode: 3.50
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.90

Location: 1113-1116 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 7.00 , .

W2BISTIGMA_I: (W2BISTIGMA_I) Internalized homophobia with imputation

Value	Label	Unweighted Frequency	%
1.00	-	18	2.0 %
1.25	-	4	0.4 %
1.50	-	10	1.1 %
1.75	-	9	1.0 %
2.00	-	27	3.0 %

Value	Label	Unweighted Frequency	%
2.25	-	27	3.0 %
2.50	-	26	2.9 %
2.75	-	28	3.1 %
3.00	-	30	3.4 %
3.25	-	39	4.4 %
3.50	-	42	4.7 %
3.75	-	23	2.6 %
4.00	-	29	3.2 %
4.25	-	15	1.7 %
4.50	-	6	0.7 %
4.75	-	4	0.4 %
5.00	-	1	0.1 %
	Missing Data		
7.00	-	556	62.2 %
	Total	894	100%

Based upon 338 valid cases out of 894 total cases.

- Mean: 2.93
- Median: 3.00
- Mode: 3.50
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.91

Location: 1117-1120 (width: 4; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 7.00

W2Q117: (W2Q117) I worry that my behaviors will be viewed as stereotypically bisexual.

I worry that my behaviors will be viewed as stereotypically bisexual.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	100	11.2 %
2	Somewhat disagree	83	9.3 %
3	Neither agree nor disagree	74	8.3 %
4	Somewhat agree	64	7.2 %
5	Strongly agree	16	1.8 %
	Missing Data		
7	Planned missing	556	62.2 %
.	-	1	0.1 %
	Total	894	100%

Based upon 337 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q118: (W2Q118) Stereotypes about bisexuals affect me.

Stereotypes about bisexuals affect me.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	64	7.2 %
2	Somewhat disagree	60	6.7 %
3	Neither agree nor disagree	59	6.6 %
4	Somewhat agree	125	14.0 %
5	Strongly agree	27	3.0 %
	Missing Data		
7	Planned missing	556	62.2 %
.	-	3	0.3 %
	Total	894	100%

Based upon 335 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q119: (W2Q119) Most lesbians/gays have a problem with bisexuals.

Most lesbians/gays have a problem with bisexuals.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	31	3.5 %
2	Somewhat disagree	54	6.0 %
3	Neither agree nor disagree	109	12.2 %
4	Somewhat agree	113	12.6 %
5	Strongly agree	30	3.4 %
	Missing Data		
7	Planned missing	556	62.2 %
.	-	1	0.1 %
	Total	894	100%

Based upon 337 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q120: (W2Q120) Most heterosexuals have a problem with bisexuals.

Most heterosexuals have a problem with bisexuals.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	26	2.9 %
2	Somewhat disagree	73	8.2 %
3	Neither agree nor disagree	96	10.7 %
4	Somewhat agree	109	12.2 %
5	Strongly agree	33	3.7 %
	Missing Data		
7	Planned missing	556	62.2 %
.	-	1	0.1 %
	Total	894	100%

Based upon 337 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q121: (W2Q121) I feel that others view my bisexual identity as untrue or not real.

I feel that others view my bisexual identity as "untrue" or not real.

Value	Label	Unweighted Frequency	%
1	Strongly disagree	30	3.4 %
2	Somewhat disagree	48	5.4 %
3	Neither agree nor disagree	57	6.4 %
4	Somewhat agree	132	14.8 %
5	Strongly agree	70	7.8 %
	Missing Data		
7	Planned missing	556	62.2 %
.	-	1	0.1 %
	Total	894	100%

Based upon 337 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 533-533 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q122A: (W2Q122A) In the past year, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.

In the past year, how often have any of the following happened to you? You were hit, beaten, physically attacked, or sexually assaulted.

Value	Label	Unweighted Frequency	%
1	Never	822	91.9 %
2	Once	44	4.9 %
3	Twice	12	1.3 %
4	Three or more times	9	1.0 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

W2Q122B: (W2Q122B) In the past year, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.

In the past year, how often have any of the following happened to you? You were robbed, or your property was stolen, vandalized, or purposely damaged.

Value	Label	Unweighted Frequency	%
1	Never	777	86.9 %
2	Once	80	8.9 %
3	Twice	22	2.5 %
4	Three or more times	7	0.8 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

W2Q122C: (W2Q122C) In the past year, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.

In the past year, how often have any of the following happened to you? Someone tried to attack you, rob you, or damage your property, but they didn't succeed.

Value	Label	Unweighted Frequency	%
1	Never	845	94.5 %
2	Once	34	3.8 %
3	Twice	3	0.3 %
4	Three or more times	2	0.2 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

W2Q122D: (W2Q122D) In the past year, how often have any of the following happened to you? Someone threatened you with violence.

In the past year, how often have any of the following happened to you? Someone threatened you with violence.

Value	Label	Unweighted Frequency	%
1	Never	743	83.1 %
2	Once	75	8.4 %
3	Twice	39	4.4 %
4	Three or more times	27	3.0 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

W2Q122E: (W2Q122E) In the past year, how often have any of the following happened to you? Someone verbally insulted or abused you.

In the past year, how often have any of the following happened to you? Someone verbally insulted or abused you.

Value	Label	Unweighted Frequency	%
1	Never	531	59.4 %
2	Once	137	15.3 %
3	Twice	67	7.5 %
4	Three or more times	151	16.9 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

W2Q122F: (W2Q122F) In the past year, how often have any of the following happened to you? Someone threw an object at you.

In the past year, how often have any of the following happened to you? Someone threw an object at you.

Value	Label	Unweighted Frequency	%
1	Never	832	93.1 %
2	Once	28	3.1 %
3	Twice	14	1.6 %
4	Three or more times	14	1.6 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

W2Q123_1: (W2Q123_1) If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Age

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Age	49	5.5 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	368	41.2 %
	Total	894	100%

Based upon 49 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_2: (W2Q123_2) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sex (being female or male)

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	104	11.6 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	313	35.0 %
	Total	894	100%

Based upon 104 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_3: (W2Q123_3) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Being transgender

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.6 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	412	46.1 %
	Total	894	100%

Based upon 5 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_4: (W2Q123_4) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Gender expression or appearance

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	50	5.6 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	367	41.1 %
	Total	894	100%

Based upon 50 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_5: (W2Q123_5) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Race/ethnicity

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	46	5.1 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	371	41.5 %
	Total	894	100%

Based upon 46 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_6: (W2Q123_6) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Income level or education

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
6	Income level or education	49	5.5 %
	Missing Data		
7	Planned missing	477	53.4 %
.	-	368	41.2 %
	Total	894	100%

Based upon 49 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_7: (W2Q123_7) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Sexual orientation

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
97	Planned missing	477	53.4 %
	Missing Data		
7	Sexual orientation	120	13.4 %
.	-	297	33.2 %
	Total	894	100%

Based upon 477 valid cases out of 894 total cases.

- Minimum: 97.00
- Maximum: 97.00

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q123_8: If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Physical appearance (e.g., weight, height)

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	109	12.2 %
97	Planned missing	477	53.4 %
	Missing Data		
.	-	308	34.5 %
	Total	894	100%

Based upon 586 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 97.00

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

W2Q123_9: (W2Q123_9) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Religion/spirituality

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	25	2.8 %
97	Planned missing	477	53.4 %
	Missing Data		
.	-	392	43.8 %
	Total	894	100%

Based upon 502 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 97.00

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

W2Q123_10: (W2Q123_10) If you said you had any of the experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply. Disability

If you said you had any of these experiences in the past year (being assaulted, robbed, threatened with violence, insulted, and abused), would you say they happened because of your... Please mark all that apply.

Value	Label	Unweighted Frequency	%
10	Disability	32	3.6 %
97	Planned missing	477	53.4 %
	Missing Data		
.	-	385	43.1 %
	Total	894	100%

Based upon 509 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 97.00

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: .

W2Q124: (W2Q124) In the past year, how often were you fired from your job or denied a job?

In the past year, how often were you fired from your job or denied a job?

Value	Label	Unweighted Frequency	%
1	Never	796	89.0 %
2	Once	57	6.4 %
3	Twice	14	1.6 %
4	Three or more times	18	2.0 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric

W2Q125: (W2Q125) In the past year, how often were you denied a promotion or received a negative evaluation

In the past year, how often were you denied a promotion or received a negative evaluation?

Value	Label	Unweighted Frequency	%
1	Never	790	88.4 %
2	Once	70	7.8 %
3	Twice	17	1.9 %
4	Three or more times	8	0.9 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

W2Q126_1: (W2Q126_1) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... age

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
1	Age	36	4.0 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	117	13.1 %
	Total	894	100%

Based upon 36 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 556-556 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_2: (W2Q126_2) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sex (being female or male)

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	30	3.4 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	123	13.8 %
	Total	894	100%

Based upon 30 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 557-557 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_3: (W2Q126_3) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... being transgender

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
3	Being transgender	1	0.1 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	152	17.0 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 558-558 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_4: (W2Q126_4) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... gender expression or appearance

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	6	0.7 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	147	16.4 %
	Total	894	100%

Based upon 6 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 559-559 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_5: (W2Q126_5) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... race/ethnicity

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	17	1.9 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	136	15.2 %
	Total	894	100%

Based upon 17 valid cases out of 894 total cases.

- Minimum: 5.00

- Maximum: 5.00

Location: 560-560 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_6: (W2Q126_6) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... income level or education

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
6	Income level or education	21	2.3 %
	Missing Data		
7	Planned missing	741	82.9 %
.	-	132	14.8 %
	Total	894	100%

Based upon 21 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q126_7: (W2Q126_7) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... sexual orientation

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
7	Sexual orientation	27	3.0 %
	Missing Data		
97	Planned missing	741	82.9 %
.	-	126	14.1 %
	Total	894	100%

Based upon 27 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q126_8: (W2Q126_8) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... physical appearance (e.g., weight, height)

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	24	2.7 %
	Missing Data		
97	Planned missing	741	82.9 %
.	-	129	14.4 %
	Total	894	100%

Based upon 24 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , .

W2Q126_9: (W2Q126_9) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... religion/spirituality

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	5	0.6 %
	Missing Data		
97	Planned missing	741	82.9 %
.	-	148	16.6 %
	Total	894	100%

Based upon 5 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , .

W2Q126_10: (W2Q126_10) If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your... disability

If you were fired, denied a job or promotion, or received a negative evaluation, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
10	Disability	19	2.1 %
	Missing Data		
97	Planned missing	741	82.9 %
.	-	134	15.0 %
	Total	894	100%

Based upon 19 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q127: (W2Q127) In the past year, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?

In the past year, how often were you prevented from moving into or buying a house or apartment by a landlord or realtor?

Value	Label	Unweighted Frequency	%
1	Never	867	97.0 %
2	Once	9	1.0 %
3	Twice	8	0.9 %
4	Three or more times	0	0.0 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 570-570 (width: 1; decimal: 0)

Variable Type: numeric

W2Q128_1: (W2Q128_1) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... age

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
1	Age	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
7	Planned missing	877	98.1 %
.	-	16	1.8 %
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 571-571 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q128_2: (W2Q128_2) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sex (being female or male)

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	1	0.1 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	16	1.8 %
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q128_3: (W2Q128_3) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... being transgender

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
3	Being transgender	0	0.0 %
	Missing Data		
7	Planned missing	877	98.1 %

Value	Label	Unweighted Frequency	%
.	-	17	1.9 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q128_4: (W2Q128_4) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... gender expression or appearance

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	1	0.1 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	16	1.8 %
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q128_5: (W2Q128_5) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... race/ethnicity

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	0	0.0 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	17	1.9 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 575-575 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

W2Q128_6: (W2Q128_6) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... income level or education

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
6	Income level or education	0	0.0 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	17	1.9 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 576-576 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

W2Q128_7: (W2Q128_7) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... sexual orientation

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
7	Sexual orientation	1	0.1 %
	Missing Data		
97	Planned missing	877	98.1 %
.	-	16	1.8 %
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , .

W2Q128_8: (W2Q128_8) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... physical appearance (e.g., weight, height)

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	1	0.1 %
	Missing Data		
97	Planned missing	877	98.1 %
.	-	16	1.8 %
	Total	894	100%

Based upon 1 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q128_9: (W2Q128_9) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... religion/spirituality

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	0	0.0 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	17	1.9 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 581-581 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q128_10: (W2Q128_10) If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your... disability

If you were prevented from moving into or buying a house or apartment by a landlord or realtor, would you say this happened because of your...

Value	Label	Unweighted Frequency	%
10	Disability	0	0.0 %
	Missing Data		
7	Planned missing	877	98.1 %
.	-	17	1.9 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q129A: (W2Q129A) During the last 12 months... Did you move or have anyone new come to live with you?

During the last 12 months... Did you move or have anyone new come to live with you?

Value	Label	Unweighted Frequency	%
1	Yes	313	35.0 %
2	No	574	64.2 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 584-584 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129B: (W2Q129B) During the last 12 months... Were you fired or laid off from a job?

During the last 12 months... Were you fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	Yes	68	7.6 %
2	No	818	91.5 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 585-585 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129C: (W2Q129C) During the last 12 months... Were you unemployed and looking for a job for more than a month?

During the last 12 months... Were you unemployed and looking for a job for more than a month?

Value	Label	Unweighted Frequency	%
1	Yes	161	18.0 %
2	No	721	80.6 %
	Missing Data		
.	-	12	1.3 %
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129D: (W2Q129D) During the last 12 months... Have you had trouble with your boss or a coworker?

During the last 12 months... Have you had trouble with your boss or a coworker?

Value	Label	Unweighted Frequency	%
1	Yes	221	24.7 %
2	No	664	74.3 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 587-587 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129E: (W2Q129E) During the last 12 months... Did you change jobs, job responsibilities or work hours?

During the last 12 months... Did you change jobs, job responsibilities or work hours?

Value	Label	Unweighted Frequency	%
1	Yes	365	40.8 %
2	No	520	58.2 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 588-588 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129F: (W2Q129F) During the last 12 months... Did you get separated or divorced or break off a steady relationship?

During the last 12 months... Did you get separated or divorced or break off a steady relationship?

Value	Label	Unweighted Frequency	%
1	Yes	102	11.4 %
2	No	784	87.7 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 589-589 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129G: (W2Q129G) During the last 12 months... Have you had serious problems with a neighbor, friend, or relative?

During the last 12 months... Have you had serious problems with a neighbor, friend, or relative?

Value	Label	Unweighted Frequency	%
1	Yes	188	21.0 %
2	No	692	77.4 %
	Missing Data		
.	-	14	1.6 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 880 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 590-590 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129H: (W2Q129H) During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?

During the last 12 months... Have you experienced a major financial crisis, declared bankruptcy or more than once been unable to pay your bills on time?

Value	Label	Unweighted Frequency	%
1	Yes	162	18.1 %
2	No	723	80.9 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 591-591 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129I: (W2Q129I) During the last 12 months... Did you have serious trouble with the police or the law?

During the last 12 months... Did you have serious trouble with the police or the law?

Value	Label	Unweighted Frequency	%
1	Yes	15	1.7 %
2	No	867	97.0 %
	Missing Data		
.	-	12	1.3 %
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 592-592 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129J: (W2Q129J) During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?

During the last 12 months... Was something stolen from you, including things that you carry like a wallet, or something inside or outside your home?

Value	Label	Unweighted Frequency	%
1	Yes	85	9.5 %
2	No	803	89.8 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 593-593 (width: 1; decimal: 0)

Variable Type: numeric

W2Q129K: (W2Q129K) During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house?

During the last 12 months... Has anyone intentionally damaged or destroyed property owned by you or someone else in your house?

Value	Label	Unweighted Frequency	%
1	Yes	54	6.0 %
2	No	833	93.2 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 594-594 (width: 1; decimal: 0)

Variable Type: numeric

W2Q130_1: (W2Q130_1) Would you say these experiences happened in the past year because of your... age

Would you say these experiences listed in question 129 happened because of your... Age

Value	Label	Unweighted Frequency	%
1	Age	117	13.1 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	561	62.8 %
	Total	894	100%

Based upon 117 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 595-595 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_2: (W2Q130_2) Would you say these experiences happened in the past year because of your... sex (being female or male)

Would you say these experiences listed in question 129 happened because of your... Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	91	10.2 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	587	65.7 %
	Total	894	100%

Based upon 91 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_3: (W2Q130_3) Would you say these experiences happened in the past year because of your... being transgender

Would you say these experiences listed in question 129 happened because of your... Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	3	0.3 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	675	75.5 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 3 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_4: (W2Q130_4) Would you say these experiences happened in the past year because of your... gender expression or appearance

Would you say these experiences listed in question 129 happened because of your... Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	32	3.6 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	646	72.3 %
	Total	894	100%

Based upon 32 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 598-598 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_5: (W2Q130_5) Would you say these experiences happened in the past year because of your... race/ethnicity

Would you say these experiences listed in question 129 happened because of your... Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	40	4.5 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	638	71.4 %
	Total	894	100%

Based upon 40 valid cases out of 894 total cases.

- Minimum: 5.00

- Maximum: 5.00

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_6: (W2Q130_6) Would you say these experiences happened in the past year because of your... income level or education

Would you say these experiences listed in question 129 happened because of your... Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	118	13.2 %
	Missing Data		
7	Planned missing	216	24.2 %
.	-	560	62.6 %
	Total	894	100%

Based upon 118 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 600-600 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q130_7: (W2Q130_7) Would you say these experiences happened in the past year because of your... sexual orientation

Would you say these experiences listed in question 129 happened because of your... Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	76	8.5 %
	Missing Data		
97	Planned missing	216	24.2 %
.	-	602	67.3 %
	Total	894	100%

Based upon 76 valid cases out of 894 total cases.

- Minimum: 7.00
- Maximum: 7.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q130_8: (W2Q130_8) Would you say these experiences happened in the past year because of your... physical appearance (e.g., weight, height)

Would you say these experiences listed in question 129 happened because of your... Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	60	6.7 %
	Missing Data		
97	Planned missing	216	24.2 %
.	-	618	69.1 %
	Total	894	100%

Based upon 60 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q130_9: (W2Q130_9) Would you say these experiences happened in the past year because of your... religion/spirituality

Would you say these experiences listed in question 129 happened because of your... Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	20	2.2 %
	Missing Data		
97	Planned missing	216	24.2 %
.	-	658	73.6 %
	Total	894	100%

Based upon 20 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q130_10: (W2Q130_10) Would you say these experiences happened in the past year because of your... disability

Would you say these experiences listed in question 129 happened because of your... Disability

Value	Label	Unweighted Frequency	%
10	Disability	52	5.8 %
	Missing Data		
97	Planned missing	216	24.2 %
.	-	626	70.0 %
	Total	894	100%

Based upon 52 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2EVERYDAY: (W2EVERYDAY) Everyday discrimination_wave 2

Everyday discrimination

Value	Label	Unweighted Frequency	%
1.00000000000000	-	147	16.4 %
1.1111111640930	-	49	5.5 %
1.222223281860	-	68	7.6 %
1.3333332538605	-	47	5.3 %
1.4444444179535	-	59	6.6 %
1.5555555820465	-	51	5.7 %
1.6666667461395	-	46	5.1 %
1.7777776718140	-	44	4.9 %
1.888888359070	-	43	4.8 %
2.00000000000000	-	43	4.8 %
2.1111111640930	-	38	4.3 %
2.222223281860	-	48	5.4 %
2.3333332538605	-	23	2.6 %
2.4444444179535	-	41	4.6 %
2.5555555820465	-	26	2.9 %
2.6666667461395	-	21	2.3 %
2.7777776718140	-	14	1.6 %
2.888888359070	-	20	2.2 %
3.00000000000000	-	4	0.4 %
3.1111111640930	-	8	0.9 %
3.222223281860	-	6	0.7 %
3.3333334922791	-	6	0.7 %

Value	Label	Unweighted Frequency	%
3.4444444179535	-	5	0.6 %
3.5555555820465	-	2	0.2 %
3.6666665077209	-	2	0.2 %
3.7777776718140	-	2	0.2 %
3.8888888359070	-	1	0.1 %
4.0000000000000	-	4	0.4 %
	Missing Data		
.	-	26	2.9 %
	Total	894	100%

Based upon 868 valid cases out of 894 total cases.

- Mean: 1.7616487546451
- Median: 1.6666667461395
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6531557276195

Location: 1186-1200 (width: 15; decimal: 13)

Variable Type: numeric

W2EVERYDAY_I: (W2EVERYDAY_I) Everyday discrimination with imputation_wave 2

Everyday discrimination with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	150	16.8 %
1.1111111640930	-	50	5.6 %
1.2222223281860	-	70	7.8 %
1.3333332538605	-	49	5.5 %
1.4444444179535	-	62	6.9 %
1.5555555820465	-	52	5.8 %
1.6666667461395	-	47	5.3 %
1.7777776718140	-	47	5.3 %
1.8888888359070	-	44	4.9 %
2.0000000000000	-	44	4.9 %
2.1111111640930	-	40	4.5 %
2.2222223281860	-	50	5.6 %
2.3333332538605	-	24	2.7 %
2.4444444179535	-	42	4.7 %
2.5555555820465	-	27	3.0 %

Value	Label	Unweighted Frequency	%
2.6666667461395	-	21	2.3 %
2.7777776718140	-	14	1.6 %
2.888888359070	-	20	2.2 %
3.0000000000000	-	4	0.4 %
3.1111111640930	-	8	0.9 %
3.2222223281860	-	6	0.7 %
3.3333334922791	-	7	0.8 %
3.4444444179535	-	5	0.6 %
3.5555555820465	-	2	0.2 %
3.666665077209	-	2	0.2 %
3.7777776718140	-	2	0.2 %
3.888888359070	-	1	0.1 %
4.0000000000000	-	4	0.4 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 1.7611235486848
- Median: 1.6666667461395
- Mode: 1.0000000000000
- Minimum: 1.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6505869994776

Location: 1201-1215 (width: 15; decimal: 13)

Variable Type: numeric

W2Q131A: (W2Q131A) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less courtesy than other people.

Value	Label	Unweighted Frequency	%
1	Often	37	4.1 %
2	Sometimes	220	24.6 %
3	Rarely	339	37.9 %
4	Never	292	32.7 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 609-609 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131B: (W2Q131B) In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.

In your day-to-day life over the past year, how often did any of the following things happen to you? You were treated with less respect than other people.

Value	Label	Unweighted Frequency	%
1	Often	48	5.4 %
2	Sometimes	229	25.6 %
3	Rarely	305	34.1 %
4	Never	305	34.1 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 610-610 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131C: (W2Q131C) In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.

In your day-to-day life over the past year, how often did any of the following things happen to you? You received poorer service than other people at restaurants or stores.

Value	Label	Unweighted Frequency	%
1	Often	23	2.6 %
2	Sometimes	127	14.2 %
3	Rarely	245	27.4 %
4	Never	491	54.9 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 611-611 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131D: (W2Q131D) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were not smart.

Value	Label	Unweighted Frequency	%
1	Often	53	5.9 %
2	Sometimes	199	22.3 %
3	Rarely	208	23.3 %
4	Never	425	47.5 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 612-612 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131E: (W2Q131E) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were afraid of you.

Value	Label	Unweighted Frequency	%
1	Often	25	2.8 %
2	Sometimes	102	11.4 %
3	Rarely	197	22.0 %
4	Never	561	62.8 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131F: (W2Q131F) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they thought you were dishonest.

Value	Label	Unweighted Frequency	%
1	Often	23	2.6 %
2	Sometimes	92	10.3 %
3	Rarely	195	21.8 %
4	Never	576	64.4 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 614-614 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131G: (W2Q131G) In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.

In your day-to-day life over the past year, how often did any of the following things happen to you? People acted as if they were better than you.

Value	Label	Unweighted Frequency	%
1	Often	99	11.1 %
2	Sometimes	262	29.3 %
3	Rarely	254	28.4 %
4	Never	269	30.1 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 615-615 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131H: (W2Q131H) In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.

In your day-to-day life over the past year, how often did any of the following things happen to you? You were called names or insulted.

Value	Label	Unweighted Frequency	%
1	Often	30	3.4 %
2	Sometimes	128	14.3 %
3	Rarely	217	24.3 %
4	Never	514	57.5 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 616-616 (width: 1; decimal: 0)

Variable Type: numeric

W2Q131I: (W2Q131I) In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.

In your day-to-day life over the past year, how often did any of the following things happen to you? You were threatened or harassed.

Value	Label	Unweighted Frequency	%
1	Often	20	2.2 %
2	Sometimes	71	7.9 %
3	Rarely	183	20.5 %
4	Never	614	68.7 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 617-617 (width: 1; decimal: 0)

Variable Type: numeric

W2Q132_1: (W2Q132_1) Would you say these experiences happened in the past year because of your... age

Would you say these experiences happened in the past year because of your... age

Value	Label	Unweighted Frequency	%
1	Age	230	25.7 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	512	57.3 %
	Total	894	100%

Based upon 230 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_2: (W2Q132_2) Would you say these experiences happened in the past year because of your... sex (being female or male)

Would you say these experiences happened in the past year because of your... Sex (being female or male)

Value	Label	Unweighted Frequency	%
2	Sex (being female or male)	258	28.9 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	484	54.1 %
	Total	894	100%

Based upon 258 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 619-619 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_3: (W2Q132_3) Would you say these experiences happened in the past year because of your... being transgender

Would you say these experiences happened in the past year because of your... Being transgender

Value	Label	Unweighted Frequency	%
3	Being transgender	5	0.6 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	737	82.4 %
	Total	894	100%

Based upon 5 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_4: (W2Q132_4) Would you say these experiences happened in the past year because of your... gender expression or appearance

Would you say these experiences happened in the past year because of your... Gender expression or appearance

Value	Label	Unweighted Frequency	%
4	Gender expression or appearance	110	12.3 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	632	70.7 %
	Total	894	100%

Based upon 110 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_5: (W2Q132_5) Would you say these experiences happened in the past year because of your... race/ethnicity

Would you say these experiences happened in the past year because of your... Race/ethnicity

Value	Label	Unweighted Frequency	%
5	Race/ethnicity	123	13.8 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	619	69.2 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 123 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 622-622 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_6: (W2Q132_6) Would you say these experiences happened in the past year because of your... income level or education

Would you say these experiences happened in the past year because of your... Income level or education

Value	Label	Unweighted Frequency	%
6	Income level or education	131	14.7 %
	Missing Data		
7	Planned missing	152	17.0 %
.	-	611	68.3 %
	Total	894	100%

Based upon 131 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 623-623 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q132_7: (W2Q132_7) Would you say these experiences happened in the past year because of your... sexual orientation

Would you say these experiences happened in the past year because of your... Sexual orientation

Value	Label	Unweighted Frequency	%
7	Sexual orientation	189	21.1 %
	Missing Data		
97	Planned missing	152	17.0 %
.	-	553	61.9 %
	Total	894	100%

Based upon 189 valid cases out of 894 total cases.

- Minimum: 7.00

- Maximum: 7.00

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q132_8: (W2Q132_8) Would you say these experiences happened in the past year because of your... physical appearance (e.g., weight, height)

Would you say these experiences happened in the past year because of your... Physical appearance (e.g., weight, height)

Value	Label	Unweighted Frequency	%
8	Physical appearance (e.g., weight, height)	235	26.3 %
	Missing Data		
97	Planned missing	152	17.0 %
.	-	507	56.7 %
	Total	894	100%

Based upon 235 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q132_9: (W2Q132_9) Would you say these experiences happened in the past year because of your... religion/spirituality

Would you say these experiences happened in the past year because of your... Religion/spirituality

Value	Label	Unweighted Frequency	%
9	Religion/spirituality	41	4.6 %
	Missing Data		
97	Planned missing	152	17.0 %
.	-	701	78.4 %
	Total	894	100%

Based upon 41 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q132_10: (W2Q132_10) Would you say these experiences happened in the past year because of your... disability

Would you say these experiences happened in the past year because of your... Disability

Value	Label	Unweighted Frequency	%
10	Disability	78	8.7 %
	Missing Data		
97	Planned missing	152	17.0 %
.	-	664	74.3 %
	Total	894	100%

Based upon 78 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2CHRONIC: (W2CHRONIC) Chronic strains_wave 2

Chronic strains

Value	Label	Unweighted Frequency	%
1.00000000000000	-	17	1.9 %
1.0666667222977	-	43	4.8 %
1.1333333253860	-	56	6.3 %
1.2000000476837	-	65	7.3 %
1.2666666507721	-	76	8.5 %
1.3333333730698	-	83	9.3 %
1.3999999761581	-	98	11.0 %
1.4666666984558	-	89	10.0 %
1.5333333015442	-	77	8.6 %
1.6000000238419	-	57	6.4 %
1.6666666269302	-	42	4.7 %
1.7333333492279	-	38	4.3 %
1.7999999523163	-	32	3.6 %
1.8666666746140	-	26	2.9 %
1.9333332777023	-	15	1.7 %
2.00000000000000	-	15	1.7 %
2.0666666030884	-	6	0.7 %
2.1333334445953	-	11	1.2 %

Value	Label	Unweighted Frequency	%
2.2000000476837	-	6	0.7 %
2.2666666507721	-	4	0.4 %
2.3333332538605	-	3	0.3 %
2.4000000953674	-	1	0.1 %
	Missing Data		
.	-	34	3.8 %
	Total	894	100%

Based upon 860 valid cases out of 894 total cases.

- Mean: 1.4613953537719
- Median: 1.3999999761581
- Mode: 1.3999999761581
- Minimum: 1.0000000000000
- Maximum: 2.4000000953674
- Standard Deviation: 0.2714608087281

Location: 1121-1135 (width: 15; decimal: 13)

Variable Type: numeric

W2CHRONIC_I: (W2CHRONIC_I) Chronic strains with imputation_wave 2

Chronic strains with imputation

Value	Label	Unweighted Frequency	%
1.0000000000000	-	17	1.9 %
1.0666667222977	-	43	4.8 %
1.1333333253860	-	59	6.6 %
1.2000000476837	-	66	7.4 %
1.2666666507721	-	77	8.6 %
1.3333333730698	-	87	9.7 %
1.3999999761581	-	102	11.4 %
1.4666666984558	-	94	10.5 %
1.5333333015442	-	80	8.9 %
1.6000000238419	-	59	6.6 %
1.6666666269302	-	42	4.7 %
1.7333333492279	-	41	4.6 %
1.7999999523163	-	34	3.8 %
1.8666666746140	-	27	3.0 %
1.9333332777023	-	16	1.8 %
2.0000000000000	-	16	1.8 %
2.0666666030884	-	7	0.8 %

Value	Label	Unweighted Frequency	%
2.1333334445953	-	12	1.3 %
2.2000000476837	-	7	0.8 %
2.2666666507721	-	4	0.4 %
2.3333332538605	-	3	0.3 %
2.4000000953674	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 1.4650261048769
- Median: 1.3999999761581
- Mode: 1.3999999761581
- Minimum: 1.0000000000000
- Maximum: 2.4000000953674
- Standard Deviation: 0.2725686707885

Location: 1136-1150 (width: 15; decimal: 13)

Variable Type: numeric

W2Q133A: (W2Q133A) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You're trying to take on too many things at once.

Value	Label	Unweighted Frequency	%
1	Not true	256	28.6 %
2	Somewhat true	417	46.6 %
3	Very true	189	21.1 %
	Missing Data		
.	-	32	3.6 %
	Total	894	100%

Based upon 862 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 632-632 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133B: (W2Q133B) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You don't have enough money to make ends meet.

Value	Label	Unweighted Frequency	%
1	Not true	440	49.2 %
2	Somewhat true	247	27.6 %
3	Very true	172	19.2 %
	Missing Data		
.	-	35	3.9 %
	Total	894	100%

Based upon 859 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 633-633 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133C: (W2Q133C) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your job often leaves you feeling both mentally and physically tired.

Value	Label	Unweighted Frequency	%
1	Not true	159	17.8 %
2	Somewhat true	302	33.8 %
3	Very true	277	31.0 %
	Missing Data		
.	-	156	17.4 %
	Total	894	100%

Based upon 738 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 634-634 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133D: (W2Q133D) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are looking for a job and can't find the one you want.

Value	Label	Unweighted Frequency	%
1	Not true	409	45.7 %

Value	Label	Unweighted Frequency	%
2	Somewhat true	151	16.9 %
3	Very true	137	15.3 %
	Missing Data		
.	-	197	22.0 %
	Total	894	100%

Based upon 697 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 635-635 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133E: (W2Q133E) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a lot of conflict with your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	499	55.8 %
2	Somewhat true	105	11.7 %
3	Very true	43	4.8 %
	Missing Data		
.	-	247	27.6 %
	Total	894	100%

Based upon 647 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 636-636 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133F: (W2Q133F) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your parents do not approve of your partner/boyfriend/girlfriend.

Value	Label	Unweighted Frequency	%
1	Not true	440	49.2 %

Value	Label	Unweighted Frequency	%
2	Somewhat true	81	9.1 %
3	Very true	33	3.7 %
	Missing Data		
.	-	340	38.0 %
	Total	894	100%

Based upon 554 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133G: (W2Q133G) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are alone too much.

Value	Label	Unweighted Frequency	%
1	Not true	437	48.9 %
2	Somewhat true	292	32.7 %
3	Very true	139	15.5 %
	Missing Data		
.	-	26	2.9 %
	Total	894	100%

Based upon 868 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 638-638 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133H: (W2Q133H) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wonder whether you will ever find a partner or spouse.

Value	Label	Unweighted Frequency	%
1	Not true	335	37.5 %
2	Somewhat true	163	18.2 %
3	Very true	183	20.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	213	23.8 %
	Total	894	100%

Based upon 681 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 639-639 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133I: (W2Q133I) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: Your relationship with your parents is strained or conflicted.

Value	Label	Unweighted Frequency	%
1	Not true	422	47.2 %
2	Somewhat true	216	24.2 %
3	Very true	109	12.2 %
	Missing Data		
.	-	147	16.4 %
	Total	894	100%

Based upon 747 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 640-640 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133J: (W2Q133J) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a parent, child, or a spouse or partner who is in very bad mental, emotional or physical health.

Value	Label	Unweighted Frequency	%
1	Not true	445	49.8 %
2	Somewhat true	188	21.0 %
3	Very true	144	16.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	117	13.1 %
	Total	894	100%

Based upon 777 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 641-641 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133K: (W2Q133K) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a close friend who is in very bad mental, emotional or physical health.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You have a close friend who is in very bad mental, emotional or physical health.

Value	Label	Unweighted Frequency	%
1	Not true	444	49.7 %
2	Somewhat true	233	26.1 %
3	Very true	142	15.9 %
	Missing Data		
.	-	75	8.4 %
	Total	894	100%

Based upon 819 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 642-642 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133L: (W2Q133L) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You wish you could have children but you cannot.

Value	Label	Unweighted Frequency	%
1	Not true	560	62.6 %
2	Somewhat true	94	10.5 %
3	Very true	46	5.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	194	21.7 %
	Total	894	100%

Based upon 700 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 643-643 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133M: (W2Q133M) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: A child's behavior or mood is a source of serious concern to you.

Value	Label	Unweighted Frequency	%
1	Not true	317	35.5 %
2	Somewhat true	122	13.6 %
3	Very true	93	10.4 %
	Missing Data		
.	-	362	40.5 %
	Total	894	100%

Based upon 532 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 644-644 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133N: (W2Q133N) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are concerned about the legal status of your relationship to your child(ren).

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are concerned about the legal status of your relationship to your child(ren).

Value	Label	Unweighted Frequency	%
1	Not true	328	36.7 %
2	Somewhat true	24	2.7 %
3	Very true	12	1.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	530	59.3 %
	Total	894	100%

Based upon 364 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 645-645 (width: 1; decimal: 0)

Variable Type: numeric

W2Q133O: (W2Q133O) Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are not out to the parents of your child/children's friends

Thinking about your life currently, are the statements below not true, somewhat true, or very true for you: You are not out to the parents of your child/children's friends

Value	Label	Unweighted Frequency	%
1	Not true	308	34.5 %
2	Somewhat true	33	3.7 %
3	Very true	32	3.6 %
	Missing Data		
.	-	521	58.3 %
	Total	894	100%

Based upon 373 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

W2Q19A: (W2Q19A) Is the city or area where you live a good place or not a good place to live for... racial and ethnic minorities.

Is the city or area where you live a good place or not a good place to live for... Racial and ethnic minorities

Value	Label	Unweighted Frequency	%
1	Good place	628	70.2 %
2	Not a good place	256	28.6 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

W2Q19B: (W2Q19B) Is the city or area where you live a good place or not a good place to live for... gay, lesbian, or bisexual

Is the city or area where you live a good place or not a good place to live for... Gay, lesbian, or bisexual people

Value	Label	Unweighted Frequency	%
1	Good place	672	75.2 %
2	Not a good place	212	23.7 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-46 (width: 1; decimal: 0)

Variable Type: numeric

W2Q19C: (W2Q19C) Is the city or area where you live a good place or not a good place to live for... transgender people

Is the city or area where you live a good place or not a good place to live for... Transgender people

Value	Label	Unweighted Frequency	%
1	Good place	529	59.2 %
2	Not a good place	348	38.9 %
	Missing Data		
.	-	17	1.9 %
	Total	894	100%

Based upon 877 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 47-47 (width: 1; decimal: 0)

Variable Type: numeric

W2Q19D: (W2Q19D) Is the city or area where you live a good place or not a good place to live for... immigrants from other countries

Is the city or area where you live a good place or not a good place to live for... Immigrants from other countries

Value	Label	Unweighted Frequency	%
1	Good place	625	69.9 %
2	Not a good place	259	29.0 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

W2Q134_1: (W2Q134_1) Who lives in the same residence (home) with you? Please mark all that apply. Spouse (husband/wife)

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	214	23.9 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	680	76.1 %
	Total	894	100%

Based upon 214 valid cases out of 894 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_2: (W2Q134_2) Who lives in the same residence (home) with you? Please mark all that apply. Unmarried partner

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	189	21.1 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	705	78.9 %
	Total	894	100%

Based upon 189 valid cases out of 894 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_3: (W2Q134_3) Who lives in the same residence (home) with you? Please mark all that apply. Housemate/roommate who is not a close friend

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	75	8.4 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	819	91.6 %
	Total	894	100%

Based upon 75 valid cases out of 894 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_4: (W2Q134_4) Who lives in the same residence (home) with you? Please mark all that apply. Housemate/roommate who is a close friend

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	118	13.2 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	776	86.8 %
	Total	894	100%

Based upon 118 valid cases out of 894 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_5: (W2Q134_5) Who lives in the same residence (home) with you? Please mark all that apply. Child

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	108	12.1 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	786	87.9 %
	Total	894	100%

Based upon 108 valid cases out of 894 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_6: (W2Q134_6) Who lives in the same residence (home) with you? Please mark all that apply. Grandchild

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Child	0	0.0 %
6	Grandchild	8	0.9 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	886	99.1 %
	Total	894	100%

Based upon 8 valid cases out of 894 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_7: (W2Q134_7) Who lives in the same residence (home) with you? Please mark all that apply. Foster child

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	894	100.0 %
	Total	894	100%

Based upon 0 valid cases out of 894 total cases.

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_8: (W2Q134_8) Who lives in the same residence (home) with you? Please mark all that apply. Parent (mother/father)

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	163	18.2 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	731	81.8 %
	Total	894	100%

Based upon 163 valid cases out of 894 total cases.

- Minimum: 8.00
- Maximum: 8.00

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_9: (W2Q134_9) Who lives in the same residence (home) with you? Please mark all that apply. Brother/sister

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %

Value	Label	Unweighted Frequency	%
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	96	10.7 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	798	89.3 %
	Total	894	100%

Based upon 96 valid cases out of 894 total cases.

- Minimum: 9.00
- Maximum: 9.00

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_10: (W2Q134_10) Who lives in the same residence (home) with you? Please mark all that apply. Other relative (aunt, cousin, nephew, mother-in-law, etc.)

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	41	4.6 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	853	95.4 %
	Total	894	100%

Based upon 41 valid cases out of 894 total cases.

- Minimum: 10.00
- Maximum: 10.00

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_11: (W2Q134_11) Who lives in the same residence (home) with you? Please mark all that apply. Roomer/boarder

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	14	1.6 %
12	Other non-relative	0	0.0 %
	Missing Data		
.	-	880	98.4 %
	Total	894	100%

Based upon 14 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

W2Q134_12: (W2Q134_12) Who lives in the same residence (home) with you? Please mark all that apply. Other non-relative

Who lives in the same residence (home) with you? Please mark all that apply.

Value	Label	Unweighted Frequency	%
1	Spouse (husband/wife)	0	0.0 %
2	Unmarried partner	0	0.0 %
3	Housemate/roommate who is not a close friend	0	0.0 %
4	Housemate/roommate who is a close friend	0	0.0 %

Value	Label	Unweighted Frequency	%
5	Child	0	0.0 %
6	Grandchild	0	0.0 %
7	Foster child	0	0.0 %
8	Parent (mother/father)	0	0.0 %
9	Brother/sister	0	0.0 %
10	Other relative (aunt, cousin, nephew, mother-in-law, etc.)	0	0.0 %
11	Roomer/boarder	0	0.0 %
12	Other non-relative	33	3.7 %
	Missing Data		
.	-	861	96.3 %
	Total	894	100%

Based upon 33 valid cases out of 894 total cases.

- Minimum: 12.00
- Maximum: 12.00

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

W2SOCSUPPORT: (W2SOCSUPPORT) Social support-full scale_wave 2

Social support - full scale

Value	Label	Unweighted Frequency	%
1.00000000000000	-	4	0.4 %
1.1666666269302	-	1	0.1 %
1.25000000000000	-	1	0.1 %
1.3333333730698	-	1	0.1 %
1.6666666269302	-	2	0.2 %
1.8333333730698	-	1	0.1 %
2.00000000000000	-	2	0.2 %
2.1666667461395	-	2	0.2 %
2.25000000000000	-	2	0.2 %
2.3333332538605	-	3	0.3 %
2.4166667461395	-	5	0.6 %
2.50000000000000	-	3	0.3 %
2.6666667461395	-	1	0.1 %
2.75000000000000	-	3	0.3 %
2.8333332538605	-	6	0.7 %
2.9166667461395	-	5	0.6 %
3.00000000000000	-	4	0.4 %

Value	Label	Unweighted Frequency	%
3.0833332538605	-	3	0.3 %
3.1666667461395	-	7	0.8 %
3.2500000000000	-	7	0.8 %
3.3333332538605	-	10	1.1 %
3.4166667461395	-	4	0.4 %
3.5000000000000	-	4	0.4 %
3.5833332538605	-	6	0.7 %
3.6666667461395	-	11	1.2 %
3.7500000000000	-	5	0.6 %
3.8333332538605	-	8	0.9 %
3.9166667461395	-	11	1.2 %
4.0000000000000	-	14	1.6 %
4.0833334922791	-	9	1.0 %
4.1666665077209	-	10	1.1 %
4.2500000000000	-	12	1.3 %
4.3333334922791	-	16	1.8 %
4.4166665077209	-	16	1.8 %
4.5000000000000	-	25	2.8 %
4.5833334922791	-	15	1.7 %
4.6666665077209	-	14	1.6 %
4.7500000000000	-	30	3.4 %
4.8333334922791	-	15	1.7 %
4.9166665077209	-	4	0.4 %
5.0000000000000	-	36	4.0 %
5.0833334922791	-	22	2.5 %
5.1666665077209	-	15	1.7 %
5.2500000000000	-	27	3.0 %
5.3333334922791	-	25	2.8 %
5.4166665077209	-	17	1.9 %
5.5000000000000	-	37	4.1 %
5.5833334922791	-	24	2.7 %
5.6666665077209	-	32	3.6 %
5.7500000000000	-	24	2.7 %
	Missing Data		
.	-	24	2.7 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 870 valid cases out of 894 total cases.

- Mean: 5.2254789337345
- Median: 5.4166665077209
- Mode: 7.00000000000000
- Minimum: 1.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.1828791279738

Location: 1344-1358 (width: 15; decimal: 13)

Variable Type: numeric

W2SOCSUPPORT_FAM: (W2SOCSUPPORT_FAM) Social support-family_wave 2

Social support - family

Value	Label	Unweighted Frequency	%
1.00	-	32	3.6 %
1.25	-	11	1.2 %
1.50	-	11	1.2 %
1.75	-	4	0.4 %
2.00	-	19	2.1 %
2.25	-	16	1.8 %
2.50	-	24	2.7 %
2.75	-	18	2.0 %
3.00	-	21	2.3 %
3.25	-	25	2.8 %
3.50	-	36	4.0 %
3.75	-	21	2.3 %
4.00	-	47	5.3 %
4.25	-	38	4.3 %
4.50	-	47	5.3 %
4.75	-	32	3.6 %
5.00	-	63	7.0 %
5.25	-	64	7.2 %
5.50	-	58	6.5 %
5.75	-	54	6.0 %
6.00	-	61	6.8 %
6.25	-	38	4.3 %
6.50	-	38	4.3 %
6.75	-	32	3.6 %
7.00	-	72	8.1 %
	Missing Data		
.	-	12	1.3 %

Value	Label	Unweighted Frequency	%
	Total	894	100%

Based upon 882 valid cases out of 894 total cases.

- Mean: 4.72
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

Location: 1359-1362 (width: 4; decimal: 2)

Variable Type: numeric

W2SOCSUPPORT_FAM_I: (W2SOCSUPPORT_FAM_I) Social support-family with imputation_wave 2

Social support - family with imputation

Value	Label	Unweighted Frequency	%
1.00	-	32	3.6 %
1.25	-	11	1.2 %
1.50	-	11	1.2 %
1.75	-	4	0.4 %
2.00	-	19	2.1 %
2.25	-	16	1.8 %
2.50	-	24	2.7 %
2.75	-	18	2.0 %
3.00	-	22	2.5 %
3.25	-	26	2.9 %
3.50	-	36	4.0 %
3.75	-	22	2.5 %
4.00	-	48	5.4 %
4.25	-	39	4.4 %
4.50	-	47	5.3 %
4.75	-	32	3.6 %
5.00	-	64	7.2 %
5.25	-	65	7.3 %
5.50	-	58	6.5 %
5.75	-	55	6.2 %
6.00	-	61	6.8 %
6.25	-	38	4.3 %
6.50	-	39	4.4 %

Value	Label	Unweighted Frequency	%
6.75	-	34	3.8 %
7.00	-	73	8.2 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 4.73
- Median: 5.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.62

Location: 1363-1366 (width: 4; decimal: 2)

Variable Type: numeric

W2SOCSUPPORT_FR: (W2SOCSUPPORT_FR) Social support-friends_wave 2

Social support - friends

Value	Label	Unweighted Frequency	%
1.00	-	12	1.3 %
1.50	-	1	0.1 %
1.75	-	4	0.4 %
2.00	-	13	1.5 %
2.25	-	5	0.6 %
2.50	-	8	0.9 %
2.75	-	6	0.7 %
3.00	-	10	1.1 %
3.25	-	13	1.5 %
3.50	-	10	1.1 %
3.75	-	10	1.1 %
4.00	-	35	3.9 %
4.25	-	23	2.6 %
4.50	-	34	3.8 %
4.75	-	28	3.1 %
5.00	-	86	9.6 %
5.25	-	54	6.0 %
5.50	-	71	7.9 %
5.75	-	60	6.7 %
6.00	-	133	14.9 %
6.25	-	40	4.5 %
6.50	-	54	6.0 %

Value	Label	Unweighted Frequency	%
6.75	-	35	3.9 %
7.00	-	134	15.0 %
	Missing Data		
.	-	15	1.7 %
	Total	894	100%

Based upon 879 valid cases out of 894 total cases.

- Mean: 5.44
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.31

Location: 1367-1370 (width: 4; decimal: 2)

Variable Type: numeric

W2SOCSUPPORT_FR_I: (W2SOCSUPPORT_FR_I) Social support-friends with imputation_wave 2

Social support - friends with imputation

Value	Label	Unweighted Frequency	%
1.00	-	12	1.3 %
1.50	-	1	0.1 %
1.75	-	4	0.4 %
2.00	-	13	1.5 %
2.25	-	5	0.6 %
2.50	-	8	0.9 %
2.75	-	6	0.7 %
3.00	-	10	1.1 %
3.25	-	13	1.5 %
3.50	-	10	1.1 %
3.75	-	10	1.1 %
4.00	-	35	3.9 %
4.25	-	23	2.6 %
4.50	-	36	4.0 %
4.75	-	30	3.4 %
5.00	-	89	10.0 %
5.25	-	55	6.2 %
5.50	-	71	7.9 %
5.75	-	62	6.9 %

Value	Label	Unweighted Frequency	%
6.00	-	134	15.0 %
6.25	-	41	4.6 %
6.50	-	55	6.2 %
6.75	-	36	4.0 %
7.00	-	135	15.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 5.44
- Median: 5.75
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.30

Location: 1371-1374 (width: 4; decimal: 2)

Variable Type: numeric

W2SOCSUPPORT_I: (W2SOCSUPPORT_I) Social support-full scale with imputation_wave 2

Social support - full scale with imputation

Value	Label	Unweighted Frequency	%
1.00000000000000	-	4	0.4 %
1.1666666269302	-	1	0.1 %
1.25000000000000	-	1	0.1 %
1.3333333730698	-	1	0.1 %
1.6666666269302	-	2	0.2 %
1.8333333730698	-	1	0.1 %
2.00000000000000	-	2	0.2 %
2.1666667461395	-	2	0.2 %
2.25000000000000	-	2	0.2 %
2.3333332538605	-	3	0.3 %
2.4166667461395	-	5	0.6 %
2.50000000000000	-	3	0.3 %
2.6666667461395	-	1	0.1 %
2.75000000000000	-	3	0.3 %
2.8333332538605	-	6	0.7 %
2.9166667461395	-	5	0.6 %
3.00000000000000	-	5	0.6 %
3.0833332538605	-	3	0.3 %
3.1666667461395	-	7	0.8 %

Value	Label	Unweighted Frequency	%
3.25000000000000	-	7	0.8 %
3.3333332538605	-	11	1.2 %
3.4166667461395	-	4	0.4 %
3.50000000000000	-	4	0.4 %
3.5833332538605	-	6	0.7 %
3.6666667461395	-	12	1.3 %
3.75000000000000	-	6	0.7 %
3.8333332538605	-	8	0.9 %
3.9166667461395	-	11	1.2 %
4.00000000000000	-	14	1.6 %
4.0833334922791	-	10	1.1 %
4.1666665077209	-	10	1.1 %
4.25000000000000	-	13	1.5 %
4.3333334922791	-	16	1.8 %
4.4166665077209	-	16	1.8 %
4.50000000000000	-	25	2.8 %
4.5833334922791	-	16	1.8 %
4.6666665077209	-	14	1.6 %
4.75000000000000	-	31	3.5 %
4.8333334922791	-	15	1.7 %
4.9166665077209	-	4	0.4 %
5.00000000000000	-	38	4.3 %
5.0833334922791	-	22	2.5 %
5.1666665077209	-	16	1.8 %
5.25000000000000	-	28	3.1 %
5.3333334922791	-	27	3.0 %
5.4166665077209	-	17	1.9 %
5.50000000000000	-	38	4.3 %
5.5833334922791	-	24	2.7 %
5.6666665077209	-	33	3.7 %
5.75000000000000	-	25	2.8 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Mean: 5.2245525803075
- Median: 5.4166665077209
- Mode: 7.00000000000000
- Minimum: 1.00000000000000

- Maximum: 7.00000000000000
- Standard Deviation: 1.1805473044131

Location: 1375-1389 (width: 15; decimal: 13)

Variable Type: numeric

W2Socsupport_SO: (W2Socsupport_SO) Social support-significant others_wave 2

Social support - significant others

Value	Label	Unweighted Frequency	%
1.00	-	24	2.7 %
1.25	-	2	0.2 %
1.50	-	4	0.4 %
1.75	-	11	1.2 %
2.00	-	12	1.3 %
2.25	-	5	0.6 %
2.50	-	10	1.1 %
2.75	-	8	0.9 %
3.00	-	15	1.7 %
3.25	-	9	1.0 %
3.50	-	22	2.5 %
3.75	-	15	1.7 %
4.00	-	30	3.4 %
4.25	-	11	1.2 %
4.50	-	16	1.8 %
4.75	-	21	2.3 %
5.00	-	60	6.7 %
5.25	-	41	4.6 %
5.50	-	36	4.0 %
5.75	-	38	4.3 %
6.00	-	125	14.0 %
6.25	-	50	5.6 %
6.50	-	40	4.5 %
6.75	-	55	6.2 %
7.00	-	220	24.6 %
	Missing Data		
.	-	14	1.6 %
	Total	894	100%

Based upon 880 valid cases out of 894 total cases.

- Mean: 5.51

- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.57

Location: 1390-1393 (width: 4; decimal: 2)

Variable Type: numeric

W2SOCSUPPORT_SO_I: (W2SOCSUPPORT_SO_I) Social support-significant others with imputation_wave 2

Social support - significant others with imputation

Value	Label	Unweighted Frequency	%
1.00	-	25	2.8 %
1.25	-	2	0.2 %
1.50	-	5	0.6 %
1.75	-	11	1.2 %
2.00	-	12	1.3 %
2.25	-	5	0.6 %
2.50	-	10	1.1 %
2.75	-	8	0.9 %
3.00	-	15	1.7 %
3.25	-	10	1.1 %
3.50	-	22	2.5 %
3.75	-	16	1.8 %
4.00	-	30	3.4 %
4.25	-	12	1.3 %
4.50	-	16	1.8 %
4.75	-	21	2.3 %
5.00	-	60	6.7 %
5.25	-	42	4.7 %
5.50	-	36	4.0 %
5.75	-	38	4.3 %
6.00	-	127	14.2 %
6.25	-	50	5.6 %
6.50	-	41	4.6 %
6.75	-	57	6.4 %
7.00	-	223	24.9 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 5.50
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.58

Location: 1394-1397 (width: 4; decimal: 2)

Variable Type: numeric

W2Q135A: (W2Q135A) There is a special person who is around when I am in need.

There is a special person who is around when I am in need.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	52	5.8 %
2	Strongly disagree	46	5.1 %
3	Mildly disagree	42	4.7 %
4	Neutral	58	6.5 %
5	Mildly agree	153	17.1 %
6	Strongly agree	253	28.3 %
7	Very strongly agree	283	31.7 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 671-671 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135B: (W2Q135B) There is a special person with whom I can share my joys and sorrows.

There is a special person with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	46	5.1 %
2	Strongly disagree	37	4.1 %
3	Mildly disagree	41	4.6 %
4	Neutral	45	5.0 %
5	Mildly agree	142	15.9 %
6	Strongly agree	254	28.4 %
7	Very strongly agree	322	36.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 672-672 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135C: (W2Q135C) My family really tries to help me.

My family really tries to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	51	5.7 %
2	Strongly disagree	51	5.7 %
3	Mildly disagree	48	5.4 %
4	Neutral	105	11.7 %
5	Mildly agree	179	20.0 %
6	Strongly agree	263	29.4 %
7	Very strongly agree	190	21.3 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 673-673 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135D: (W2Q135D) I get the emotional help and support I need from my family.

I get the emotional help and support I need from my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	87	9.7 %
2	Strongly disagree	80	8.9 %
3	Mildly disagree	77	8.6 %
4	Neutral	120	13.4 %
5	Mildly agree	202	22.6 %

Value	Label	Unweighted Frequency	%
6	Strongly agree	180	20.1 %
7	Very strongly agree	139	15.5 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 674-674 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135E: (W2Q135E) I have a special person who is a real source of comfort to me.

I have a special person who is a real source of comfort to me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	47	5.3 %
2	Strongly disagree	40	4.5 %
3	Mildly disagree	33	3.7 %
4	Neutral	56	6.3 %
5	Mildly agree	141	15.8 %
6	Strongly agree	247	27.6 %
7	Very strongly agree	319	35.7 %
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 675-675 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135F: (W2Q135F) My friends really try to help me.

My friends really try to help me.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	19	2.1 %
2	Strongly disagree	28	3.1 %

Value	Label	Unweighted Frequency	%
3	Mildly disagree	28	3.1 %
4	Neutral	98	11.0 %
5	Mildly agree	235	26.3 %
6	Strongly agree	281	31.4 %
7	Very strongly agree	197	22.0 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 676-676 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135G: (W2Q135G) I can count on my friends when things go wrong.

I can count on my friends when things go wrong.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	21	2.3 %
2	Strongly disagree	38	4.3 %
3	Mildly disagree	40	4.5 %
4	Neutral	96	10.7 %
5	Mildly agree	221	24.7 %
6	Strongly agree	263	29.4 %
7	Very strongly agree	208	23.3 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135H: (W2Q135H) I can talk about my problems with my family.

I can talk about my problems with my family.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	89	10.0 %
2	Strongly disagree	96	10.7 %
3	Mildly disagree	95	10.6 %
4	Neutral	90	10.1 %
5	Mildly agree	225	25.2 %
6	Strongly agree	168	18.8 %
7	Very strongly agree	125	14.0 %
	Missing Data		
.	-	6	0.7 %
	Total	894	100%

Based upon 888 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135I: (W2Q135I) I have friends with whom I can share my joys and sorrows.

I have friends with whom I can share my joys and sorrows.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	24	2.7 %
2	Strongly disagree	37	4.1 %
3	Mildly disagree	27	3.0 %
4	Neutral	47	5.3 %
5	Mildly agree	203	22.7 %
6	Strongly agree	295	33.0 %
7	Very strongly agree	251	28.1 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 679-679 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135J: (W2Q135J) There is a special person in my life who cares about my feelings.

There is a special person in my life who cares about my feelings.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	50	5.6 %
2	Strongly disagree	32	3.6 %
3	Mildly disagree	29	3.2 %
4	Neutral	67	7.5 %
5	Mildly agree	128	14.3 %
6	Strongly agree	216	24.2 %
7	Very strongly agree	362	40.5 %
	Missing Data		
.	-	10	1.1 %
	Total	894	100%

Based upon 884 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 680-680 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135K: (W2Q135K) My family is willing to help me make decisions.

My family is willing to help me make decisions.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	71	7.9 %
2	Strongly disagree	51	5.7 %
3	Mildly disagree	52	5.8 %
4	Neutral	135	15.1 %
5	Mildly agree	211	23.6 %
6	Strongly agree	209	23.4 %
7	Very strongly agree	158	17.7 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Based upon 887 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 681-681 (width: 1; decimal: 0)

Variable Type: numeric

W2Q135L: (W2Q135L) I can talk about my problems with my friends.

I can talk about my problems with my friends.

Value	Label	Unweighted Frequency	%
1	Very strongly disagree	23	2.6 %
2	Strongly disagree	31	3.5 %
3	Mildly disagree	36	4.0 %
4	Neutral	62	6.9 %
5	Mildly agree	223	24.9 %
6	Strongly agree	290	32.4 %
7	Very strongly agree	224	25.1 %
	Missing Data		
.	-	5	0.6 %
	Total	894	100%

Based upon 889 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 682-682 (width: 1; decimal: 0)

Variable Type: numeric

W2Q136: (W2Q136) Do you have any children?

Do you have any children?

Value	Label	Unweighted Frequency	%
1	Yes	168	18.8 %
2	No	717	80.2 %
	Missing Data		
.	-	9	1.0 %
	Total	894	100%

Based upon 885 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 683-683 (width: 1; decimal: 0)

Variable Type: numeric

W2Q137: (W2Q137) How many children do you have?

How many children do you have?

Value	Label	Unweighted Frequency	%
1	-	60	6.7 %
2	-	71	7.9 %
3	-	25	2.8 %
4	-	9	1.0 %
5	-	2	0.2 %
6	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
	Total	894	100%

Based upon 168 valid cases out of 894 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.96

Location: 684-684 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7

W2Q138: (W2Q138) What is the age of your child?

What is the age of your child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	3	0.3 %
1	-	1	0.1 %
2	-	9	1.0 %
3	-	1	0.1 %
4	-	2	0.2 %
6	-	1	0.1 %
7	-	1	0.1 %
8	-	1	0.1 %
9	-	1	0.1 %
11	-	1	0.1 %
12	-	1	0.1 %
13	-	2	0.2 %
14	-	1	0.1 %
15	-	2	0.2 %
16	-	3	0.3 %

Value	Label	Unweighted Frequency	%
17	-	4	0.4 %
18	-	1	0.1 %
19	-	2	0.2 %
20	-	1	0.1 %
21	-	1	0.1 %
23	-	3	0.3 %
24	-	3	0.3 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.3 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	2	0.2 %
35	-	1	0.1 %
36	-	2	0.2 %
37	-	3	0.3 %
38	-	2	0.2 %
41	-	1	0.1 %
42	-	1	0.1 %
43	-	1	0.1 %
	Missing Data		
97	Planned missing	726	81.2 %
.	-	102	11.4 %
	Total	894	100%

Based upon 66 valid cases out of 894 total cases.

- Mean: 18.76
- Median: 17.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 13.17

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q139: (W2Q139) Does this child currently live with you?

Does this child currently live with you?

Value	Label	Unweighted Frequency	%
1	Yes	39	4.4 %
2	No	29	3.2 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	100	11.2 %
	Total	894	100%

Based upon 68 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 687-687 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q140: (W2Q140) What is the age of your oldest child?

What is the age of your oldest child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	0	0.0 %
2	-	4	0.4 %
3	-	1	0.1 %
4	-	1	0.1 %
5	-	1	0.1 %
6	-	2	0.2 %
7	-	5	0.6 %
8	-	2	0.2 %
9	-	3	0.3 %
10	-	1	0.1 %
11	-	3	0.3 %
12	-	3	0.3 %
13	-	3	0.3 %
14	-	1	0.1 %
15	-	6	0.7 %
16	-	7	0.8 %
17	-	2	0.2 %
18	-	5	0.6 %
19	-	3	0.3 %
20	-	5	0.6 %
21	-	4	0.4 %

Value	Label	Unweighted Frequency	%
22	-	3	0.3 %
23	-	4	0.4 %
25	-	3	0.3 %
28	-	2	0.2 %
29	-	2	0.2 %
30	-	7	0.8 %
32	-	3	0.3 %
33	-	5	0.6 %
34	-	4	0.4 %
35	-	5	0.6 %
36	-	4	0.4 %
37	-	2	0.2 %
41	-	2	0.2 %
42	-	2	0.2 %
45	-	1	0.1 %
47	-	1	0.1 %
	Missing Data		
97	Planned missing	726	81.2 %
.	-	56	6.3 %
	Total	894	100%

Based upon 112 valid cases out of 894 total cases.

- Mean: 21.55
- Median: 20.00
- Minimum: 2.00
- Maximum: 47.00
- Standard Deviation: 11.16

Location: 688-689 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q141: (W2Q141) What is the age of your youngest child?

What is the age of your youngest child?

Value	Label	Unweighted Frequency	%
0	Less than 1 year	4	0.4 %
1	-	1	0.1 %
2	-	3	0.3 %
3	-	3	0.3 %
4	-	2	0.2 %

Value	Label	Unweighted Frequency	%
5	-	4	0.4 %
6	-	3	0.3 %
7	-	3	0.3 %
8	-	6	0.7 %
9	-	3	0.3 %
10	-	9	1.0 %
11	-	3	0.3 %
12	-	2	0.2 %
13	-	2	0.2 %
14	-	4	0.4 %
15	-	1	0.1 %
16	-	5	0.6 %
17	-	3	0.3 %
18	-	4	0.4 %
19	-	2	0.2 %
20	-	1	0.1 %
21	-	3	0.3 %
22	-	1	0.1 %
23	-	2	0.2 %
24	-	6	0.7 %
25	-	1	0.1 %
26	-	6	0.7 %
27	-	1	0.1 %
28	-	5	0.6 %
29	-	2	0.2 %
30	-	2	0.2 %
31	-	3	0.3 %
32	-	2	0.2 %
33	-	2	0.2 %
35	-	1	0.1 %
36	-	2	0.2 %
37	-	1	0.1 %
41	-	1	0.1 %
43	-	1	0.1 %
	Missing Data		
97	Planned missing	726	81.2 %
.	-	58	6.5 %
	Total	894	100%

Based upon 110 valid cases out of 894 total cases.

- Mean: 16.86
- Median: 16.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 10.58

Location: 690-691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q142: (W2Q142) How many children do you have under age 18 who currently live with you?

How many children do you have under age 18 who currently live with you?

Value	Label	Unweighted Frequency	%
0	-	55	6.2 %
1	-	13	1.5 %
2	-	34	3.8 %
3	-	8	0.9 %
4	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	57	6.4 %
	Total	894	100%

Based upon 111 valid cases out of 894 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.09

Location: 692-692 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q143: (W2Q143) How many children do you have under age 18 who do not currently live with you?

How many children do you have under age 18 who do not currently live with you?

Value	Label	Unweighted Frequency	%
0	-	95	10.6 %
1	-	7	0.8 %

Value	Label	Unweighted Frequency	%
2	-	6	0.7 %
3	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	59	6.6 %
	Total	894	100%

Based upon 109 valid cases out of 894 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.57

Location: 693-693 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q144: (W2Q144) How many children do you have age 18 or over who currently live with you?

How many children do you have age 18 or over who currently live with you?

Value	Label	Unweighted Frequency	%
0	-	85	9.5 %
1	-	14	1.6 %
2	-	8	0.9 %
3	-	2	0.2 %
4	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	58	6.5 %
	Total	894	100%

Based upon 110 valid cases out of 894 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.77

Location: 694-694 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q145: (W2Q145) How many children do you have age 18 or over who currently do not live with you?

How many children do you have age 18 or over who currently do not live with you?

Value	Label	Unweighted Frequency	%
0	-	62	6.9 %
1	-	19	2.1 %
2	-	19	2.1 %
3	-	5	0.6 %
4	-	6	0.7 %
6	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	56	6.3 %
	Total	894	100%

Based upon 112 valid cases out of 894 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.27

Location: 695-695 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 7 , .

W2Q146A: (W2Q146A) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A relationship with a partner/spouse who already had a child?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A relationship with a partner/spouse who already had a child?

Value	Label	Unweighted Frequency	%
1	Yes	35	3.9 %
2	No	128	14.3 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	5	0.6 %
	Total	894	100%

Based upon 163 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 696-696 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146B: (W2Q146B) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using donor sperm?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using donor sperm?

Value	Label	Unweighted Frequency	%
1	Yes	1	0.1 %
2	No	157	17.6 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	10	1.1 %
	Total	894	100%

Based upon 158 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 697-697 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146C: The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using your and/or your partner's/spouse's sperm?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... A surrogate who gave birth to the child, using your and/or your partner's/spouse's sperm?

Value	Label	Unweighted Frequency	%
1	Yes	2	0.2 %
2	No	156	17.4 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	10	1.1 %
	Total	894	100%

Based upon 158 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 698-698 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146D: (W2Q146D) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and your partner/spouse gave birth to the child?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and your partner/spouse gave birth to the child?

Value	Label	Unweighted Frequency	%
1	Yes	13	1.5 %
2	No	143	16.0 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	12	1.3 %
	Total	894	100%

Based upon 156 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 699-699 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146E: (W2Q146E) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and you gave birth to the child?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donor insemination, and you gave birth to the child?

Value	Label	Unweighted Frequency	%
1	Yes	15	1.7 %
2	No	144	16.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	9	1.0 %
	Total	894	100%

Based upon 159 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 700-700 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146F: (W2Q146F) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donating sperm and co-parenting with someone who is not your partner/spouse

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Donating sperm and co-parenting with someone who is not your partner/spouse

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	154	17.2 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	11	1.2 %
	Total	894	100%

Based upon 157 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 701-701 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146G: (W2Q146G) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Adoption of a child born outside of your relationship?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Adoption of a child born outside of your relationship?

Value	Label	Unweighted Frequency	%
1	Yes	13	1.5 %
2	No	145	16.2 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	10	1.1 %
	Total	894	100%

Based upon 158 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 702-702 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146H: (W2Q146H) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Current or previous sexual relationship?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Current or previous sexual relationship?

Value	Label	Unweighted Frequency	%
1	Yes	107	12.0 %
2	No	54	6.0 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	7	0.8 %
	Total	894	100%

Based upon 161 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 703-703 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146I: (W2Q146I) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Becoming a legal or informal guardian of a child born outside of your relationship?

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Becoming a legal or informal guardian of a child born outside of your relationship?

Value	Label	Unweighted Frequency	%
1	Yes	9	1.0 %
2	No	147	16.4 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	12	1.3 %
	Total	894	100%

Based upon 156 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 704-704 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q146J: (W2Q146J) The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Some other way

The following is a list of different ways people begin parenthood. Please mark all the categories that apply to your children. Did you have a child through... Some other way

Value	Label	Unweighted Frequency	%
1	Yes	17	1.9 %
2	No	138	15.4 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	13	1.5 %
	Total	894	100%

Based upon 155 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 705-705 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q147_T_VERB: (W2Q147_T_VERB) How did you become a parent?

How did you become a parent?

Value	Label	Unweighted Frequency	%
	-	869	97.2 %
2 NATURL BORN SONS TO ME & MY X. I PAST 6 YRS HAVE BEEN CALLED "AUNT MAMMA" BY MY NEICE - MY SISTER (HER MOTHER) & MY MOTHER - HAVE BOTH SHUNNED MYSELF, MY NEICE & MY 3 SONS. MY SONS TREAT THEIR COUSIN LIKE A SISTER & I AM NANA TO HER 2 YR OLD.	-	1	0.1 %
ADOPTED FROM FAMIL FOCUS IN LITTLE NECK QUEENS NYC	-	1	0.1 %
AFTER PARTNER DIED	-	1	0.1 %
BACK IN MY EARLY 20IES WHEN I WAS YOUNGER A GIRL GOT ME DRUNK AND GAVE ME DRUGS TO WHERE I DIDN'T KNOW WHAT I WAS DOING. ANYWAY SHE HAD SEX WITH ME GOT PREGNANT THINKING IT WOULD CHANGE ME. WHAT A CROCK SHE WAS FOR WHAT SHE DID.	-	1	0.1 %
BY HAVING SEX WITH THREE DIFFERENT BABY FATHERS, MY DAUGHTERS DAD WE USED PROTECTION IT CAME OFF AND I WAS PREGNANT	-	1	0.1 %

Value	Label	Unweighted Frequency	%
Being a bisexual I was married to a woman and we had a son.	-	1	0.1 %
FOSTER ADOPTION	-	1	0.1 %
GAVE BIRTH TO ALL 3	-	1	0.1 %
GOT MY FIRST WIFE PREGNANT - 2 TIMES	-	1	0.1 %
Got pregnant and married the guy	-	1	0.1 %
HAD 2 CHILDREN FROM LUST HETEROSEXUAL MARRAIGE. STEPSON BY 3RD RELATIONSHIP - HIS MOM NEVER KNEW HIM	-	1	0.1 %
HAD SEX, HAD KIDS	-	1	0.1 %
I DON'T REMEMBER THE FIRST CHILD. THE SECOND I WAS IN A RELATIONSHIP.	-	1	0.1 %
I HAD A BABY	-	1	0.1 %
I HAD SEX WITH A MAN...TWICE...SAME MAN	-	1	0.1 %
I WAS MARRIED TO A MAN BEFORE I CAME OUT.	-	1	0.1 %
I am polyamorus and my partners have a son I consider to be my son as well.	-	1	0.1 %
I gave birth to my children.	-	1	0.1 %
MARRIAGE	-	1	0.1 %
My eldest child is the result of an unplanned pregnancy when I was 17. My second-eldest child is my eldest child's half-brother, mine legally but not biologically. (Not his fault, I've never held that against him.) My two younger children are m	-	1	0.1 %
My ex wife and I had them while married	-	1	0.1 %
Sexual intercourse and am a "step parent" to my partners 2 children.	-	1	0.1 %
TEEN AGE SEX	-	1	0.1 %
Through heterosexual married relationship with my former spouse.	-	1	0.1 %
YES, I MARRIED A FEMALE ON A BET IN 1983. I DID WHAT I WAS SUPPOSED TO DO AND HATED IT. I WAS GRATEFUL WHEN SHE BECAME IN THE FAMILY WAY. IT MEANT NEVER AGAIN.	-	1	0.1 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

Location: 706-949 (width: 244; decimal: 0)

Variable Type: character

W2Q148A: (W2Q148A) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Legally recognized as parent or guardian

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Legally recognized as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	11	1.2 %
1	-	52	5.8 %
2	-	65	7.3 %

Value	Label	Unweighted Frequency	%
3	-	17	1.9 %
4	-	6	0.7 %
5	-	1	0.1 %
6	-	2	0.2 %
9	-	1	0.1 %
	Missing Data		
97	Planned missing	726	81.2 %
.	-	13	1.5 %
	Total	894	100%

Based upon 155 valid cases out of 894 total cases.

- Mean: 1.83
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.20

Location: 950-951 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q148B: (W2Q148B) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Not legally recognized as parent or guardian

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Not legally recognized as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	89	10.0 %
1	-	15	1.7 %
2	-	8	0.9 %
3	-	1	0.1 %
5	-	1	0.1 %
	Missing Data		
7	Planned missing	726	81.2 %
.	-	54	6.0 %
	Total	894	100%

Based upon 114 valid cases out of 894 total cases.

- Mean: 0.34
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.77

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q148C: (W2Q148C) Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Unsure about legal status as parent or guardian

Which of the following best describes your relationship to your child(ren)? For how many of your child(ren) are you... Unsure about legal status as parent or guardian

Value	Label	Unweighted Frequency	%
0	-	95	10.6 %
1	-	4	0.4 %
2	-	2	0.2 %
3	-	1	0.1 %
9	-	1	0.1 %
	Missing Data		
97	Planned missing	726	81.2 %
.	-	65	7.3 %
	Total	894	100%

Based upon 103 valid cases out of 894 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.98

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q156: (W2Q156) How many people did you list?

How many people did you list?

Value	Label	Unweighted Frequency	%
0	None	29	3.2 %
1	-	66	7.4 %
2	-	95	10.6 %
3	-	130	14.5 %

Value	Label	Unweighted Frequency	%
4	-	106	11.9 %
5	-	123	13.8 %
6	-	82	9.2 %
7	-	49	5.5 %
8	-	35	3.9 %
9	-	23	2.6 %
10	-	56	6.3 %
11	-	11	1.2 %
12	-	17	1.9 %
13	-	6	0.7 %
14	-	4	0.4 %
15	-	13	1.5 %
16	-	4	0.4 %
19	-	2	0.2 %
20	-	5	0.6 %
25	-	3	0.3 %
26	-	2	0.2 %
27	-	1	0.1 %
29	-	1	0.1 %
30	-	3	0.3 %
32	-	1	0.1 %
34	-	1	0.1 %
35	-	1	0.1 %
36	-	1	0.1 %
50	-	1	0.1 %
69	-	1	0.1 %
74	-	1	0.1 %
	Missing Data		
.	-	21	2.3 %
	Total	894	100%

Based on 873 valid cases out of 894 total cases.

- Mean: 5.76
- Median: 5.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 74.00
- Standard Deviation: 5.84

Location: 962-963 (width: 2; decimal: 0)

Variable Type: numeric

W2Q157A: (W2Q157A) Thinking only about the people you listed in the prior question, how many of them are... your family (other than your spouse)

Thinking only about the people you listed in the prior question, how many of them are... Your family (other than your spouse)

Value	Label	Unweighted Frequency	%
0	-	213	23.8 %
1	-	196	21.9 %
2	-	173	19.4 %
3	-	106	11.9 %
4	-	51	5.7 %
5	-	26	2.9 %
6	-	12	1.3 %
7	-	7	0.8 %
8	-	6	0.7 %
10	-	4	0.4 %
11	-	1	0.1 %
12	-	1	0.1 %
13	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
23	-	1	0.1 %
30	-	1	0.1 %
50	-	1	0.1 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	42	4.7 %
	Total	894	100%

Based upon 802 valid cases out of 894 total cases.

- Mean: 1.97
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.92

Location: 964-965 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q157B: (W2Q157B) Thinking only about the people you listed in the prior question, how many of them are... your spouse

Thinking only about the people you listed in the prior question, how many of them are... Your spouse

Value	Label	Unweighted Frequency	%
0	-	326	36.5 %
1	-	405	45.3 %
2	-	6	0.7 %
3	-	2	0.2 %
18	-	1	0.1 %
Missing Data			
97	Planned missing	50	5.6 %
.	-	104	11.6 %
Total		894	100%

Based upon 740 valid cases out of 894 total cases.

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 0.83

Location: 966-967 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q157C: (W2Q157C) Thinking only about the people you listed in the prior question, how many of them are... your close friends

Thinking only about the people you listed in the prior question, how many of them are... Your close friends

Value	Label	Unweighted Frequency	%
0	-	99	11.1 %
1	-	153	17.1 %
2	-	189	21.1 %
3	-	122	13.6 %
4	-	72	8.1 %
5	-	57	6.4 %
6	-	30	3.4 %
7	-	23	2.6 %
8	-	16	1.8 %
9	-	7	0.8 %
10	-	10	1.1 %
11	-	1	0.1 %
12	-	1	0.1 %

Value	Label	Unweighted Frequency	%
13	-	1	0.1 %
14	-	1	0.1 %
15	-	2	0.2 %
20	-	2	0.2 %
21	-	1	0.1 %
24	-	2	0.2 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	55	6.2 %
	Total	894	100%

Based upon 789 valid cases out of 894 total cases.

- Mean: 2.90
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.81

Location: 968-969 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 97 , .

W2Q157D: (W2Q157D) Thinking only about the people you listed in the prior question, how many of them are... your friends/acquaintances

Thinking only about the people you listed in the prior question, how many of them are... Your friends/acquaintances

Value	Label	Unweighted Frequency	%
0	-	383	42.8 %
1	-	91	10.2 %
2	-	62	6.9 %
3	-	33	3.7 %
4	-	21	2.3 %
5	-	17	1.9 %
6	-	7	0.8 %
7	-	5	0.6 %
8	-	4	0.4 %
9	-	3	0.3 %
10	-	1	0.1 %
12	-	2	0.2 %
13	-	1	0.1 %
14	-	2	0.2 %

Value	Label	Unweighted Frequency	%
24	-	1	0.1 %
26	-	1	0.1 %
30	-	1	0.1 %
Missing Data			
97	Planned missing	50	5.6 %
.	-	209	23.4 %
Total		894	100%

Based upon 635 valid cases out of 894 total cases.

- Mean: 1.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 2.68

Location: 970-971 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q157E: (W2Q157E) Thinking only about the people you listed in the prior question, how many of them are... volunteer/paid worker

Thinking only about the people you listed in the prior question, how many of them are... Volunteer/paid worker

Value	Label	Unweighted Frequency	%
0	-	518	57.9 %
1	-	46	5.1 %
2	-	8	0.9 %
3	-	3	0.3 %
10	-	1	0.1 %
Missing Data			
97	Planned missing	50	5.6 %
.	-	268	30.0 %
Total		894	100%

Based upon 576 valid cases out of 894 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.58

Location: 972-973 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 97 , .

W2Q157F: (W2Q157F) Thinking only about the people you listed in the prior question, how many of them are... other

Thinking only about the people you listed in the prior question, how many of them are... Other

Value	Label	Unweighted Frequency	%
0	-	470	52.6 %
1	-	62	6.9 %
2	-	10	1.1 %
3	-	5	0.6 %
4	-	2	0.2 %
5	-	2	0.2 %
7	-	1	0.1 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	292	32.7 %
	Total	894	100%

Based upon 552 valid cases out of 894 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.67

Location: 974-975 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 97 , .

W2Q158A: (W2Q158A) As best you know, how many of the people you listed in the prior question are... of the same race/ethnicity as you

As best you know, how many of the people you listed in the prior question are... Of the same race/ethnicity as you

Value	Label	Unweighted Frequency	%
0	-	37	4.1 %
1	-	91	10.2 %
2	-	123	13.8 %
3	-	142	15.9 %
4	-	101	11.3 %
5	-	89	10.0 %

Value	Label	Unweighted Frequency	%
6	-	65	7.3 %
7	-	41	4.6 %
8	-	40	4.5 %
9	-	17	1.9 %
10	-	29	3.2 %
11	-	8	0.9 %
12	-	11	1.2 %
13	-	2	0.2 %
14	-	5	0.6 %
15	-	5	0.6 %
16	-	1	0.1 %
18	-	3	0.3 %
19	-	2	0.2 %
20	-	1	0.1 %
21	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
30	-	2	0.2 %
32	-	1	0.1 %
35	-	1	0.1 %
45	-	1	0.1 %
60	-	2	0.2 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	21	2.3 %
	Total	894	100%

Based upon 823 valid cases out of 894 total cases.

- Mean: 4.78
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.99

Location: 976-977 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q158B: (W2Q158B) As best you know, how many of the people you listed in the prior question are... the same gender as you

As best you know, how many of the people you listed in the prior question are... The same gender as you

Value	Label	Unweighted Frequency	%
0	-	56	6.3 %
1	-	160	17.9 %
2	-	175	19.6 %
3	-	143	16.0 %
4	-	92	10.3 %
5	-	68	7.6 %
6	-	30	3.4 %
7	-	21	2.3 %
8	-	22	2.5 %
9	-	12	1.3 %
10	-	12	1.3 %
11	-	4	0.4 %
12	-	4	0.4 %
13	-	1	0.1 %
14	-	1	0.1 %
15	-	6	0.7 %
16	-	1	0.1 %
18	-	1	0.1 %
20	-	1	0.1 %
22	-	1	0.1 %
25	-	1	0.1 %
27	-	2	0.2 %
45	-	1	0.1 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	29	3.2 %
	Total	894	100%

Based upon 815 valid cases out of 894 total cases.

- Mean: 3.42
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 3.47

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q158C: (W2Q158C) As best you know, how many of the people you listed in the prior question are... LGBT

As best you know, how many of the people you listed in the prior question are... LGBT

Value	Label	Unweighted Frequency	%
0	-	168	18.8 %
1	-	291	32.6 %
2	-	141	15.8 %
3	-	90	10.1 %
4	-	52	5.8 %
5	-	17	1.9 %
6	-	8	0.9 %
7	-	7	0.8 %
8	-	13	1.5 %
9	-	5	0.6 %
10	-	3	0.3 %
11	-	1	0.1 %
15	-	1	0.1 %
21	-	1	0.1 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	46	5.1 %
	Total	894	100%

Based upon 798 valid cases out of 894 total cases.

- Mean: 1.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 2.01

Location: 980-981 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q158D: (W2Q158D) As best you know, how many of the people you listed in the prior question are... the same race/ethnicity and gender as you and are LGBT

As best you know, how many of the people you listed in the prior question are... The same race/ethnicity and gender as you and are LGBT

Value	Label	Unweighted Frequency	%
0	-	294	32.9 %

Value	Label	Unweighted Frequency	%
1	-	281	31.4 %
2	-	100	11.2 %
3	-	64	7.2 %
4	-	29	3.2 %
5	-	12	1.3 %
6	-	10	1.1 %
7	-	4	0.4 %
8	-	4	0.4 %
9	-	1	0.1 %
10	-	2	0.2 %
	Missing Data		
97	Planned missing	50	5.6 %
.	-	43	4.8 %
	Total	894	100%

Based upon 801 valid cases out of 894 total cases.

- Mean: 1.25
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.53

Location: 982-983 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q159: (W2Q159) How many people did you list?

How many people did you list?

Value	Label	Unweighted Frequency	%
0	None	72	8.1 %
1	-	137	15.3 %
2	-	202	22.6 %
3	-	158	17.7 %
4	-	88	9.8 %
5	-	78	8.7 %
6	-	37	4.1 %
7	-	20	2.2 %
8	-	18	2.0 %
9	-	6	0.7 %

Value	Label	Unweighted Frequency	%
10	-	19	2.1 %
11	-	3	0.3 %
12	-	1	0.1 %
14	-	1	0.1 %
15	-	5	0.6 %
16	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
25	-	1	0.1 %
29	-	1	0.1 %
32	-	1	0.1 %
40	-	1	0.1 %
50	-	1	0.1 %
74	-	1	0.1 %
	Missing Data		
.	-	40	4.5 %
	Total	894	100%

Based upon 854 valid cases out of 894 total cases.

- Mean: 3.45
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 74.00
- Standard Deviation: 4.37

Location: 984-985 (width: 2; decimal: 0)

Variable Type: numeric

W2Q160A: (W2Q160A) Thinking only about the people you listed in the prior question, how many of them are... your family (other than your spouse)

Thinking only about the people you listed in the prior question, how many of them are... Your family (other than your spouse)

Value	Label	Unweighted Frequency	%
0	-	128	14.3 %
1	-	221	24.7 %
2	-	213	23.8 %
3	-	99	11.1 %
4	-	44	4.9 %
5	-	12	1.3 %
6	-	8	0.9 %

Value	Label	Unweighted Frequency	%
7	-	2	0.2 %
8	-	3	0.3 %
10	-	2	0.2 %
12	-	1	0.1 %
17	-	1	0.1 %
20	-	1	0.1 %
50	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	46	5.1 %
	Total	894	100%

Based upon 736 valid cases out of 894 total cases.

- Mean: 1.88
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 2.47

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q160B: (W2Q160B) Thinking only about the people you listed in the prior question, how many of them are... your spouse

Thinking only about the people you listed in the prior question, how many of them are... Your spouse

Value	Label	Unweighted Frequency	%
0	-	304	34.0 %
1	-	320	35.8 %
2	-	5	0.6 %
7	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	152	17.0 %
	Total	894	100%

Based upon 630 valid cases out of 894 total cases.

- Mean: 0.53
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.58

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q160C: (W2Q160C) Thinking only about the people you listed in the prior question, how many of them are... your close friends

Thinking only about the people you listed in the prior question, how many of them are... Your close friends

Value	Label	Unweighted Frequency	%
0	-	240	26.8 %
1	-	174	19.5 %
2	-	103	11.5 %
3	-	55	6.2 %
4	-	23	2.6 %
5	-	26	2.9 %
6	-	10	1.1 %
7	-	6	0.7 %
8	-	6	0.7 %
10	-	5	0.6 %
11	-	1	0.1 %
13	-	1	0.1 %
15	-	1	0.1 %
20	-	1	0.1 %
24	-	2	0.2 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	128	14.3 %
	Total	894	100%

Based upon 654 valid cases out of 894 total cases.

- Mean: 1.64
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 2.46

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q160D: (W2Q160D) Thinking only about the people you listed in the prior question, how many of them are... your friends/acquaintances

Thinking only about the people you listed in the prior question, how many of them are... Your friends/acquaintances

Value	Label	Unweighted Frequency	%
0	-	443	49.6 %
1	-	40	4.5 %
2	-	19	2.1 %
3	-	10	1.1 %
4	-	2	0.2 %
5	-	2	0.2 %
6	-	3	0.3 %
7	-	1	0.1 %
8	-	2	0.2 %
9	-	2	0.2 %
16	-	1	0.1 %
20	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	256	28.6 %
	Total	894	100%

Based upon 526 valid cases out of 894 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.57

Location: 992-993 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q160E: (W2Q160E) Thinking only about the people you listed in the prior question, how many of them are... volunteer/paid worker

Thinking only about the people you listed in the prior question, how many of them are... Volunteer/paid worker

Value	Label	Unweighted Frequency	%
0	-	491	54.9 %
1	-	16	1.8 %
2	-	1	0.1 %

Value	Label	Unweighted Frequency	%
5	-	1	0.1 %
7	-	1	0.1 %
Missing Data			
97	Planned missing	112	12.5 %
.	-	272	30.4 %
Total		894	100%

Based upon 510 valid cases out of 894 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.43

Location: 994-995 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q160F: (W2Q160F) Thinking only about the people you listed in the prior question, how many of them are... other

Thinking only about the people you listed in the prior question, how many of them are... Other

Value	Label	Unweighted Frequency	%
0	-	460	51.5 %
1	-	34	3.8 %
2	-	7	0.8 %
3	-	4	0.4 %
4	-	1	0.1 %
Missing Data			
7	Planned missing	112	12.5 %
.	-	276	30.9 %
Total		894	100%

Based upon 506 valid cases out of 894 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.46

Location: 996-996 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q161A: (W2Q161A) As best you know, how many of the people you listed in the prior question are... of the same race/ethnicity as you

As best you know, how many of the people you listed in the prior question are... Of the same race/ethnicity as you

Value	Label	Unweighted Frequency	%
0	-	36	4.0 %
1	-	139	15.5 %
2	-	214	23.9 %
3	-	150	16.8 %
4	-	83	9.3 %
5	-	52	5.8 %
6	-	32	3.6 %
7	-	19	2.1 %
8	-	7	0.8 %
9	-	3	0.3 %
10	-	11	1.2 %
11	-	1	0.1 %
12	-	3	0.3 %
14	-	1	0.1 %
17	-	1	0.1 %
19	-	1	0.1 %
25	-	1	0.1 %
32	-	1	0.1 %
60	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	26	2.9 %
	Total	894	100%

Based upon 756 valid cases out of 894 total cases.

- Mean: 3.10
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 3.30

Location: 997-998 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q161B: (W2Q161B) As best you know, how many of the people you listed in the prior question are... the same gender as you

As best you know, how many of the people you listed in the prior question are... The same gender as you

Value	Label	Unweighted Frequency	%
0	-	82	9.2 %
1	-	277	31.0 %
2	-	163	18.2 %
3	-	90	10.1 %
4	-	59	6.6 %
5	-	27	3.0 %
6	-	15	1.7 %
7	-	8	0.9 %
8	-	5	0.6 %
9	-	4	0.4 %
10	-	3	0.3 %
14	-	2	0.2 %
22	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	46	5.1 %
	Total	894	100%

Based upon 736 valid cases out of 894 total cases.

- Mean: 2.10
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 1.97

Location: 999-1000 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q161C: (W2Q161C) As best you know, how many of the people you listed in the prior question are... LGBT

As best you know, how many of the people you listed in the prior question are... LGBT

Value	Label	Unweighted Frequency	%
0	-	297	33.2 %
1	-	255	28.5 %
2	-	94	10.5 %
3	-	38	4.3 %
4	-	17	1.9 %

Value	Label	Unweighted Frequency	%
5	-	13	1.5 %
6	-	2	0.2 %
8	-	3	0.3 %
9	-	2	0.2 %
13	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	60	6.7 %
	Total	894	100%

Based upon 722 valid cases out of 894 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.38

Location: 1001-1002 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2Q161D: (W2Q161D) As best you know, how many of the people you listed in the prior question are... the same race/ethnicity and gender as you and are LGBT

As best you know, how many of the people you listed in the prior question are... The same race/ethnicity and gender as you and are LGBT

Value	Label	Unweighted Frequency	%
0	-	382	42.7 %
1	-	207	23.2 %
2	-	77	8.6 %
3	-	29	3.2 %
4	-	11	1.2 %
5	-	7	0.8 %
6	-	3	0.3 %
8	-	1	0.1 %
11	-	1	0.1 %
36	-	1	0.1 %
	Missing Data		
97	Planned missing	112	12.5 %
.	-	63	7.0 %
	Total	894	100%

Based upon 719 valid cases out of 894 total cases.

- Mean: 0.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 36.00
- Standard Deviation: 1.76

Location: 1003-1004 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 97 , .

W2COHORT: (W2COHORT) Cohort wave 2

Cohort

Value	Label	Unweighted Frequency	%
1	Younger	367	41.1 %
2	Middle	211	23.6 %
3	Older	316	35.3 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1151-1151 (width: 1; decimal: 0)

Variable Type: numeric

W2AGE: (W2AGE) Age on survey wave 2

Age on survey

Value	Label	Unweighted Frequency	%
19	-	20	2.2 %
20	-	26	2.9 %
21	-	52	5.8 %
22	-	38	4.3 %
23	-	46	5.1 %
24	-	50	5.6 %
25	-	50	5.6 %
26	-	47	5.3 %
27	-	38	4.3 %
35	-	12	1.3 %
36	-	44	4.9 %
37	-	44	4.9 %

Value	Label	Unweighted Frequency	%
38	-	25	2.8 %
39	-	20	2.2 %
40	-	27	3.0 %
41	-	16	1.8 %
42	-	14	1.6 %
43	-	9	1.0 %
51	-	1	0.1 %
53	-	12	1.3 %
54	-	38	4.3 %
55	-	53	5.9 %
56	-	33	3.7 %
57	-	35	3.9 %
58	-	42	4.7 %
59	-	37	4.1 %
60	-	45	5.0 %
61	-	20	2.2 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 38.81
- Median: 37.00
- Mode: 55.00
- Minimum: 19.00
- Maximum: 61.00
- Standard Deviation: 14.87

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

W1SEX: (W1SEX) Sex at birth

Sex at birth

Value	Label	Unweighted Frequency	%
1	Female	465	52.0 %
2	Male	429	48.0 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1106-1106 (width: 1; decimal: 0)

Variable Type: numeric

W1GENDER: (W1GENDER) Gender identity

Gender identity

Value	Label	Unweighted Frequency	%
1	Woman	427	47.8 %
2	Man	408	45.6 %
5	Non-binary/GQ	59	6.6 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1105-1105 (width: 1; decimal: 0)

Variable Type: numeric

W2GENDER: (W2GENDER) Gender identity at wave 2

Gender identity

Value	Label	Unweighted Frequency	%
1	Woman	414	46.3 %
2	Man	410	45.9 %
3	Transgender woman/male-to-female (MTF)	3	0.3 %
4	Transgender man/female-to-male (FTM)	1	0.1 %
5	Non-binary/GQ	66	7.4 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1246-1246 (width: 1; decimal: 0)

Variable Type: numeric

GMSANAME: (GMSANAME) MSA city

MSA City

Value	Label	Unweighted Frequency	%
(NON-MSA COUNTIES)	-	81	9.1 %
Akron,OH	-	3	0.3 %
Albany-Schenectady-Troy,NY	-	6	0.7 %
Albuquerque, NM	-	6	0.7 %

Value	Label	Unweighted Frequency	%
Allentown-Bethlehem-Easton, PA-NJ	-	2	0.2 %
Altoona, PA	-	1	0.1 %
Anchorage, AK	-	1	0.1 %
Ann Arbor, MI	-	3	0.3 %
Asheville, NC	-	3	0.3 %
Athens-Clarke County, GA	-	1	0.1 %
Atlanta-Sandy Springs-Roswell, GA	-	25	2.8 %
Atlantic City-Hammonton, NJ	-	1	0.1 %
Augusta-Richmond County, GA-SC	-	2	0.2 %
Austin-Round Rock, TX	-	8	0.9 %
Baltimore-Columbia-Towson, MD	-	5	0.6 %
Bangor, ME	-	1	0.1 %
Barnstable Town, MA	-	2	0.2 %
Baton Rouge, LA	-	4	0.4 %
Bellingham, WA	-	1	0.1 %
Billings, MT	-	1	0.1 %
Binghamton, NY	-	4	0.4 %
Birmingham-Hoover, AL	-	1	0.1 %
Bloomington, IL	-	2	0.2 %
Boise City-Nampa, ID	-	1	0.1 %
Boston-Cambridge-Newton, MA-NH	-	24	2.7 %
Boulder, CO	-	3	0.3 %
Bremerton-Silverdale, WA	-	2	0.2 %
Bridgeport-Stamford-Norwalk, CT	-	1	0.1 %
Buffalo-Cheektowaga-Niagara Falls, NY	-	3	0.3 %
Burlington-South Burlington, VT	-	2	0.2 %
California-Lexington Park, MD	-	1	0.1 %
Cape Coral-Fort Myers, FL	-	1	0.1 %
Carson City, NV	-	1	0.1 %
Cedar Rapids, IA	-	2	0.2 %
Champaign-Urbana, IL	-	1	0.1 %
Charleston-North Charleston, SC	-	3	0.3 %
Charlotte-Concord-Gastonia, NC-SC	-	3	0.3 %
Charlottesville, VA	-	1	0.1 %
Cheyenne, WY	-	1	0.1 %
Chicago-Naperville-Elgin, IL-IN-WI	-	20	2.2 %
Cincinnati, OH-KY-IN	-	2	0.2 %
Clarksville, TN-KY	-	1	0.1 %
Cleveland-Elyria, OH	-	4	0.4 %

Value	Label	Unweighted Frequency	%
College Station-Bryan, TX	-	1	0.1 %
Colorado Springs, CO	-	2	0.2 %
Columbia, SC	-	1	0.1 %
Columbus, OH	-	9	1.0 %
Corpus Christi, TX	-	1	0.1 %
Corvallis, OR	-	1	0.1 %
Crestview-Fort Walton Beach-Destin, FL	-	1	0.1 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

Location: 1027-1073 (width: 47; decimal: 0)

Variable Type: character

GRUCA: (GRUCA) Rural-urban commuting area (RUCA) urbanicity score

RUCA urbanicity score

Value	Label	Unweighted Frequency	%
1.0	-	714	79.9 %
1.1	-	11	1.2 %
2.0	-	49	5.5 %
2.1	-	4	0.4 %
4.0	-	33	3.7 %
4.1	-	3	0.3 %
4.2	-	11	1.2 %
5.0	-	7	0.8 %
6.0	-	3	0.3 %
7.0	-	7	0.8 %
7.1	-	3	0.3 %
7.3	-	5	0.6 %
7.4	-	5	0.6 %
8.0	-	1	0.1 %
9.0	-	3	0.3 %
10.0	-	9	1.0 %
10.1	-	1	0.1 %
10.4	-	6	0.7 %
10.5	-	3	0.3 %
10.6	-	5	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	11	1.2 %
	Total	894	100%

Based upon 883 valid cases out of 894 total cases.

- Mean: 1.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.60
- Standard Deviation: 1.94

Location: 1079-1082 (width: 4; decimal: 1)

Variable Type: numeric

GRUCA_I: (GRUCA_I) Rural-urban commuting area (RUCA) urbanicity score, missing imputed

RUCA urbanicity score, missing imputed

Value	Label	Unweighted Frequency	%
1.000000000000	-	723	80.9 %
1.100000023842	-	11	1.2 %
2.000000000000	-	49	5.5 %
2.099999904633	-	4	0.4 %
4.000000000000	-	33	3.7 %
4.099999904633	-	3	0.3 %
4.199999809265	-	11	1.2 %
5.000000000000	-	8	0.9 %
6.000000000000	-	3	0.3 %
7.000000000000	-	7	0.8 %
7.099999904633	-	3	0.3 %
7.300000190735	-	5	0.6 %
7.400000095367	-	5	0.6 %
8.000000000000	-	1	0.1 %
9.000000000000	-	4	0.4 %
10.000000000000	-	9	1.0 %
10.100000381470	-	1	0.1 %
10.399999618530	-	6	0.7 %
10.500000000000	-	3	0.3 %
10.600000381470	-	5	0.6 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Mean: 1.705592839643
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 1.000000000000
- Maximum: 10.600000381470
- Standard Deviation: 1.950028580170

Location: 1083-1097 (width: 15; decimal: 12)

Variable Type: numeric

GZIPCODE: (GZIPCODE) Zip code (official)

Zip Code (Official)

Value	Label	Unweighted Frequency	%
1007	-	1	0.1 %
1089	-	1	0.1 %
1225	-	1	0.1 %
1247	-	1	0.1 %
1462	-	1	0.1 %
1501	-	1	0.1 %
1503	-	1	0.1 %
1609	-	1	0.1 %
1612	-	1	0.1 %
1757	-	1	0.1 %
1824	-	1	0.1 %
1841	-	2	0.2 %
1844	-	1	0.1 %
1876	-	1	0.1 %
2062	-	1	0.1 %
2109	-	1	0.1 %
2114	-	1	0.1 %
2118	-	2	0.2 %
2131	-	1	0.1 %
2132	-	1	0.1 %
2135	-	2	0.2 %
2138	-	1	0.1 %
2143	-	2	0.2 %
2152	-	1	0.1 %
2346	-	1	0.1 %
2453	-	1	0.1 %
2460	-	1	0.1 %

Value	Label	Unweighted Frequency	%
2478	-	1	0.1 %
2482	-	1	0.1 %
2492	-	1	0.1 %
2631	-	1	0.1 %
2632	-	1	0.1 %
2780	-	1	0.1 %
2860	-	1	0.1 %
2879	-	1	0.1 %
2914	-	1	0.1 %
3103	-	1	0.1 %
3755	-	1	0.1 %
3818	-	1	0.1 %
4073	-	1	0.1 %
4401	-	1	0.1 %
4917	-	1	0.1 %
5068	-	1	0.1 %
5301	-	1	0.1 %
5401	-	1	0.1 %
5403	-	1	0.1 %
5765	-	1	0.1 %
6114	-	1	0.1 %
6119	-	1	0.1 %
6410	-	1	0.1 %
	Missing Data		
.	-	7	0.8 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 887 valid cases out of 894 total cases.

- Mean: 51726.84
- Minimum: 1007.00
- Maximum: 99709.00
- Standard Deviation: 32007.05

Location: 1098-1102 (width: 5; decimal: 0)

Variable Type: numeric

GZIPSTATE: (GZIPSTATE) State (official, based on zip code)

State Code based on Zip Code (Official)

Value	Label	Unweighted Frequency	%
11	Maine	3	0.3 %
12	New Hampshire	3	0.3 %
13	Vermont	5	0.6 %
14	Massachusetts	37	4.1 %
15	Rhode Island	3	0.3 %
16	Connecticut	8	0.9 %
21	New York	76	8.5 %
22	New Jersey	22	2.5 %
23	Pennsylvania	32	3.6 %
24	Maryland	18	2.0 %
25	Delaware	2	0.2 %
26	West Virginia	3	0.3 %
27	District of Columbia	15	1.7 %
31	Ohio	31	3.5 %
32	Michigan	23	2.6 %
33	Indiana	18	2.0 %
34	Illinois	27	3.0 %
41	Wisconsin	8	0.9 %
42	Minnesota	18	2.0 %
43	Iowa	12	1.3 %
44	Missouri	16	1.8 %
45	North Dakota	4	0.4 %
46	South Dakota	2	0.2 %
47	Nebraska	6	0.7 %
48	Kansas	9	1.0 %
51	Virginia	22	2.5 %
52	North Carolina	24	2.7 %
53	South Carolina	8	0.9 %
54	Georgia	31	3.5 %
55	Florida	40	4.5 %
56	Kentucky	12	1.3 %
57	Tennessee	14	1.6 %
58	Alabama	3	0.3 %
59	Mississippi	3	0.3 %
61	Arkansas	6	0.7 %
62	Louisiana	11	1.2 %
63	Oklahoma	6	0.7 %
64	Texas	51	5.7 %
71	Montana	2	0.2 %

Value	Label	Unweighted Frequency	%
72	Arizona	25	2.8 %
73	Colorado	25	2.8 %
74	Idaho	2	0.2 %
75	Wyoming	2	0.2 %
76	Utah	13	1.5 %
77	Nevada	11	1.2 %
78	New Mexico	10	1.1 %
81	California	116	13.0 %
82	Oregon	24	2.7 %
83	Washington	28	3.1 %
84	Hawaii	2	0.2 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 894 valid cases out of 894 total cases.

- Minimum: 11.00
- Maximum: 85.00

Location: 1103-1104 (width: 2; decimal: 0)

Variable Type: numeric

GCENDIV: (GCENDIV) Census division

Census division

Value	Label	Unweighted Frequency	%
1	New England	59	6.6 %
2	Middle Atlantic	130	14.5 %
3	East North Central	107	12.0 %
4	West North Central	67	7.5 %
5	South Atlantic	163	18.2 %
6	East South Central	32	3.6 %
7	West South Central	74	8.3 %
8	Mountain	90	10.1 %
9	Pacific	172	19.2 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1005-1005 (width: 1; decimal: 0)

Variable Type: numeric

GCENREG: (GCENREG) Census region

Census region

Value	Label	Unweighted Frequency	%
1	Northeast	189	21.1 %
2	Midwest	174	19.5 %
3	South	269	30.1 %
4	West	262	29.3 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1006-1006 (width: 1; decimal: 0)

Variable Type: numeric

GMILESAWAY: (GMILESAWAY) Miles away from nearest LGBT health center

Miles away from nearest LGBT health clinic

Value	Label	Unweighted Frequency	%
0.1053089525	-	1	0.1 %
0.1759413012	-	1	0.1 %
0.1920239621	-	1	0.1 %
0.2983603172	-	1	0.1 %
0.3046815755	-	1	0.1 %
0.3246384876	-	1	0.1 %
0.4115750904	-	2	0.2 %
0.4212634289	-	1	0.1 %
0.4434946624	-	1	0.1 %
0.4528298805	-	2	0.2 %
0.4616935319	-	1	0.1 %
0.4738300889	-	1	0.1 %
0.4744522486	-	1	0.1 %
0.4889297342	-	1	0.1 %
0.5201298580	-	2	0.2 %
0.6240966452	-	1	0.1 %
0.6307211600	-	1	0.1 %
0.6766057976	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.7480900391	-	2	0.2 %
0.7538153035	-	2	0.2 %
0.8161705902	-	1	0.1 %
0.8642023435	-	1	0.1 %
0.9260892548	-	1	0.1 %
0.9266511018	-	1	0.1 %
0.9363088135	-	1	0.1 %
0.9592544988	-	1	0.1 %
0.9744147365	-	1	0.1 %
0.9809668070	-	3	0.3 %
0.9953544642	-	1	0.1 %
1.0718313578	-	1	0.1 %
1.0728281468	-	1	0.1 %
1.0815355780	-	1	0.1 %
1.0998565900	-	1	0.1 %
1.1208719974	-	1	0.1 %
1.1447087041	-	1	0.1 %
1.1460447432	-	1	0.1 %
1.1501127565	-	1	0.1 %
1.1550122280	-	1	0.1 %
1.1833306219	-	1	0.1 %
1.2002025691	-	2	0.2 %
1.2374942730	-	1	0.1 %
1.2401515438	-	1	0.1 %
1.2452421441	-	1	0.1 %
1.2517845885	-	1	0.1 %
1.3448727757	-	1	0.1 %
1.3514365416	-	1	0.1 %
1.3630296504	-	1	0.1 %
1.4678181230	-	1	0.1 %
1.5323709012	-	1	0.1 %
1.5354337308	-	1	0.1 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 886 valid cases out of 894 total cases.

- Mean: 52.9589951366
- Minimum: 0.1053089525
- Maximum: 2711.9285146936
- Standard Deviation: 171.8329511129

Location: 1011-1025 (width: 15; decimal: 10)

Variable Type: numeric

GMILESAWAY2: (GMILESAWAY2) 60 or more miles from nearest LGBT health center

60 or more miles from nearest LGBT health center

Value	Label	Unweighted Frequency	%
0	Less than 60 miles away	657	73.5 %
1	60 or more miles away	229	25.6 %
	Missing Data		
.	-	8	0.9 %
	Total	894	100%

Based upon 886 valid cases out of 894 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1026-1026 (width: 1; decimal: 0)

Variable Type: numeric

W2Q149: (W2Q149) How important is it to you to have children one day?

How important is it to you to have children one day?

Value	Label	Unweighted Frequency	%
1	Not at all important	427	47.8 %
2	Somewhat important	164	18.3 %
3	Very important	79	8.8 %
4	Extremely important	50	5.6 %
	Missing Data		
7	Planned missing	168	18.8 %
.	-	6	0.7 %
	Total	894	100%

Based upon 720 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 955-955 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

W2Q150: (W2Q150) Thinking about the future, how likely do you think it is that you will have children?

Thinking about the future, how likely do you think it is that you will have children?

Value	Label	Unweighted Frequency	%
1	Not at all important	431	48.2 %
2	Somewhat important	180	20.1 %
3	Very important	64	7.2 %
4	Extremely important	43	4.8 %
	Missing Data		
7	Planned missing	168	18.8 %
.	-	8	0.9 %
	Total	894	100%

Based upon 718 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 956-956 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 7 , .

GEDUC1: (GEDUC1) Education

Education

Value	Label	Unweighted Frequency	%
1	HS less	157	17.6 %
2	Some college	274	30.6 %
3	College	273	30.5 %
4	More than college	190	21.3 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1007-1007 (width: 1; decimal: 0)

Variable Type: numeric

GEDUC2: (GEDUC2) High school or less

High School or Less

Value	Label	Unweighted Frequency	%
1	HS less	157	17.6 %
2	More than HS	737	82.4 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1008-1008 (width: 1; decimal: 0)

Variable Type: numeric

GEEMPLOYMENT2010: (GEMPLOYMENT2010) Employment 2010

Employment 2010

Value	Label	Unweighted Frequency	%
1	Employed full time (employer)	495	55.4 %
2	Employed full time (self)	47	5.3 %
3	Employed part time, do not want full time	66	7.4 %
4	Unemployed	43	4.8 %
5	Employed part time, want full time	92	10.3 %
6	Not in work force	151	16.9 %
	Total	894	100%

Based upon 894 valid cases out of 894 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1009-1009 (width: 1; decimal: 0)

Variable Type: numeric