# EMERGENCY DESCENT



PF

PNF

## 1. DETECTION

# *DETECTION*

OXY MASK……..……..ON

INTERPHONE……..ON

INTERPHONE VOLUME…..……..ON

COMMUNICATION……....ESTABLISH

FLIES THE AIRCRAFT

NAVIGATES ⇒ LAND ASAP…Short term decision

*CONSIDER AUTOMATION USE*




COMMUNICATES

Cockpit too noisy → headsets

| PF | PNF |
|---|---|

## 2. DESCENT & TARGET ADJUSTMENTS

### 1st loop

| PF | PNF |
|---|---|
| 1. ALT……TURN then PULL | 1. SIGNS……ON |
| 2. HDG……TURN off airway & PULL | 2. ENG MODE SEL……IGN |
| 3. SPEED……PULL | 3. ATC……NOTIFY |

### *FMA*

| PF | PNF |
|---|---|
| | *if Cab Alt > 14000 ft :* |
| 4. SPD BRK……FULL | 4. PAX OXY Masks……MAN ON |

### 2nd loop

ALT FL 100 or MORA……SET

HDG……SET

***STRUCTURAL DAMAGE ?***

yes or suspected :
Loud bang, high cabin v/s, air flow

no

SPD/MACH pb…..PRESS

MMO……SELECT

**ACTION FLOW**

- No structural damage
- Structural damage

PF

PNF

## 3. ECAM ACTIONS

# *ECAM ACTIONS*

*ECAM PROCEDURE*

*SYSTEM DISPLAY*

*STATUS*

*RETURN TO NORMAL TASK SHARING*

# *DECISION*



*Review FCOM 3.02 procedure (If time permits)*

- **If ECAM warning**

- **If no ECAM warning**

*EMER DESCENT*

| PF | PNF |
|---|---|

## 4. REACHING FL100 OR MORA

*When **ALT*** engages :*

**SPD BRK……..…..RETRACT**

**SPEED……..MANAGE**

- **For further descent :** **V/S = - 500ft max**

| PF | PNF |
|---|---|

## 2. DESCENT & TARGET ADJUSTMENTS

### 1st loop

| PF | PNF |
|---|---|
| 1. ALT……..……TURN then PULL | 1. SIGNS……..…..ON |
| 2. HDG……...TURN off airway & PULL | 2. ENG MODE SEL……IGN |
| 3. SPEED……...PULL | 3. ATC……NOTIFY |
| FM | ➢ MAYDAY !<br>➢ Select transponder code *7700* |
| | *if Cab Alt > 14000 ft :* |
| 4. SPD BRK……...FULL | 4. PAX OXY Masks……MAN ON |

### 2nd loop

ALT FL 100 or MORA...……..……..……..SET

HDG……..……SET

***STRUCTURAL DAMAGE ?***

yes or suspected :
Loud bang, high cabin v/s, air flow

no

SPD/MACH pb…..PRESS | MMO....……..……SELECT

**ACTION FLOW**

- No structural damage
- Structural damage

# ACTION FLOW : NO STRUCTURAL DAMAGE




## 1st loop




**No Damage**

**Set speed target to <u>MMO</u>**

## 2nd loop

**<u>MORA</u>** ***is displayed <u>If</u>*** **:**

- **CSTR selected**
- **range ≥ 40 nm**



# ACTION FLOW : STRUCTURAL DAMAGE




## 1st loop




**Damage suspected**

**Maintain current speed by pressing SPD/MACH pb**

## 2nd loop

**MORA** *is displayed* ***If*** :

- **CSTR selected**
- **range ≥ 40 nm**