

```
GET
FILE='C:\Users\admin\Desktop\Project 1.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.
FREQUENCIES VARIABLES=Gender Age Frequency
/ORDER=ANALYSIS.
```

Frequencies

Notes		
Output Created		29-JUL-2026 08:44:47
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=Gender Age Frequency...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

[DataSet1] C:\Users\admin\Desktop\Project 1.sav

Statistics				
		Gender	Age Group	Frequency of Online Purchases
N	Valid	123	123	123
	Missing	0	0	0

Frequency Table

Gender

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	2	1.6	1.6	1.6
Male	80	65.0	65.0	66.7
Female	41	33.3	33.3	100.0
Total	123	100.0	100.0	

Age Group

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 18-24	117	95.1	95.1	95.1
25-34	4	3.3	3.3	98.4
35-44	2	1.6	1.6	100.0
Total	123	100.0	100.0	

Frequency of Online Purchases

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Multiple times a week	26	21.1	21.1	21.1
2-3 times a month	47	38.2	38.2	59.3
Once a month	32	26.0	26.0	85.4
Less than once a month	18	14.6	14.6	100.0
Total	123	100.0	100.0	

DESCRIPTIVES VARIABLES=AIP1 AIP2 AIP3 AIP4 CE1 CE2 CE3 CE4 CE5 CE6 CR1 CR2 CR3 CR4 CLV1 CLV2 CL
/STATISTICS=MEAN STDDEV MIN MAX.

Notes

Output Created		29-JUL-2026 08:49:00
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=AIP1 AIP2 AIP3 AIP4 CE1 CE2 CE3 CE4 CE5 CE6 CR1 CR2 CR3 CR4 CLV1 CLV2 CLV3 CLV4 AT1 AT2 AT3 AT4 /STATISTICS=MEAN STDDEV...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

[DataSet1] C:\Users\admin\Desktop\Project 1.sav

DESCRIPTIVES VARIABLES=AIP1 AIP2 AIP3 AIP4 CE1 CE2 CE3 CE4 CE5 CE6 CR1 CR2 CR3 CR4 CLV1 CLV2 CL
/STATISTICS=MEAN STDDEV MIN MAX.

Descriptives

Notes

Output Created		29-JUL-2026 08:52:36
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	All non-missing data are used.
Syntax		DESCRIPTIVES VARIABLES=AIP1 AIP2 AIP3 AIP4 CE1 CE2 CE3 CE4 CE5 CE6 CR1 CR2 CR3 CR4 CLV1 CLV2 CLV3 CLV4 AT1 AT2 AT3 AT4
		/STATISTICS=MEAN STDDEV...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

[DataSet1] C:\Users\admin\Desktop\Project 1.sav

Descriptive Statistics

	N
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	123
AI-Driven Personalization [Recommended products are relevant to my browsing context]	123
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	123
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	123
2: Customer Engagement [I spend time thinking about recommended products.]	123
2: Customer Engagement [I feel deeply focused while exploring personalized feeds.]	123
2: Customer Engagement [Personalized recommendations excite me.]	123
2: Customer Engagement [Exploring AI-curated suggestions is enjoyable.]	123
2: Customer Engagement [I spend more time browsing recommendations than intended.]	123
2: Customer Engagement [I actively interact with recommended products.]	123
3: Customer Retention [I intend to continue using this platform.]	123
3: Customer Retention [I would resist switching to competitors.]	123
3: Customer Retention [I consider myself loyal to this platform.]	123
3: Customer Retention [I plan to increase future visits.]	123
4: Customer Lifetime Value [I will allocate most future spending to this platform.]	123
4: Customer Lifetime Value [I expect to buy from more product categories here.]	123
4: Customer Lifetime Value [I am willing to spend more because of personalization.]	123
4: Customer Lifetime Value [I see this as a long-term shopping relationship.]	123
5: Algorithmic Transparency [The platform explains why products are recommended.]	123
5: Algorithmic Transparency [I understand how the recommendation system works.]	123
5: Algorithmic Transparency [The platform is transparent about data usage.]	123
5: Algorithmic Transparency [I trust the fairness of AI recommendations.]	123
Valid N (listwise)	123

Descriptive Statistics

	Minimum
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	1
AI-Driven Personalization [Recommended products are relevant to my browsing context]	1
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	1
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	1
2: Customer Engagement [I spend time thinking about recommended products.]	1
2: Customer Engagement [I feel deeply focused while exploring personalized feeds.]	1
2: Customer Engagement [Personalized recommendations excite me.]	1
2: Customer Engagement [Exploring AI-curated suggestions is enjoyable.]	1
2: Customer Engagement [I spend more time browsing recommendations than intended.]	1
2: Customer Engagement [I actively interact with recommended products.]	1
3: Customer Retention [I intend to continue using this platform.]	1
3: Customer Retention [I would resist switching to competitors.]	1
3: Customer Retention [I consider myself loyal to this platform.]	1
3: Customer Retention [I plan to increase future visits.]	1
4: Customer Lifetime Value [I will allocate most future spending to this platform.]	1
4: Customer Lifetime Value [I expect to buy from more product categories here.]	1
4: Customer Lifetime Value [I am willing to spend more because of personalization.]	1
4: Customer Lifetime Value [I see this as a long-term shopping relationship.]	1
5: Algorithmic Transparency [The platform explains why products are recommended.]	1
5: Algorithmic Transparency [I understand how the recommendation system works.]	1
5: Algorithmic Transparency [The platform is transparent about data usage.]	1
5: Algorithmic Transparency [I trust the fairness of AI recommendations.]	1
Valid N (listwise)	

Descriptive Statistics

	Maximum
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	7
AI-Driven Personalization [Recommended products are relevant to my browsing context]	7
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	7
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	7
2: Customer Engagement [I spend time thinking about recommended products.]	7
2: Customer Engagement [I feel deeply focused while exploring personalized feeds.]	7
2: Customer Engagement [Personalized recommendations excite me.]	7
2: Customer Engagement [Exploring AI-curated suggestions is enjoyable.]	7
2: Customer Engagement [I spend more time browsing recommendations than intended.]	7
2: Customer Engagement [I actively interact with recommended products.]	7
3: Customer Retention [I intend to continue using this platform.]	7
3: Customer Retention [I would resist switching to competitors.]	7
3: Customer Retention [I consider myself loyal to this platform.]	7
3: Customer Retention [I plan to increase future visits.]	7
4: Customer Lifetime Value [I will allocate most future spending to this platform.]	7
4: Customer Lifetime Value [I expect to buy from more product categories here.]	7
4: Customer Lifetime Value [I am willing to spend more because of personalization.]	7
4: Customer Lifetime Value [I see this as a long-term shopping relationship.]	7
5: Algorithmic Transparency [The platform explains why products are recommended.]	7
5: Algorithmic Transparency [I understand how the recommendation system works.]	7
5: Algorithmic Transparency [The platform is transparent about data usage.]	7
5: Algorithmic Transparency [I trust the fairness of AI recommendations.]	7
Valid N (listwise)	

Descriptive Statistics

	Mean
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	3.88
AI-Driven Personalization [Recommended products are relevant to my browsing context]	3.86
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	3.69
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	3.83
2: Customer Engagement [I spend time thinking about recommended products.]	3.54
2: Customer Engagement [I feel deeply focused while exploring personalized feeds.]	3.76
2: Customer Engagement [Personalized recommendations excite me.]	3.81
2: Customer Engagement [Exploring AI-curated suggestions is enjoyable.]	3.83
2: Customer Engagement [I spend more time browsing recommendations than intended.]	3.85
2: Customer Engagement [I actively interact with recommended products.]	3.86
3: Customer Retention [I intend to continue using this platform.]	3.81
3: Customer Retention [I would resist switching to competitors.]	3.79
3: Customer Retention [I consider myself loyal to this platform.]	3.90
3: Customer Retention [I plan to increase future visits.]	3.98
4: Customer Lifetime Value [I will allocate most future spending to this platform.]	3.67
4: Customer Lifetime Value [I expect to buy from more product categories here.]	3.79
4: Customer Lifetime Value [I am willing to spend more because of personalization.]	3.93
4: Customer Lifetime Value [I see this as a long-term shopping relationship.]	4.05
5: Algorithmic Transparency [The platform explains why products are recommended.]	3.67
5: Algorithmic Transparency [I understand how the recommendation system works.]	3.80
5: Algorithmic Transparency [The platform is transparent about data usage.]	3.90
5: Algorithmic Transparency [I trust the fairness of AI recommendations.]	3.93
Valid N (listwise)	

Descriptive Statistics

	Std. Deviation
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	1.858
AI-Driven Personalization [Recommended products are relevant to my browsing context]	1.817
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	1.887
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	1.726
2: Customer Engagement [I spend time thinking about recommended products.]	1.861
2: Customer Engagement [I feel deeply focused while exploring personalized feeds.]	1.723
2: Customer Engagement [Personalized recommendations excite me.]	1.785
2: Customer Engagement [Exploring AI-curated suggestions is enjoyable.]	1.740
2: Customer Engagement [I spend more time browsing recommendations than intended.]	1.756
2: Customer Engagement [I actively interact with recommended products.]	1.799
3: Customer Retention [I intend to continue using this platform.]	2.014
3: Customer Retention [I would resist switching to competitors.]	1.666
3: Customer Retention [I consider myself loyal to this platform.]	1.705
3: Customer Retention [I plan to increase future visits.]	1.795
4: Customer Lifetime Value [I will allocate most future spending to this platform.]	1.948
4: Customer Lifetime Value [I expect to buy from more product categories here.]	1.785
4: Customer Lifetime Value [I am willing to spend more because of personalization.]	1.738
4: Customer Lifetime Value [I see this as a long-term shopping relationship.]	1.801
5: Algorithmic Transparency [The platform explains why products are recommended.]	1.893
5: Algorithmic Transparency [I understand how the recommendation system works.]	1.779
5: Algorithmic Transparency [The platform is transparent about data usage.]	1.862
5: Algorithmic Transparency [I trust the fairness of AI recommendations.]	1.770
Valid N (listwise)	

* Chart Builder.

GGRAPH

```
/GRAPHDATASET NAME="graphdataset" VARIABLES=Gender COUNT()[name="COUNT"] MISSING=LISTWISE REP
/GRAPHSPEC SOURCE=INLINE.
```

BEGIN GPL

```
SOURCE: s=userSource(id("graphdataset"))
DATA: Gender=col(source(s), name("Gender"), unit.category())
DATA: COUNT=col(source(s), name("COUNT"))
COORD: polar.theta(startAngle(0))
GUIDE: axis(dim(1), null())
GUIDE: legend(aesthetic(aesthetic.color.interior), label("Gender"))
SCALE: linear(dim(1), dataMinimum(), dataMaximum())
SCALE: cat(aesthetic(aesthetic.color.interior), include("1", "2", "3"))
ELEMENT: interval.stack(position(summary.percent(COUNT))), color.interior(Gender)
```


END GPL.

GGraph

Notes

Output Created	29-JUL-2026 08:56:39	
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Syntax	<pre> GGRAPH /GRAPHDATASET NAME=" graphdataset" VARIABLES=Gender COUNT()[name="COUNT"] MISSING=LISTWISE REPORTMISSING=NO /GRAPHSPEC SOURCE=INLINE. BEGIN GPL SOURCE: s=userSource(id ("graphdataset")) DATA: Gender=col(source(s), name("Gender"), unit.category()) DATA: COUNT=col(source(s), name("COUNT")) COORD: polar.theta(startAngle(0)) GUIDE: axis(dim(1), null()) GUIDE: legend(aesthetic(aesthetic. color.interior), label("Gender")) SCALE: linear(dim(1), dataMinimum(), dataMaximum()) SCALE: cat(aesthetic(aesthetic. color.interior), include("1", "2", "3")) ELEMENT: interval.stack(position (summary.percent(COUNT))), color. interior(Gender)) END GPL. </pre>	
Resources	Processor Time	00:00:01.06
	Elapsed Time	00:00:01.10

[DataSet1] C:\Users\admin\Desktop\Project 1.sav




```
* Chart Builder.
GGRAPH
  /GRAPHDATASET NAME="graphdataset" VARIABLES=Frequency COUNT()[name="COUNT"] MISSING=LISTWISE
  /GRAPHSPEC SOURCE=INLINE.
BEGIN GPL
  SOURCE: s=userSource(id("graphdataset"))
  DATA: Frequency=col(source(s), name("Frequency"), unit.category())
  DATA: COUNT=col(source(s), name("COUNT"))
  GUIDE: axis(dim(1), label("Frequency of Online Purchases"))
  GUIDE: axis(dim(2), label("Count"))
  SCALE: cat(dim(1), include("1", "2", "3", "4", "5"))
  SCALE: linear(dim(2), include(0))
  ELEMENT: interval(position(Frequency*COUNT), shape.interior(shape.square))
END GPL.
```

GGraph

Notes

Output Created	29-JUL-2026 08:59:55	
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1. sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Syntax	<pre> GGRAPH /GRAPHDATASET NAME=" graphdataset" VARIABLES=Frequency COUNT() [name="COUNT"] MISSING=LISTWISE REPORTMISSING=NO /GRAPHSPEC SOURCE=INLINE. BEGIN GPL SOURCE: s=userSource(id ("graphdataset")) DATA: Frequency=col(source(s), name("Frequency"), unit.category()) DATA: COUNT=col(source(s), name("COUNT")) GUIDE: axis(dim(1), label ("Frequency of Online Purchases")) GUIDE: axis(dim(2), label("Count")) SCALE: cat(dim(1), include("1", "2", "3", "4", "5")) SCALE: linear(dim(2), include(0)) ELEMENT: interval(position (Frequency*COUNT), shape.interior (shape.square)) END GPL. </pre>	
Resources	Processor Time	00:00:00.17
	Elapsed Time	00:00:00.15

[DataSet1] C:\Users\admin\Desktop\Project 1.sav



* Chart Builder.

GGRAPH

```
/GRAPHDATASET NAME="graphdataset" VARIABLES=Gender COUNT()[name="COUNT"] MISSING=LISTWISE REP
/GRAPHSPEC SOURCE=INLINE.
```

BEGIN GPL

```
SOURCE: s=userSource(id("graphdataset"))
DATA: Gender=col(source(s), name("Gender"), unit.category())
DATA: COUNT=col(source(s), name("COUNT"))
GUIDE: axis(dim(1), label("Gender"))
GUIDE: axis(dim(2), label("Count"))
SCALE: cat(dim(1), include("1", "2", "3"))
SCALE: linear(dim(2), include(0))
ELEMENT: interval(position(Gender*COUNT), shape.interior(shape.square))
```


END GPL.

GGraph

Notes

Output Created		29-JUL-2026 09:15:29
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1. sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Syntax	<pre> GGRAPH /GRAPHDATASET NAME=" graphdataset" VARIABLES=Gender COUNT()[name="COUNT"] MISSING=LISTWISE REPORTMISSING=NO /GRAPHSPEC SOURCE=INLINE. BEGIN GPL SOURCE: s=userSource(id ("graphdataset")) DATA: Gender=col(source(s), name("Gender"), unit.category()) DATA: COUNT=col(source(s), name("COUNT")) GUIDE: axis(dim(1), label ("Gender")) GUIDE: axis(dim(2), label("Count")) SCALE: cat(dim(1), include("1", "2", "3")) SCALE: linear(dim(2), include(0)) ELEMENT: interval(position (Gender*COUNT), shape.interior (shape.square)) END GPL. </pre>	
Resources	Processor Time	00:00:00.13
	Elapsed Time	00:00:00.12

[DataSet1] C:\Users\admin\Desktop\Project 1.sav



```
T-TEST  
  /TESTVAL=0  
  /MISSING=ANALYSIS  
  /VARIABLES=AIP1 AIP2 AIP3 AIP4  
  /CRITERIA=CI(.95).
```

T-Test

Notes

Output Created	29-JUL-2026 09:26:28	
Comments		
Input	Data	C:\Users\admin\Desktop\Project 1.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	123
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST /TESTVAL=0 /MISSING=ANALYSIS /VARIABLES=AIP1 AIP2 AIP3 AIP4 /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

[DataSet1] C:\Users\admin\Desktop\Project 1.sav

One-Sample Statistics

	N
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	123
AI-Driven Personalization [Recommended products are relevant to my browsing context]	123
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	123
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	123

One-Sample Statistics

	Mean
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	3.88
AI-Driven Personalization [Recommended products are relevant to my browsing context]	3.86
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	3.69
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	3.83

One-Sample Statistics

	Std. Deviation
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	1.858
AI-Driven Personalization [Recommended products are relevant to my browsing context]	1.817
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	1.887
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	1.726

One-Sample Statistics

	Std. Error Mean
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	.168
AI-Driven Personalization [Recommended products are relevant to my browsing context]	.164
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	.170
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	.156

One-Sample Test

	Test ...
	t
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	23.148
AI-Driven Personalization [Recommended products are relevant to my browsing context]	23.575
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	21.697
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	24.606

One-Sample Test

	Test Value
	df
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	122
AI-Driven Personalization [Recommended products are relevant to my browsing context]	122
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	122
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	122

One-Sample Test

	Test Value = 0
	Sig. (2-tailed)
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	.000
AI-Driven Personalization [Recommended products are relevant to my browsing context]	.000
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	.000
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	.000

One-Sample Test

	Test Value = 0
	Mean Difference
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	3.878
AI-Driven Personalization [Recommended products are relevant to my browsing context]	3.862
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	3.691
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	3.829

One-Sample Test

	Test Value = 0
	95% Confidence ...
	Lower
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	3.55
AI-Driven Personalization [Recommended products are relevant to my browsing context]	3.54
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	3.35
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	3.52

One-Sample Test

	Test Value = 0
	95% Confidence ...
	Upper
AI-Driven Personalization [AI recommendations accurately reflect my shopping needs]	4.21
AI-Driven Personalization [Recommended products are relevant to my browsing context]	4.19
1: AI-Driven Personalization [Personalized offers appear at the right moment.]	4.03
1: AI-Driven Personalization [Recommendations feel tailored to my personal tastes.]	4.14

DATASET ACTIVATE DataSet1.

SAVE OUTFILE='C:\Users\admin\Desktop\Project 1.sav'

/COMPRESSED.

GET
FILE='C:\Users\admin\Desktop\Project 1.sav'.
DATASET NAME DataSet1 WINDOW=FRONT.