EXP:3

3. The online bus ticket booking system enables users to search for buses by route, date, and time, and view available seats. Users can create an account, log in, and manage their bookings through a personal dashboard. The booking process includes selecting seats, filling out passenger details, and making secure payments via an integrated payment gateway. Admins can manage bus schedules, seat availability, and user accounts through an admin panel. Users receive booking confirmation emails and can view their booking history. The website is mobileresponsive, ensuring easy access on all devices

HTML CODE:

Sample code

```
<!DOCTYPE html>
<html>
<head>
<title>Bus Ticket Booking</title>
<style>
body {
  font-family: Arial;
  background: #eaf2f8;
  text-align: center;
}
h1 {
  background: navy;
  color: white;
  padding: 20px;
}
.box {
  background: white;
  padding: 20px;
  margin: 30px auto;
  width: 300px;
  border-radius: 10px;
}
input, select, button {
```

```
    padding: 10px;
    margin: 8px;
    width: 90%;
}
button {
    background: navy;
    color: white;
    border: none;
    cursor: pointer;
}
</style>
</head>
<body>

<h1>Online Bus Ticket Booking</h1>

<div class="box">
<h2>Search Bus</h2>

<input type="text" id="from" placeholder="From">
<input type="text" id="to" placeholder="To">
<input type="date" id="date">

<select id="category">
<option>Volvo</option>
<option>Sleeper Coach</option>
<option>AC Coach</option>
</select>

<button onclick="searchBus()">Search Bus</button>
```

```
<p id="result"></p>

<h2>Book Ticket</h2>
<input type="text" id="name" placeholder="Passenger Name">
<input type="number" id="seats" placeholder="Number of Seats">

<button onclick="bookTicket()">Book Ticket</button>
<p id="booking"></p>
</div>

<script>
function searchBus() {
    let from = document.getElementById("from").value;
    let to = document.getElementById("to").value;

    if(from == "" || to == "") {
        alert("Enter source and destination");
    } else {
        document.getElementById("result").innerHTML =
        "Bus available from " + from + " to " + to;
    }
}

function bookTicket() {
    let name = document.getElementById("name").value;
    let seats = document.getElementById("seats").value;

    if(name == "" || seats == "") {
        alert("Enter passenger details");
    } else {
```

```
        document.getElementById("booking").innerHTML =
        "Ticket booked successfully for " + name +
        ". Seats: " + seats;
    }
}
</script>

</body>
</html>
```

output



