Red Hat

Fedora Lane

RHEL 10 Gold Image for Web Servers

One secure RHEL 10 standard → every e-commerce web node looks the same

Consultant recommendation & live demo

FASTER | Server/Cloud OS TDP | Local Image Builder (distro=rhel-10) → AWS AMI

Red Hat

Today’s agenda

- Problem — what hurts Fedora Lane operations today
- Recommendation — one RHEL 10 gold image (why this works)
- How we built it — TOML distro=rhel-10 → AMI → EC2
- Live proof — hardened node + optional Web Console story
- Business value + one clear next step

Red Hat

The problem in one picture

TODAY (pain)

- Rocky
- Ubuntu
- CentOS
- Amazon Linux

Drift • failed mass patching • long outages • ops blocked on containers



TARGET (RHEL 10 gold)

- Web node #3 = RHEL 10
- Web node #2 = RHEL 10
- Web node #1 = RHEL 10

Same OS • same ports • same security • same httpd service

Red Hat

Three challenges we must solve

1. Inconsistent estate

- Many Linux flavors
- Config drift by region
- Patch failed on 600+
- Missed 30-day CVE window

2. Untraceable changes

- Silent admin tweaks
- No audit trail
- Hours to find root cause
- Checkout revenue impact

3. Container skills gap

- Long podman one-liners
- Typos break deploys
- Ops calls developers
- Not operable at scale

Red Hat

Recommendation

RHEL 10 gold image as the web-server standard

Red Hat

Build one RHEL 10 gold image

Recommendation

Use a single RHEL 10 gold AMI (local Image Builder, distro=rhel-10) as the standard for Fedora Lane e-commerce web servers.

Standardize

Same RHEL 10 baseline on every new web node

Harden


SELinux, SSH, firewall, named admins baked in

Operate

httpd as a container service — not a CLI paste

Red Hat

Solution architecture (RHEL 10)



Red Hat

AWS path — what each step means

STEP	ACTION	AWS OBJECT	WHY IT MATTERS
1	**Build (.raw)**	Image Builder	RHEL 10 gold disk file
2	**Upload (S3)**	Object storage	File parking — not bootable
3	**Import snapshot**	AWS disk copy	File → EC2-native disk
4	**Register AMI**	Launch catalog	Template EC2 can boot
5	**Launch EC2**	Running proof	Live demo of the standard

“S3 = file • Snapshot = disk • AMI = what we launch”

Red Hat

What’s inside the RHEL 10 gold image

Base OS

Red Hat Enterprise
Linux 10
(distro=rhel-10)

Disk layout

/var/log /home
/tmp /var/tmp
(each < 5 GiB)

Security

SELinux Enforcing
/tmp noexec
Least privilege

Access

SSH :2222 key-only
No root SSH
No password SSH

Web tier

httpd in Podman
Port 35443
systemd enabled

Network

firewalld open:
2222 + 35443 only
Survives reboot

Red Hat

Blueprint: RHEL 10 is explicit

```
name = "fedora-lane-gold"
version = "0.1.0"
distro = "rhel-10"
# Compose on a RHEL 10 Image Builder host
```

Confirm exact id with: composer-cli distros list

If list shows rhel-10.0 / rhel-100 — use that exact string

Red Hat

Challenge → what we deliver

Inconsistent estate	→	**One RHEL 10 AMI identical every launch**
Untraceable changes	→	**Hardened identity + known-good baseline**
Container skills gap	→	**httpd as a systemd service on 35443**

Red Hat

Day-2 management (Web Console)

- Gold AMI firewall allows only SSH 2222 + httpd 35443 (brief requirement)
- For GUI ops demo, use RHDP RHEL 10 Base with Web Console installed
- Show Overview / updates / logs → consistent management (Challenge 1)
- Show Session Recording playback → audit trail (Challenge 2)
- Show Podman containers in Web Console → ops-friendly containers (Challenge 3)

Build = RHEL 10 gold AMI | Operate demo = RHDP RHEL 10 Web Console

Red Hat

Live demonstration

Proof on EC2 from the RHEL 10 gold AMI

Red Hat

What I will show live

1	**OS base**	cat /etc/redhat-release → RHEL 10
2	**Connect**	ssh -p 2222 fladmin1@…
3	**SELinux**	getenforce → Enforcing
4	**Disks**	findmnt + /tmp noexec
5	**Sudo**	password required
6	**Web**	curl :35443 + container
7	**Firewall**	only 2222 & 35443
8	**Reboot**	services still up

Red Hat

Message by stakeholder

Anya (CIO)	Safer scale-out on a modern RHEL 10 standard
Alex (Infra)	Fewer snowflake servers; simpler day-2 ops
Ren (Security)	Enforcing SELinux, locked SSH, tight firewall
Casey (Linux)	One RHEL 10 engineering standard for web fleet
Cameron (Apps)	Containers ops can run without heroics

Red Hat

Ask + next step

The ask

Approve a staging pilot of this RHEL 10 gold AMI for web nodes.

Then Web Console / Session Recording for day-2 ops, plus Insights.

Week 1–2: Pilot RHEL 10 AMI on staging

Then: Web Console + Session Recording

Then: Insights + automated rebuilds

Stretch: Azure image from same TOML

Red Hat

Red Hat

One RHEL 10 standard. Every web node.

Reduce drift. Harden access. Make containers operable.

Questions? → Let's walk the live RHEL 10 instance