

NAME SHISHU


REG 2020CA089

Motilal Nehru National Institute of Technology, Allahabad
(Department of Computer Science & Engineering)
(MCA- 3rd Sem)
Assignment-9

Lab Name: Design Analysis & Algorithms

Write a C program to implement Prim's algorithm to find Minimum Spanning Tree.

Suppose the graph that given solution below



```
#include <limits.h>
#include <stdbool.h>
#include <stdio.h>
// Number of vertices in the graph
#define V 5

// A utility function to find the vertex with
// minimum key value, from the set of vertices
// not yet included in MST
int minKey(int key[], bool mstSet[])
```

```

{
    // Initialize min value
    int min = INT_MAX, min_index;

    for (int v = 0; v < V; v++)
        if (mstSet[v] == false && key[v] < min)
            min = key[v], min_index = v;

    return min_index;
}

// constructed MST stored in parent[]
int printMST(int parent[], int graph[V][V])
{
    printf("Edge \tWeight\n");
    for (int i = 1; i < V; i++)
        printf("%d - %d \t%d \n", parent[i], i, graph[i][parent[i]]);
}

// Function to construct and print MST for
// a graph represented using adjacency
// matrix representation
void primMST(int graph[V][V])
{
    // Array to store constructed MST
    int parent[V];
    // Key values used to pick minimum weight edge in cut
    int key[V];
    // To represent set of vertices included in MST
    bool mstSet[V];

    // Initialize all keys as INFINITE
    for (int i = 0; i < V; i++)
        key[i] = INT_MAX, mstSet[i] = false;

    // Always include first 1st vertex in MST.
    // Make key 0 so that this vertex is picked as first vertex.
    key[0] = 0;
    parent[0] = -1; // First node is always root of MST

    // The MST will have V vertices
    for (int count = 0; count < V - 1; count++) {
        // Pick the minimum key vertex from the
        // set of vertices not yet included in MST
        int u = minKey(key, mstSet);

        // Add the picked vertex to the MST Set
        mstSet[u] = true;

        for (int v = 0; v < V; v++)

```

```

        // Update the key only if graph[u][v] is smaller than key[v]
        if (graph[u][v] && mstSet[v] == false && graph[u][v] < key[v])
            parent[v] = u, key[v] = graph[u][v];
    }

    // print the constructed MST
    printMST(parent, graph);
}

// driver program to test above function
int main()
{
    int graph[V][V] = { { 0, 2, 0, 6, 0 },
                        { 2, 0, 3, 8, 5 },
                        { 0, 3, 0, 0, 7 },
                        { 6, 8, 0, 0, 9 },
                        { 0, 5, 7, 9, 0 } };

    // Print the solution
    primMST(graph);

    return 0;
}

```

Output

```

Edge    Weight
0 - 1    2
1 - 2    3
0 - 3    6
1 - 4    5

```

```
PS D:\cpp\sem3Algo\assignment9> 
```