NAME SHISHU REG 2020CA089 WEEK-1 HTML

Q1. Basic HTML Tags, Table Tags, List Tags, Image Tags, Forms.


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"><</pre>
/script>
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></scrip</pre>
    <title>image list table</title>
</head>
<body>
 <h1>List</h1>
 <u1>
   shishu
   sharma
Coffee
   Tea
   Milk
  <d1>
   <dt>Coffee</dt>
    <dd>black hot drink</dd>
```


```
<dt>Milk</dt>
  <dd>white cold drink</dd>
 </dl>
 <h1>table</h1>
 <div class="container">
  <h2>Basic Table</h2>
  The .table class adds basic styling (light padding and horizonlat)
dividers) to a table:
  <thead>
    First name
       Last name
       Email
    </thead>
  shishu
       sharma
       shishus808@gmial.com
    shishu
       sharma
       shishus808@gmial.com
    shishu
       sharma
       shishus808@gmial.com
  </div>
<div class="container">
  <h2>Basic Table1</h2>
  The .table class adds basic styling (light padding and horizonlat)
dividers) to a table:
  <thead>
    First name
       Last name
       Email
```

```
</thead>
  shishu
      sharma
      shishus808@gmial.com
    shishu
      sharma
      shishus808@gmial.com
    shishu
      sharma
      shishus808@gmial.com
    </div>
<div class="container">
  <h2>Basic Table2</h2>
  The .table class adds basic styling (light padding and horizonlat)
dividers) to a table:
  <thead>
    First name
      Last name
      Email
    </thead>
  shishu
      sharma
      shishus808@gmial.com
    shishu
      sharma
      shishus808@gmial.com
```

```
shishu
       sharma
       shishus808@gmial.com
     <div class="container table-responsive">
  <h2>Basic Table3</h2>
  The .table class adds basic styling (light padding and horizonlat)
dividers) to a table:
  <thead>
     >
       First name
       Last name
       Email
       sfdjsdlfjl
       sdkfskjdfk
     </thead>
  shishu
       sharma
       shishus808@gmial.com
     shishu
       sharma
       shishus808@gmial.com
     shishu
       sharma
       shishus808@gmial.com
     </div>
</div>
<h1>Image</h1>
<div class="row">
  <div class="col-sm-3 col-md-6">
  <img src="c10th.jpg" class="rounded-circle" alt="Cinque Terre">
```

```
<img src="c10th.jpg" class="img-thumbnail img-fluid" alt="Cinque Terre">
</div>
<div class="col-sm-9 col-md-6">
   <img src="c10th.jpg" class="float-left img-fluid" alt="Cinque Terre">
   <img src="c10th.jpg" class="float-right img-fluid" alt="Cinque Terre">
</div>
</div>
<div>
   <a href="https://www.google.com">dkjfl;skd;flk;</a>
   <img src="c10th.jpg" class="mx-auto d-block">
<div>
   The .img-fluid class makes the image scale nicely to the parent element
(resize the browser window to see the effect):
   <img src="c10th.jpg" class="img-fluid" alt="Cinque Terre"> </div>
   <a class="page-link" href="#">Previous</a>
<a class="page-link" href="#">1</a>
<a class="page-link" href="#">2</a>
<a class="page-link" href="#">3</a>
<a class="page-link" href="#">Next</a>
</body>
</html>
```







Q2. Write an HTML code to display your education details in a tabular format.

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"><</pre>
/script>
   <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></scrip</pre>
  <title>My details</title>
<body>
   <thead>
       NAME
        SHISHU
       </thead>
     MATRIC
       SCHOOL
        ST. VINOBHA H. SCHOOL
       PERCENTAGE
        71.80
       INTERMEDIATE
       COLLEGE
        A.N. COLLEGE PATNA
       GRADUATION
```

```
COLLEGE
    A.N. COLLEGE PATNA
   M.C.A
   PERSUMING
   COLLEGE
    MNNIT ALLAHABAD
   </body>
</html>
```



Q3. Write an HTML code to create a Home page having three links: About Us, Our Services and Contact Us. Create separate web pages for the three links.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <!--BootStrap CSS-->
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
rel="stylesheet"
        integrity="sha384-
1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body {
            margin: 0;
            font-family: Arial;
        .topnav {
            overflow: hidden;
            background-color: #333;
        .topnav a {
            float: left;
            display: block;
            color: #f2f2f2;
            text-align: center;
            padding: 14px 16px;
            text-decoration: none;
            font-size: 17px;
        .active {
            background-color: #04AA6D;
            color: white;
```


```
.topnav .icon {
            display: none;
        .topnav a:hover {
            background-color: #ddd;
            color: black;
        @media screen and(max-width:600px) {
            .topnav.responsive {
                position: relative;
            .topnav.responsive .icon {
                position: absolute;
                right: 0;
                top: 0;
            .topnav.responsive a {
                float: none;
                display: block;
                text-align: left;
    </style>
</head>
<body>
   <form>
        <div class="topnav" id="myTopnav">
            <a href="#home" class="active">Home</a>
            <a href="#aboutUs">About Us</a>
            <a href="#ourservices">Our Services</a>
            <a href="#contactUs">Contact Us</a>
            <a href="javascript:void(0);" style="font-size:15px" class="icon"</pre>
onclick="muFunction()">☰</a>
        </div>
        <div>
            <a href="aboutus.html">About Us</a><br>
            <a href="ourservices.html">Our services</a><br>
            <a href="contactus.html">Contact Us</a>
```

```
</form>

</form>

<script>
    function myFunction() {
        var x = document.getElementById("myTopnav");
        if (x.className === "topnav") {
            x.className += "responsive";
        } else {
            x.className = "topnav";
        }
        </script>


</body>
</html>
```







This is about us page



This is about us page





This is Contact Us page

Name:shishu Mobile:7519308095

