

Hello World Dockerfile

#nano Dockerfile

FROM alpine:latest

CMD ["echo", "Hello World"]

#docker build -t hello-world-demo .

#docker run hello-world-demo

=====

Nginx Web Server Dockerfile

#nano Dockerfile

FROM nginx:latest

LABEL maintainer="Shital k"

COPY index.html /usr/share/nginx/html/index.html

EXPOSE 8085

CMD ["nginx", "-g", "daemon off;"]

#docker build -t nginx-web .

#docker run -d -p 8085:80 nginx-web

http://localhost:8085

=====

*****Apache Web Server Dockerfile*****

#nano Dockerfile

FROM registry.access.redhat.com/ubi9/ubi

Install Apache

RUN dnf -y install httpd && \
dnf clean all

Copy website files

COPY . /var/www/html/

Set permissions

RUN chown -R apache:apache /var/www/html

Expose HTTP port

EXPOSE 8086

Run Apache in foreground

CMD ["/usr/sbin/httpd", "-D", "FOREGROUND"]

#docker build -t redhat-apache .

#docker run -d -p 8086:80 --name apache-container redhat-apache

=====

Sample.war Dockerfile

#nano Dockerfile

FROM tomcat:9.0

LABEL maintainer="Shital k"

```
COPY sample.war /usr/local/tomcat/webapps/
```

```
EXPOSE 8088
```

```
CMD ["catalina.sh", "run"]
```

save this file and run below command

```
#dnf install java-21-openjdk-devel -y      ----->{in RHEL OS}  
#yum install java-21-amazon-corretto-devel ----->{in amazon linux}
```

```
#java --version
```

```
#mkdir sample
```

```
#cd sample
```

```
#nano index.jsp
```

```
<html>
```

```
<head>
```

```
    <title>Sample Docker App</title>
```

```
</head>
```

```
<body>
```

```
    <h1>Welcome to Tomcat Docker!</h1>
```

```
    <h2>Sample WAR deployed successfully.</h2>
```

```
</body>
```

```
</html>
```

```
#mkdir WEB-INF
```

```
#vim WEB-INF/web.xml
```

```
<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"  
          xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
          xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee  
http://xmlns.jcp.org/xml/ns/javaee/web-app_3_1.xsd"  
          version="3.1">
```

```
    <display-name>Sample App</display-name>
```

```
</web-app>
```

```
:wq!
```

```
#jar -cvf ../sample.war *
```

```
#cd ..
```

```
#ls
```

```
#docker build -t tomcat-app .
```

```
#docker images
```

```
#docker run -d --name tomcat-container -p 8088:8080 tomcat-app
```

```
#docker ps
```

```
#http://localhost:8088/sample
```

```
*****Mariadb Server Dockerfile*****
```

```
#nano Dockerfile
```

```
FROM mariadb:latest
```

```
LABEL maintainer="Shital k"
```

```
ENV MARIADB_ROOT_PASSWORD=root123
```

```
ENV MARIADB_DATABASE=testdb
```

```
ENV MARIADB_USER=Shital k
```

```
ENV MARIADB_PASSWORD=123
```

```
EXPOSE 8089
```

```
#docker build -t mariadb-server-image .
```

```
#docker run -d --name mariadb -p 8089:3306 mariadb-server
```

```
#yum install -y mariadb ----->in RHEL-9
```

```
#yum install -y mariadb105-server  ----->in amazon linux
```

```
#docker ps
```

```
#mysql -h 192.168.58.129 -P 8089 -u root -p
```

```
=====
```